

29 of 60.

Universal Containers has a dashboard for sales managers. They need to visualize the percentage of their opportunities in the pipeline in a Gauge chart. They want to customize the chart to keep track if they are below or beyond the target.



Which widget parameters should a consultant use?

- A. ☒ Range Values, Angle, Conditional Formatting
- B. ☐ Reference Line, Angle, Range Values
- C. ☐ Reference Line, Markers, Conditional Formatting

☐ Mark this item for later review.

< Back Next > Review All Submit Exam

C

1 of 60.

A CRM Analytics team plans to enable data sync.

Which limit specific to data sync should the team consider before enabling the feature because it may impact existing jobs?

- ☐ A. Maximum number of data sync jobs cannot exceed the limit
- ☐ B. Maximum number of Full Sync connection mode enabled
- ☒ C. Maximum number of objects that can be enabled for data sync

☐ Mark this item for later review.

C

< Back

Next >

Re Press the "Print Screen" on your keyboard

2 of 60.

A dashboard designer at Cloud Kicks creates a dashboard in CRM Analytics. The designer notices fields display on the dashboard with their API labels, such as "AccountId.Industry", and wants to change this behavior.

The designer also notices that the fields and their order appear to randomly change when a values table is created.

What should the CRM Analytics consultant explain to help the designer?

- ☒ A. The default fields in a values table can be changed by reordering how fields appear in the JSON of the value table.
- ☐ B. The default fields in a values table and the field labels can be modified in the dataset explorer.
- ☐ C. The field labels can only be changed in the widget properties in the dashboard edit mode.

B

☐ Mark this item for later review.

Press the "Print Screen" on your keyboard

3 of 60.

Universal Containers (UC) is rolling out CRM Analytics to its field sales that include dashboards with order data from an external source. UC has a well-defined role hierarchy where everyone is assigned to an appropriate node on the hierarchy. In addition, the order data has a reference to a Salesforce opportunity.

An individual sales rep should be able to view all orders that they own or as part of the account team or opportunity team. The sales manager should be able to view all orders for the entire sales team. Similarly, the VP of sales should be able to view orders for everyone who rolls up in that hierarchy.

The dataset has a field called OwnerId which represents the order owner.

Given this information, how should a CRM Analytics consultant implement the above requirements?

- ☒ A. As part of the recipe, use a formula on the RoleId field to create an attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'OwnerId' == "\$User.Id".
- ☐ B. As part of the recipe, use the flatten operation on the role hierarchy, create a multi-value attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'TeamMember.Id' == "\$User.Id" || 'OwnerId' == "\$User.Id".
- ☐ C. As part of the recipe, use a multi row formula on the RoleId field to create an attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'OwnerId' == "\$User.Id".

☐ Mark this item for later review.

A

Press the "Print Screen" on your keyboard

👤 of 60.

Universal Containers (UC) is rolling out CRM Analytics to its field sales that include dashboards with order data from an external source. UC has a well-defined role hierarchy where everyone is assigned to an appropriate node on the hierarchy. In addition, the order data has a reference to a Salesforce opportunity.

An individual sales rep should be able to view all orders that they own or as part of the account team or opportunity team. The sales manager should be able to view all orders for the entire sales team. Similarly, the VP of sales should be able to view orders for everyone who rolls up in that hierarchy.

The dataset has a field called OwnerId which represents the order owner.

Given this information, how should a CRM Analytics consultant implement the above requirements?

- ☐ A. As part of the recipe, use a formula on the RoleId field to create an attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'OwnerId' == "\$User.Id".
- ☒ B. As part of the recipe, use the flatten operation on the role hierarchy, create a multi-value attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'TeamMember.Id' == "\$User.Id" || 'OwnerId' == "\$User.Id".
- ☐ C. As part of the recipe, use a multi row formula on the RoleId field to create an attribute called 'ParentRoleIDs' on the dataset, and apply the following security predicate: 'ParentRoleIDs' == "\$User.UserId" || 'OwnerId' == "\$User.Id".

☐ Mark this item for later review.

A

< Back

Next >

Review All

Submit Exam

👤 of 60.

A consultant is reviewing a model that is set to maximize the daily sales quantity of consumer products in stores, and they see this recommendation.

Data Alerts

For Review

Einstein detected possible issues in your data. Review alerts and address data issues to get better insights, predictions, and improvements. [Learn more](#)

High Correlation

Store explains 35% of the variation in DailyQuantity. Such a high correlation might indicate possible data leakage. Investigate Store to determine whether it contains the information you are trying to predict. If data leakage is found, exclude Store from the story.

☐ Exclude Store

☐ Ignore alert

Store explains 35% of the variation in DailyQuantity. Such a high correlation might indicate possible data leakage. Investigate Store to determine whether it contains the information you are trying to predict. If data leakage is found, exclude Store from the story.

- ☐ Exclude Store
- ☐ Ignore alert

Which action should the consultant take?

- A. ☐ Verify client expectations that Store is a strong predictor for daily sales quantity.
- B. ☒ Remove the Store field from the model definition, because that is the recommended action.
- C. ☐ Ignore alert; the explanation of variation is only 35%, which is below 50%.

☐ Mark this item for later review.

A

< Back

Next >

Review All

Submit Exam

 of 60. Cloud Kicks has informed CRM Analytics developers that they have two scenarios with restricted row-level security.

The parameters being:

1. Non-CXOs and VPs working in EMEA can have access to EMEA records only.
2. CXOs and VPs should have access to all data irrespective of the region (APAC, EMEA, etc.).

Which sharing method works for this scenario?

- A. ☐ Create two sets of dashboards; one for EMEA, and one for CXOs and VPs while filtering the dashboard on the region.
- B. ☒ Use a field on the user record like Department/Region, and apply row-level security based on that field.
- C. ☐ Create two separate datasets; one for EMEA, and one for CXOs and VPs.

☐ Mark this item for later review.

B

 of 60. A team of CRM Analytics developers has been working on an existing recipe to add new derived fields. The edited version has been failing ever since, and management is requesting that the dashboard show refreshed data while they work on the edits.

How can the developers add new fields while keeping the dataset refreshed?

- A. ☒ Create a recipe for the new fields and when that is successful, add it to the existing recipe as a join node.
- B. ☐ Clone the existing recipe to add fields and roll back the original recipe to the last working version.
- C. ☐ Refresh the dataset after working hours to avoid the edited version from failing.

☐ Mark this item for later review.

B

< Back

Next >

Review All

Submit Exam

Press the "Print Screen" on your keyboard

of 60. A user is able to access the dashboards, lenses, and datasets of a particular app but is unable to change the name of the specific app.

What is causing the issue?

- ☒ A. The user does not have Manager access for that app.
☐ B. The app name cannot be changed once created.
☐ C. The user does not have Editor access for that app.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

Universal Containers (UC) builds three Einstein Discovery models in Salesforce to predict and maximize its revenue per customer. The models are for every region UC has a business: EMEA, AMER, and APAC.

How should a consultant help UC deploy the three Einstein models to Salesforce?

- ☐ A. Filter the account data per region and deploy the same model to all segments.
☒ B. Segment the account data per region and deploy the appropriate model for each segment.
☐ C. Deploy the same model to all accounts and use an Apex trigger to segment the prediction.

B

☐ Mark this item for later review.

< Back


Next >

Review All


Submit Exam

of 60.

A company wants to create a timeline chart to visualize the evolution of its Closed Won opportunities.



Press the "Print Screen" on your keyboard



What are the required parameters to build a lens that displays output similar to the image shown?

- A. ☐ 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled
- B. ☐ 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- C. ☒ 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled

☐ Mark this item for later review.

C

of 60.

A CRM Analytics consultant at Cloud Kicks wants to create a new dashboard that uses custom GeoJSON to display data; however, they are unable to upload the file via the user interface (UI).

Which action should the consultant take?

- A. ☒ Add the system permission "Manage Analytics Custom Maps" to the permission set used.
- B. ☐ Enable "Custom maps with GeoJSON" in the analytics settings.
- C. ☐ Upload the GeoJSON via the API because it is NOT a function in the UI.

☐ Mark this item for later review.

A

< Back Next > Review All Submit Exam

of 60.

A company realizes it has a lot of rich information around its cases, but unfortunately, most of this is unstructured/textual data. The company is exploring how to include some of this information in its case prioritization.

Which option within CRM Analytics should a consultant leverage?

- A. ☒ Bucket transformation in Recipes
- B. ☐ Cluster transformation in Recipes
- C. ☐ Detect Sentiment transformation in Recipes

☐ Mark this item for later review.

C

< Back Next > Review All Submit Exam

Press the "Print Screen" on your keyboard

of 60.

Universal Containers asks a CRM Analytics consultant to review the performance of its local data sync.

After removing unused objects and fields from connected data, what else should the consultant do to improve performance of the data sync?

- A. ☒ Evaluate connection mode for each connected object.
- B. ☐ Contact Salesforce Support to increase sync speed.
- C. ☐ Enable fast sync in analytics settings.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

The CRM Analytics consultant at Cloud Kicks is asked to make sure the data on the CRM Analytics dashboard be as real-time as possible.

It was agreed to set the sync refresh time to 5 minutes for one of the local connections. The org has a CRM Analytics Plus license but users are noticing that the earliest available time is 1 hour. The minutes option is not visible to the user.

What is causing the issue?

- A. ☐ The consultant does not have the Edit CRM Analytics Dataflows permission assigned.
- B. ☐ Setting up the schedule to 5 minutes feature is not available in sandbox orgs.
- C. ☒ The earliest available time is 1 hour for CRM Analytics Plus license.

B

☐ Mark this item for later review.

of 60.

What can a consultant accomplish in the Predictions page of a model?

- A. ☒ If it is decided to follow some of the Einstein Recommendations for model improvement, see what the new model metrics would be.
- B. ☐ Estimate the Impacted business value of using Einstein Discovery.
- C. ☐ Create a predicted outcome value by manually selecting values for some of the predictor fields.

C

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

A manager at Cloud Kicks asks for data in a dashboard to be refreshed after the sync of an external connection to Google BigQuery.

How should the consultant accomplish this?

- A. ☒ Schedule the recipe to run as event-based and check the Salesforce external connection syncs checkbox.
- B. ☐ Create a Salesforce flow to trigger the recipe to run once the connection sync has finished running.
- C. ☐ Check the scheduled date/time of the sync and schedule the recipe to run 15 minutes after the start time of the sync.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60. Which capability can a consultant use if "Deploy without connecting to a Salesforce Object" is selected while deploying the model?



- A. ☐ Einstein Predictions Component score
- B. ☒ Predict Function in Salesforce flows
- C. ☐ No-Code Writeback to SFDC objects

A

of 60.

A CRM Analytics consultant has been asked to bring data from an external database as well as five external Salesforce environments into CRM Analytics. Twenty-five objects have been enabled from the local Salesforce connector.

The requirements are:

- 10 objects should be enabled from an external database
- 12 objects each from three of the external Salesforce environments
- 15 objects each from the remaining two external Salesforce environments

The consultant estimates each connector will, per object, bring between 1,000 and 1 million rows of data.

Which limit will be exceeded?

- A. ☒ Total number of enabled objects
- B. ☐ Salesforce external connector number of synced rows
- C. ☐ Storage rows of data

A

of 60.

A consultant wants to understand what the important predictors are in a model.

Where is this information found?

- A. ☒ Einstein Recommendations
- B. ☐ Model Settings
- C. ☐ Model Deployment Wizard

☐ Mark this item for later review.

B

< Back

Next >

Review All

Submit Exam

of 60.

After getting approval for the dashboard layout design for a desktop, the CRM Analytics consultant is ready to start the design process for a mobile layout.

Which consideration should the consultant keep in mind?

- A. ☒ Create a layout with the property "phone" to show the dashboard on the mobile app similar to creating a layout with the property "dashboard" to show on the desktop for the same dashboard.
- B. ☐ If no layouts are eligible for the mobile device, an error message will be displayed but the dashboard will still be visible on the desktop without errors.
- C. ☐ A "Tablet" or "Phone" layout—where only minWidth and maxWidth have been set—may be displayed on a desktop if the dashboard is embedded in a small frame, or if the browser window is small.

☐ Mark this item for later review.

A

Press the "Print Screen" on your keyboard

of 60.

Universal Containers' CRM Analytics team is building a dashboard with two widgets.

1. List widget associated to the query "Type_2" and grouped by the dimension "Type" (multi-selection)
2. Donut chart widget associated to the query "Step_pie_3" and grouped by the dimension "Type"

The team wants to use bindings/interactions so any selection in the List widget will filter the Donut chart. The queries use different datasets, and users should be able to choose more than one Type (multi-selection).

What is the right syntax for the binding/interaction?

- A. ☒ "filters": [["Type", "{column(Type_2.selection, {\\"Type\\\"}).asString()}"]]
- B. ☐ "filters": [["Type", "{cell(Step_pie_3.selection, 0, {\\"Type\\\"}).asObject()}"]]
- C. ☐ "filters": [["Type", "{column(Type_2.selection, {\\"Type\\\"}).asObject()}"]]

C

of 60.

The marketing team at Cloud Kicks has five dashboards in an app. Four widgets are replicas of each other in three of the dashboards.

What is the best way to maintain these widgets?

- A. ☒ Create/Edit a lens and add to each dashboard.
- B. ☐ Create/Edit the widgets individually on each dashboard.
- C. ☐ Create/Edit a component for the widgets.

C

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

At Universal Containers, a dashboard is built to track sales metrics. The Opportunity amount field has conditional formatting added — it turns green for closed won and red for closed lost.

How should a CRM Analytics consultant enhance the dashboard design to become more accessible to users with color vision challenges?

- A. ☒ Position Alt Texts next to the KPIs to make it more understandable.
- B. ☐ Add up and down arrow next to the KPIs to make it more understandable.
- C. ☐ Make the numbers bold to emphasize whether it is won or lost.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

A versioning feature allows CRM Analytics users to be added as Publishers and make changes separately while a 'Live' version is still being used by other users. Once the changes are complete, the user can then set their updated version as the Live version.

Which CRM Analytics item is this leveraged for?

- A. ☒ App
- B. ☐ Dataset
- C. ☐ Dashboard

C

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

A consultant is tasked with creating a dataset and a dashboard for a sales team. During the requirements gathering, it was highlighted that security of the data is important.

It was noted that the Opportunity object has organization-wide defaults set to Private with access via the role hierarchy. Sales wants to keep this security in place for the dashboard. Looking at the Opportunity data, the consultant sees that the VP of sales can have access to up to 20,000 records and is unsure if sharing inheritance can be used.

Which approach ensures data security for the new Opportunity dataset?

- A. ☒ Enable Inherit Sharing from Salesforce in the analytics settings and set Opportunity as the source on the dataset.
- B. ☐ Flatten the role hierarchy in the dataflow recipe and set a security predicate based on Opportunity owner and role path.
- C. ☐ Run the Sharing Inheritance Coverage Assessment for the Opportunity object in the analytics settings.

C

Press the "Print Screen" on your keyboard

of 60.

What are various ways to incorporate blank space in a CRM Analytics dashboard?

- A. ☒ 1. Use the "Cell Spacing" layout property.
2. Increase the dashboard granularity via columns, and use blank columns.
- B. ☐ 1. Use the "Fine" row height option in layout properties, and use blank rows.
2. Use the "With Spacing" row height property.
- C. ☐ 1. Increase the dashboard granularity via columns, and use blank columns.
2. Use pages to break content into multiple tabs.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

A CRM Analytics consultant receives a new project from a client that wants to implement CRM Analytics. They do not currently have CRM Analytics but want guidance on how to ensure their users have the correct access.

They have 1,000 users with a small team of three people who will build both datasets and dashboards. An additional 15 people should be able to only create dashboards. The remaining users should only be able to view dashboards.

Which recommendation should the consultant give the client?

- A. ☒ Assign the app permissions "viewer", "editor", and "manager" to the three types of roles defined.
- B. ☐ Create and assign three new Salesforce profiles according to the three types of roles defined.
- C. ☐ Create and assign Salesforce permission sets according to the three types of roles defined.

C

☐ Mark this item for later review.

Press the "Print Screen" on your keyboard

of 60. The below image shows a numeric outcome being deployed (Regression).

Maximize House Sale Price	Maximize Sale Price	1	Regression
---------------------------	---------------------	---	------------

Which metric is used to calculate the performance of the model in production, specifically in the Model Manager?

- A. ☒ Area Under Curve, R^2 (R-squared)
- B. ☐ Area Under Curve, Confusion Matrix
- C. ☐ Root Mean Square Error, Minimum Square Error

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Press the "Print Screen" on your keyboard

of 60.

Which statement best describes how to ensure CRM Analytics dashboards are easily used across both desktop and mobile devices?

- A. ☐ Create multiple layouts and reorder all the widgets so that they fit nicely within the new default width.
- B. ☐ Create multiple layouts and allow CRM Analytics to automatically select and organize dashboard contents to be optimal for the device type.
- C. ☒ Create multiple layouts, ensure the layout selectors match the device, and resize/hide widgets to ensure the content is appropriate for the device screen size.

☐ Mark this item for later review.

C

< Back

Next >

Review All

Submit Exam

of 60. Universal Containers has a well-defined role hierarchy in Salesforce where everyone is assigned to an appropriate node. The accounts within their instance are categorized by their demography.

An individual sales rep should be able to view all accounts that they own. In addition, sales reps should be able to see any accounts where the value of the account demography matches the demography defined on their user record. A user could have more than one demography defined on their user record.

To meet this requirement, the CRM Analytics consultant has set up a security predicate of the existing 'Account' dataset as follows:

```
'OwnerId' == "$User.Id" || 'Demography' in ["$User.Demographic__c"]
```

This, however, does not seem to be working as expected.

What is causing the issue?

- A. ☒ The Sales Rep is not provided access permission on custom field Demographic__c on the User object.

To meet this requirement, the CRM Analytics consultant has set up a security predicate of the existing 'Account' dataset as follows:

```
'OwnerId' == "$User.Id" || 'Demography' in ["$User.Demographic__c"]
```

This, however, does not seem to be working as expected.

What is causing the issue?

- A. ☒ The Sales Rep is not provided access permission on custom field Demographic__c on the User object.
- B. ☐ The security predicate needs to be updated as 'OwnerId' == "\$User.Id" || 'Demography' = "\$User.Demographic__c".
- C. ☐ The Analytics Security User is not provided access permission on custom field Demographic__c on the User object.

☐ Mark this item for later review.

A

< Back

Next >

Review All

Submit Exam

of 60.

Universal Containers uses CRM Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users in the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How should a CRM Analytics consultant address this need?

- A. ☒ Create one app for each department, put common datasets in the shared app, and use roles to share apps.
- B. ☐ Create one app for each department, put common datasets in the shared app, and use profiles to share apps.
- C. ☐ Create one app for each department, put common datasets in the shared app, and use permission sets to share apps.

☐ Mark this item for later review.

A

of 60. A CRM Analytics consultant is building a dashboard for Cloud Kicks that is embedded in a separate Lightning page called "Management Dashboard" using a CRM Analytics Dashboard Component. The system administrator and the contract manager should both have access. The system administrator is able to see the dashboard and the data, but the contract manager sees a blank Lightning page.

What is causing the issue?

- ☒ A. The consultant has set up component visibility for the dashboard for system administrators only.
☐ B. The consultant has set up a dashboard filter condition for data to be visible to system administrators only.
☐ C. The consultant has set up/enabled a 'Hide on Error' feature for the dashboard while embedding it.

☒ Mark this item for later review.

A

Next >

Review All

Submit Exam

of 60.

Universal Containers (UC) is looking to create a dashboard for whitespace analysis. UC wants to view a particular customer and see what similar customers have bought.

Which recipe transformation is helpful for the consultant to use while creating the dataset?

- ☐ A. Timeseries Forecasting
☒ B. Cluster
☐ C. Predict Missing Values

☐ Mark this item for later review.

B

of 60.

A consultant is preparing a dataset to predict customer lifetime value and is collecting data from a questionnaire that asks for demographic information. A very small number of respondents fill in the Income box, but the consultant thinks that it is an informative column even though it only represents 1% of respondents.

What should the consultant do?

- ☒ A. Fill in the missing data with an average of all incomes.
☒ B. Apply the predict missing values transformation in recipe nodes.
☐ C. Drop the field as it will be difficult to get future respondents.

☐ Mark this item for later review.

B

of 60. The CRM Analytics consultant at Universal Containers notices that some users have access to sensitive data and dashboards they should not have access to in the Manager's app.

How should the consultant fix the problem?

- ☒ A. Develop separate dashboards and datasets and put them in the Manager's app.
☐ B. Apply data encryption using Salesforce Shield.
☒ C. Create separate apps, datasets, and dashboards, and share them with the proper users.

☒ Mark this item for later review.

B

< Back

Next >

Review All

Submit Exam

of 60.

An CRM Analytics consultant is working with Ursa Major Solar to build a dashboard to understand customer renewals. Each subscription is captured as a Closed Won Opportunity within Salesforce and a single Account should only have one active subscription. The consultant notices the Opportunity record does NOT specify whether it is a renewal or a net new subscription.

Which data transformation should the consultant use to determine if a subscription is new or a renewal?

- A. ☐ Flatten
- B. ☒ Custom Multiple row formula
- C. ☐ Custom Formula

B

☒ Mark this item for later review.

of 60. The sole manager of a CRM Analytics app at Cloud Kicks is leaving the company.

What should the CRM Analytics consultant do to ensure the app remains accessible?

- A. ☒ Assign an active user the app's manager role before the previous manager is deactivated.
- B. ☐ Deactivate the user and assign an active one to the app's manager role.
- C. ☐ Wait for the CRM Analytics app to auto-assign an active user as its manager.

A

☒ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60. A system administrator and a CRM Analytics consultant are working together on deploying a recipe/dataflow and a dataset to another org. Prior to this deployment, a package was deployed with all the custom fields used in the dataflow and dataset.

While running the recipe/dataflow in the target environment, the consultant encounters multiple errors related to these custom fields.

How should this be resolved?

- A. ☐ Check whether the system administrator has been provided access to these custom fields on the target org.
- B. ☒ Check whether the Analytics Integration user has been provided access to these custom fields on the target org.
- C. ☐ Check whether the consultant has been provided access to these custom fields on the target org.

B

☒ Mark this item for later review.

of 60.

Universal Containers (UC) is using CRM Analytics to create two datasets.

- Dataset A: Contains a list of activities with an "activityID" dimension and a "userID" dimension
- Dataset B: Contains a list of users with a "userID" dimension

UC wants to delete all activities from Dataset A related to users in Dataset B.

How should the CRM Analytics consultant help UC achieve this?

- A. ☒ Use the combination of recipe transformations: "join" and "filter".
- B. ☐ Use the recipe node "delete" and set "userID" as the deletion ID.
- C. ☐ Use the "update" transformation and utilize the "filter" node.

A

of 60.

A CRM Analytics consultant has been asked to refactor a dashboard so that it loads quicker. After some analysis, the consultant found that most of the dashboard queries run in less than 5 seconds; however, the Opportunities Table takes more time to load when scrolled down from its initial view.

How should the consultant improve the performance of this dashboard?

- A. ☒ Create a second page on the dashboard and move the table to this new page.
- B. ☐ Create a second dashboard and move the table to this new dashboard.
- C. ☐ Create a Visualforce page and display a list view of the Opportunities on this new page.

A

☐ Mark this item for later review.

of 60. Universal Containers (UC) uses a Microsoft Azure SQL Data Warehouse to gather information about sales reps' objectives. UC wants to use CRM Analytics to gain insights from this data and automatically load it into a CRM Analytics dataset daily. The data also needs to be transformed and merged with data from the company's org.

Which CRM Analytics user interface features should be used to complete these requirements?

- A. ☐ Analytics REST API used in conjunction with dataflows/recipes
- B. ☒ Microsoft Azure SQL Data Warehouse Connector used in conjunction with dataflows/recipes
- C. ☐ CRM Analytics Connector for Excel used in conjunction with dataflows/recipes

B

☐ Mark this item for later review.

of 60. A CRM Analytics consultant has prepared a CSV file to be uploaded to CRM Analytics. By mistake, one of the column headers is modified as random non-alphanumeric characters "&^*(&*(%", which went unnoticed prior to uploading the file.

What is the expected behavior of the uploaded CSV column?

- A. ☐ The column header is prefixed with "X" upon upload.
- B. ☒ The column header is auto-updated to "Column" + column number.
- C. ☐ The column header is set to "&^*(&*(%".

B

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

What is the purpose of the CRM Analytics Dashboard Inspector?

- A. ☒ To view the total time required to run all queries.
- B. ☐ To automatically remove bottlenecks to make queries run faster.
- C. ☐ To see the final query for each widget along with the results.

A

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60. CRM Analytics users at Cloud Kicks are granted access to an app with specific dashboards. When trying to download a specific widget, they are unable to do so.

What is causing the issue?

- ☐ A. The users have access to the dashboard but not the dataset.
- ☐ B. The dashboard has been created for internal use and the users have a view only license.
- ☒ C. The permission set for the users is missing the download data permission.

C

☐ Mark this item for later review.

[< Back](#) [Next >](#) [Review All](#) [Submit Exam](#)

of 60. CRM Analytics users at Cloud Kicks are granted access to an app with specific dashboards. When trying to download a specific widget, they are unable to do so.

What is causing the issue?

- ☐ A. The users have access to the dashboard but not the dataset.
- ☐ B. The dashboard has been created for internal use and the users have a view only license.
- ☒ C. The permission set for the users is missing the download data permission.

C

☐ Mark this item for later review.

[< Back](#) [Next >](#) [Review All](#) [Submit Exam](#)

of 60. The CRM Analytics consultant at Universal Containers (UC) has set up data sync for the Salesforce Opportunity object with the Amount currency field added. This is being used in multiple datasets and dashboards, as UC is a multi-currency organization.

The currency used in Salesforce records is set up in GBP but the data on the dashboard is converting to USD. Conversion logic is not set up on any of the recipes.

Why is the currency converting?

- ☐ A. The admin user local currency is set up as USD.
- ☒ B. The Integration User currency is set up as USD.
- ☐ C. The org corporate currency is set up as USD.

B

☐ Mark this item for later review.

of 60.

Universal Containers' sales team is looking to build a dashboard that shows the total revenue from their top 10 accounts (based on revenue) and make it dynamic with the filters of the dashboard.

Which action is required to accomplish this?

- ☒ A. Create a query and sort descending by revenue and limit it to 10 results.
- ☐ B. Create a query with a results based interaction as a filter using the limit query to pass in the 10 Account IDs.
- ☐ C. Create a query with a selection based interaction as a filter using the limit query to pass in the 10 Account IDs.

C

☐ Mark this item for later review.

of 60.

The sales team at Cloud Kicks is requesting that datasets for their dashboards be refreshed every hour. The CRM Analytics consultant investigates if this is possible and finds that the dashboards use five datasets created from two recipes. The first recipe takes 43 minutes to run and the second recipe takes 25 minutes to run.

Which consideration should the consultant keep in mind?

- A. ☐ The number of concurrent recipe runs can exceed the limit of two in a 24-hour rolling period.
- B. ☐ The total duration of the recipe runtimes can exceed the limit of 1 hour.
- C. ☒ The number of concurrent recipe run limits that are associated with the org.

C

☐ Mark this item for later review.

of 60.

Universal Containers plans to upload target data from an external tool to CRM Analytics so it can calculate the sales team target attainments.

The target data changes every month, so the datasets need to be updated on a monthly basis. The target data is a CSV file that contains the Salesforce ID of the sales rep, the target amount, and the month of the target. For each sales rep, the file contains a target for every month of the current year as well as all previous years.

Based on this information, which operation should a consultant use with the Analytics External Data API to upload the file?

- A. ☒ Overwrite
- B. ☐ Update
- C. ☐ Append

A

of 60. A CRM Analytics administrator is working on deploying a dashboard and a dataset from a developer sandbox to a full sandbox. They have deployed the dataset via change set and manually copy-pasted the dashboard JSON into the target org. However, they notice that the conditional formatting and the widget-specific number formats have been lost in the target environment.

What is causing this issue?

- A. ☒ Analytics Dataset XMD was NOT included as part of the deployment package.
- B. ☐ The recipe that generated the dataset also needs to be included as part of the package.
- C. ☐ Analytics Dashboard XMD was NOT included as part of the deployment package.

A

☐ Mark this item for later review.

of 60.

Cloud Kicks needs a CRM Analytics consultant to install the Appointment Analytics App. After installation, they realize the wrong field was picked and the app did not have access to a newly created field that should be used instead of the old one.

What is the first step the consultant should take to prevent erroneous dataset/dashboard creation?

- A. ☐ Cancel running installations from Setup.
- B. ☒ Stop the recipe from running in Data Manager.
- C. ☐ Update the app with the new field after installation.

B

☐ Mark this item for later review.

of 60.

What is a benefit of introducing a second local connector?

- A. ☐ Better maintenance by having a connector per recipe
- B. ☐ Better deployment management between sandboxes and production environment
- C. ☒ Better performance by syncing data according to the refresh necessities

C

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

of 60.

A CRM Analytics consultant is asked to help a company report on its sales activity. The company wants to train some users to create dashboards. The company also wants one other specific team to be able to use the dashboards.

What should the consultant do to address these requirements?

- A. ☒ Configure a permission set license assignment with two different levels of access.
- B. ☐ Clone the existing permission set with different system permissions.
- C. ☐ Use a permission set license with two different levels of access.

A

☐ Mark this item for later review.

of 60.

Cloud Kicks' Salesforce org has multiple currencies enabled. This company's business intelligence team uses CRM Analytics to build a dataflow/recipe that creates a dataset, "OpportunityDataSet", which is populated with data extracted from Opportunity. One of the extracted fields is the standard field, Amount.

Which currency will the Amount values be shown in "OpportunityDataSet"?

- A. ☐ In the connected user's currency
- B. ☐ In the integration user's currency
- C. ☒ In the currency that is set on the "currency" attribute.

B

☐ Mark this item for later review.

of 60. A project team member uploads a CSV file to CRM Analytics, and they notice a few records failed during the upload. The manager wants to view the error log generated so this can be fixed and uploaded again. The manager has the CRM Analytics administrator permission but is unable to download the error log details.

Why is the manager unable to download the log details?

- A. ☐ They do not have the Upload External Data to CRM Analytics permission enabled.
- B. ☐ They do not have the Download CRM Analytics Data permission enabled.
- C. ☒ Only the user who uploaded the external data file can download the error log.

C

☐ Mark this item for later review.

of 60.

A consultant runs the sharing inheritance coverage assessment for the Opportunity object and finds that some records exceed 400 sharing descriptors.

What should the consultant do?

- ☒ A. Use security predicates in CRM Analytics.
- ☐ B. Contact Salesforce Support to increase the sharing descriptor limit.
- ☐ C. Increase the sharing descriptor limit in the analytics settings.

A

☐ Mark this item for later review.

of 60.

Cloud Kicks (CK) has a dashboard in CRM Analytics with forecasting data. One widget is a compare table using the timeseries function showing the quarterly forecast. However, CK is interested in enhancing the dashboard with a weekly forecast per customer.

How should CK achieve this?

- ☐ A. An SAQL query with a timeseries statement specifying Opportunity Name as the partition and Y-M-W as the Date Cols
- ☒ B. An SAQL query with a timeseries statement specifying Account Name as the partition and Y-M-W as the Date Cols
- ☐ C. An SAQL query with a timeseries statement specifying Account Name as the partition and Y-M-D as the Date Cols

B

☐ Mark this item for later review.

of 60. A CRM Analytics consultant is working on Sales dashboards with multiple datasets and advanced queries in the Sales Analytics app. Sales managers in the organization have been given Editor/Manager access to the app, whereas sales reps have been given Viewer access. Some dashboards that are in progress are not ready to be rolled out to sales reps and should only be viewable by sales managers.

How should the consultant accomplish this?

- ☐ A. Remove the dashboard from the 'Run App' navigation list so the sales reps cannot navigate to these dashboards.
- ☐ B. Duplicate the dashboards and their respective datasets, and move the assets to a separate app for the sales rep.
- ☒ C. Leverage the CRM Analytics asset visibility feature to hide the assets from the users.

C

☐ Mark this item for later review.

of 60. Cloud Kicks (CK) has a dashboard that is still showing 10 former account managers. CK has since expanded, and some have moved on from their former roles. CK wants the dashboard to reflect current account managers and stay up to date as new team members join.

How should the CRM Analytics developer accomplish this?

- A. ☒ Use a Repeater Widget that updates automatically as the data flows through the system.
- B. ☐ Create a Watchlist and when the number of account manager updates, update the dashboard to reflect the same.
- C. ☐ Build a report and get notified when a new account manager joins, and then edit the dashboard to add the account manager.

☐ Mark this item for later review.

B

< Back

Next >

Review All

Submit Exam

of 60.

Universal Containers has a dashboard for sales managers. They need the ability to visualize the number of Closed Won opportunities by month, quarter, or year, and then display the result in a single chart. A CRM Analytics consultant creates a custom query to display three values: ClosedDate_month, ClosedDate_quarter, and ClosedDate_year.

What should the consultant do next?

- A. ☐ Use result binding/interaction to update the grouping in the chart.
- B. ☒ Use selection binding/interaction to update the grouping in the chart.
- C. ☐ Use selection binding/interaction to update the measure in the chart.

☐ Mark this item for later review.

A