

10Jan-CSS

Wednesday, 10 January 2024 7:11 PM

FORMS → Login/Signup] ← To take details via website

✓ Documentation dekhna is a good thing

MDN

or

W3 schools

Radio buttons ka group

Programming ↴

```
<input type="radio"> C++
<input type="radio"> Java
<br>
<input type="radio"> HTML
<input type="radio"> Python
```

Group them to make
sure they all know
ki inme se ek
hi select hoga?

By giving them same value
for name attribute

Group

```
<input type="radio" name="programming"> C++
<input type="radio" name="programming"> Java
<br>
<input type="radio" name="programming"> HTML
<input type="radio" name="programming"> Python
```

⬇
⑧ Roll number: Unique (ID) (id)

Classname: WebDev Batch class

↵ Element Selector

↳ h1 → All h1's

div → All the div's



Group of
students

OneNote

and ...

all] -

Specificity / Priority



forcefully (!important)

CSS


→ font-size

→ font-family

serif

sans-serif



CSS box Model



Shorthand notations

padding: ① 5px ② 10px ③ 15px ④ 20px;

padding: ① 5px ② 10px;
 top/bottom (green arrows) left/right (brown arrows)



or
padding-top 1

(
padding: 5px;
(1, 2, 3, 4)

bottom

OneNote

)

[3
padding-bottom {
3