Build Heap

- 1. Let index = length/2-1. This is the parent of the last node in the tree, i.e. list[index + 1] . . . list[length-1] are leaves
- 2. Convert the subtree with root of list[index] into a heap.
 - a. Given list[a] is root of tree, list[b] is left child (root *2 +1), list[c] is right child (root*2+2), if exists
 - b. Compare list[b] with list[c] to determine larger child, list[largerIndex]
 - c. Compare list[a] with list[largerIndex]. If list[a] list[largerIndex], then swap, else already a heap
 - d. If swap, repeat step 2 for the subtree of list[largerIndex]
- 3. Convert the subtree with the root of list[index-1] into a heap, repeat until list[0]

Heap Sort

- 1. Swap the root with the end of the list.
- 2. Heapify the list up to but not including the root
- 3. Repeat until there is only one node in the list

Simulate the heapsort algorithm manually to sort the array:

Show all steps

- 1. Make into a heap
- 2. Sort

Max-Heap

-									
[0]	5	5	5	5	5	5	92		92
[1]	22	22	22	22	92	92	5		76
[2]	9	9	9	81	81	81	81		81
[3]	76	76	92	92	22	76	76		54
[4]	63	63	63	63	63	63	63		63
[5]	81	81	81	9	9	9	9		9
[6]	48	48	48	48	48	48	48		48
[7]	92	92	76	76	76	22	22		22
[8]	54	54	54	54	54	54	54		5
[9]	28	28	28	28	28	28	28		28

[0]	92	81	76	63	54	48	28	22	9	5	5	
[1]	76	76	63	54	28	28	22	5	5	9	9	
[2]	81	48	48	48	48	9	9	9	22	22	22	
[3]	54	54	54	22	22	22	5	28	28	28	28	
[4]	63	63	5	5	5	5	48	48	48	48	48	
[5]	9	9	9	9	9	54	54	54	54	54	54	
[6]	48	28	28	28	63	63	63	63	63	63	63	
[7]	22	22	22	76	76	76	76	76	76	76	76	
[8]	5	5	81	81	81	81	81	81	81	81	81	
[9]	28	92	92	92	92	92	92	92	92	92	92	

_							
[0]	5						
[1]	9						
[2]	22						
[3]	28						
[4]	48						
[5]	54						
[6]	63						
[7]	76						
[8]	81						
[9]	92	 	 	 	 	 	