

MABAS DIVISION: 11	DEPARTMENT: FOREST PARK	BOX ALARM TYPE: STRUCTURE FIRE		EFFECTIVE DATE: 10/31/2014	REVIEW DATE: 3/1/2026
	BOX ALARM #: 400	LOCATION OR AREA: North of I-290		AUTHORIZED SIGNATURE: Chief Hankus	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS
STILL	FOREST PARK	FOREST PARK	RIVER FOREST		FOREST PARK			
FULL STILL	NORTH RIVERSIDE	BERWYN	OAK PARK		CICERO	OAK PARK 620 BERWYN 900	NOTIFY UTILITIES NOTIFY FP CHIEFS	STICKNEY- ENGINE

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS
BOX	BROADVIEW	MAYWOOD	CICERO			DIVISION 11*	** PLEASANTVIEW REHAB **	
2ND	ELMWOOD PARK	BELLWOOD	MCCOOK					
3RD	CHICAGO	LYONS	WESTCHESTER			CFD BATTALION CHIEF	ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
4TH	MELROSE PARK	HILLSIDE	RIVERSIDE					
5TH	RIVER GROVE	BROOKFIELD	PLEASANTVIEW					
6TH	INTER-DIVISIONAL*							
INTERDIVISIONAL REQUEST		1ST CHOICE DIVISION 20 – NORCOM 630-832-2417		2nd CHOICE DIVISION 10 – ACDC 630-458-4010		3rd CHOICE DIVISION 21 – OAK LAWN 708-636-2050		

INFORMATION: Station – 7625 Wilcox Street (1 block north of Jackson off Des Plaines).

* BOX ALARM – WSCDC - NOTIFY UTILITIES

* BOX ALARM – Division 11 Chiefs: use the BLACKBOARD CONNECT notification system.

* Interdivisional response is at Command's discretion.

If Command requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19

MABAS DIVISION: 11	DEPARTMENT : FOREST PARK	BOX ALARM TYPE: STRUCTURE FIRE	EFFECTIVE DATE: 10/31/2014	REVIEW DATE: 3/1/2026
	BOX ALARM #: 401	LOCATION OR AREA: SOUTH of I-290	AUTHORIZED SIGNATURE: Chief Hankus	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS
STILL	FOREST PARK NORTH RIVERSIDE	FOREST PARK			FOREST PARK			
FULL STILL		BERWYN	OAK PARK RIVER FOREST		CICERO	OAK PARK 620 BERWYN 900	NOTIFY UTILITIES NOTIFY FP CHIEFS	STICKNEY-ENGINE

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS
BOX	BROADVIEW	MAYWOOD	CICERO			DIVISION 11*	** PLEASANTVIEW REHAB**	
2 ND	ELMWOOD PARK	BELLWOOD	MCCOOK					
3 RD	CHICAGO	LYONS	WESTCHESTER			CFD BATTALION CHIEF	ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
4 TH	MELROSE PARK	HILLSIDE	RIVERSIDE					
5 TH	RIVER GROVE	BROOKFIELD	PLEASANTVIEW					
6 TH	INTER DIVISIONAL *							
INTERDIVISIONAL REQUEST		1 ST CHOICE DIVISION 20 – NORCOM 630-832-2417		2 ND CHOICE DIVISION 10 – ACDC 630-458-4010		3 RD CHOICE DIVISION 21 – OAK LAWN 708-636-2050		

INFORMATION: Station – 7625 Wilcox Street (1 block north of Jackson off Des Plaines).

- * **BOX ALARM – WSCDC - NOTIFY UTILITIES**
- * **BOX ALARM – Division 11 Chiefs: use the BLACKBOARD CONNECT notification system.**
- * Interdivisional response is at Command's discretion.

If Command requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19

MABAS DIVISION: 11	DEPARTMENT : FOREST PARK	BOX ALARM TYPE: AMBULANCE	EFFECTIVE DATE: 9/1/2005	REVIEW DATE: 3/1/2023
	BOX ALARM #: AMBULANCE	LOCATION OR AREA: ENTIRE TOWN	AUTHORIZED SIGNATURE: Chief Chiappetta	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
STILL								
STILL					FOREST PARK			

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
BOX					River Forest Oak Park North Riverside			
2 ND					Cicero Berwyn Stickney			
3 RD					Maywood Broadview Elmwood Park		ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
4 TH					River Grove Melrose Park Westchester			
5 TH					Riverside Lyons LaGrange Park			
6 TH					Hillside Berkley Franklin Park			
7 TH					Forest View Summit McCook			
INTERDIVISIONAL REQUEST		1 ST CHOICE DIVISION 20 – NORCOM 630-832-2417		2 ND CHOICE DIVISION 10 – TRISTATE 630-323-2171		3 RD CHOICE DIVISION 21 – OAK LAWN 708-636-2050		

INFORMATION:
 If Command requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19

MABAS DIVISION: 11	DEPARTMENT : FOREST PARK	BOX ALARM TYPE: Mass Casualty Incident - AMBULANCE	EFFECTIVE DATE: 4/1/2019	REVIEW DATE: 3/1/2023
	BOX ALARM #: MCI	LOCATION OR AREA: ENTIRE TOWN	AUTHORIZED SIGNATURE: Chief Chiappetta	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
STILL	Forest Park		Forest Park		FOREST PARK		Notify 416/420	
STILL								

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
BOX	North Riverside	Cicero	Oak Park		River Forest Oak Park North Riverside Broadview Berwyn	Forest Park 416/420 OPFD 620		Stickney Engine Cicero Ambulance
2 ND	Maywood				Stickney Maywood Lagrange Park Elmwood Park Riverside	Division 11		
3 RD					Melrose Park Westchester River Grove Lyons Brookfield		ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
4 TH					Hillside Berkley Franklin Park Forest View Summit			
INTERDIVISIONAL REQUEST		1 ST CHOICE DIVISION 20 – NORCOM 630-832-2417		2 ND CHOICE DIVISION 10 – TRISTATE 630-323-2171		3 RD CHOICE DIVISION 21 – OAK LAWN 708-636-2050		

INFORMATION: If Command requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19

MABAS DIVISION: 11	DEPARTMENT : FOREST PARK	BOX ALARM TYPE: DIVERS	EFFECTIVE DATE: 1/27/2003	REVIEW DATE: 3/1/2023
	BOX ALARM #: DIVERS	LOCATION OR AREA: ENTIRE TOWN	AUTHORIZED SIGNATURE: Chief Chiappetta	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
STILL								

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	ENGINES	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
BOX					FOREST PARK		DIVISION 9 CFD (Dive Team)	
2ND							DIVISION 12 (Swiftwater & Underwater Team)	
3RD							ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
INTERDIVISIONAL REQUEST	1ST CHOICE		2ND CHOICE		3RD CHOICE			

INFORMATION: The stricken town will supply an ambulance.

If Command requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19.

MABAS DIVISION: 11	DEPARTMENT: Division 11	BOX ALARM TYPE: HAZARDOUS MATERIALS	EFFECTIVE DATE: 3/11/2022	REVIEW DATE: 3/1/2025
	BOX ALARM #: HAZMAT	LOCATION OR AREA: Entire Division	AUTHORIZED SIGNATURE: Chief McDermott	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS
STILL								

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	EMS	TRUCKS	SQUADS	CHIEFS	SPECIAL EQUIPMENT	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
BOX						CONTACT HAZMAT ADVISORS (**See Below**)	Hazmat 1100	**COMMAND REQUEST ENGINE/AMBULANCE**
2 ND					DIVISION 11 CHIEFS	2 HAZMAT TECHS FROM EACH DIV 11 DEPT	Division 10 Rehab Unit	
3 RD						ONE ADDITIONAL HAZMAT MEMBER FROM EA. DIVISION 11 DEPARTMENT	DIVISION 21 HAZMAT TEAM & DECON UNIT	
4 TH							DIVISION 10 HAZMAT TEAM	
5 TH							DIVISION 20 HAZMAT TEAM & DECON UNIT	

INTERDIVISIONAL REQUEST	1ST CHOICE DIVISION 9	2ND CHOICE DIVISION 3	3RD CHOICE DIVISION 16
-------------------------	--------------------------	--------------------------	---------------------------

INFORMATION: Create Hazmat Ticket in CAD – this will push the proper notification through to the Advisors

Division 11 Chiefs: Use BLACKBOARD CONNECT system for Division 11 Chiefs Full Callback

If Command Requests Command Vehicle, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19.

ARGONNE RAT team may be contacted, by request only.

MABAS DIVISION: 11	DEPARTMENT: Division 11	BOX ALARM TYPE: INVESTIGATORS	EFFECTIVE DATE: 3/11/2022	REVIEW DATE: 3/01/2025
	BOX ALARM #: INVESTIGATORS	LOCATION OR AREA: Entire Division	AUTHORIZED SIGNATURE: Chief McDermott	

LOCAL DISPATCH AREA:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
STILL								

MABAS BOX ALARM:

ALARM LEVEL	ENGINES	ENGINES	TRUCKS	SQUADS	EMS	CHIEFS	SPECIAL EQUIPMENT	SPECIAL EQUIPMENT	CHANGE OF QUARTERS (STA #)
BOX							ONE FIRE INVESTIGATOR FROM EACH DIVISION 11 TOWN	1105 Investigators Van	
2 ND							ONE ADDITIONAL INVESTIGATOR FROM EACH DIVISION 11 TOWN		
3 RD							ONE ADDITIONAL INVESTIGATOR FROM EACH DIVISION 11 TOWN	ASK COMMAND IF COMMAND VEHICLE IS REQUIRED (SEE INFORMATION BELOW)	
INTERDIVISIONAL REQUEST	1 ST CHOICE DIVISION 20 – NORCOM 630-832-2417	2 ND CHOICE DIVISION 10 – TRI STATE 630-323-2171	3 RD CHOICE DIVISION 21 – OAK LAWN 708-636-2050						

INFORMATION:

FF/P Robert Murphy is to be notified on box alarms or higher
Tx: 815-355-5996

If Command Requests Command Van, contact Oak Park PD for UASI-COOK CO. vehicle, if unavailable contact Div. 10 then Div. 19

Oak Park FD is the primary department responsible for transport of 1105.

* In the event Oak Park is UNABLE to transport 1105, the other Division 11 departments shall assume the responsibility in the following order:

- 1. Forest Park 2. Berwyn 3. Oak Park 4. North Riverside 5. Stickney
- * If WSCDC is advised Oak Park FD cannot transport 1105, they shall announce on IFERN:

“Forest Park, you are now due to Oak Park FD Station 1 for transport of squad 1105.”

* In the event FPPD advises they are unavailable, the T/C dispatching the incident shall repeat the assignment moving down the list until the assignment is filled.