

vengine

0.1.0

Generated by Doxygen 1.9.1

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 Class Documentation	5
3.1 myLib::Clock Class Reference	5
3.2 ven::Device Class Reference	5
3.3 ven::Engine Class Reference	6
3.4 ven::Model Class Reference	6
3.5 ven::Object Class Reference	7
3.6 ven::PipelineConfigInfo Struct Reference	7
3.7 gui::PluginLoader Class Reference	8
3.8 gui::PluginLoader::PluginLoaderException Class Reference	8
3.9 ven::QueueFamilyIndices Struct Reference	9
3.10 myLib::Random Class Reference	9
3.11 ven::Shaders Class Reference	9
3.12 ven::SwapChain Class Reference	10
3.13 ven::SwapChainSupportDetails Struct Reference	10
3.14 myLib::Time Class Reference	10
3.15 ven::Transform2dComponent Struct Reference	11
3.16 ven::Model::Vertex Struct Reference	11
3.17 ven::Window Class Reference	11
Index	13

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

myLib::Clock	5
ven::Device	5
ven::Engine	6
std::exception	
gui::PluginLoader::PluginLoaderException	8
ven::Model	6
ven::Object	7
ven::PipelineConfigInfo	7
gui::PluginLoader	8
ven::QueueFamilyIndices	9
myLib::Random	9
ven::Shaders	9
ven::SwapChain	10
ven::SwapChainSupportDetails	10
myLib::Time	10
ven::Transform2dComponent	11
ven::Model::Vertex	11
ven::Window	11

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

myLib::Clock	5
ven::Device	5
ven::Engine	6
ven::Model	6
ven::Object	7
ven::PipelineConfigInfo	7
gui::PluginLoader	8
gui::PluginLoader::PluginLoaderException	8
ven::QueueFamilyIndices	9
myLib::Random	9
ven::Shaders	9
ven::SwapChain	10
ven::SwapChainSupportDetails	10
myLib::Time	10
ven::Transform2dComponent	11
ven::Model::Vertex	11
ven::Window	11

Chapter 3

Class Documentation

3.1 myLib::Clock Class Reference

Public Member Functions

- void **restart** ()
- void **pause** ()
- void **resume** ()
- [Time](#) **getElapsedTime** () const

The documentation for this class was generated from the following file:

- lib/static/myLib/include/myLib/Clock/Clock.hpp

3.2 ven::Device Class Reference

Public Member Functions

- **Device** ([ven::Window](#) &window)
- **Device** (const [Device](#) &)=delete
- [Device](#) & **operator=** (const [Device](#) &)=delete
- **Device** ([Device](#) &&)=delete
- [Device](#) & **operator=** ([Device](#) &&)=delete
- VkCommandPool **getCommandPool** ()
- VkDevice **device** ()
- VkSurfaceKHR **surface** ()
- VkQueue **graphicsQueue** ()
- VkQueue **presentQueue** ()
- [SwapChainSupportDetails](#) **getSwapChainSupport** ()
- uint32_t **findMemoryType** (uint32_t typeFilter, VkMemoryPropertyFlags properties)
- [QueueFamilyIndices](#) **findPhysicalQueueFamilies** ()
- VkFormat **findSupportedFormat** (const std::vector< VkFormat > &candidates, VkImageTiling tiling, VkFormatFeatureFlags features)
- void **createBuffer** (VkDeviceSize size, VkBufferUsageFlags usage, VkMemoryPropertyFlags properties, VkBuffer &buffer, VkDeviceMemory &bufferMemory)
- VkCommandBuffer **beginSingleTimeCommands** ()
- void **endSingleTimeCommands** (VkCommandBuffer commandBuffer)
- void **copyBuffer** (VkBuffer srcBuffer, VkBuffer dstBuffer, VkDeviceSize size)
- void **copyBufferToImage** (VkBuffer buffer, VkImage image, uint32_t width, uint32_t height, uint32_t layerCount)
- void **createImageWithInfo** (const VkImageCreateInfo &imageInfo, VkMemoryPropertyFlags properties, VkImage &image, VkDeviceMemory &imageMemory)

Public Attributes

- const bool **enableValidationLayers** = true
- VkPhysicalDeviceProperties **properties**

The documentation for this class was generated from the following file:

- include/VEngine/Device.hpp

3.3 ven::Engine Class Reference

Public Member Functions

- **Engine** (int width=DEFAULT_WIDTH, int height=DEFAULT_HEIGHT, const std::string &title="VEngine")
- **Engine** (const [Engine](#) &)=delete
- **Engine operator=** (const [Engine](#) &)=delete
- **Window** & **getWindow** ()
- void **mainLoop** ()

The documentation for this class was generated from the following file:

- include/VEngine/Engine.hpp

3.4 ven::Model Class Reference

Classes

- struct [Vertex](#)

Public Member Functions

- **Model** ([Device](#) &device, const std::vector< [Vertex](#) > &vertices)
- **Model** (const [Model](#) &)=delete
- void **operator=** (const [Model](#) &)=delete
- void **bind** (VkCommandBuffer commandBuffer)
- void **draw** (VkCommandBuffer commandBuffer)

The documentation for this class was generated from the following file:

- include/VEngine/Model.hpp

3.5 ven::Object Class Reference

Public Member Functions

- **Object** (const [Object](#) &)=delete
- [Object](#) & **operator=** (const [Object](#) &)=delete
- **Object** ([Object](#) &&)=default
- [Object](#) & **operator=** ([Object](#) &&)=default
- `id_t` **getId** () const

Static Public Member Functions

- static [Object](#) **createObject** ()

Public Attributes

- `std::shared_ptr< ven::Model >` **model** {}
- `glm::vec3` **color** {}
- [Transform2dComponent](#) **transform2d** {}

The documentation for this class was generated from the following file:

- `include/VEngine/Object.hpp`

3.6 ven::PipelineConfigInfo Struct Reference

Public Member Functions

- **PipelineConfigInfo** (const [PipelineConfigInfo](#) &)=delete
- [PipelineConfigInfo](#) & **operator=** (const [PipelineConfigInfo](#) &)=delete

Public Attributes

- `VkPipelineInputAssemblyStateCreateInfo` **inputAssemblyInfo** {}
- `VkPipelineRasterizationStateCreateInfo` **rasterizationInfo** {}
- `VkPipelineMultisampleStateCreateInfo` **multisampleInfo** {}
- `VkPipelineColorBlendAttachmentState` **colorBlendAttachment** {}
- `VkPipelineColorBlendStateCreateInfo` **colorBlendInfo** {}
- `VkPipelineDepthStencilStateCreateInfo` **depthStencilInfo** {}
- `std::vector< VkDynamicState >` **dynamicStateEnables**
- `VkPipelineDynamicStateCreateInfo` **dynamicStateInfo** {}
- `VkPipelineLayout` **pipelineLayout** = nullptr
- `VkRenderPass` **renderPass** = nullptr
- `uint32_t` **subpass** = 0

The documentation for this struct was generated from the following file:

- `include/VEngine/Shaders.hpp`

3.7 gui::PluginLoader Class Reference

Classes

- class [PluginLoaderException](#)

Public Types

- using **PluginCreator** = std::unique_ptr< IPlugin >(*)()

Public Member Functions

- template<typename T >
std::unique_ptr< T > **getPlugin** (const std::string &pluginName)
- void **closePlugins** ()

Static Public Member Functions


- static [PluginLoader](#) & **getInstance** ()

The documentation for this class was generated from the following file:

- include/VEngine/PluginLoader.hpp

3.8 gui::PluginLoader::PluginLoaderException Class Reference

Inheritance diagram for gui::PluginLoader::PluginLoaderException:



Public Member Functions

- **PluginLoaderException** (std::string msg)
- const char * **what** () const noexcept override

The documentation for this class was generated from the following file:

- include/VEngine/PluginLoader.hpp

3.9 ven::QueueFamilyIndices Struct Reference

Public Member Functions

- bool **isComplete** () const

Public Attributes

- uint32_t **graphicsFamily** {}
- uint32_t **presentFamily** {}
- bool **graphicsFamilyHasValue** = false
- bool **presentFamilyHasValue** = false

The documentation for this struct was generated from the following file:

- include/VEngine/Device.hpp

3.10 myLib::Random Class Reference

Static Public Member Functions

- static int **randomInt** (int min, int max)
- static int **randomInt** ()
- static float **randomFloat** (float min, float max)
- static float **randomFloat** ()

The documentation for this class was generated from the following file:

- lib/static/myLib/include/myLib/Random.hpp

3.11 ven::Shaders Class Reference

Public Member Functions

- **Shaders** ([Device](#) &device, const std::string &vertFilepath, const std::string &fragFilepath, const [PipelineConfigInfo](#) &configInfo)
- **Shaders** (const [Shaders](#) &)=delete
- [Shaders](#) & **operator=** (const [Shaders](#) &)=delete
- void **bind** (VkCommandBuffer commandBuffer)

Static Public Member Functions

- static void **defaultPipelineConfigInfo** ([PipelineConfigInfo](#) &configInfo)

The documentation for this class was generated from the following file:

- include/VEngine/Shaders.hpp

3.12 ven::SwapChain Class Reference

Public Member Functions

- **SwapChain** ([Device](#) &deviceRef, VkExtent2D windowExtent)
- **SwapChain** ([Device](#) &deviceRef, VkExtent2D windowExtent, std::shared_ptr< [SwapChain](#) > previous)
- **SwapChain** (const [SwapChain](#) &)=delete
- [SwapChain](#) & **operator=** (const [SwapChain](#) &)=delete
- VkFramebuffer **getFrameBuffer** (int index)
- VkRenderPass **getRenderPass** ()
- VkImageView **getImageView** (int index)
- size_t **imageCount** ()
- VkFormat **getSwapChainImageFormat** ()
- VkExtent2D **getSwapChainExtent** ()
- uint32_t **width** () const
- uint32_t **height** () const
- float **extentAspectRatio** () const
- VkFormat **findDepthFormat** ()
- VkResult **acquireNextImage** (uint32_t *imageIndex)
- VkResult **submitCommandBuffers** (const VkCommandBuffer *buffers, const uint32_t *imageIndex)

Static Public Attributes

- static constexpr int **MAX_FRAMES_IN_FLIGHT** = 2

The documentation for this class was generated from the following file:

- include/VEngine/SwapChain.hpp

3.13 ven::SwapChainSupportDetails Struct Reference

Public Attributes

- VkSurfaceCapabilitiesKHR **capabilities**
- std::vector< VkSurfaceFormatKHR > **formats**
- std::vector< VkPresentModeKHR > **presentModes**

The documentation for this struct was generated from the following file:

- include/VEngine/Device.hpp

3.14 myLib::Time Class Reference

Public Member Functions

- **Time** (const double seconds)
- int **asSeconds** () const
- int **asMilliseconds** () const
- int **asMicroseconds** () const

The documentation for this class was generated from the following file:

- lib/static/myLib/include/myLib/Clock/Time.hpp

3.15 ven::Transform2dComponent Struct Reference

Public Member Functions

- glm::mat2 **mat2** () const

Public Attributes

- glm::vec2 **translation** {}
- glm::vec2 **scale** {1.F, 1.F}
- float **rotation** {}

The documentation for this struct was generated from the following file:

- include/VEngine/Object.hpp

3.16 ven::Model::Vertex Struct Reference

Static Public Member Functions

- static std::vector< VkVertexInputBindingDescription > **getBindingDescriptions** ()
- static std::vector< VkVertexInputAttributeDescription > **getAttributeDescriptions** ()

Public Attributes

- glm::vec2 **position**
- glm::vec3 **color**

The documentation for this struct was generated from the following file:

- include/VEngine/Model.hpp

3.17 ven::Window Class Reference

Public Member Functions

- **Window** (int width, int height, const std::string &title)
- GLFWwindow * **createWindow** (int width, int height, const std::string &title)
- void **createWindowSurface** (VkInstance instance, VkSurfaceKHR *surface)
- GLFWwindow * **getGLFWWindow** () const
- VkExtent2D **getExtent** () const
- bool **wasWindowResized** () const
- void **resetWindowResizedFlag** ()

The documentation for this class was generated from the following file:

- include/VEngine/Window.hpp

Index

gui::PluginLoader, [8](#)
gui::PluginLoader::PluginLoaderException, [8](#)

myLib::Clock, [5](#)
myLib::Random, [9](#)
myLib::Time, [10](#)

ven::Device, [5](#)
ven::Engine, [6](#)
ven::Model, [6](#)
ven::Model::Vertex, [11](#)
ven::Object, [7](#)
ven::PipelineConfigInfo, [7](#)
ven::QueueFamilyIndices, [9](#)
ven::Shaders, [9](#)
ven::SwapChain, [10](#)
ven::SwapChainSupportDetails, [10](#)
ven::Transform2dComponent, [11](#)
ven::Window, [11](#)