Personis Documentation

Release 12.6

Bob Kummerfeld and Judy Kay

March 14, 2018

Contents:

ONE

INTRODUCTION

A simple definition of a user model is that it is a collection and categorization of personal data associated with a specific user. This collection of data is stored in a persistent data structure and made available to applications to allow personalisation of systems. The philosophy of the Personis system is that the user should own their model and have complete access and control over their data. Also, the data stored represents attributes of the user and isn't specific to applications.

Data about the user is stored in a tree-like structure where the leaves contain information about some attribute of the user, for example their name, or their weight, or icecream flavour preference. In Personis the leaves are called *components* of the model.

Components don't contain a single value, instead they contain a list of *evidence* values for the component. As new evidence about an aspect is available, an application (the evidence source) *tells* the user model and the evidence is added to the list for that component. This process is called *accretion*. As well as the evidence value (eg "chocolate"), a time stamp is added, the registered name of the evidence source (application) is added, and the evidence type (eg explicit...) is added.

When an application needs to know information from the model, it *asks* the model for the value of the required component or set of components. The *ask* process involves using a filter to select the evidence to be considered (eg only values after 2010) and then running a *resolver* functions to interpret the filtered evidence and return a single value. The application may specify the filter and resolver functions from those that are installed in the system. Or the default filter and resolver may be used. These functions can be very simple (eg a point query specifying the last piece of evidence) or arbitrarily sophisticated (eg use Bayesian model, ontology.)

This approaches allows multiple interpreations of the data by any application.

The accretion/resolution technique is a key part of the Personis philosophy.

Another important part of the Personis architecture is *scrutability*: the data is apable of being understood through study and observation, the data is comprehensible. This allows us to answer question such as:

- Where does the system think I am, and why?

- Historic queries: what location did the system think I was on May 1st 2001?

- what music does the system think I like and why?

Model Structure

In Personis the model is represented as a tree. The branches are called *contexts* and the leaves *components*. For example:

The *components* of a model contain the evidence associated with that attribute. For models of users the components might represent physical atributes, or they might represent more abstract information such as a users' knowledge, their beliefs, their goals, or their preferences. Personis is also used in pervasive computing applications to model devices, sensors, spaces etc. In this caes the components might contain information such as sensor readings or location.

The basic operations in Personis are *ask* and *tell*. Evidence is added to a component (accreted) using the *tell* operation:

Component values are retrieved from the nodel using an *ask* operation. A *resolver* function examines filtered evidence from the component to determine a value:

A key advantage of the accretion/resolution system is that values are only calculated from the evidence when they are needed, rather than whenever a new data point (evidence) is received. The choice of resolver function allows flexibility in the calculated values. For example, location may be resolved as:

- room 123, or "at work", or latitude/longitude

Historic queries are possible, for example: Where was I on a certain date? How have my music preferences changed over time?

The choice of filter function allows appropriate evidence for the query to be used. For example, one evidence source may be known to be unreliable and so that evidence should not be considered. For historical queries only evidence for a particular period might be resolved.

INSTALLATION

These installation instructions assume that you are installing Personis on a linux system with Python 2.6 or 2.7 installed.

The Personis framework makes use of several packages that are not part of the default Python installation. The packages are:

- simplejson (version 2.1.1)

- pyparsing

- argparse

- PyCrypto (version 2.6)

- OpenSSL

- PyOpenssl

- httplib2

Personis is known to work with these versions and copies are included in the Personis distribution for your convenience. Personis may work with more recent versions but this has not been tested.

Quick installation instructions:

The distribution of personis is a compressed tar file: Personis-rrr.tgz

First untar the distribution (*rrr* is the release number):

```
$ tar zxf Personis-rrr.tgz
```

This will create a directory Personis-rrr for the code:

```
$ cd Personis-rrr
$ ls
Apps            Personis        README          install.sh
```

To install Personis, use the command:

```
$ ./install.sh
```

The Personis modules are in the Personis/Src directory and can be run directly from that directory or any other directory by setting your PYTHONPATH environment variable. Necessary support packages will be installed in the Personis/lib/python directory and so that directory must also be in the PYTHONPATH.

The following commands will set the path (where *rrr* is the release number):

```
cd Personis-rrr
export PYTHONPATH=`pwd`/Personis/Src:`pwd`/Personis/lib/python:`pwd`/Personis/lib64/python
```

You might want to note the value of PYTHONPATH and add a line to your .bashrc to set it for future use.

TESTS

The test scripts are divided into those that test the base Personis module for models stored on the local machine (base), and those that test the server Personis module for models accessed via a network connection (server). In both cases the driver test script gives you the option of nominating a directory to store test models. In the base case the models are accessed directly by the methods in the Personis_base module. In the server case, a Personis server is started to provide access to the models.

To run the tests, change into the Personis directory and:

```
$ bash Tests/base-tests
PYTHONPATH is ....../Personis/Src
model directory? [..../Tests/Models]
```

at this point the test script is asking for a directory to store the test models. The default directory is "Models" in the Tests directory. You can accept this default by pressing return, or type another pathname.

You are now given the option of removing any models previously placed in the test directory. This is useful if you want to rerun the tests from scratch and create the models again. If you press return you will get the default response of "No", typing "Y" will remove the existing models:

```
Remove models in ......./Src/models? [N]
```

If you say Yes (or when you run it for the first time) the models will be recreated. This will produce a lot of output showing all the model parts as they are created.

Next you are given the option of running all the available base tests, running a particular test, or no tests. The base test scripts are stored in the directory Tests/Base and are numbered. If you are testing a particular feature you can type the number, but to start we suggest typing return for all tests. The tests now run, one a time, waiting for you to press return before starting the next. If you want to stop you can press Control-C:

```
Test number? (CR for all, ctrl-C if none)

Running tests...

==================================================================
                        Tests/Base/example01_add.py
==================================================================
add evidence to alice's model
==================================================================
Now check the evidence list for alice's names
==================================================================
Component:  First name
==================================================================
```

```
        ...lots more output...


=================
All Done.
=================
```

There should be only a small number of python error messages and these will have some explanation in the output.

There are a set of similar tests for the server that can be run with the command:

```
$ bash Tests/server-tests

        ...lots of output...

=================
All Done.
=================
```

The models are created in a similar way for the server tests but a server process is started and the client-server protocol used to access them. The server test scripts can be found in Tests/Server.

FOUR

TUTORIAL INTRODUCTION TO PERSONIS

This tutorial assumes you have installed the framework using the instructions in the Installation section. Using the *umbrowser* command line utility, the tutorial will take you through the construction, navigation and management of a user model.

4.1 umbrowser

The umbrowser.py program is a commandline utility that allows most operations of the Personis system to be carried out interactively.

Umbrowser is found in the main Personis directory and is started with the command ./umbrowser.py:

```
$ ./umbrowser.py
[''] >
```

The prompt indicates that the browser is waiting for a command. The initial part shows the current context, with the root context as an empty string.

The help command gives information about the available commands:

```
[''] > help
Documented commands (type help <topic>):
========================================
app         delapp        export     login       mkmodel   set        subscribe
attributes  delcomponent  import     ls          model     setgoals   tell
base        delsub        importmdef mkcomponent quit      setperm
cd          do            listapps   mkcontext   server    showperm

Undocumented commands:
======================
help
```

To create or access a model you need to specify a username and password using the login command:

```
[''] > help login
login username password
[''] > login alice secret
username: alice
password: secret
```

To operate on models stored in the local file system we use the "base" command. To operate on models stored on a remote server we user the "server" command. For now we will use "base" since we can only make new models in the local file system, not remotely:

```
[''] > base
```

Now we make a model for alice in the current directory (.) using the mkmodel command:

```
[''] > help mkmodel
 mkmodel model_name [model_directory]
        makes a new empty model
        uses username, password specified in login cmd

[''] > mkmodel Alice .

making model 'Alice' in directory '.' with username 'alice' and password 'secret'
model made
to access the model, use the command 'model Alice .'
```

Note that we called the model "Alice". This could be the same as the login name but that is not necessary. For example user alice might want to make a model for a temperature sensing device and might call the model "Temp". Model names are case sensitive, so "Alice" is not the same as "alice".

Also, we could have put the model anywhere in the file system but chose to put it in the current directory (.). The model is actually store in a directory with the same name as the model. So, after the mkmodel command there will be a new directory called "Alice" in our current directory.

Now we want to access the new model, so we use the "model" command:

```
 [''] > model Alice .
model 'Alice' open, access type is 'base'
```

and now we can see what is in the model (should be empty):

```
Alice [''] > ls
Components:
Contexts: []
Views: {}
Subscriptions: {}
```

The "ls" command is a like the Unix ls command: it lists what is in the current context. As you can see, the model is empty - no components, contexts, views or subscriptions. So let's make a new context called "Prefs" in the current (root) context:

```
Alice [''] > mkcontext Prefs
Context description? My preferences
Create new context 'Prefs' in context '['']' with description 'My preferences'
Ok?[N] Y

Alice [''] > ls
Components:
Contexts: ['Prefs']
Views: {}
Subscriptions: {}
```

Now we will change context to the new "Prefs" context and make a component "food" for our food preferences:

```
Alice [''] > cd Prefs

Alice ['', 'Prefs'] > mkcomponent food
Component description? type of food I prefer
Component type:
0 attribute
1 activity
2 knowledge
3 belief
4 preference
5 goal
Index? 4
Value type:
0 string
1 number
2 boolean
3 enum
4 JSON
Index? 0
Creating new component 'food', type 'preference', description 'type of food I prefer', value type 's
Ok?[N] Y

Alice ['', 'Prefs'] > ls
Components:
        food: type of food I prefer
Contexts: []
Views: {}
Subscriptions: {}

Alice ['', 'Prefs'] >
```

Now we have a model called "Alice", owned by "alice" that has one context "Prefs" containing one component "food".
Now, Alice likes Thai food so we will add some evidence to her food preference component using the "tell" command:

```
Alice ['', 'Prefs'] > tell food
Value? Thai
Evidence type:
0 explicit
1 implicit
2 exmachina
3 inferred
4 stereotype
Index? [0]
Evidence flag? (CR for none)
Tell value=Thai, type=explicit, flags=[], source=alice, context=['', 'Prefs'], component=food
Ok?[N] Y


Alice ['', 'Prefs'] > ls
Components:
        food: type of food I prefer
Contexts: []
Views: {}
Subscriptions: {}
```

We can now examine the "food" component with the "ls" command:

```
Alice ['', 'Prefs'] > ls food
===================================================================
Component:  type of food I prefer
===================================================================
showobj:
  Description = type of food I prefer
  component_type = preference
  evidencelist = 1 items
  value_list = []
  value = Thai
  value_type = string
  goals = []
  resolver = None
  Identifier = food
  objectType = Component
---------------------------------
Evidence about it
---------------------------------
showobj:
          comment = None
          evidence_type = explicit
          value = Thai
          objectType = Evidence
          source = alice
          flags = ['']
          time = Thu Apr 28 18:08:55 2011 (1304003335.61)
          owner = alice
          exp_time = 0
          useby = None
---------------------------------
```

Try doing the "tell" operation again with a different food preference and then "ls food" to see the additional evidence that has been accreted.

To quit the model browser, use the *quit* command.

PERSONIS SERVER

Personis operates as a library that is imported by application programs and stores models in the local file system.

Personis can also be run as a server, providing an interface to models for remote clients. In this case the API is almost the same, the only difference being the modules that is imported and used for the Access call, and the specification of the model to be accessed.

In the case of locally stored models, access requires a *modeldir* argument to specify the location of the stored models, as well as the name of the model (a simple ID). For models accessed remotely via the server, *modeldir* is not used and the model name has the form: name@server[:port].

For example, to access the model for "alice" stored on the server "models.server.com" we would use the statements:

```python
import Personis

um = Personis.Access(model="alice@models.server.com", user='myapp', password='pass')
```

5.1 Running a Server

It is very easy to run your own Personis server to provide access to models for remote clients.

A server gets configuration information from the file $HOME/.personis_server.conf. This file specifies the port that the server is to use as well as some miscellaneous configuration options. A suitable personis_server.conf file can be found in the Personis/Src directory. This can be copied into $HOME/.personis_server.conf and the port number changed as desired.

A server can be started for any set of models stored in the same directory using the command:

```
# assuming that PYTHONPATH, MODELDIR and LOGFILE are initialised
Personis.py  --models $MODELDIR --log $LOGFILE &
```

The directory containing the models is specified in $MODELDIR. Log information is written to $LOGFILE. This includes information on all requests, error messages etc.

Since communications between the server and client use SSL, the server needs an SSL certificate. This can be a self-signed certificate, which you can generate using OpenSSL or other tool of your choice. See the following section for more information on obtaining and using OpenSSL.

There are three configuration options relating to SSL that can be set in $HOME/.personis_server.conf. The first is the SSL module to use for the server. We recommend PyOpenSSL, however if you wish you can specify a different module and this will be used by CherryPy instead. The other two parameters are the server's SSL certificate file and the file containing the corresponding private key. The defaults are personis_server_cert.pem and personis_server_priv.key,

in the same directory the server is run from. Below is an example of setting these options (in this case we set them to the default values).:

```
server.ssl_module = "pyopenssl"
server.ssl_certificate = "./personis_server_cert.pem"
server.ssl_private_key = "./personis_server_priv.key"
```

Note that paths for the SSL certificate and private key files are relative to the directory in which the server is run.

5.1.1 Generating Keys and Certificates Using OpenSSL

OpenSSL can be downloaded from http://www.openssl.org/ or installed using your system's package manager. Documentation for OpenSSL can be found at http://www.openssl.org/docs/ and should be used as the primary reference. However, for convenience we provide below some instructions on generating keys and self-signed certificates. More detailed information on this process can be found at http://www.openssl.org/docs/HOWTO/certificates.txt

To generate a key and certificate in one command, you can use the following::

```
$ openssl req -x509 -newkey rsa:2048 -keyout personis_server_priv.key \
-out personis_server_cert.pem -days 365
```

This will generate a new 2048-bit RSA keypair and create a self-signed certificate using this key. The certificate will expire after 365 days. You can change the type of key, key size, expiry time and filenames as you wish - see the OpenSSL manpage for the options available.

If you wish to have your certificate signed by an external certificate authority (recommended for production servers), you can then send the cert.pem file to the certificate authority. You will need to ensure that the Common Name you specify when creating the certificate exactly matches the domain you will be using.

Once you have your private key and certificate, you need to move these files to the directory you will run the server from, or fully specify their location in the Personis server config file.

SIX

EXAMPLE APPLICATIONS

6.1 Flashcards

6.2 Museum Guide

6.3 Health Monitoring

6.4 Drill and Practice

APPLICATION PROGRAM INTERFACE

Files

File	Description
Perso-nis_base.py	the core library that accesses models in local directories/files
Perso-nis_a.py	adds 'Active User Models' to Personis. This allows components to be 'subscribable' and statements in a simple language to be executed when new component values satisfy a condition.
Perso-nis_base.py	the core library that accesses models in local directories/files
Perso-nis_a.py	adds 'Active User Models' to Personis. This allows components to be 'subscribable' and statements in a simple language to be executed when new component values satisfy a condition.
Perso-nis_server.py	a server and set of stubs for the server version of Personis uses Personis_a.py to do the work
Personis.py	a wrapper for Personis_server
Tests/*	scripts to test the system
Tests/Base/examples	set of code examples for models stored locally
Tests/Server/examples	set of code examples for models stored on a server
mkmodel	utility program to make a set of models from a
modeldef	definition file

Constants

ComponentTypes:

```
"attribute"
"activity"
"knowledge"
"belief"
"preference"
"goal"
```

ValueTypes:

```
"string"
"number"
"boolean"
"enum"
"JSON"
```

EvidenceTypes:

```
"explicit"  # given by the user  (given)
"implicit"  # observed by the machine (observation)
"exmachina" # told (to the user) by the machine (told)
"inferred"  # evidence generated by inference (external or internal)
"stereotype" # evidence added by a stereotype
```

Functions

MkModel(model=None, modeldir=None, user=None, password=None, description=None):

  make a model with name "model" in directory modeldir for "user"/"password" with "description"

Classes

```
Component: component object
        Identifier      the identifier of the component
                        unique in the context
        Description     readable description
        component_type ["attribute", "activity", "knowledge", "belief", "preference", "goal"]
        value_type      ["string", "number","boolean", "enum", "JSON"]
        value_list      a list of strings that are the possible values for type "enum"
        value           the resolved value
        resolver        default resolver for this component
        goals           list of component paths eg [ ['Personal', 'Health', 'weight'], ...]
        evidencelist    list of evidence objects

Evidence: evidence object
        evidence_type   "explicit", # given by the user
                        "implicit", # observed by the machine
                        "exmachina", # told (to the user) by the machine
                        "inferred", # evidence generated by a subscription inference
                        "stereotype"] # evidence added by a stereotype
        source  string indicating source of evidence
        value   any python object
        comment string with extra information about the evidence
        flags   a list of strings eg "goal"
        time    timestamp
        useby   timestamp evidence expires (if required)

Context: context object
        Identifier      the identifier of the component
                        unique in the context
        Description     readable description
        resolver        default resolver for components in this context

View: view object
        Identifier      the identifier of the component
                        unique in the context
        Description     readable description

Access(Resolvers.Access): user model object
        model           model name
        modeldir        model directory
        authType        type of authentication: either "user" or "app"
        auth            string providing authentication credentials
```

```
                                  For users: "<user name>:<password>"
                                  For apps:  "<app name>:<nonce>-<timestamp>:<signature>"
                                  App credentials should be generated using generate_app_signature()
returns a user model access object
```

Access methods:

```
def ask(self,  context=[], view=None, resolver=None, showcontexts=None):
        context is a list giving the path of context identifiers
        view is either:
                an identifier of a view in the context specified
                a list of component identifiers or full path lists
                None indicating that the values of all components in
                        the context be returned
        resolver is a string containing the name of a resolver
                or
        resolver is a dictionary containing information about resolver(s) to be used and arguments
                the "resolver" key gives the name of a resolver to use, if not present the default r
                the args may include a specified evidence filter
                eg 'evidence_filter' =  "all" returns all evidence,
                                        "last10" returns last 10 evidence items,
                                        "last1" returns most recent evidence item,
                                        None returns no evidence
        showcontexts: if True, a tuple is returned containing
                (list of component objects,
                list of contexts in the current context,
                list of views in the current context,
                list of subscriptions in the current context)
        returns a list of component objects

def tell(self, context=[], componentid=None, evidence=None,   # evidence obj dosubs=True):
        arguments:
                context - a list giving the path to the required context
                componentid - identifier of the component
                evidence - evidence object to add to the component

def export_model(self,  context=[], evidence_filter=None, level=None):
        context is a list giving the path of context identifiers
                this is the root of the um tree to export
        evidence_filter specifies an evidence filter
                (partially implemented: "all" returns all evidence,
                                        "last10" returns last 10 evidence items,
                                        "last1" returns most recent evidence item,
                                        None returns no evidence)
        returns a JSON encoded representation of the um tree

def import_model(self, context=[], partial_model=None):
        arguments:
        context - context to import partial model to
                if None, use root of model
        partial_model - string containing JSON representation of model dictionary
                OR
                a dictionary with elements:
                        contextinfo - Description, Identifier, perms, resolver
                        contexts - sub contexts
                        components
                        views
```

```
                          subs

def set_goals(self, context=[], componentid=None, goals=None):
        set the goal list for a component
        requires "tell" permission
        arguments:
                context - a list giving the path to the required context
                componentid - identifier of the component
                goals - list of goal component paths

def mkcomponent(self, context=[], componentobj=None):
        Make a new component in a given context
        arguments:
                context - a list giving the path to the required context
                componentobj - a Component object
        returns:
                None on success
                a string error message on error

def delcomponent(self, context= [], componentid=None):
        Delete an existing component in a given context
        arguments:
                context - a list giving the path to the required context
                id - the id for a componen
        returns:
                None on success
                a string error message on error

def mkcontext(self, context= [], contextobj=None):
        Make a new context in a given context
        arguments:
                context - a list giving the path to the required context
                contextobj - a Context object
        return True if created ok, False otherwise

def delcontext(self, context=[]):
        Delete an existing context
        arguments:
                context - a list giving the path to the required context
        returns:
                None on success
                a string error message on error

def getcontext(self, context=[], getsize=False):
        get information (Description, size etc) of a context
        arguments:
                context - a list giving the path to the required context
                getsize - if True, return the size in bytes of the context subtree
        returns:
                None on success
                a string error message on error

def registerapp(self, app=None, desc="", fingerprint=None):
        registers an app
        app name is a string
        desc is the app description string
        fingerprint is the fingerprint of the app's public key, as generated by generate_app_fingerp
```

```
def deleteapp(self, app=None):
        deletes an app

def listrequests(self):
        returns a dictionary of apps that have requested access
        key is app name, 'description' is app description, 'fingerprint' is fingerprint of app publi

def listapps(self):
        returns an dictionary of apps that are registered
        key is app name, 'description' is app description

def setpermission(self, context=None, componentid=None, app=None, permissions={}):
        sets ask/tell permission for a context (if componentid is None) or
                a component

def setresolver(self, context, componentid, resolver):

def getresolvers(self):

def mkview(self, context= [], viewobj=None):
        Make a new view in a given context
        arguments:
                context - a list giving the path to the required context
                viewobj - a View object

def delview(self, context=[], viewid=None):
        Delete an existing view within a given context
        arguments:
                context - a list giving the path to the required context
                viewid - view identifier
        returns:
                on success, None
                on failure, a string reporting the problem

def subscribe(context=[], view=None, subscription=None):
        add a subscription to the component specified by the context and view
        arguments:
                context - a list giving the path to the required context
                viewobj - a View object
                subscription - is a dictionary containing owner, password and subscription statement
        returns a token that can be used to delete the subscription

def delete_sub(context=[], componentid=None, subname=None):
        deletes a subscription specified by the token subname in the component specified by the cont
        arguments:
                context - a list giving the path to the required context
                componentid - name of component in the context
                subname - a token return from the subscribe call when the subscription is installed
                                also available using an ask call with showcontexts=True
```

7.1 Examples

Models can be accessed either locally in the filesystem, or via a server.

Local access is via the Personis_base module.

Basic accretion operation - tell some evidence

The following example shows the use of Personis_base to *tell* a piece of evidence containing a name string to a component in the model. The source of the evidence is "contactapp" which will have been given access to the model by the owner.

```python
import Personis_base

# access the model in the filesystem
# model name is "alice", model is stored in directory "Models"
key = import_app_key("contactapp")
auth = "contactapp:" + Personis_base.generate_app_signature("contactapp", key)
um = Personis_base.Access(model="alice", modeldir='Models', authType='app', auth=auth)

# create a piece of evidence with Alice as value
ev = Personis_base.Evidence(evidence_type="explicit", value="Alice")

# tell this as user alice's first name into component "firstname", context "Personal"
um.tell(context=["Personal"], componentid="firstname", evidence=ev)
```

Basic resolution operation - ask for a value

This example *ask*s for the value of a component using the default resolver that uses the most recent piece of evidence.

```python
import Personis_base

key = import_app_key("contactapp")
auth = "contactapp:" + Personis_base.generate_app_signature("contactapp", key)
um = Personis_base.Access(model="alice", modeldir='Models', authType='app', auth=auth)

# now ask for the value of the component using the default resolver and the last piece of evidence
reslist = um.ask(context=["Personal"], view=["firstname"], resolver=dict(evidence_filter="last1"))
```

A *view* is just a list of components. The list can be explicit in the ask request or we can give a view a name and store it in the model.

For example:

```python
# now ask for the value of two components using a view
reslist = um.ask(context=["Personal"], view=["firstname", "lastname"], resolver=dict(evidence_filter
```

We can make a view using a view object and the *mkview* method. For example:

```python
import Personis_base

key = import_app_key("contactapp")
auth = "contactapp:" + Personis_base.generate_app_signature("contactapp", key)
um = Personis_base.Access(model="alice", modeldir='Models', authType='app', auth=auth)

vobj = Personis_base.View(Identifier="fullname", component_list=["firstname", "lastname"])
um.mkview(context=["Personal"], viewobj=vobj)

reslist= um.ask(context=["Personal"], view = 'fullname', resolver={'evidence_filter':"all"})
```

The values are returned by an ask request in a list of component objects, one for eachc component value requested. The component objects have the attributes described in the documentation above but this includes a *value* attribute which is the resolved value for the component. Eg:

```
reslist = um.ask(context=["Personal"], view=["firstname"], resolver=dict(evidence_filter="last1"))
print "Firstname:", reslist[0].value
```

Creating new contexts and components

The *mkcontext* and *mkcomponent* methods, along with the *Component* and *Context* objects, are used to build new elements in the model. Here is an example of creating and then deleting a context:

```
# assume we have accessed the model
print "creating context 'Deltest' in context 'Personal'"
cobj = Personis_base.Context(Identifier="Deltest", Description="testing context deletion")
# now make the new context
um.mkcontext(context=["Personal"], contextobj=cobj)

print "now delete it"
um.delcontext(context=["Personal", "Deltest"]):
```

and here is an example of creating and then deleting a component:

```
cobj = Personis_base.Component(Identifier="age", component_type="attribute", Description="age", goal

um.mkcomponent(context=["Personal"], componentobj=cobj)

# tell some evidence to the new component
ev = Personis_base.Evidence(evidence_type="explicit", value=17)
um.tell(context=["Personal"], componentid='age', evidence=ev)
reslist = um.ask(context=["Personal"], view=['age'], resolver={'evidence_filter':"all"})
print "Age:", reslist[0].value

# delete the component
resd = um.delcomponent(context=["Personal"], componentid = "age")
```

Navigating the Model

If you want to discover what contexts are present in the model there is a variant on the *ask* method that allows you to get a list of all the *contexts*, *components*, *views* and *subscriptions* that are contained in a given context. Just add the parameter "showcontexts=True" to the *ask* call. Using this call you can start at the root context and walk the tree of contexts discovering the full contents of the model. Eg:

```
print "Show the root context"
info = um.ask(context=[""], showcontexts=True)
```

The return value is a tuple containing (componentlist, contextlist, viewlist, sublist), where each part of the tuple is a list of objects.

Subscriptions: rules for action

A feature of Personis is the ability to add a rule to a component that is examined when ever a *tell* operation is performed on the component. The rule typically examines a resolved value of the component, matching against a pattern. If the pattern is matched an action is initiated. The action can be a *tell* operation to tell some evidence to a component, or a *notify* operation that will construct a URL and fetch it, thus initiating some action at an external web site. Rules can be deleted using the *delete_sub* method.

Note that you need to use Personis_a instead of Personis_base as that is where the subscription methods are found.

For example:

```python
import Personis_base
import Personis_a

key = import_app_key("contactapp")
auth = "contactapp:" + Personis_base.generate_app_signature("contactapp", key)
um = Personis_a.Access(model="alice", modeldir='Models', authType='app', auth=auth)

# subscription rule that will match firstname against a wildcard pattern (regular expression):
sub = """
<default!./Personal/firstname> ~ '.*' :
        NOTIFY 'http://www.myweb.me/~alice/action.cgi?' 'firstname=' <./Personal/firstname>
"""

# a token identifying the rule is returned
subtoken = um.subscribe(context=["Personal"], view=['firstname'], subscription={'user':'alice', 'pas

ev = Personis_base.Evidence(evidence_type="explicit", value="Alice")
# do a tell. This should cause the action.cgi script to be invoked with the firstame
um.tell(context=["Personal"], componentid='firstname', evidence=ev)

# delete the rule
um.delete_sub(context=["Personal"], componentid='lastname', subname=subtoken)
```

Import and Export of Models

Models can be imported and exported in JSON (JavaScript Object Notation) form using the *export_model* and *import_model* methods:

```python
import Personis_base
import Personis_a

key = import_app_key("contactapp")
auth = "contactapp:" + Personis_base.generate_app_signature("contactapp", key)
um = Personis_a.Access(model="alice", modeldir='Models', authType='app', auth=auth)

# export a model sub tree to JSON
# note that all evidence will also be exported.
modeljson = um.export_model(["Personal"], evidence_filter="all")
print modeljson

# import the same model tree but into a different context.
um.import_model(context=["Temp"], partial_model=modeljson)
```

EIGHT

MODEL DEFINITION FORMAT

When creating a new model it is possible to build the tree of contexts and components from a template file in "Model Definition Format" or "modeldef". This is useful when installing applications that need their own subtree of contexts and components. The subtree could be built by the application using the *mkcontext* and *mkcomponent* methods but there is also a "bulk" creation script (Src/Utils/mkmodel.py) that reads files in the "modeldef" format and creates the specified contexts, components, views, subscriptions and initial evidence.

Modeldef files consist of a series of *lines of text*. Create a modeldef with any plain text editor.

Lines that start with # are comments and ignored.

Lines that start with @@ specify a context to be made. The context name is in the form of a pathname starting at the root of the model. For example:

```
@@Personal: description="Personal information"
```

This specifies a context called "Personal" in the root context of the model. For example:

```
@@Personal/Health: description="Health information"
```

This specifies a context called "Health" in the "Personal" context of the model.

A short string description of the context must be included.

After a context (@@) line, that context becomes the *current* context and any additional non-context elements are created in that context until the current context is changed by another @@ line.

Components are specified using lines that begin with two minus signs (–). For example:

```
--firstname: type="attribute", value_type="string", description="First name",
                [evidence_type="explicit", value="Alice"]
```

this line specifies that a new component called "firstname" is created in the current context. Attributes of the component are specified using name=value elements. In this example the component is of type "attribute" and the type of the value is "string". The description of the component is "First name". Initial evidence for the component is included as a sequence of bracketed sections, so in this example there is one piece of evidence with type "explicit" and value "Alice".

Subscription rules can also be included with a new component using the "rule" attribute. Eg:

```
--email: type="attribute", value_type="string", description="email address",
# create a subscription that will notify when email address changes
        rule="<default!./Personal/email> ~ '*' : NOTIFY 'http://www.somewhere.com/'
                                        'email=' <./Personal/email>"
```

lines can be continued by breaking them after a comma.

Views are specified by lines starting with "==" and include a list of component pathnames. For example:

```
==fullname: firstname, lastname
```

Here is a more complete example:

```
## Notes:
##  This is an example modeldef file that describes the structure of a model.
##  To create a context and make it current:
##  @@word/word/.../word: description="description string"
##  To create a component in the current context:
##  --componentname: type="type of component", value_type="type of value",
        description="description", value="blah"[, value=".."]
        subscription="sub statement"
##  To create a view in the current context:
##  ==viewname: path, path,....

##  defs continue on new line starting with whitespace
##  ComponentTypes = ["attribute", "activity", "knowledge",
                        "belief", "preference", "goal"]
##  ValueTypes = ["string", "number", "boolean", "enum", "JSON"]


# start with the root context:

@@Location: description="Information about the users' location."
--seenby: type="attribute", value_type="string",
                description="sensor that has seen this person"
--location: type="attribute", value_type="string", description="Location"

@@Work: description="Information about the users work."
--role: description="the users main role in the organisation", type="attribute",
                value_type="enum", value="Academic", value="Postgraduate", value="etc"

@@Devices: description="Devices related to the user"
--syssensors: type="attribute", value_type="string",
                description="list of system activity which detect the user"
--carrying: type="attribute", value_type="string",
                description="Device(s) being carried"

@@modelinfo: description="Model Information"
--modeled: type="attribute", value_type="string",
                description="type of entity being modeled"
--personisversion: type="attribute", value_type="string",
                description="version of the Personis version in use"

@@Personal: description="Personal data"
--firstname: type="attribute", value_type="string", description="First name",
                [evidence_type="explicit", value="Bob"]
--lastname: type="attribute", value_type="string", description="Last name"
--gender: type="attribute", value_type="enum", description="Gender",
                value="male", value="female"
--email: type="attribute", value_type="string", description="email address",
# create a subscription that will notify when email address changes
        rule="<default!./Personal/email> ~ '*' : NOTIFY 'http://www.somewhere.com/'
                        'email=' <./Personal/email>"
```

```
# ==viewname: list of components from current context
#        create a view in the current context
==fullname: firstname, lastname

@@Personal/Health: description="Health information"
--weight: type="attribute", value_type="number", description="My Weight",
                       [evidence_type="explicit", value="75", flags=["goal"]]
--sleep: type="attribute", value_type="string", description="Sleep info"

@@People: description="Information about people who may be relevant to the user"
--bob: type="attribute", value_type="string",
               description="relevance of showing Bob's status"
--fullname: type="attribute", value_type="JSON",
               description="first+last name JSON encoded"


@@Preferences: description="preferences"
@@Preferences/Music: description="Music preferences, playlists etc"
--playlist: type="attribute", value_type="string", description="Tracks on my playlist"
--played: type="attribute", value_type="string", description="Tracks played"
@@Preferences/Music/Jazz: description="preferences for Jazz"
@@Preferences/Music/Jazz/Artists: description="preferences for Jazz artists"
--Miles_Davis: type="preference", value_type="number", description="Miles Davis"

@@Preferences/Food: description="Food preferences"
@@Preferences/Food/Thai: description="Thai food preferences"
--orders: type="attribute", value_type="string", description="orders"
--preferences: type="attribute", value_type="string",
               description="preferred thai dishes"

@@Temp: description="temporary components"
```

CLIENT/SERVER PROTOCOL

This document describes the Personis *access*, *ask* and *tell* calls in terms of the Python method calls.

access:

```
def access(modelname=string, authType=string, auth=string, version="11.2")
```

The POST URL is then /access and the body is (for example):

```
{"authType": "user", "modelname": "bob", "auth": "bob:pass", "version": "11.2"}
```

the return data is:

```
{"result": "ok", "val": true}      -- on success
{"result": "fail", "val": false}     -- on failure
I might change this to include a diagnostic string as the value of val.
```

tell:

```
def tell(modelname=string, authType=string, auth=string, version="11.2",
        context=list-of-strings, componentid=string, evidence=dict)
```

The URL is /tell

Body example:

```
{"modelname": "bob",
"authType": "user",
"auth": "bob:pass",
"version": "11.2",
"evidence": {"comment": null, "evidence_type": "explicit", "value": "Bob",
              "objectType": "Evidence", "source": "demoex2", "flags": [],
              "time": null, "exp_time": 0},
"context": ["Personal"],
"componentid": "firstname"}
```

Note that the evidence dictionary should be extensible, ie not just the fields shown. Keys are strings, values can be strings/None/integer/list-of-strings

The return data is:

```
{"result": "ok", "val": true}     -- on success
{"result": "fail", "val": false}     -- on failure
I might change this to include a diagnostic string as the value of val.[a]
```

ask:

```
def ask(modelname=string, authType=string, auth=string, version="11.2",
        context=list-of-strings,
        resolve=dict,
        showcontexts=true-or-false,[b]
        view=list-of-(string-or-list-of-string) )
```

The resolver dictionary is extensible, keys and values are strings, *view* is a list of strings or (list of strings)

The URL is /ask

Body example:

```
{"modelname": "bob",
"authType": "user",
"auth": "bob:pass",
"version": "11.2",
"context": ["Preferences", "Music", "Jazz", "Artists"],
"showcontexts": null,
"resolver": {"evidence_filter": "all"},
"view": ["Miles_Davis", ["Personal", "firstname"]]}
```

The return data is a dictionary containing a result and val entries like the Access function. The value for "val" is a list of dictionaries, one per component value being returned.

example:

```
{"result": "ok", "val":
 [        {"Description": "First name",
        "component_type": "attribute",
        "evidencelist": null,
        "value_list": null,
        "value": "Bob",
        "value_type": "string",
        "goals": [],
        "resolver": null,
        "Identifier": "firstname",
        "objectType": "Component"},
        {"Description": "Last name",
        "component_type": "attribute",
        "evidencelist": null,
        "value_list": null,
        "value": "Kummerfeld",
        "value_type": "string",
        "goals": [],
        "resolver": null,
        "Identifier": "lastname",
        "objectType": "Component"}
 ]
}
```

The POST requests should be over HTTPS.

SECURITY ARCHITECTURE

This section describes the Personis security architecture. There are two different methods for authentication: one for users and one for apps. Users have a password-based system and apps use an RSA keypair and digital signatures.

When authenticating, there are two parameters sent to the server (or the Personis library): authType and auth. authType is a string and must be one of either "user" or "app". auth is also a string and consists of a colon-separated tuple containing either the username and password (for users) or the app name, signing string and signature (for apps). However, developers using the Personis library do not need to set these parameters and can instead supply either a username and password, or an app name and optionally a description when creating a Personis.Access object. See the examples in the sections below for details.

10.1 Server

Connections to a Personis server are secured using SSL. This means the server must have a certificate in order to authenticate it to the client. See the Server section for more details. Currently server certificates are not being validated; this needs to be enabled in jsoncall.py and will not work for a self-signed certificate unless it is installed on the client system.

10.2 User login

Users authenticate with their username and password (set when a model is created). The password is hashed using SHA256 and stored. On login, the password the user sends is again hashed and compared to the stored value.:

```
um = Personis.Access(model="alice", user="Alice", password="secret")
```

10.3 App login

Since apps need to be able to login without interaction from the user, especially in the case of apps running on sensors or other embedded devices, apps use an RSA keypair and digital signatures to authenticate. When an app first runs, a keypair (2048 bits) is generated. The app must have write access to the directory in which it is run for this to occur. The keypair will be stored in a file named <app_name>_key.pem.

Next, access to the given user model is requested. This occurs when an app attempts to create a Personis.Access object without already having access to the requested user model. A fingerprint of the app's public key is sent to the server and an AuthRequestedError is raised. This exception can be printed to display the app's fingerprint to the user. The user must authorise the app and give it appropriate permissions before it is able to access the model. The user can check that the app's fingerprint matches to ensure they are authorising the correct app.

On subsequent logins, the app instead uses a digital signature to prove that it is in fact the authorised app, with access to the matching private key. This occurs each time the app sends a command to the Personis server. First, the command (string) is hashed. This is then concatenated with a (cryptographic-quality) nonce and a timestamp, signed, and sent to the server. The server checks that the signature is valid for the app's public key, that the timestamp falls within a ten-minute window of the current time and that the nonce has not been seen before. The sliding time window is used so that the server needn't store every nonce ever seen - only those within the valid window.

Most of this process is carried out automatically when a Personis.Access object is created and thus an app developer need not perform the above steps themselves.:

```python
try:
        um = Personis.Access(model="alice", modelserver="localhost:2005", \
                app="flashcards", description="A simple flashcard study app")
except AuthRequestedError as e:
        print e
        print "Please authorise the app and then run it again."
        exit()
except:
        print "Unable to access user model %s on server %s" % (model, server)
```

ELEVEN

MAKING THE DOCUMENTATION

The documentation for Personis is built using the *sphinx*, a python based documentation generation tool. Sphinx can make the documentation in many forms. To use the tool you need to install sphinx and its dependancies. A generated pdf version is included in the distribution. If you want to make the pdf version you will need to install a full latex package (eg texlive-full).

To make the various versions the command is:

```
make html
make latexpdf
make epub
```

The generated versions are placed in the subdirectory "_build".

TWELVE

INDICES AND TABLES

- *genindex*
- *modindex*
- *search*