DTCC

OBLIGATON WAREHOUSE

SWIFT MT509 SPECIFICATIONS

JUNE 1, 2013



DOCUMENTATION REVISION HISTORY

Date	Version	Change Description
May 2012	6	Addition of IREO and XREO as Include/Exclude Reorg Accepted Status Codes Addition of IORJ and XORJ as Include/Exclude Reorg Reject Reason Codes
June 2013	7	Addition of IPOF and XPOF as Include/Exclude Pair Off Accepted Status Codes Addition of IPOJ and XPOJ as Include/Exclude Pair Off Reason Codes
May 2014	8	Addition of IMSC, IMSD and IMSR for rejecting IMS permanent cancel, permanent drop and permanent reject messages, as 70D:REAS – see reason codes in Appendix A. Updated 23G 25D tag description to be inclusive of reject IMS permanent cancel, permanent drop and permanent reject messages.

MT509 SPECIFICATION

The following table shows the SWIFT MT509 specification of the participant message:

Note:
See the ISO header document.

Block/Tag	Description
GENL	**This mandatory block provides general information regarding the message. It appears only once in a Status Message.**
20C	**Sender's Message Reference** • **SEME//** – This field contains the sender's message reference number. It is mandatory and must contain a unique number to unambiguously identify each message sent from Obligation Warehouse. (This is a communications message number, not an obligation number.) **Note**: While the SWIFT message accommodates both Upper and Lower case alphanumeric and certain symbols, for Obligation Warehouse purposes, this field must be populated with an upper case alphanumeric value. It cannot contain symbols or hyphens. ***Example :20C::SEME//200910310001***
23G	**Function of the Message** This mandatory field is used on all messages to identify the function of the message. It is either the status of an Instruct (INST), or regarding the submission of a cancellation of a previous message (CAST). • **INST** – This qualifier is used for the following MT509 messages: o Obligation accepted or rejected o Modify accepted or rejected o Delivery notification accepted or rejected o Reclaim request accepted or rejected o Obligation sent to IMS o Include/Exclude for RECAPS accepted or rejected o Remove Withhold/Withhold from CNS processing accepted or rejected o Include/Exclude for Reorg Processing accepted or rejected o Include/Exclude for Pair Off Processing accepted or rejected o Obligation closed MT509s o Obligation deleted MT509s o Settlement via IMS, ECS or NYW rejected o **Permanent cancel/drop/reject received from IMS rejected** • **CAST** – This qualifier is used for the following MT509 messages: o Cancel uncompared processed o Cancel open processed o Cancel (uncompared or open) rejected o Closed due to cancellation

<table>
<tr><th>Block/Tag</th><th>Description</th></tr>
<tr><td></td><td>

Cancel delivery accepted or rejected
Cancel reclaim accepted or rejected

Example :23G:INST
</td></tr>
<tr><td>98C</td><td>
Preparation Date/Time

PREP// – This field is reflected on all messages to indicate the date and time the message was prepared by Obligation Warehouse.

Note:
The “C” format for this (98) tag indicates a date/time format of “YYYYMMDDHHMMSS”.
Example :98C::PREP//20090331101510
</td></tr>
<tr><td>LINK</td><td>The LINK Block is repeated for as many reference qualifiers as need to be included in an Obligation Status Message. Each subsequence contains reference numbers to identify the obligation or record for which the status is being reported. Each reference number is enclosed within a Start Link Block (:16R:LINK) and End Link Block (:16S:LINK). All LINK repeating subsequences are within the GENL Block.</td></tr>
<tr><td>20C</td><td>
Reference
As indicated above, each reference number is enclosed in a LINK Start and End Block. There are five reference numbers used for Obligation Warehouse to identify the transaction represented by the qualifiers MAST, PREV, RELA, LINK and COMM. Each of these reference numbers are explained below along with their relevance to the messages.

MAST// – Master Reference – This qualifier contains the Participant’s Reference Number assigned by the Participant for the obligation (External Reference Number referred to as X-Ref).

<table>
<tr><th>Message Type</th><th>MAST Field Value</th></tr>
<tr><td>All pre-comparison MT509 messages</td><td>Participant entered X-Ref value on the obligation submission.</td></tr>
<tr><td>All post-comparison or open MT509 messages</td><td>The X-Ref value on the record.
(The X-Ref value may not be unique on open obligations)</td></tr>
</table>

PREV// – Previous Reference – This qualifier is used only on records where the External Reference Number has been modified by the participant and contains the Participant’s Previous X-Ref Number.

<table>
<tr><th>Message Type</th><th>PREV Field Value</th></tr>
<tr><td>Modify message status where X-Ref was modified</td><td>Participant entered previous X-Ref value on the obligation submission.</td></tr>
<tr><td>Modify message status
(X-Ref was NOT modified)</td><td>N/A</td></tr>
<tr><td>All other messages</td><td>N/A</td></tr>
</table>

RELA// – MT515 Sender’s Message Reference – This qualifier contains the Sender’s Message Reference Number (20C::SEME//) from the MT515 submitted by the participant. It only appears

</td></tr>
</table>

Block/Tag	Description
	on those MT509 messages, which are acknowledgements of receipt or rejections of MT515 participant messages. • **LIST// – Obligation ID** – This qualifier contains Obligation ID generated by the Obligation Warehouse system for the obligation upon submission. Participants need to use this number to reference back their pre-comparison obligation. This number is not relevant to system created open obligations. • **COMM// – Obligation Control number** – This qualifier contains the Obligation Control Number assigned by Obligation Warehouse upon matching where obligations were submitted by participants. Also, it contains the Obligation Control Number of Open Obligation where obligations were created by the system. Participants need to use this number to reference open obligations. This is the only reference number uniquely applicable to reference a pair of matched obligations or system created open obligation. The Obligation Warehouse Control Number serves to identify both the Participant obligation and Contra obligation. **Note**: Please note that while the SWIFT message accommodates both Upper and Lower case alphanumeric and certain symbols, for Obligation Warehouse purposes, the Reference field is populated with an alphanumeric or blanks. It does not contain symbols or hyphens. ***Example :20C::MAST//PARTREF1***
STATUS	**The Status Block appears on every MT509 message and notifies the participant of the type of MT509 record being sent, as well as the status of the obligation, or record, that was submitted to Obligation Warehouse service.**
25D	**Status Code** The Status code indicates the record type or type of status message being sent by the Obligation Warehouse. The following are the various message types, which is used for interactive messaging to support real-time matching. • **IPRC//PACK** – This qualifier is used to indicate that an instruction message has been accepted by Obligation Warehouse. • **IPRC//REJT** – This qualifier is used to indicate that participant's **or IMS permanent cancel/drop/reject message** has been rejected by Obligation Warehouse. The 70D field in the REAS block is populated (see 70D description). • **IPRC/DTCY/MODP** – This qualifier is used to indicate to the submitter that the obligation modification requested has been accepted and processed. • **IPRC/DTCY/DLVA** – This qualifier is used to indicate that a Delivery Notification has been accepted and processed by Obligation Warehouse. • **IPRC/DTCY/SIMS** – This qualifier is used to indicate that the obligation has been sent to IMS and is eligible for settlement activities. • **IPRC/DTCY/DEDK** – This qualifier is used to indicate that an obligation previously submitted to Obligation Warehouse has been deleted due to DK. • **IPRC/DTCY/DEPS** – This qualifier is used to indicate that an obligation previously submitted to Obligation Warehouse has been deleted due to Participant Swing. • **IPRC/DTCY/DEAD** – This qualifier is used to indicate that an obligation previously submitted to Obligation Warehouse has been deleted due to Admin action. • **IPRC/DTCY/CCNS** – This qualifier is used to indicate that the obligation has been closed when it was sent to CNS processing. • **IPRC/DTCY/CRCP** – This qualifier is used to indicate that the obligation has been closed due to re-net of obligations by the RECAPS activities.

Block/Tag	Description
	• **IPRC/DTCY/CPSW** – This qualifier is used to indicate that the obligation has been closed due to Participant Swing activities • **IPRC/DTCY/CLAD** – This qualifier is used to indicate that the compared/open obligation has been closed due to Admin activity. • **IPRC/DTCY/CMRO** – This qualifier is used to indicate that the obligation has been closed due to Mandatory Re-org activities • **IPRC/DTCY/RCLA** – This qualifier is used to indicate that a Reclaim Notification has been accepted. • **IPRC/DTCY/CCNR** – This qualifier is used to indicate that an Obligation has been closed due to Cancel Reclaim. • **IPRC/DTCY/CLCC** – This qualifier is used to indicate that an Obligation has been closed due to Cancel Request canceled. • **IPRC/DTCY/IRCA** – This qualifier is used to indicate that request to include for RECAPS has been accepted. • **IPRC/DTCY/XRCA** – This qualifier is used to indicate that request to exclude from RECAPS has been accepted. • **IPRC/DTCY/ICNS** – This qualifier is used to indicate that request to Remove Withhold from CNS processing has been accepted. • **IPRC/DTCY/XCNS** – This qualifier is used to indicate that request to Withhold from CNS processing has been accepted. • **IPRC/DTCY/IREO** – This qualifier is used to indicate that request to include for Reorg Processing has been accepted. • **IPRC/DTCY/XREO** – This qualifier is used to indicate that request to exclude from Reorg Processing has been accepted. • **IPRC/DTCY/IPOF** – This qualifier is used to indicate that request to include for Pair Off Processing has been accepted. • **IPRC/DTCY/XPOF** – This qualifier is used to indicate that request to exclude from Pair Off Processing has been accepted. • **CPRC//REJT** – This qualifier is used to indicate to the submitter that a Cancel Record submitted to Obligation Warehouse has been rejected. • **CPRC//CAND** – This qualifier is used to indicate that a Cancel instruction of an uncompared obligation has been processed. • **CPRC/DTCY/CNMT** This qualifier is used to indicate to the submitter that a Cancel of an Open Obligation has been accepted by Obligation Warehouse. • **CPRC/DTCY/CCAN** – This qualifier is used to indicate that the obligation has been closed due to Participant Cancel Updates via the Obligation Warehouse application. • **CPRC/DTCY/CNDL** This qualifier is used to indicate that a Delivery Notification has been cancelled by the Participants Cancel Delivery action. • **CPRC/DTCY/CNRC** This qualifier is used to indicate that a Reclaim Notification has been cancelled by the Participants Cancel Reclaim action. • **CPRC/DTCY/UNCA** This qualifier is used to indicate that a uncancel action has been accepted. • **CPRC/DTCY/UNDA** This qualifier is used to indicate that a request to lift DK has been accepted. ***Example :25D::IPRC//PACK***

Block/Tag	Description
REASON	**The Reason Block only appears on MT509 messages where a submission has been rejected by Obligation Warehouse. Each Reason Code is enclosed within a Start Reason (:16R:REAS) and End Reason (:16S:REAS) Block.**
24B	**Reason Code** This field is mandatory in the block and appears on all Reject messages. There can be multiple reason codes on any MT509 Reject Message; each Reason Code must be enclosed within a Start Reason (:16R:REAS) and End Reason (:16S:REAS) Block. The Reason Code is populated with the following value: • **REJT/** – this qualifier is reflected on all messages that indicate to the participant that a submission was rejected by Obligation Warehouse. **Note:** Please see Appendix A, which provides a list of all error conditions (and associated codes) that would result in the rejection of a participant MT515 message. ***Example :24B::REJT/DTCY/E201***
70D	**Reason Narrative (REAS)**
	• **REAS//DTCY** – The reason narrative field can contain one of the following qualifiers: • **/MDRJ** – This qualifier is included when an obligation modification has been rejected. • **/DKRJ** – This qualifier is included when DK request has been rejected. • **/DLRJ** – This qualifier is included when Delivery Notification has been rejected. • **/IMRJ** – This qualifier is included when Delivery Notification via IMS has been rejected. • **/ECRJ** – This qualifier is included when Delivery Notification via ECS has been rejected. • **/NYRJ** – This qualifier is included when Delivery Notification via NY Window system has been rejected. • **/RCRJ** – This qualifier is included when Reclaim request has been rejected. • **/IRRJ** – This qualifier is included when Include for RECAPS request has been rejected. • **/XRRJ** – This qualifier is included when Exclude from RECAPS request has been rejected. • **/ICRJ** – This qualifier is included when a Remove Withhold from CNS processing request has been rejected. • **/XCRJ** – This qualifier is included when Withhold from CNS processing request has been rejected. • **/IORJ** – This qualifier is included when Include for Reorg Processing request has been rejected. • **/XORJ** – This qualifier is included when Exclude from Reorg Processing request has been rejected. • **/IPOJ** – This qualifier is included when Include for Pair Off Processing request has been rejected. • **/XPOJ** – This qualifier is included when Exclude from Pair Off Processing request has been rejected. • **/IMSC –** This qualifier is included when Obligation Warehouse rejects IMS permanent cancel. • **/IMSD –** This qualifier is included when Obligation Warehouse rejects IMS permanent drop. • **/IMSR** – This qualifier is included when Obligation Warehouse rejects IMS permanent reject. • **/CDRJ** – This qualifier is included when Cancel Delivery request has been rejected. • **/CRRJ** – This qualifier is included when Cancel Reclaim request has been rejected. • **/UCRJ** – This qualifier is included when MT515 Un Cancel request has been rejected. • **/UDRJ** – This qualifier is included when MT515 Lift DK request has been rejected. ***Example :70D::REAS//DTCY/MDRJ***

© 2022 DTCC. All rights reserved. DTCC, DTCC (Stylized), ADVANCING FINANCIAL MARKETS. TOGETHER, and the Interlocker graphic are registered and unregistered trademarks of The Depository Trust & Clearing Corporation.

The services described herein are provided under the "DTCC" brand name by certain affiliates of The Depository Trust & Clearing Corporation ("DTCC"). DTCC itself does not provide such services. Each of these affiliates is a separate legal entity, subject to the laws and regulations of the particular country or countries in which such entity operates. Please see www.dtcc.com for more information on DTCC, its affiliates and the services they offer.

Doc Date: August 31, 2022
Publication Code: Obligation Warehouse157
Service: Obligation Warehouse
Title: SWIFT MT509 Specifications

FOR MORE INFORMATION

Email DTCC Learning at:
DTCCLearning@dtcc.com

or visit us on the web at:
www.dtcclearning.com