DTCC

OBLIGATON WAREHOUSE

SWIFT MT515 SPECIFICATIONS

JUNE 1, 2013



DOCUMENTATION REVISION HISTORY

Date	Version	Change Description
April 2011	5	Addition of ICNS and XCNS Reason Codes for CNS processing.
May 2012	6	Addition of IREO and XREO Reason Codes for Reorg processing.
June 2013	7	Addition of IPOF and XPOF Reason Codes for Pair Off processing.

MT515 SPECIFICATION

The following table shows the SWIFT MT515 specification of the participant message:

Note:
See the ISO header document.

Block/Tag	Notes
GENL	**This Mandatory block provides general information regarding the message. It appears only once in an obligation contract.**
20C	**Sender's Message Reference** **SEME//** – This field contains the sender's message reference number. It is mandatory and must contain a unique number to unambiguously identify each message sent to OW. (This is a communications message number, not an obligation number.) It is suggested that participants use a number that includes a date followed by either a timestamp or a sequence number. In this way, uniqueness can be ensured. **Note:** While the SWIFT message accommodates both Upper and Lower case alphanumeric and certain symbols, for OW purposes, this field must be populated with an upper case alphanumeric value. It cannot contain symbols or hyphens. The Sender's reference key field in header 3 must be equal to the value in the SEME// field. ***Example :20C::SEME//200910310001***
23G	**Function of the Message** This mandatory field identifies the function of the message. **NEWM** will be used for a new message and **CANC** will be used for cancellation of a previous message. **NEWM** – This qualifier will be used for the following MT515 messages: Instruct Modify DKs (DK of uncompared, DK cancel, DK delivery, DK reclaim) Delivery notification Reclaim request Post comparison modifications (Include for RECAPS, Exclude from RECAPS, Withhold from CNS or Remove Withhold from CNS, Include for Reorg Processing, Exclude from Reorg Processing, **Include for Pair Off Processing, Exclude from Pair Off Processing)** **CANC** – This qualifier will be used for the following MT515 messages: Cancel of uncompared obligation Cancel of open obligation Cancel of delivery notification Cancel of reclaim request Cancel of DK (Lift DK) Cancel of cancel request (UN Cancel) ***Example :23G:NEWM***

<table>
<tr><th>Block/Tag</th><th>Notes</th></tr>
<tr><td>98C</td><td>Preparation Date/Time
PREP// -This field contains the date and time the message sent to OW was prepared.
Note:
The “C” format for this (98) tag indicates a date/time format of “YYYYMMDDHHMMSS”.
Example :98C::PREP//20090331102015</td></tr>
<tr><td>22F</td><td>Transaction Type indicator (TRTR)
This mandatory field specifies the transaction type.
TRTR/DTCY/CASH – This qualifier/option must be used on all messages.
Example :22F::TRTR/DTCY/CASH</td></tr>
<tr><td>LINK</td><td>The LINK Block can be repeated for the various reference qualifiers required on an Obligation Contract. It is intended to provide the required information to identify the obligation. Each reference number must be enclosed within a Start Link Block (:16R:LINK) and End Link Block (:16S:LINK). Each LINK repeating subsequence is within the GENL Block. At least one LINK sequence is required on the MT515 message.</td></tr>
<tr><td>20C</td><td>Reference
The Reference numbers provided by the participant must contain alphabetic and/or numeric characters and must not contain symbols or hyphens. As indicated above, each reference number must be enclosed in a LINK Start and End block. There are four reference numbers used for OW to identify the obligation represented by the qualifiers MAST, PREV, LINK and COMM. Each of these reference numbers are explained below along with their relevance to the messages.
It should be noted that MT515 messages submitted against uncompared contra party obligation will not contain reference numbers in this sequence. Instead, the contra party’s CONFPRTY block (20C::PROC field) must be populated with contra’s Obligation ID.
MAST// – Master Reference – This qualifier contains the Participant’s Reference number for the obligation (External Reference number referred to as X-Ref). It is a Participant originated unique tracking number.
<table>
<tr><th>Message Type</th><th>MAST Field Value</th></tr>
<tr><td>Instruct of new obligation</td><td>The MAST qualifier is mandatory. It must be unique for each obligation, and should be populated with a reference number that will enable the participant to track their obligation in the OW system.</td></tr>
<tr><td>Modify or Cancel of Uncompared obligation</td><td>The MAST value must be populated with the current X-Ref of the obligation.</td></tr>
<tr><td>Messages which refer to contra party uncompared obligation (DK of Uncompared, Cancel of DK, Delivery notification, DK of Delivery, Reclaim request)</td><td>The MAST qualifier is mandatory. It should be populated with a value of NONREF</td></tr>
<tr><td>All post-comparison messages</td><td>This field may not be unique across obligations after comparison. On all post comparison messages, the External Reference number provided by the participant will be ignored.
It is recommended that Participants populate this field with NONREF on all post-comparison messages.</td></tr>
</table></td></tr>
</table>

<table>
<tr><th>Block/Tag</th><th>Notes</th></tr>
<tr><td></td><td>
PREV// – Previous Reference – This qualifier is used on either Modify or Cancel MT515 messages. On Modify records, it is used to modify the External Reference and should contain the Participant's Previous External Reference number. For MT515 Cancel messages, this field should be populated with the value "NONREF".
<table>
<tr><th>Message Type</th><th>PREV Field Value</th></tr>
<tr><td>Instruct of new obligation</td><td>N/A – No value to be entered</td></tr>
<tr><td>Modify</td><td>The PREV value must be populated with the previous X-Ref of the obligation if the current X-Ref is being modified by this modify message.</td></tr>
<tr><td>All DK messages (uncompared, delivery, reclaim, cancel)</td><td>N/A – No value to be entered</td></tr>
<tr><td>All Cancel messages (Cancel uncompared, Cancel delivery, Cancel reclaim, Cancel matched, cancel DK, Cancel request cancel)</td><td>The PREV value must be populated with the value of NONREF</td></tr>
<tr><td>All other messages (Delivery notification, Reclaim request, Include for RECAPS, Exclude from RECAPS, Remove Withhold from CNS, Withhold from CNS, Include for Reorg Processing and Exclude from Reorg Processing, Include for Pair Off Processing and Exclude from Pair Off Processing)</td><td>N/A – No value to be entered</td></tr>
</table>
LIST// – Obligation ID – This qualifier contains Obligation ID generated by the system for the obligation upon submission. This reference number can be obtained by the Participant as the value of the LIST field on the output messages from OW to Participant.
<table>
<tr><th>Message Type</th><th>LIST Field Value</th></tr>
<tr><td>Instruct of new obligation</td><td>N/A – No value to be entered</td></tr>
<tr><td>DK of Uncompared obligation</td><td>N/A – No value to be entered</td></tr>
<tr><td>Messages which refer to your uncompared obligation (Modify, Cancel Uncompared, Delivery notification, DK of Delivery, Reclaim request)</td><td>The LIST value can be populated with the Obligation ID assigned by the system upon obligation submission.</td></tr>
<tr><td>All post-comparison messages</td><td>N/A – Value filled in the LIST field will be ignored by the application.</td></tr>
</table>
</td></tr>
<tr><td></td><td>COMM// – Obligation Control number – This qualifier specifies the Obligation Control number generated by OW for a pair of obligations upon comparison or at the time the system created an open obligation. It is used by participants on post-comparison MT515 messages.</td></tr>
</table>

<table>
<tr><th>Block/Tag</th><th>Notes</th></tr>
<tr><td></td><td>
<table>
<tr><th>Message Type</th><th>COMM Field Value</th></tr>
<tr><td>All pre-comparison messages</td><td>N/A – No value to be entered</td></tr>
<tr><td>All post-comparison messages</td><td>The COMM value will be populated with Obligation Control number assigned by system when matching two obligations or when the system created open obligation.</td></tr>
</table>
<u>Summary</u>:
• Instructs must always have a unique Participant assigned X-Ref in the MAST field.
• Messages which refer to <u>contra party uncompared</u> obligation will not use this block. A value of NONREF must be populated into the mandatory MAST field and contra's Obligation ID must be populated in the contra party's CONFPRTY block (20C::PROC).
• Messages which refer to your uncompared obligation must be populated with the
• Obligation ID into the LIST field.
• All post comparison messages must be populated with the Obligation Control Number in the COMM field.
• For pre-comparison Cancels and Modifies, the participant must send the X-Ref (MAST) and/or the Obligation ID (LIST) to identify the obligation. If the LIST value is populated, it will be used and the MAST value will be ignored.
For pre-comparison Cancels and Modifies, the participant must send the X-Ref (MAST) and/or the Obligation ID (LIST) to identify the obligation. If The LIST value is populated, it will used and the MAST value will be ignored.
For all post-comparison messages, the Obligation Control Number is the only applicable unique reference number. Except for post-comparison DK messages, the Obligation Control number is entered in the COMM field. For post-comparison DK messages, the Obligation Control Number is entered in the appropriate :20C::PROC// Processing Reference field in the contraparty's CONFPTY block.
Note:
While the SWIFT message accommodates upper and lower case alphabetic, numeric, and certain other characters, for OW purposes, the LIST and COMM fields must be populated with upper case alphabetic and/or numeric characters. They cannot contain symbols or hyphens. The MAST and PREV fields can contain upper and lower case alphabetic, numeric and blank characters.
Example :20C::MAST//PARTREF1
</td></tr>
<tr><td>CONFDET</td><td>The Mandatory CONFDET (Confirmation Details) block appears only once in an Obligation Contract. It contains Obligation and Confirming Party Details.</td></tr>
<tr><td>98C</td><td>Trade Date/Time
TRAD// – This mandatory field is used on all messages to specify Trade Date and Trade Time. (The "C" format for this (98) tag indicates a date/time format of "YYYYMMDDHHMMSS".)
If the Participant does not want to enter a Trade Date/Time, a value of Dec 31st 9999 with time of 00:00:00 needs to be provided. Otherwise, the Trade Date must be less than the Settlement Date with one exception. If Trade Date equals Settlement Date it must be less than Processing Date.
Examples :98C::TRAD//20090331095510
:98C::TRAD//99991231000000</td></tr>
</table>

Block/Tag	Notes
98A	**Settlement Date** **SETT//** – This mandatory field is used on all messages to specify settlement date. (The "A" format for this tag (98) indicates a date format of "YYYYMMDD".) ***Example :98A::SETT//20090331***
90A	**Deal Price** This field is input on all MT515 messages and represents price. This field should be filled with a value of 0 since only final money submissions will be accepted by OW. **DEAL//PRCT/** – All obligations should be entered in Final Money format and should reflect a value of zero "0," in this field. ***Example :90A::DEAL//PRCT/0,***
19A	**Settlement Amount** **SETT//** – This field is used to specify the Settlement Amount. It is required for all obligations. The amount is in SWIFT Standard format, which is left justified, with thousand separators removed, and a comma used instead of a decimal separator. The amount is always preceded by a 3-character ISO currency code ("USD" for NSCC obligations). **Note:** The SWIFT format can accommodate a value of 15d (with decimal) and the maximum amount that will be accepted by Obligation Warehouse is $999,999,999,999.99. The minimum amount that will be accepted by Obligation Warehouse is $0.00. ***Example :19A::SETT//USD1000500,5*** ***:19A::SETT//USD999999999999,99***
22H	**Business Use indicator (BUSE)** This field is required on all MT515 messages. There are two allowable values for the BUSE qualifier: **BUSE//BUYI** – This qualifier indicates that the record submitted is a receive transaction. **BUSE//SELL** – This qualifier indicates that the record submitted is a deliver transaction. ***Example :22H::BUSE//BUYI***
22F	**Processing indicator (PROC)** This processing indicator enables the participant to indicate to OW the type of record/command being submitted on the MT515. **PROC/DTCY/INST** – This qualifier indicates that the MT515 is an INSTRUCT message. This will be used on messages to submit an obligation for comparison. **PROC/DTCY/CANC** – This qualifier indicates that the MT515 is a request to cancel an uncompared obligation. **PROC/DTCY/CNMT** – This qualifier indicates that the MT515 is a request to cancel a matched obligation. If obligation is in Pending Reclaim state this request will be rejected. PROC/DTCY/CNDL – This qualifier indicates that the MT515 is a request to cancel a delivery notification submitted by the same participant earlier. **PROC/DTCY/MDFC** – This qualifier indicates that the MT515 is a request to modify an uncompared obligation. **PROC/DTCY/DKUC** – This qualifier indicates that the MT515 is a DK of the Contra's uncompared obligation. **PROC/DTCY/DKDL** – This qualifier indicates that the MT515 is a DK of the Contra's Delivery Notification.

Block/Tag	Notes
	PROC/DTCY/DKCN – This qualifier indicates that the MT515 is a DK of the Contra's Cancel Request of a matched obligation. **PROC/DTCY/DLVR** – This qualifier indicates that the MT515 is a delivery request or notification message. **PROC/DTCY/RCLM** – This qualifier indicates that the MT515 is a reclaim request or notification message. **PROC/DTCY/CNRC** – This qualifier indicates that the MT515 is a request to cancel a reclaim notification submitted by the same participant earlier. **PROC/DTCY/DKRC** – This qualifier indicates that the MT515 is a DK of the Contra's Reclaim Request of an open obligation. **PROC/DTCY/UNDK** – This qualifier indicates that the MT515 is a removal of previously DK uncompared message. Normally it is submitted by the same party who initiated the DK uncompared and wants to remove the DK uncompared. **PROC/DTCY/UNCN** – This qualifier indicates that the MT515 is a removal of cancel request. It must be submitted by the same party who initiated cancel. **PROC/DTCY/IRCP** – This qualifier indicates that the MT515 is a request to include for RECAPS. **PROC/DTCY/XRCP** – This qualifier indicates that the MT515 is a request to exclude from RECAPS. **PROC/DTCY/ICNS** – This qualifier indicates that the MT515 is a request to remove the withhold of a matched obligation from CNS processing **PROC/DTCY/XCNS** – This qualifier indicates that the MT515 is a request to withhold a matched obligation from CNS processing **PROC/DTCY/IREO** – This qualifier indicates that the MT515 is a request to include for Reorg Processing **PROC/DTCY/XREO** – This qualifier indicates that the MT515 is a request to exclude from Reorg Processing **PROC/DTCY/IPOF – This qualifier indicates that the MT515 is a request to include for Pair Off Processing** **PROC/DTCY/XPOF – This qualifier indicates that the MT515 is a request to exclude from Pair Off Processing** ***Example :22F::PROC/DTCY/INST***
22H	**Payment indicator (PAYM)** This Payment indicator field is mandatory for the MT515 message. All obligations submitted to OW must provide the following qualifier: **PAYM//APMT** – This qualifier indicates that the obligation was delivered against payment. ***Example :22H::PAYM//APMT***
CONFPRTY	**The Mandatory Confirming Party Block must be repeated for each party to a obligation inside the CONFDET block. Each party specified must be enclosed within a Start Party block (:16R:CONFPRTY) and End Party block (:16S:CONFPRTY). Please note that on every obligation there should be two (one buyer and one seller) repeating Confirming Party sequences, and one of these parties will also be the submitter of the MT515 record. It should be noted that certain fields in the CONFDET block (36B, 35B and 70E) must follow the Confirming Party subsequences.**
95R	**Party** The "DTCY" issuer code allows the specification to include the participant or contra ID, depending on who is acting as receiver or deliverer. **BUYR/DTCY/** – specifies the Receiving party. **SELL/DTCY/** – specifies the Delivering party.

Block/Tag	Notes
	Note: While the SWIFT layout supports a format of 35x for this field, the participant must populate the field with the appropriate qualifier and 8 character Participant ID, for receiver or deliverer. ***Example :95R::BUYR/DTCY/00009501***
20C	**Processing Reference** **PROC//** – This field must be used on all messages which refer to contra party uncompared obligation (DK of Uncompared, Cancel of DK, Delivery notification, DK of Delivery, Reclaim request). In those cases it must be populated with contra's Obligation ID. DK messages in the appropriate receiver or deliverer subsequence to indicate the Contraparty's system assigned reference number of the obligation being DKed. For the DK of uncompared obligations it will have the contraparty Obligation ID. For the post-comparison DKs of Delivery and DK of Cancel messages, it will have the Obligation Control Number assigned by the system upon matching or creation of the Open obligation. ***Example :20C::PROC//W200906300000006***
70E	**Market Participant Identifier** **DECL//DTCY/MPID** – specifies market participant identifier of submitting party. **Note:** The MPID must be populated with 4 uppercase alphabetic characters (spaces are not allowed). ***Example :70E::DECL//DTCY/MPIDGSCO***
36B	**Quantity of Securities (CONF)[1]** This field is mandatory for all MT515 messages. The quantity of the financial instrument is in SWIFT Standard Format, which is left justified, with thousands separators removed, and a comma used as the decimal separator. Valid options are as follows: **CONF//FAMT/** – The option 'FAMT' indicates the face amount (par or shares) **Note:** The SWIFT format can accommodate a value of 15d in this field. The maximum quantity that will be accepted by Obligation Warehouse will be 9,999,999,999.9999. ***Example :36B::CONF//FAMT/1000000,***
35B	**Identification of Security** The security involved is identified by its CUSIP number. When the CUSIP number is used, it must be filled in by specifying the ISO country identifier ('/US/'), followed by the CUSIP number. **Note:** While the SWIFT layout accommodates a format of 4 * 35x, a 9!c (alpha numeric) value must be used to populate the field for CUSIP. ***Examples*** ***:35B:/US/78764HAD6*** ***:35B:ISIN US78764HAD61***

[1]Tags 36B, 35B and 70E::TPRO// in the CONFDET block must be placed on the message following the confirming party subsequences.

Block/Tag	Notes
70E	**Obligation Processing narrative (TPRO)** This field is intended to reflect transaction related information not supported by the MT515 layout. **TPRO//DTCY** – Denotes narrative obligation instruction processing information related to OW. **/DKRS** – Must be used on all MT515 DK messages to specify the reason for the DK. The four character code can be found in Appendix A. **/PRBK** – Prime Broker indicator. /NOTE – Processing narrative – Maximum 32 characters of alpha numeric text. The following characters are valid: a b c d e f g h i j k l m n o p q r s t u v w x y z A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9 / - ? : ( ) . , ' + CR LF Space The minus " - " sign must not be used as the first character of a line, as this denotes an end of message character for a SWIFT message. **Note:** A continuous string of all applicable sub qualifiers (to a maximum of 35 characters per line) follows the TPRO//DTCY qualifier. ***Example :70E::TPRO//DTCY/DKRSE001*** ***:70E::TPRO//DTCY/PRBK*** ***:70E::TPRO//DTCY/PRBK*** ***/NOTE This is 1st line*** ***this is 2nd.***
SETDET	**This Optional block and the AMT subsequence are necessary only when Accrued Interest or Exclude from CNS option is specified on the obligation.**
22F	**Settlement Type Indicator (SETR)** This field is SWIFT mandatory for the block, and must be included on all MT515 messages that contain a SETDET block. This field may be filled with either of the following two values **SETR//RPTO** – This option must be selected if the obligation is NOT to be excluded from CNS processing. **SETR/DTCY/XCNS** – This option must be selected if the Obligation is to be excluded from CNS processing prior to the obligation having been matched. Once an obligation has been matched, the PROC/DTCY/XCNS message must be used to withhold an obligation from CNS and the SETR tag will not be used as part of the validation criteria to insure a message is targeting the correct obligation. ***Examples*** ***:22F::SETR//RPTO*** ***:22F::SETR/DTCY/XCNS***

Block/Tag	Notes
AMT	**This Optional Block is only necessary to support the inclusion of Accrued Interest. This block should always be included within the Settlement Details (SETDET) block.**
19A	**Accrued Interest** **ACRU//** – This field specifies the accrued interest. The amount is in SWIFT Standard format, which is left justified, with thousand separators removed, and a comma used instead of a decimal separator. The amount is always preceded by a 3-character ISO currency code (“USD” for NSCC obligations). Note: Swift format allows for a field size of 15d. The maximum accrued interest that Obligation Warehouse will accept is $999,999,999,999.99. The minimum is $0.00. ***Example :19A::ACRU//USD1040,***

© 2022 DTCC. All rights reserved. DTCC, DTCC (Stylized), ADVANCING FINANCIAL MARKETS. TOGETHER, and the Interlocker graphic are registered and unregistered trademarks of The Depository Trust & Clearing Corporation.

The services described herein are provided under the "DTCC" brand name by certain affiliates of The Depository Trust & Clearing Corporation ("DTCC"). DTCC itself does not provide such services. Each of these affiliates is a separate legal entity, subject to the laws and regulations of the particular country or countries in which such entity operates. Please see www.dtcc.com for more information on DTCC, its affiliates and the services they offer.

Doc Date: August 31, 2022
Publication Code: OW160
Service: Obligation Warehouse
Title: SWIFT MT515 Specifications

FOR MORE INFORMATION

Email DTCC Learning at:
DTCCLearning@dtcc.com

or visit us on the web at:
www.dtcclearning.com