DTCC

OBLIGATON WAREHOUSE

SWIFT MT518 SPECIFICATIONS

MAY 1, 2014



DOCUMENT REVISION HISTORY

Date	Version	Change Description
May 2012	6	Addition of ECS as a Settlement location Addition of IREO and XREO Codes for Settlement Indicator Addition of No Price Available Indicator.
June 2013	7	Addition of IPOF and XPOF Codes for Settlement Indicator Addition of POFF and POFP as Processing Indicators Addition of POFF in 70E TPRO.
May 2014	8	Added IMSC, IMSD and IMSR in the 70::TPRO/MSGR – see Reason Codes in Appendix A. Added DTCY/IPOF and DTCY/XPOF to the 22F::SETR/. Removed POFF from 70E::TPRO tag. This value is used as a message reason (MSGRPOFF) for the 70E::TPRO tag.

MT518 SPECIFICATIONS

The following table shows the SWIFT MT518 specification of the participant message specifications:

Note:
See the ISO header document.

Block/Tag	Notes
GENL	**Mandatory block provides general information regarding the message and appears only once in this contract.**
20C	**Senders Message Reference** **SEME//** – This field contains the senders message reference number. It is mandatory and must contain a unique number to unambiguously identify each message sent from Obligation Warehouse. This reference number is generated in the next format **YYMMDDHHMMSSXXXX**, where **XXXX** is a sequence number for the message in a set of messages created in a transaction. ***Example :20C::SEME//0906251005340876***
23G	**Function of the Message** This mandatory field identifies the function of the message. **NEWM** is used for a new message and **CANC** is used for cancellation of a previous message. **NEWM** - This qualifier is used for the following MT518 messages: • Comparison request • Comparison request modify • Post comparison modification • Delivery request • Delivery request modify • Delivery advice • Reclaim request • Reclaim request modify • Reclaim advice • DKs (DK of uncompared, DK delivery, DK reclaim) • Open advice • Close advices • Screen Input Replay that reflect Instruct, Modify, Delivery, Reclaim requests **CANC** - This qualifier is used for the following MT518 messages: • Comparison request cancel • Delivery request cancel • Reclaim request cancel • Cancel request • Cancel request cancel • Cancel DK (UNDK) • Screen Input Replay that reflect a Cancel submitted through a screen ***Example :23G:NEWM***

<table>
<tr><th>Block/Tag</th><th>Notes</th></tr>
<tr><td>98C</td><td>Preparation Date/Time
PREP// -This Obligation Warehouse mandatory field contains the date and time the message sent by Obligation Warehouse was prepared.
Note:
The C format for this (98) tag indicates a date/time format of YYYYMMDDHHMMSS.
Example :98C::PREP//20090331102015</td></tr>
<tr><td>22F</td><td>Transaction Type Indicator (TRTR)
This mandatory field specifies the transaction type.
TRTR/DTCY/CASH – This qualifier is used on all MT518 messages.
Example :22F::TRTR/DTCY/CASH</td></tr>
<tr><td>LINK</td><td>The LINK Block can be repeated for the various reference qualifiers required on a Obligation Contract. It is intended to provide the required information to identify the obligation. Each reference number must be enclosed within a Start Link Block (:16R:LINK) and End Link Block (:16S:LINK). Each LINK repeating subsequence is within the GENL Block.</td></tr>
<tr><td>20C</td><td>Reference
Each reference number must be enclosed in a LINK Start and End block. There are four reference numbers used for Obligation Warehouse to identify the transaction represented by the qualifiers MAST, PREV, LINK and COMM. Each of these reference numbers are explained below along with their relevance to the messages.
It should be noted that, on MT518 messages, where the contra party uncompared obligation reference number is provided, the contra partys reference number will appear in the appropriate Buyer or Seller Confirming Party block (CONFPRTY block, 20C::PROC field). It will not appear in this subsequence.
MAST// – Master Reference – This qualifier contains the Participants Reference number for the obligation (External Reference number referred to as X-Ref). It is a Participant originated unique tracking number. The field is populated on all MT518 records going to the original submitter of the transaction on pre-comparison messages. On post- comparison messages the X-Ref value is not guaranteed to be unique and is not applicable. This field will not appear on advisories.
<table>
<tr><th>Message Type</th><th>MAST Field Value</th></tr>
<tr><td>Advisories – Messages sent to Contra</td><td>Blank</td></tr>
<tr><td>Pre-comparison advices – Messages sent to Participant prior to and upon Comparison</td><td>Current X-Ref on the obligation</td></tr>
<tr><td>Post-Comparison advices – Messages sent to Participant after Comparison or after the obligation become Open.</td><td>Current X-Ref on the obligation.
(X-Ref value on post comparison and open obligations may not be unique.)</td></tr>
</table>
PREV// – Previous Reference – Under most circumstances, this field will not appear on MT518s (advisories or advices referring to your obligations).
One exception is for Cancels. There is a SWIFT requirement that the data field associated with the PREV qualifier be populated on all MT518 and MT515 Cancel (:23G:: CANC) messages. All MT518 Cancel messages will therefore reflect the PREV qualifier populated with the value NONREF.
The second exception to this rule is for Screen Input Replay messages (:22F::PROC/DTCY/SITR) where the participant has made entries through the web. For these obligations, the data field associated with the PREV qualifier is populated as follows:</td></tr>
</table>

Block/Tag	Notes
	• If the screen input was an obligation cancellation, the data field associated with the PREV qualifier is populated with NONREF. • If the screen input was an obligation modification, which included the modification of an external reference number, the data field associated with the PREV qualifier will contain the Participants Previous External Reference number. The third exception is for modifications of the X-Ref by the participant on an uncompared obligation through MT515 message. The PREV tag on the MT518 returned will have the previous X-Ref. **LIST// – Obligation ID** – This qualifier specifies the Obligation ID generated by Obligation Warehouse for each submitted obligation before matching. This field will appear on all pre-comparison messages related to your obligation. **COMM// – Obligation Control number** – This qualifier specifies the Obligation Control number generated by Obligation Warehouse for a pair of obligations upon comparison or at the time of System created Open obligations. It will appear on all post-comparison 518 messages. This Obligation Control Number is the same for both Participant and Contra after Comparison or after they have attained the open status. Both Participant and Contra can reference their obligations using this Obligation Control Number. **Note:** While the SWIFT message accommodates both upper and lower case alphabetic, numeric and certain other characters, for Obligation Warehouse purposes, the 20C Reference field is populated with upper and lower case alphabetic, blank and/or numeric characters. It will not contain symbols or hyphens. ***Example :20C::MAST//PARTREF1***
CONFDET	**The Mandatory CONFDET (Confirmation Details) block appears only once in an Obligation Contract. It contains Obligation details and the Deliverers and Receivers Confirming Party blocks (CONFPRTY).**
98C	**Trade Date/Time** This mandatory field is used on all MT518 messages to specify Trade Date and Trade Time provided by the Participant in their input. (The C format for this (98) tag indicates a date/time format of YYYYMMDDHHMMSS.) If the obligation date was not provided by Participant, a value of Dec 31st 9999 with time of 00:00:00 is provided on the 518 output message to participant. ***Examples :98C::TRAD//20090331095510*** ***:98C::TRAD//99991231000000***
98A	**Settlement Date** This mandatory field is used on all MT518 messages. SETT// – This field is used on all messages to specify settlement date. (The A format for this tag (98) indicates a date format of YYYYMMDD.) ***Example :98A::SETT//20090331***
90A	**Deal Price** This field is on all MT518 messages and represents price. This field is filled with a value of 0, since only final money submissions is accepted by Obligation Warehouse. The price is in SWIFT Standard format, which is left justified, with thousand separators removed, and a comma used as the decimal separator. DEAL//PRCT/ – All obligations is received and reported in Final Money format and will reflect a value of zero 0, in this field. ***Example :90A::DEAL//PRCT/0,***

Block/Tag	Notes
19A	**Settlement Amount** SETT// – This field is used to specify the Settlement Amount. It is required for all obligations. The amount is in SWIFT Standard format, which is left justified, with thousands separator removed, and a comma used as a decimal separator. The amount is always preceded by a 3-character ISO 4217 currency code (USD for NSCC obligations). **Note:** The SWIFT format can accommodate a value of 15d (with decimal) so the maximum settlement amount is $999,999,999,999.99. The minimum settlement amount is $0.00. ***Example :19A::SETT//USD1000500,5***
22H	**Business Use indicator (BUSE)** This field is required on all MT518 messages. There are two allowable values for the BUSE qualifier: BUSE//BUYI – Indicates that the record is a Receive. BUSE//SELL – Indicates that the record is a Deliver. ***Example :22H::BUSE//BUYI***
22F	**Processing Indicator (PROC)** This processing indicator enables Obligation Warehouse to indicate to the participant the type of record/command being sent on the MT518 message. The allowable values for this field are: `PROC/DTCY/CMPR` – Indicates that the MT518 record is a Comparison Request. `PROC/DTCY/CRQM` – Indicates that the MT518 record is a Comparison Request Modify. `PROC/DTCY/CADV` – Indicates that the MT518 record is a Comparison Request Cancel. `PROC/DTCY/CMDA` – Indicates that the MT518 record is a Post Comparison Modification. `PROC/DTCY/DLRQ` – Indicates that the MT518 record is a Delivery Request. `PROC/DTCY/CNDL` – Indicates that the MT518 record is a Delivery Request Cancel Advice. `PROC/DTCY/CREQ` – Indicates that the MT518 record is a Cancel Request (of an already compared obligation). `PROC/DTCY/CCRQ` – Indicates that the MT518 record is a Cancel Request Cancel. `PROC/DTCY/SITR` – Indicates that the MT518 record is a Screen Input Replay. `PROC/DTCY/OADV` – Indicates that the MT518 record is an advice of an open obligation created by the system for the Participant. `PROC/DTCY/DKUC` – Indicates that the MT518 record is a DK of Uncompared advice. `PROC/DTCY/DKDL` – Indicates that the MT518 record is a DK Delivery advice. `PROC/DTCY/UNDK` – Indicates that the MT518 record is a DK Remove advice. `PROC/DTCY/DLVRP` – Indicates that the MT518 record is a Delivery advice. `PROC/DTCY/DLRM` – Indicates that the MT518 record is a Delivery Request Modify. `PROC/DTCY/RCRQ` – Indicates that the MT518 record is a Reclaim Request. `PROC/DTCY/RCRM` – Indicates that the MT518 record is a Reclaim Request Modify. `PROC/DTCY/CNRC` – Indicates that the MT518 record is a Reclaim Request Cancel advice. `PROC/DTCY/RCLM` – Indicates that the MT518 record is a Reclaim advice. `PROC/DTCY/DKRC` – Indicates that the MT518 record is a DK Reclaim advice. `PROC/DTCY/CLDK` – Indicates that the MT518 record is a Close due to DK of reclaim or cancel.

Block/Tag	Notes
	PROC/DTCY/CLDL – Indicates that the MT518 record is a Close due to delivery. PROC/DTCY/CLMT – Indicates that the MT518 record is a Close due to match PROC/DTCY/CLPB – Indicates that the MT518 record is a Close due to Prime Broker delivery. PROC/DTCY/POFP – Indicates that the MT518 record is the result of an obligation being included in a Partial Pair Off PROC/DTCY/POFF – Indicates that the MT518 record is the result of an obligation being included in a Full Pair Off ***Example :22F::PROC/DTCY/CMPR***
22H	**Payment Indicator (PAYM)** This Payment indicator field is mandatory for the MT518 message. All MT518 records will reflect the following tag/qualifier: PAYM//APMT - This qualifier/option indicates that the obligation was delivered against payment. ***Example :22H::PAYM//APMT***
CONFPRTY	**The Mandatory Confirming Party Block must be repeated for each party to a obligation. Each party specified must be enclosed within a start party block (:16R:CONFPRTY) and end party block (:16S:CONFPRTY). Please note that on every MT518 record there is at least two (one buyer and one seller) repeating Confirming Party sequences.**
95R	**Party** The DTCY issuer code allows the specification to include the participant or contra ID, depending on who is acting as receiver or deliverer. BUYR/DTCY/ – specifies the Receiving Party. SELL/DTCY/ – specifies the Delivering Party. ***Example :95R::BUYR/DTCY/00009501***
20C	**Processing Reference** **PROC//** – This field will reflect the Contra party Reference Number in the appropriate buyer or seller confirming party subsequence. It will only appear on MT518 pre-comparison advisory records. ***Example :20C::PROC//W200915300000005***
70E	**Market Participant Identifier** **DECL/DTCY/MPID** – specifies market participant identifier of delivering or receiving party. ***Example :70E::DECL/DTCY/MPIDGSCO***
36B	**Quantity of Securities (CONF)**[1] This field is reported on all MT518 messages. CONF//FAMT/ – The option FAMT indicates the face amount (par or shares). **Note:** The quantity of the financial instrument is in SWIFT Standard Format, which is left justified, with thousands separator removed, and a comma used instead of a decimal separator. While the SWIFT format can accommodate a value of 15d in this field and the maximum value that can be represented is 9,999,999,999.9999 and the minimum value that can be represented is 0.0001. ***Example :36B::CONF//FAMT/1000000,***

[1]Tags 36B, 35B and 70E::TPRO// in the CONFDET block must be placed on the message following the confirming party subsequences.

Block/Tag	Notes
35B	**Identification of Security**[1] The security involved is identified by ISIN number. In case ISIN is not available; Obligation Warehouse will use CUSIP formatted as ISIN for this field (Country Code, default - US, plus CUSIP, plus check digit). **Note:** While the SWIFT layout accommodates a format of 4 * 35x, a ISIN!e12!c value will populate the field. ***:35B:ISIN US78784HAD61***
70E	**Obligation Processing narrative (TPRO)**[1] This field is intended to reflect transaction related information not supported by the MT518 layout. `TPRO//DTCY` – Denotes narrative obligation instruction processing information related to Obligation Warehouse. `/DKRS` – All DK Advices will contain a DK Reason to specify why a message was DKed. The DK reason codes can be found in Appendix A. `/MSGR` – specifies the message reason – See message reasons in Appendix A. `/SREF` – specifies the external system reference number to open obligations created by the Obligation Warehouse. This reference number will either be the ACATS control number with 20 characters or the NSCC Balance Order control number with 12 characters. Note: CNS Exits do not have reference numbers. `/PRBD` – Prime Broker indicator – indicates a deliverer is Prime Broker or `/PRBR` – Prime Broker indicator – indicates a receiver is Prime Broker or `/PRBB` – Prime Broker indicator – indicates a deliverer and receiver are Prime Brokers. `/NOTE` – Processing narrative – specifies participants notes last submitted to Obligation Warehouse. This narrative is up to 32 characters and might be broken into two lines. (See Obligation Warehouse MT515 specifications for valid character set.) `/NOPA` – No Price Available **Note:** A continuous string of all applicable sub qualifiers (to a maximum of 35 characters per line) follows the TPRO//DTCY qualifier. ***Example :70E::TPRO//DTCY/DKRSE001*** ***:70E::TPRO//DTCY/MSGRDKDL*** ***:70E::TPRO//DTCY/MSGRDKDL/PRBD*** ***:70E::TPRO//DTCY/MSGRCLPB/PRBB*** ***/NOTE This is 1st line*** ***Second line.***
SETDET	**This Optional block and the AMT subsequence are necessary only if Accrued Interest and/or Settlement Type Indicator values were specified on the obligation.**
22F	**Settlement Type Indicator (SETR)** This field is SWIFT mandatory for the block, and must be included on all MT518 messages that contain a SETDET block. The available options are as follows: `SETR//RPTO` –This option is filled if the obligation does not have a special obligation settlement type (i.e., if the obligation does not reflect one of the following options for this field). `SETR/DTCY/ICNS` – Indicates that the Obligation is to be included for CNS settlement processing `SETR/DTCY/XCNS` – Indicates that the Obligation is to be excluded from CNS settlement processing `SETR/DTCY/IRCP` – Indicates that the Obligation is to be included for RECAPS processing

Block/Tag	Notes
	SETR/DTCY/XRCP – Indicates that the Obligation is to be excluded from RECAPS processing SETR/DTCY/IREO – Indicates that the Obligation is to be included for Reorg processing SETR/DTCY/XREO – Indicates that the Obligation is to be excluded from Reorg processing SETR/DTCY/IPOF – Indicates that the Obligation is to be included for Pair Off processing SETR/DTCY/XPOF – Indicates that the Obligation is to be excluded from Pair Off processing ***Example :22F::SETR//RPTO*** ***:22F::SETR/DTCY/XCNS***
22F	**Settlement System (SETS)** This field is populated on MT518 messages where the current transaction has been modified due to settlement. This field will indicate the settlement system used for the settlement. Note that the Message Reason DLVP on the 70E Obligation Processing narrative (TPRO) field will indicate when a partial delivery was made and Message Reason DLVF will indicate when a full delivery was made. SETS//DTCY/IMSS –Transaction was settled through the IMS settlement system. SETS//DTCY/NYWS –Transaction was settled through the IMS settlement system on behalf of NYW. SETS//DTCY/ECSS –Transaction was settled through the IMS settlement system on behalf of ECS. SETS//DTCY/OTHR – Transaction was settled by the Participant outside DTCC/NSCC. ***Example :22F:SETS/DTCY/IMSS***
AMT	**This Optional Repeating Block is only necessary to support the inclusion of Accrued Interest. This block should always be included within the Settlement Details (SETDET) block.**
19A	**Accrued Interest** This field will appear on MT518 messages only when Accrued Interest is present on the Obligation.. ACRU// – This field specifies the accrued interest amount. The amount is in SWIFT Standard format, which is left justified, with thousand separators removed, and a comma used as the decimal separator. The amount is always preceded by a 3-character ISO 4217 currency code (USD for NSCC obligations). **Note:** Swift format allows for a field size of 15d so the maximum value for accrued interest is $999,999,999,999.99 and the minimum value is $0.00. ***Example :19A::ACRU//USD1040,***
THRPRT	**This Optional block will always be supplied.**
95Q	**Originator of Message (MEOR)** MEOR// - This field is populated with the source of the obligation. This source can be one of the DTCC systems such as ACATS, CNS, NSCC Balance Order, RECAPS or participant. The possible values that may be filled in this field are listed in the Appendix A. ***Example :95Q::MEOR//ACAT***

© 2022 DTCC. All rights reserved. DTCC, DTCC (Stylized), ADVANCING FINANCIAL MARKETS. TOGETHER, and the Interlocker graphic are registered and unregistered trademarks of The Depository Trust & Clearing Corporation.

The services described herein are provided under the DTCC brand name by certain affiliates of The Depository Trust & Clearing Corporation (DTCC). DTCC itself does not provide such services. Each of these affiliates is a separate legal entity, subject to the laws and regulations of the particular country or countries in which such entity operates. Please see www.dtcc.com for more information on DTCC, its affiliates and the services they offer.

Doc Date: August 31, 2022
Publication Code: OW163
Service: Obligation Warehouse
Title: SWIFT MT518 Specifications

FOR MORE INFORMATION

Email DTCC Learning at:
DTCCLearning@dtcc.com

or visit us on the web at:
www.dtcclearning.com