Obligation Warehouse

APPENDIX B: HEADERS FOR MESSAGES

VERSION 8.0

JULY 5, 2016

INPUT MESSAGES: MT515

Position	Length	Format	Field Name	Description
Block 1- Basic Header				
1	1	Character	Starting Delimiter	Contains the value of {
2	2	Character	Block Identifier	Contains the value of 1:
4	1	Character	Message Identifier	Contains the value of F
5	2	Character	Protocol Identifier	Contains the value of 01
7	8	Character	Bank Identifier code	Recipients Bank Identifier code. Value should be INTDTC for 515 to Obligation Warehouse.
15	1	Character	Logical terminal	A = Swift messages X = non-Swift messages
16	3	Character	Branch Code	Contains XXX
19	4	Numeric	Session Number	Always contains zeroes.
23	6	Numeric	Sequence Number	Contains zeroes.
29	1	Character	Ending Block Delimiter	Contains the value of }
Block 2- Application Header				
30	1	Character	Starting Delimiter	Contains the value of {
31	2	Character	Block Identifier	Contains the value of 2:
33	1	Character	Input/Output Identifier	I for 515
34	3	Character	ISO 15022 Message Type	515
37	8	Character	Senders Participant Id	For example: 00008607
45	4	Character	Filler	Four spaces.

Position	Length	Format	Field Name	Description
49	1	Character	Message Priority	Contains the value of S
50	1	Character	Ending Block Delimiter	Contains the value of }
Block 3 - User Header				
51	1	Character	Starting Delimiter	Contains the value of {
52	2	Character	Block Identifier	Contains the value of 3:
54	5	Character	Tag for Version number	Contains the value of {113:
59	4	Character	Version number	Contains the value of 0701
63	1	Character	Ending Tag Delimiter	Contains the value of }
64	5	Character	Tag for Submitters Reference Key	Contains the value of {108:
69	16	Character	Submitters Reference Key	SEME from Block 4 of message if 515.
85	1	Character	Ending Tag Delimiter	Contains the value of }
86	5	Character	Tag for Expanded Time	Contains the value of {115:
91	11	Character	Expanded time – (Since the block 1 and 2 do not allow for seconds in the time field, this field gives the time down to the second)	Time when message was created, in the HH.MM.SS.mm format.
102	1	Character	Ending Tag Delimiter	Contains the value of }
103	1	Character	Ending Block Delimiter	Contains the value of

Position	Length	Format	Field Name	Description
				}
Block 4 – Text				
104	1	Character	Starting Delimiter	Contains the value of {
105	2	Character	Block Identifier	Contains the value of 4:
107	2	Character	Delimiter	Contains a carriage return followed by a line feed.
109	Variable	Character	Text Block	Contains the body of the message.
	1	Character	Delimiter	Contains -
	1	Character	Ending Block Delimiter	Contains the value of }

OUTPUT MESSAGES: MT509, MT518, MT598, MT599

Position	Length	Format	Field Name	Description
Block 1 – Basic Header				
1	1	Character	Starting Delimiter	Contains the value of {
2	2	Character	Block Identifier	Contains the value of 1:
4	1	Character	Message Identifier	Contains the value of F
5	2	Character	Protocol Identifier	Contains the value of 01
7	8	Character	Bank Identifier code	Recipients Bank Identifier code. Messages to participants contains the Participant ID, such as 00008607.
15	1	Character	Logical terminal	Not used. Contains blanks.
16	3	Character	Branch Code	Not used. Contains blanks.
19	4	Numeric	Session Number	Always contains zeroes.
23	6	Numeric	Sequence Number	Sequence number.
29	1	Character	Ending Block Delimiter	Contains the value of }
Block 2 – Application Header				
30	1	Character	Starting Delimiter	Contains the value of {
31	2	Character	Block Identifier	Contains the value of 2:
33	1	Character	Input/Output Identifier	O for 509,518,598,599
34	3	Character	ISO 15022 Message Type	One of 509,518,598,599
37	4	Character	Input Time	Format =HHMM

Position	Length	Format	Field Name	Description
41	6	Character	Input Date	Format=YYMMDD
47	8	Character	Receivers Participant ID	Eight character Participant ID.
55	4	Character	Filler	Contains spaces.
59	10	Numeric	Filler	Always contains zeroes.
69	6	Character	Current Date	Format=YYMMDD
75	4	Character	Current Time	Format =HHMM
79	1	Character	Message Priority	Contains the value of N
80	1	Character	Ending Block Delimiter	Contains the value of }
Block 3 – User Header				
81	1	Character	Starting Delimiter	Contains the value of {
82	2	Character	Block Identifier	Contains the value of 3:
84	5	Character	Tag for Version number	Contains the value of {113:
89	4	Character	Version number	Contains the value of 0701
93	1	Character	Ending Tag Delimiter	Contains the value of }
94	5	Character	Tag for Submitters Reference Key	Contains the value of {108:
99	16	Character	Submitters Reference Key	Transaction reference.
115	1	Character	Ending Tag Delimiter	Contains the value of }
116	5	Character	Tag for Expanded Time	Contains the value of {115:

Position	Length	Format	Field Name	Description
121	11	Character	Expanded time – (Since the block 1 and 2 do not allow for seconds in the time field, this field gives the time down to the second)	Time when message was created, in the HH.MM.SS.mm format.
132	1	Character	Ending Tag Delimiter	Contains the value of }
133	1	Character	Ending Block Delimiter	Contains the value of }
Block 4 – Text				
134	1	Character	Starting Delimiter	Contains the value of {
135	2	Character	Block Identifier	Contains the value of 4:
137	2	Character	Delimiter	Contains a carriage return followed by a line feed.
	Variable	Character	Text	Body of the message.
	1	Character	Delimiter	Contains the value of -
	1	Character	Ending Block Delimiter	Contains the value of }

© 2023 DTCC. All rights reserved. DTCC and DTCC (Stylized) and Financial Markets. Forward. are registered and unregistered trademarks of The Depository Trust & Clearing Corporation DTCC. The services described herein are provided under the “DTCC” brand name by certain affiliates of The Depository Trust & Clearing Corporation (“DTCC”). DTCC itself does not provide such services. Each of these affiliates is a separate legal entity, subject to the laws and regulations of the particular country or countries in which such entity operates. Please see www.dtcc.com for more information on DTCC, its affiliates and the services they offer.

Doc Date: December 29, 2022
Publication Code: OW173
Service: Obligation Warehouse
Title: Participant Interactive Messaging Specifications Appendix B: Headers for Messages

For More Information

Email DTCC Learning at:
DTCCLearning@dtcc.com

or visit us on the web at:
www.dtcclearning.com

