ResearchGate

See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/280610084

Supporting Information Files

Data · August 2015

CITATIONS
0

READS
92

4 authors:

Anna Traveset
Mediterranean Institute for Advanced Studie…
264 PUBLICATIONS **7,001** CITATIONS

SEE PROFILE

Susana Chamorro
Universidad Internacional SEK
10 PUBLICATIONS **139** CITATIONS

SEE PROFILE

Jens M Olesen
Aarhus University
183 PUBLICATIONS **10,483** CITATIONS

SEE PROFILE

Ruben Heleno
University of Coimbra
85 PUBLICATIONS **777** CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:

Project

INVADER-IV - INnoVating Approaches to Detect invasive spEcies and biocontRol agents View project

Project

INVAsive plant species management in Portugal: from early DEtection to Remote sensing and Biocontrol of Acacia longifolia - INVADER-B View project

All content following this page was uploaded by Anna Traveset on 02 August 2015.

The user has requested enhancement of the downloaded file.

Supporting Information Files

Appendix S1 Definitions of the metrics used in this study to describe network structure.

Network level parameters:

(1) *Species richness*. Total number of plants and animals in the bipartite network.

(2) *Connectance*. Realized proportion of possible links: sum of links divided by number of cells in the matrix (the latter being the product between the number of higher trophic level species –animals, in our case- and the number of lower trophic level species –plants, in our case).

(3) Interaction asymmetry (or interaction strength asymmetry). Difference between the interaction strength (i.e. the relative frequency) of each animal species *i* on each plant species *j* and its reverse from the plant perspective, standardized by the sum of interaction strength values of species *i* on *j* and of species *j* on *i* (Bascompte *et al*. 2006; extended by Blüthgen 2010). Values vary between −1 and 1, where positive values indicate a high dependence of animal on plant species and negative values indicate the opposite. Given that this variable, by its mathematical definition, is closely associated with web asymmetry, this correlation is accounted with null models (see further details in Blüthgen 2010). Thus, for each network in the data set, we computed 1000 randomized interaction matrices simulated with the Patefield algorithm, which randomly redistributes interaction events among all cells of the matrix while holding the number of interaction events per species constant. Thus, web asymmetries were held constant in all

simulated networks, while interactions were reallocated between pairs of species according to species interaction frequencies. The difference between observed asymmetries of interaction strength and the mean asymmetry of interaction strength across the 1000 simulations gives the null-model-corrected asymmetry of interaction strength.

(4) *Interaction evenness* (*IE*), a measure of the uniformity of interactions between species in a network, based on Shannon's evenness (Tylianakis *et al*. 2007). An uneven network has a high skewness in the distribution of interaction weights. It ranges from 0 (completely uneven) to 1 (completely uniform).

(5) *Network specialization* H_2' (Blüthgen *et al*. 2006). Measure of the level of network selectiveness, is also derived from Shannon entropy and is related to weighted specialization (*d'*) across all species. It ranges between 0 (opportunistic, high niche overlap) and 1 (selective, high niche differentiation).

(6) *Weighted NODF* (WNODF; Weighted Nestedness based on Overlap and Decreasing Fill; Almeida-Neto & Ulrich 2011), a measure of the degree of nestedness for quantitative data. Networks are nested if those species with fewer interactions are preferentially associated with a subset of species that interact with the most connected ones. It ranges from 0 (not nested network) to 100 (highly nested network). The significance of WNODF was tested by comparing it with that obtained from 1000 randomized networks constrained by the total abundances of each row and column as the empirical one; we used the null model *rc,* which assigns individuals to matrix cells proportional

to observed row and column abundance totals until, for each row and column, total abundances are reached.

(7) *Modularity* (**M**), refers to the existence of subsets (modules) of more closely interacting species with relatively few or no interactions to other subsets (Guimerà *et al.* 2010). It was obtained with the software MODULAR (Marquitti *et al*. 2014).

Species level parameters:

(8) Species specialization for plants (d'_p) *and animals* (d'_a) (Blüthgen *et al*. 2006) gives levels of specialization of each species, accounting for the available resources provided by the interaction partners (calculated as marginal totals in the matrix). This index increases with the deviation from random selection of the available interaction partners based on their abundance. Thus, a pollinator species, for example, that visits flowering plant species proportionally to their availability in the community is considered generalized, while a species that visits rare plants disproportionately is considered specialized. It is actually an index of selectivity, thus we could call the 'generalized' species as 'opportunistic' and the 'specialized' species as 'selective'. Note that a particular species can be opportunistic in one community but selective in another one, depending on the abundance of its partners.

(9) Species strength. The strength of an animal species (st'_a) is defined as the sum of dependencies of the plants relying on the particular pollinator, whereas the strength of a plant (st'_p) is the sum of dependencies of the pollinators relying on the particular plant species (Bascompte *et al*. 2006).

We calculated the dependence of a pollinator species on a particular plant species by dividing the number of visits of that pollinator to that plant by the total number of pollinator visits that plant receives. Conversely, the dependence of a plant species on a particular pollinator species is obtained by dividing the number of times the pollinator visited the plant by the total number of visits of that pollinator species to plants in the community.

References

Almeida-Neto M., Ulrich W. 2011. A straightforward computational approach for measuring nestedness using quantitative matrices. *Environmental Modelling & Software*, **26**: 173–178.

Bascompte J, Jordano P, Olesen JM. 2006. Asymmetric coevolutionary networks facilitate biodiversity maintenance. *Science,* **312:** 431–433.

Blüthgen N, Menzel F, Blüthgen N. 2006 Measuring specialization in species interaction networks. *BMC Ecology* **6:** 12.

Blüthgen N. 2010. Why network analysis is often disconnected from community ecology: A critique and an ecologist's guide. *Basic and Applied Ecology*, **11:** 185–195.

Guimerà R, Amaral LAN. 2005. Functional cartography of complex metabolic networks. *Nature*, **433:** 895–900.

Guimerà R, Stouffer DB, Sales-Pardo M., Leicht EA, Newman MEJ, Amaral LAN. 2010. Origin of compartmentalization in food webs. *Ecology,* **91:** 2941–2951.

Marquitti FD, Guimaraes PR Jr , Pires MM, Bittencourt LF. 2014. MODULAR: software for the autonomous computation of modularity in large network sets. *Ecography,* **37**: 221–224.

Tylianakis JM, Tscharntke T, Lewis OT. 2007. Habitat modification alters the structure of tropical host-parasitoid food webs. *Nature*, **445**: 202–205.

Table S1 Complete list of flowering species observed in this study, including origin, overall number of observed visits per plat species and estimated flower abundance (calculated by multiplying the mean number of flowers on two individuals per transect by the total number of individuals counted along the transects). The eight plant species that have not received any recorded visit during the censuses are marked with an asterisk.

Family	Species	Origin	Total observed number of visits	Total estimated flower abundance
Acanthaceae	Blechum pyramidatum	Native	7	939
Acanthaceae	Justicia galapagana	Endemic	11	246
Amaranthaceae	Alternanthera echinocephala	Native	93	162387
Apocynaceae	Catharanthus roseus	Introduced	10	666
Apocynaceae	Vallesia glabra	Native	42	3536
Asteraceae	Acmella sodiroi	Introduced	60	1756
Asteraceae	Adenostemma platyphyllum	Introduced	72	55249
Asteraceae	Ageratum conyzoides	Native	98	914977
Asteraceae	Bidens pilosa	Questionable Native	564	281940
Asteraceae	Blainvillea dichotoma	Native	107	549070
Asteraceae	Centraterum punctatum*	Introduced	0	28
Asteraceae	Conyza canadensis	Introduced	2	3000
Asteraceae	Eclipta prostrata	Native	17	623
Asteraceae	Jaegeria gracilis	Endemic	339	169159
Asteraceae	Macraea laricifolia	Endemic	53	60330
Asteraceae	Porophyllum ruderale	Introduced	55	5855
Asteraceae	Pseudelephantopus spiralis	Introduced	135	60906
Asteraceae	Scalesia pedunculata	Endemic	292	12505
Asteraceae	Sonchus oleraceus*	Introduced	0	23
Asteraceae	Synedrella nodiflora	Introduced	1	3362
Boraginaceae	Cordia leucophlyctis	Endemic	435	156645
Boraginaceae	Cordia lutea	Native	300	108473
Boraginaceae	Heliotropium angiospermum	Native	164	68879
Boraginaceae	Tournefortia psilostachya	Native	10	2838
Boraginaceae	Tournefortia pubescens	Endemic	137	285522
Boraginaceae	Tournefortia rufo-sericea	Endemic	221	139789
Brassicaceae	Lepidium virginicum	Introduced	12	4900
Burseraceae	Bursera graveolens	Native	8	23700
Cactaceae	Opuntia echios	Endemic	76	967
Caesalpinaceae	Parkinsonia aculeata	Native	156	9339
Caesalpinaceae	Senna obtusifolia	Introduced	3	830
Caesalpinaceae	Senna occidentalis	Native	25	1074
Caryophyllaceae	Drymaria cordata	Native	21	27924
Celastraceae	Maytenus octogona	Native	1162	140110
Commelinaceae	Commelina diffusa	Native	24	3066
Commelinaceae	Tradescantia fluminensis	Introduced	2	56
Convolvulaceae	Evolvulus convolvuloides	Native	11	48341
Convolvulaceae	Evolvulus simplex	Native	2	816
Convolvulaceae	Ipomoea nil	Introduced	11	1374
Convolvulaceae	Ipomoea triloba	Native	106	17911
Convolvulaceae	Merremia aegyptia	Native	31	24081
Cucurbitaceae	Cucumis dipsaceus	Introduced	11	569
Cucurbitaceae	Momordica charantia	Introduced	93	16371
Euphorbiaceae	Croton scouleri	Endemic	378	250401
Euphorbiaceae	Hippomane mancinella	Native	27	64125
Fabaceae	Crotalaria pumila*	Native	0	7
Fabaceae	Crotalaria retusa	Introduced	3	377
Fabaceae	Desmodium glabrum	Questionable Native	2	1460
Fabaceae	Desmodium incanum	Questionable Native	14	1580
Fabaceae	Desmodium intortum	Questionable Native	27	8016
Fabaceae	Fabaceae	?	1	1104
Fabaceae	Galactia striata	Native	83	3042
Fabaceae	Rhynchosia minima	Native	271	58611
Fabaceae	Tephrosia cinerea	Native	35	844
Fabaceae	Vigna luteola	Native	7	115
Hypoxidaceae	Hypoxis decumbens	Native	20	534

Lamiaceae	Hyptis pectinata	Introduced	605	700414
Lamiaceae	Hyptis rhomboidea	Introduced	9	7158
Lamiaceae	Hyptis sidifolia	Introduced	4	8104
Lamiaceae	Salvia occidentalis	Native	15	6156
Loasaceae	Mentzelia aspera	Native	74	152479
Lythraceae	Cuphea carthagenensis	Native	143	56664
Lythraceae	Cuphea racemosa	Introduced	26	11802
Malvaceae	Abutilon depauperatum	Endemic	81	6365
Malvaceae	Anoda acerifolia	Introduced	75	2712
Malvaceae	Bastardia viscosa	Native	72	34634
Malvaceae	Gossypium darwinii	Endemic	24	452
Malvaceae	Sida ciliaris	Introduced	8	2753
Malvaceae	Sida rhombifolia	Introduced	145	65519
Malvaceae	Sida salviifolia	Native	38	7786
Melastomataceae	Miconia robinsoniana	Endemic	332	506955
Mimosaceae	Acacia rorudiana	Questionable Endemic	26	17737
Mimosaceae	Desmanthus virgatus	Native	14	3995
Myrtaceae	Psidium galapageium*	Endemic	0	121
Myrtaceae	Psidium guajava	Introduced	29	335
Nyctaginaceae	Boerhavia caribaea	Native	57	10248
Nyctaginaceae	Boerhavia erecta	Native	6	85
Nyctaginaceae	Commicarpus tuberosus	Native	107	30748
Nyctaginaceae	Cryptocarpus pyriformis	Native	235	1438738
Nyctaginaceae	Pisonia floribunda*	Endemic	0	300
Onagraceae	Ludwigia leptocarpa	Native	66	1571
Oxalidaceae	Oxalis corniculata*	Introduced	0	4
Oxalidaceae	Oxalis corymbosa*	Introduced	0	4
Oxalidaceae	Oxalis dombeyi	Native	4	316
Passifloraceae	Passiflora edulis	Introduced	78	315
Passifloraceae	Passiflora foetida	Endemic	48	3020
Passifloraceae	Passiflora suberosa	Native	11	95
Plumbaginaceae	Plumbago scandens	Native	141	22698
Poaceae	Paspalum conjugatum	Questionable Native	86	274362
Polygonaceae	Polygonum galapagense	Endemic	66	55596
Portulacaceae	Portulaca oleracea	Questionable Native	27	4572
Portulacaceae	Talinum paniculatum	Introduced	25	13470
Rhamnaceae	Scutia spicata	Questionable Endemic	90	69560
Rosaceae	Rubus niveus	Introduced	105	22552
Rubiaceae	Chiococca alba	Native	36	108328
Rubiaceae	Diodia radula	Native	376	175280
Rubiaceae	Psychotria rufipes	Endemic	63	6341
Rutaceae	Citrus x aurantium	Introduced	36	1100
Rutaceae	Zanthoxylum fagara	Native	8	1000
Sapindaceae	Cardiospermum galapageium	Endemic	115	27422
Scrophulariaceae	Calceolaria meistantha	Native	2	375
Scrophulariaceae	Capraria biflora	Native	12	660
Solanaceae	Browallia americana	Introduced	35	1928
Solanaceae	Capsicum frutescens	Introduced	4	22
Solanaceae	Physalis angulata	Native	7	301
Solanaceae	Physalis pubescens	Native	3	6
Solanaceae	Solanum americanum*	Questionable Native	0	447
Solanaceae	Solanum pimpinellifolium	Introduced	20	3336
Sterculiaceae	Waltheria ovata	Native	632	241892
Valerianaceae	Valeriana chaerophylloides	Questionable Native	64	4895
Verbenaceae	Citharexylum gentryi	Introduced	5	376
Verbenaceae	Clerodendrum molle	Native	230	44447
Verbenaceae	Lantana camara	Introduced	127	298359
Verbenaceae	Lantana peduncularis	Endemic	95	60882
Verbenaceae	Phyla stringulosa	Native	108	209907
Verbenaceae	Stachytarpheta cayennensis	Introduced	179	132000
Verbenaceae	Verbena litoralis	Questionable Native	71	45981
Verbenaceae	Verbena sedula	Endemic	60	28377
Zygophyllaceae	Tribulus cistoides	Questionable Native	122	3177

Table S2 Complete list of flower visitors found in this study, including origin and the overall number of observed visits per animal species.

Class	Order	Species	Origin	Total observed visits
Aves	Passeriformes	Dendroica petechia	Endemic	2
Aves	Passeriformes	Geospiza fuliginosa	Endemic	8
Aves	Passeriformes	Geospiza scandens	Endemic	3
Entognatha	Collembola	Entomobryidae sp. 1		1
Insecta	Coleoptera	Acanthoscelides fuscomaculatus	Endemic	4
Insecta	Coleoptera	Acanthoscelides manlevi	Native	1
Insecta	Coleoptera	Acanthoscelides rossi	Endemic	15
Insecta	Coleoptera	Amblycerus galapagoensis	Native	1
Insecta	Coleoptera	Brentus volvulus	Introduced	1
Insecta	Coleoptera	Calosoma sp.		5
Insecta	Coleoptera	Coccidophilus sp.1		5
Insecta	Coleoptera	Coccinellidae sp. 1		1
Insecta	Coleoptera	Coccinellidae sp. 2		1
Insecta	Coleoptera	Conotelus sp.	Introduced	5
Insecta	Coleoptera	Cycloneda sanguinea	Native	11
Insecta	Coleoptera	Diomus anthony	Native	1
Insecta	Coleoptera	Dipropus puberulus	Native	1
Insecta	Coleoptera	Galapaganus ashlocki	Endemic	1
Insecta	Coleoptera	Galerucinae sp. 1		1
Insecta	Coleoptera	Hypasclera collenetti	Endemic	15
Insecta	Coleoptera	Longitarsus galapagoensis	Endemic	3
Insecta	Coleoptera	Minographus sp.		2
Insecta	Coleoptera	Mordellistena galapagoensis	Endemic	6
Insecta	Coleoptera	Myochrous especies		1
Insecta	Coleoptera	Myochrous sp.	Questionable Native	1
Insecta	Coleoptera	Ormiscus variegatus	Endemic	2
Insecta	Coleoptera	Physorhinus galapagoensis	Endemic	1
Insecta	Coleoptera	Rodolia cardinalis	Introduced	3
Insecta	Coleoptera	Scutobruchus ceratioborus	Native	2
Insecta	Coleoptera	Sennius falcatus	Native	3
Insecta	Coleoptera	Thermonectus basillaris	Endemic	3
Insecta	Coleoptera	Xyleborus spinulosus	Questionable Native	1
Insecta	Diptera	Allograpta splendens	Endemic	135
Insecta	Diptera	Anastrepha fraterculus	Introduced	13
Insecta	Diptera	Asteiidae sp. 4		6
Insecta	Diptera	Campiglossa crockeri	Endemic	5
Insecta	Diptera	Cecidomyiidae sp.1		2
Insecta	Diptera	Chloropidae sp.		6
Insecta	Diptera	Chloropidae sp. 2		3
Insecta	Diptera	Chrysanthrax primitivus	Endemic	9
Insecta	Diptera	Chrysomya albiceps	Introduced	11
Insecta	Diptera	Chrysomyia sp. 1		2
Insecta	Diptera	Cochliomyia macellaria	Introduced	5
Insecta	Diptera	Cymoninus notabilis	Questionable Native	4
Insecta	Diptera	Cyrtoneuropsis rescita	Introduced	1
Insecta	Diptera	Dasyhelea mutabilis	Questionable Native	30
Insecta	Diptera	Dasyhelea sp.		3
Insecta	Diptera	Drosophila sp.		4
Insecta	Diptera	Drosophila sp. 1		3
Insecta	Diptera	Drosophilidae sp.1		1
Insecta	Diptera	Forcipomyia sp. 1		1
Insecta	Diptera	Hyphantrophaga sp.	Introduced	4
Insecta	Diptera	Leia sp.		3
Insecta	Diptera	Lepidanthrax tinctus	Introduced	7
Insecta	Diptera	Limonia galapagoensis	Endemic	42
Insecta	Diptera	Limonia sp. 1		182
Insecta	Diptera	Liohippelates sp.		1
Insecta	Diptera	Liohippelates sp.1		10
Insecta	Diptera	Lonchaeidae sp. 1		1
Insecta	Diptera	Lucilia pionia	Endemic	3
Insecta	Diptera	Lucilia sp. 1		27
Insecta	Diptera	Mycetophilidae sp.1		6
Insecta	Diptera	Nemotelus albiventris	Endemic	3

Insecta	Diptera	Neodexiopsis devia	Endemic	1
Insecta	Diptera	Ornidia obesa	Introduced	54
Insecta	Diptera	Oxysarcodexia taitensis	Introduced	47
Insecta	Diptera	Palaeosepsis armillata	Introduced	6
Insecta	Diptera	Palpada albifrons	Introduced	78
Insecta	Diptera	Philornis downsi	Introduced	67
Insecta	Diptera	Pieza sinclairi	Introduced	2
Insecta	Diptera	Pseudodoros clavatus	Introduced	76
Insecta	Diptera	Psychodidae sp. 1		1
Insecta	Diptera	Sarcodexia lambens	Introduced	41
Insecta	Diptera	Sarcodexia sp. 1		4
Insecta	Diptera	Sarcodexia sp. 2		15
Insecta	Diptera	Sarcophagidae sp. 4		5
Insecta	Diptera	Sarcophagidae sp. 5		12
Insecta	Diptera	Scatopsidae sp. 1		2
Insecta	Diptera	Sciara sp.		8
Insecta	Diptera	Sciaridae sp. 1		6
Insecta	Diptera	Sciaridae sp. 2		36
Insecta	Diptera	Sepsidae sp. 1		1
Insecta	Diptera	Siphona sp.		303
Insecta	Diptera	Siphona sp.1		171
Insecta	Diptera	Tachinidae sp. 2		2
Insecta	Diptera	Tachinidae sp. 3		2
Insecta	Diptera	Tachinidae sp. 4		1
Insecta	Diptera	Tephritidae sp. 2		1
Insecta	Diptera	Toxomerus crockeri	Endemic	948
Insecta	Diptera	Toxomerus politus	Introduced	8
Insecta	Diptera	Toxomerus sp.1	Endemic	11
Insecta	Diptera	Tricharaea canuta	Introduced	23
Insecta	Diptera	Tricharaea occidua	Introduced	100
Insecta	Diptera	Volucellini sp. 1		1
Insecta	Diptera	Xanthandrus agonis	Endemic	3
Insecta	Hemiptera	Alcaeorrhyncus sp. 1	Introduced	1
Insecta	Hemiptera	Arhyssus sp.	Questionable Native	3
Insecta	Hemiptera	Arhyssus sp.1		5
Insecta	Hemiptera	Engytatus modestus	Introduced	6
Insecta	Hemiptera	Horcias lacteiclavus		3
Insecta	Hemiptera	Metacanthus galapagensis	Endemic	3
Insecta	Hemiptera	Miridae sp. 3		10
Insecta	Hemiptera	Nabis consimilis	Native	4
Insecta	Hemiptera	Nabis reductus	Endemic	29
Insecta	Hemiptera	Neortholomus usingeri	Endemic	58
Insecta	Hemiptera	Niesthrea sp. 1		3
Insecta	Hemiptera	Nysius usitatus	Endemic	11
Insecta	Hemiptera	Pentatomidae sp.1		3
Insecta	Hemiptera	Polymerus nigritulus	Endemic	4
Insecta	Hemiptera	Rhinacloa sp. 1		4
Insecta	Hemiptera	Teleonemia prolixa	Native	1
Insecta	Hymenoptera	Anthidium vigintiduopunctatum	Introduced	155
Insecta	Hymenoptera	Apanteles sp.		1
Insecta	Hymenoptera	Asteiidae sp.1		4
Insecta	Hymenoptera	Brachygastra lecheguana	Introduced	546
Insecta	Hymenoptera	Brachymyrmex heeri	Introduced	313
Insecta	Hymenoptera	Brachymyrmex sp	Introduced	1
Insecta	Hymenoptera	Braconidae sp.1		1
Insecta	Hymenoptera	Bycertis sp.	Introduced	73
Insecta	Hymenoptera	Camponotus macilentus	Endemic	1
Insecta	Hymenoptera	Camponotus planus	Endemic	20
Insecta	Hymenoptera	Camponotus zonatus	Introduced	91
Insecta	Hymenoptera	Cardiocondyla emeryi	Introduced	2
Insecta	Hymenoptera	Cardiocondyla minutior	Introduced	1
Insecta	Hymenoptera	Cheloninae sp. 1		1
Insecta	Hymenoptera	Cheloninae sp. 2		2
Insecta	Hymenoptera	Cheloninae sp. 3		2
Insecta	Hymenoptera	Chelonus sp. 1		2
Insecta	Hymenoptera	Conura femorata	Introduced	3
Insecta	Hymenoptera	Enicospilus sp.		48
Insecta	Hymenoptera	Figitidae sp. 1	Introduced	1
Insecta	Hymenoptera	Ichneumomidae		1
Insecta	Hymenoptera	Kapala sp.		3

Insecta	Hymenoptera	Kapala sp.1		1
Insecta	Hymenoptera	Monomorium destructor	Introduced	186
Insecta	Hymenoptera	Monomorium floricola	Introduced	127
Insecta	Hymenoptera	Monomorium sp.	Introduced	1
Insecta	Hymenoptera	Nylanderia sp.	Introduced	26
Insecta	Hymenoptera	Nylanderia steinheili	Introduced	5
Insecta	Hymenoptera	Orasema costaricensis	Introduced	8
Insecta	Hymenoptera	Oxybelus schusteri	Introduced	15
Insecta	Hymenoptera	Parasierola sp.		2
Insecta	Hymenoptera	Paratrechina longicornis	Introduced	845
Insecta	Hymenoptera	Polistes versicolor	Introduced	445
Insecta	Hymenoptera	Scelionidae sp. 1		3
Insecta	Hymenoptera	Scolebythidae sp. 1		2
Insecta	Hymenoptera	Solenopsis geminata	Introduced	36
Insecta	Hymenoptera	Tapinoma melanocephalum	Introduced	225
Insecta	Hymenoptera	Tetramorium bicarinatum	Introduced	82
Insecta	Hymenoptera	Venturia canescens	Introduced	1
Insecta	Hymenoptera	Wasmannia auropunctata	Introduced	421
Insecta	Hymenoptera	Xylocopa darwini	Endemic	875
Insecta	Lepidoptera	Aetole galapagoensis	Endemic	8
Insecta	Lepidoptera	Agraulis vanillae	Endemic	80
Insecta	Lepidoptera	Amyna insularum	Endemic	2
Insecta	Lepidoptera	Anomis sp.		20
Insecta	Lepidoptera	Anticarsia gemmatalis	Native	15
Insecta	Lepidoptera	Asciodes gordialis	Introduced	36
Insecta	Lepidoptera	Atteva hysginiella	Endemic	215
Insecta	Lepidoptera	Cyclophora sp.1		7
Insecta	Lepidoptera	Diaphania sp.		2
Insecta	Lepidoptera	Disclisioprocta stellata	Introduced	90
Insecta	Lepidoptera	Epidromia sp.		23
Insecta	Lepidoptera	Erinnyis ello encantada	Endemic	170
Insecta	Lepidoptera	Galagete sp.1		6
Insecta	Lepidoptera	Heliodines galapagoensis	Endemic	7
Insecta	Lepidoptera	Hellinsia cristobalis	Endemic	4
Insecta	Lepidoptera	Hemiargus ramon	Introduced	318
Insecta	Lepidoptera	Hypena sp.1		6
Insecta	Lepidoptera	Lantanophaga pusillidactyla	Introduced	1
Insecta	Lepidoptera	Lepidoptera sp. 1		9
Insecta	Lepidoptera	Leptotes parrhasioides	Endemic	273
Insecta	Lepidoptera	Leucania cooperi	Endemic	2
Insecta	Lepidoptera	Loxomorpha cf. cambogialis	Native	1
Insecta	Lepidoptera	Manduca rustica	Endemic	9
Insecta	Lepidoptera	Melipotis harrisoni	Endemic	3
Insecta	Lepidoptera	Melipotis indomita	Native	3
Insecta	Lepidoptera	Neohelvibotis sp. 1	Endemic	8
Insecta	Lepidoptera	Neohelvibotis sp. 2		1
Insecta	Lepidoptera	Neohelvibotis sp. 3		3
Insecta	Lepidoptera	Omiodes indicata	Introduced	3
Insecta	Lepidoptera	Ommatochila mundala	Native	2
Insecta	Lepidoptera	Oxydia lignata	Endemic	1
Insecta	Lepidoptera	Paectes arcigera	Introduced	1
Insecta	Lepidoptera	Perigonia lusca	Native	1
Insecta	Lepidoptera	Phoebis sennae	Native	335
Insecta	Lepidoptera	Psara chathamalis	Endemic	4
Insecta	Lepidoptera	Pseudoplusia includens	Native	486
Insecta	Lepidoptera	Pterophoridae		4
Insecta	Lepidoptera	Pterophoridae sp. 1		38
Insecta	Lepidoptera	Pterophoridae sp. 2		9
Insecta	Lepidoptera	Pyralidae sp. 1		6
Insecta	Lepidoptera	Pyralidae sp.2		7
Insecta	Lepidoptera	Pyrausta panopealis	Introduced	57
Insecta	Lepidoptera	Pyrausta sp.		3
Insecta	Lepidoptera	Spoladea recurvalis	Introduced	145
Insecta	Lepidoptera	Spragueia margana	Introduced	9
Insecta	Lepidoptera	Spragueia sp.1		2
Insecta	Lepidoptera	Syngamia florella	Introduced	155
Insecta	Lepidoptera	Tineidae sp.1		1
Insecta	Lepidoptera	Tota galdinella	Endemic	2
Insecta	Lepidoptera	Urbanus dorantes	Endemic	696
Insecta	Lepidoptera	Utetheisa ornatrix	Native	4

Insecta	Lepidoptera	Zale obsita	Native	5
Insecta	Odonata	Ischnura hastatum	Native	1
Insecta	Orthoptera	Acrididae		2
Insecta	Orthoptera	Acrididae sp.2		1
Insecta	Orthoptera	Anaulocomera darwinii	Endemic	10
Insecta	Orthoptera	Gryllus sp.		4
Insecta	Orthoptera	Jarmilaxipha ecuadorica	Introduced	4
Insecta	Thysanoptera	Thysanoptera sp. 1		1
Reptilia	Squamata	Microlophus bivittatus	Endemic	1

Figure S1. Illustration of the entire pollination network, comprising data from the two islands (Santa Cruz and San Cristóbal), the three habitats (arid, transition and humid zones) and the two seasons (hot and cold). Data from 2010 and 2011 are also pooled. Plant species are depicted at the bottom of the network whereas pollinators are at the superior part of it. Alien (A) plants and their links are represented in red colour to illustrate the magnitude of the interactions in which they are involved, whereas endemic (Nze) and non-endemic natives (Nt) are represented in black and gray colour, respectively.



Figure S2. Mean (± 1 S.E.) of network metrics showing differences between the two seasons across habitats for each study island in the hot season of 2011. Data on interaction evenness (IE) are shown for comparison with data from Figure 2 (2010 data), although differences across habitats were not significant this year. For each island, bars with the same letters indicate no differences across habitats (P > 0.05).



Figure S3. Mean (± 1 S.D.) of the species-level parameters analysed in this study, for both pollinators and plants, showing differences among species from different habitats for the two islands, and the two seasons of 2010. Bars with the same letters on each graph indicate no differences across habitats (P > 0.05).



View publication stats