



> CAP online

This document confirms that factory **Pingyang Jinweilong Leather Product Co.,Ltd** has been audited against the ICS **social** audit framework on **27/05/2026** by **Eurofins** on behalf of **Promod**.

The total rating of this audit is **B 92%**.

Pingyang Jinweilong Leather Product Co.,Ltd



Factory ID

12053

Country

China

Factory address (updated from audit if so)

No. 90,Jinyang Road, Shuitou Town, Pingyang County, Wenzhou City, Zhejiang Province 浙江省温州市平阳县水头镇金垵路90号

Factory city

Wenzhou

Factory state/province

Zhejiang

Retailer

Promod


Audit type

Re audit

Audit category

Social

RATING %



Visit date

27/05/2026

Overall rating

B 92%

> Last audit date: 27/05/2026

AN	Chapter	Letter and % rating
0	Management System, Transparency and Traceability	B 88%
1	Minimum age, Child labour and Young workers	A 100%
2	Forced labour	A 100%
3	Discrimination	A 100%
4	Disciplinary Practices, Harassment and Abuse	A 100%
5	Freedom of association and Grievance Mechanisms	A 100%
6	Working hours and Overtime	C 70%
7	Remuneration and Benefits	B 84%
8	Health and Safety	B 85%

0.3 Have requested documents been provided for review?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that factory management was unable to provide the approval document for the report form of environmental impacts of the construction project of the factory and the approval document for on-site inspection and acceptance of completed environmental protection facilities for review. Moreover, the air emission was generated from the edge oiling process, but during this audit the factory could not provide the emission monitoring report for review. Legal Requirement: In accordance with the Article 22 of Law of the People's Republic of China on Appraising of Environment Impacts, the report of environmental impacts or the report form or the report form of environmental impacts of a construction project shall be submitted by the construction entity according to the relevant provisions of the State Council to the competent administrative department in charge of environmental protection for examination and approval. The State adopts a registration management on registration form of the environmental impacts. In accordance with Registration measures on the administration of environmental impact registration forms of construction projects, article 3, Construction projects which require to report in environmental impact registration forms, construction unit shall register their environmental impact registration form in accordance with this measure. Article 7, Registration the environmental impact registration form adopt the online registration method. Article 12, When the construction unit submitted the environmental impact registration form on line, the online registration system will generate the registration number and receipt automatically. It indicates that the environmental impact registration form online registration process was completed. The construction units can print and maintain the environmental impact registration form they submitted and the registration receipts by themselves. The registration receipt of the construction project environmental impact registration form is the proof of that local environment protection authority confirms they have received the environmental impact registration form from the construction unit. Article 15, When the construction project environmental impact registration form was registered on line, the environment protection authority of county level shall publish the registration information through the online registration system on their website meanwhile for accepting the public scrutiny. In accordance with the article 4 of Interim Measures for Environmental Protection Acceptance upon Completion of Construction Projects, the construction unit is the responsible party for the environmental protection acceptance of the completed construction project. It shall organize the acceptance of the environmental protection facilities for supporting construction in accordance with the procedures and standards stipulated in these Measures, prepare acceptance reports, disclose relevant information, accept social supervision, ensure that the environmental protection facilities required for supporting construction of the construction project are put into operation or used simultaneously with the main project, and be responsible for the authenticity, accuracy, and completeness of the acceptance content, conclusions, and publicly disclosed information. It shall not engage in fraud during the acceptance process. Environmental protection facilities refer to the devices, equipment, and engineering facilities required for preventing and controlling environmental pollution and ecological damage, as well as conducting environmental monitoring. The acceptance report is divided into three parts: acceptance monitoring (investigation) report, acceptance opinions, and other matters that need to be explained. In accordance with Article 24 of Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution, The enterprise and institution unit and other business units shall monitor the industrial waste air and poisonous & harmful atmospheric pollutants stated in article 87 of this law according to local regulation and monitoring standard and keep relevant monitoring records. And key pollutant discharging unit shall equip and use atmospheric pollutant discharging monitoring equipment, keep in touch with monitoring facility of local ecology and environment, ensure the monitoring equipment functional and publish relevant discharging information. The details of monitoring and the conditions for the key discharging unit are stipulated by State Council Ecology and Environment Department. The category of key discharging unit is set by local ecology and environment above city level as per the requirements of State Council Ecology and Environment Department on the basis of local capacity limit of atmosphere environment, key total atmosphere discharging pollutants indicators and category, amount and concentration of atmosphere pollutants of discharging unit. And the unit shall publish it after the negotiation with relevant department. 未改善：审核员发现工厂不能提供建设项目环境影响报告表的批复文件、环境保护竣工验收报告文件供审核。此外，工厂的油边工序排放废气，但本次审核中工厂未能提供废气监测报告审查。根据《中华人民共和国环境影响评价法》第22条：建设项目的环境影响报告书、报告表，由建设单位按照国务院的规定报有审批权的环境保护行政主管部门审批。国家对环境影响登记表实行备案管理。根据《建设项目环境影响登记表备案管理办法》第3条：填报环境影响登记表的建设项目，建设单位应当依照本办法规定，办理环境影响登记表备案手续。第7条：建设项目环境影响登记表备案采用网上备案方式。第12条：建设单位在线提交环境影响登记表后，网上备案系统自动生成备案编号和回执，该建设项目环境影响登记表备案即为完成。建设单位可以自行打印留存其填报的建设项目环境影响登记表及建设项目环境影响登记表备案回执。建设项目环境影响登记表备案回执是环境保护主管部门确认收到建设单位环境影响登记表的证明。第15条：建设项目环境影响登记表备案完成后，县级环境保护主管部门通过其网站的网上备案系统同步向社会公开备案信息，接受公众监督。根据《建设项目竣工环境保护验收暂行办法》第四条，建设单位是建设项目竣工环境保护验收的责任主体，应当按照本办法规定的程序和标准，组织对配套建设的环境保护设施进行验收，编制验收报告，公开相关信息，接受社会监督，确保建设项目需要配套建设的环境保护设施与主体工程同时投产或者使用，并对验收内容、结论和所公开信息的真实性、准确性和完整性负责，不得在验收过程中弄虚作假。环境保护设施是指防治环境污染和生态破坏以及开展环境监测所需的装置、设备和工程设施等。验收报告分为验收监测（调查）报告、验收意见和其他需要说明的事项等三项内容。根据《中华人民共和国大气污染防治法》第18条：向大气排放污染物的，其污染物排放浓度不得超过国家和地方规定的排放标准。企业事业单位和其他生产经营者建设对大气环境有影响的项目，应当依法进行环境影响评价、公开环境影响评价文件；向大气排放污染物的，应当符合大气污染物排放标准，遵守重点大气污染物排放总量控制要求。第19条：排放工业废气或者本法第七十八条规定名录中所列有毒有害大气污染物的企业事业单位、集中供热设施的燃煤热源生产运营单位以及其他依法实行排污许可管理的单位，应当取得排污许可证。排污许可的具体办法和实施步骤由国务院规定。 Previous audit on 05/06/2024: Based on document review, it was noted that the facility did not provide below requested documents for review: Approval of Environmental Impact Assessment approval report, Air emission test report. 工厂没有提供以下文件：环境影响评价批复、废气排放测试报告。

Answer
NO

Factory comment (english) Factory agreed and will correct it. Factory comment (local language) 工厂同意问题点，并表示尽快改善。 Auditor comment Nil	
0.5 Has the factory set up a mechanism to remain up-to-date with applicable and related social compliance legal requirements? Corrected re-audit on 27/05/2026: New finding: It was noted that the register of legal requirements collected and provided by the facility was incomplete and the list of legal requirements provided by the factory was not keep up-to-date, and no compliance status was indicated in the legal requirement list for review. ICS requirement: In accordance with ICS Code of Conduct, the facility should put in place efficient internal management system to remain up-to-date with applicable requirements. 新问题：工厂提供的法律法规清单不完整，没有定期更新，也没有具体法规符合性内容。根据ICS要求，工厂应保留完整的法律法规清单，包含具体的法规符合性内容，并定期更新。 Answer PARTIALLY Factory comment (english) Factory agreed and will correct it. Factory comment (local language) 工厂同意问题点，并表示尽快改善。 Auditor comment Nil	

6 Working hours and Overtime


6.6 Are workers working overtime hours (daily, weekly, monthly, yearly, other) in accordance with local law?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that 16 out of 24 sample population employees worked in excess of the statutory overtime hour limits. A review of 24 sample population employees' time records (8 samples from random month November 2025; 8 samples from random month February 2026; 8 samples from current paid month April 2026) yielded the following: - 8 out of 8 sample population employees worked in excess of 36 overtime hours per month (i.e. 58 hours) in November 2025, -8 out of 8 sample population employees worked in excess of 36 overtime hours per month (i.e. 41 hours) in April 2026. Legal Requirement: In accordance with Article 41 of the Labor Law of the PRC, after consultation with the trade union and employees, the employer may extend working hours due to its production or business needs, but the extended working hours shall not generally exceed one hour a day; in special circumstances that require an extension of working hours, the extended working hours shall not exceed 3 hours a day and 36 hours a month on condition that the health of employees is guaranteed. 未改善：根据厂方提供的工时记录，审核员发现员工加班时间超出了法定标准。审核员从厂方提供的工资记录中抽取24个样本(其中从2025年11月抽取8个，从2026年2月抽取8个，从最近月份2026年4月抽取8个)，发现共有16名员工加班时间超出了法定标准，具体为：-8/8名员工在2025年11月的加班时间为58小时，-8/8名员工在2026年4月的加班时间为41小时，超过每月加班时间不能超过36小时的法律规定。根据《中华人民共和国劳动法》第41条：用人单位由于生产经营需要，经与工会和劳动者协商后可以延长工作时间，一般每日不得超过一小时；因特殊原因需要延长工作时间的，在保障劳动者身体健康的条件下延长工作时间每日不得超过三小时，但是每月不得超过三十六小时。 Previous audit on 05/06/2024: Auditor randomly checked 8 workers' working time and overtime of three months (April 2024, December 2023, October 2023). Based on the attendance records and wage records, it was noted the sampled workers' monthly overtime hours were as below: In April 2024, 7 out of 8 workers worked OT was 44 hours. In December 2023, 7 out of 8 workers worked OT was 61-76 hours. In October 2023, 8 out of 8 workers worked OT was 40-49 hours. 审核员随机抽查8名员工在3个月的考勤记录（2024年4月，2023年12月和2023年10月），发现：7/8员工在2024年4月的月加班时间为44小时，超过36小时；7/8员工在2023年12月的月加班时间为61-76小时，超过36小时；8/8员工在2023年10月的月加班时间为40-49小时，超过36小时； In accordance with Article 41 of the Labor Law of the PRC, after consultation with the trade union and employees, the employer may extend working hours due to its production or business needs, but the extended working hours shall not generally exceed one hour a day; in special circumstances that require an extension of working hours, the extended working hours shall not exceed 3 hours a day and 36 hours a month on condition that the health of employees is guaranteed. It is recommended that factory management adopt practices and controls to ensure that employee overtime hours do not exceed the statutory limits. 建议工厂确保员工的加班时间不超过法律要求。

Answer

NO BUT THERE IS A LOCAL LAW

Documents from audit



Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

7.18 Are workers covered by the legal social insurances?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that the factory's social insurance coverage was insufficient. According to the social insurance payment receipt provided by factory management, 5 out of 38 employees were not provided with pension, unemployment, medical, maternity insurances, 3 out of 38 employees were not provided with accident insurance in April 2026. Remark: The factory provided commercial insurance to 13 employees with valid period from April 29, 2026 to April 28, 2027. Legal Requirement: In accordance with Article 73 of the Labor Law of the People's Republic of China, employees shall, in accordance with the law, be entitled to social insurance benefits under the following circumstances: (1) retirements; (2) illness or injury; (3) disability caused by work-related injury or occupational disease; (4) unemployment; and (5) maternity. The survivors of the insured laborers shall be entitled to subsidies for survivors in accordance with the law. The conditions and standards for laborers to enjoy social insurance benefits shall be stipulated by laws, rules and regulations. The social insurance amount that laborers and entitled to, must be timely paid in full amount. 未改善：工厂的社会保险覆盖不足。根据厂方提供的2026年4月社会保险缴费单据显示，工厂没有为38名员工中的5名提供养老，失业，医疗，生育保险，没有为3名员工提供工伤保险。备注：工厂为13名员工提供了商业险，有效期从2026年4月29日到2027年4月28日。根据《中华人民共和国劳动法》第73条：劳动者在下列情形下，依法享受社会保险待遇：（一）退休；（二）患病、负伤；（三）因工伤残或者患职业病；（四）失业；（五）生育。劳动者死亡后，其遗属依法享受遗属津贴。劳动者享受社会保险待遇的条件和标准由法律、法规规定。劳动者享受的社会保险金必须按时足额支付。 **Previous audit on 05/06/2024:** It was noted that the factory's social insurance coverage was insufficient. According to the social insurance payment receipt provided by factory management, it was noted that all employees were provided with accident insurance, 19 out of 30 (including 4 retired age workers) employees were provided with pension, medical, unemployment, maternity insurance in April 2024. The factory provided commercial accident insurance to 10 employees, valid from 29/04/2024 to 28/04/2025. 审核员发现工厂的社会保险覆盖不足。根据厂方提供的2024年4月的社会保险缴费单据显示工厂为所有员工提供工伤保险，为19/30名员工(含4名退休年龄员工)提供养老,医疗,失业,生育保险。工厂为10名员工提供工伤意外险，有效期从2024年04月29日至2025年04月28日。

Answer
NO

Documents from audit



Factory comment (english)
Factory agreed and will correct it.

Factory comment (local language)
工厂同意问题点，并表示尽快改善。

Auditor comment
Nil

8.41 Do emergency exit doors comply with local requirements?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that 2 out of 2 emergency exit doors installed in the cutting and gluing workshop and edge oiling workshop respectively and 2 out of 2 emergency exit doors installed on the 1st floor of one 3-storey building were rolling doors. Only one rolling door was installed with fixed device. Legal Requirement: In accordance with Article 7.1.6 of General code for fire protection of buildings and constructions, except for sliding doors or rolling shutter doors located on the outer side of the first floor of Class C, D, and E warehouses, which can be used for evacuation doors, evacuation exit doors should be side hung or have a side hung function in case of fire, and evacuation exit doors in the following places or parts should open in the direction of evacuation: 1. Class A and B production sites; 2. Storage locations for Class A and B substances; 4. Rooms in other buildings with more than 60 occupants or rooms with an average evacuation of more than 30 occupants per door; 5. Evacuate the doors of the staircase and its antechamber; 6. The door leading to the outdoor evacuation staircase indoors. Article 7.1.5 of General code for fire protection of buildings and constructions, at evacuation channels, corridors, and exits, there should be no objects that affect personnel evacuation, and clear indication signs should be set up at obvious positions on evacuation channels, corridors, and exits. The net height of evacuation channels, evacuation walkways, and evacuation exits should not be less than 2.1m. Evacuation walkways should be equipped with evacuation doors at the partition of the fire compartment. 未改善：审核员发现下料、过胶车间及油边车间的各2/2个安全出口及1栋3层楼1楼的2/2个安全出口安装的是卷帘门。只有1个卷帘门安装了固定装置保持门的开启。根据《建筑防火通用规范》7.1 一般规定 7.1.6 除设置在丙、丁、戊类仓库首层靠墙外侧的推拉门或卷帘门可用于疏散门外,疏散出口门应为平开门或在火灾时具有平开功能的门,且下列场所或部位的疏散出口门应向疏散方向开启: 1 甲、乙类生产场所; 2 甲、乙类物质的储存场所; 4 其他建筑中使用人数大于60人的房间或每樘门的平均疏散人数大于30人的房间; 5 疏散楼梯间及其前室的门; 6 室内通向室外疏散楼梯的门。 7.1.5在疏散通道、疏散走道、疏散出口处,不应有任何影响人员疏散的物体,并应在疏散通道、疏散走道、疏散出口的明显位置设置明显的指示标志。疏散通道、疏散走道、疏散出口的净高度均不应小于2.1m。疏散走道在防火分区分隔处应设置疏散门。 Previous audit on 05/06/2024: Based on site tour, it was noted that 2 out of 2 emergency exit doors installed in the cutting and gluing workshop and oil edge workshop respectively and 1 out of 2 emergency exit doors installed on the 1st floor of one 3-storey building were rolling doors. All the rolling doors were installed with fixed devices. 根据现场巡视, 审核员发现下料过胶车间及油边车间的各2个安全出口及3层楼1楼的2个安全出口中的1个安装的是卷帘门。

Answer
NO

Documents from audit



Factory comment (english)
Factory agreed and will correct it.
Factory comment (local language)
工厂同意问题点, 并表示尽快改善。
Auditor comment
Nil

8.42 When the emergency exit doors do not comply with legal requirements, has the facility implemented measures to ensure workers' security and ability to exit the production site in case of emergency? Corrected re-audit on 27/05/2026: Not corrected: It was noted that 2 out of 2 emergency exit doors installed in the cutting and gluing workshop and edge oiling workshop respectively and 2 out of 2 emergency exit doors installed on the 1st floor of one 3-storey building were rolling doors. Only one rolling door was installed with fixed device. Legal Requirement: In accordance with Article 7.1.6 of General code for fire protection of buildings and constructions, except for sliding doors or rolling shutter doors located on the outer side of the first floor of Class C, D, and E warehouses, which can be used for evacuation doors, evacuation exit doors should be side hung or have a side hung function in case of fire, and evacuation exit doors in the following places or parts should open in the direction of evacuation: 1. Class A and B production sites; 2. Storage locations for Class A and B substances; 4. Rooms in other buildings with more than 60 occupants or rooms with an average evacuation of more than 30 occupants per door; 5. Evacuate the doors of the staircase and its antechamber; 6. The door leading to the outdoor evacuation staircase indoors. Article 7.1.5 of General code for fire protection of buildings and constructions, at evacuation channels, corridors, and exits, there should be no objects that affect personnel evacuation, and clear indication signs should be set up at obvious positions on evacuation channels, corridors, and exits. The net height of evacuation channels, evacuation walkways, and evacuation exits should not be less than 2.1m. Evacuation walkways should be equipped with evacuation doors at the partition of the fire compartment. 未改善：审核员发现下料、过胶车间及油边车间的各2/2个安全出口及1栋3层楼1楼的2/2个安全出口安装的是卷帘门。只有1个卷帘门安装了固定装置保持门的开启。根据《建筑防火通用规范》7.1 一般规定 7.1.6 除设置在丙、丁、戊类仓库首层靠墙外侧的推拉门或卷帘门可用于疏散门外,疏散出口门应为平开门或在火灾时具有平开功能的门,且下列场所或部位的疏散出口门应向疏散方向开启: 1 甲、乙类生产场所; 2 甲、乙类物质的储存场所; 4 其他建筑中使用人数大于60人的房间或每樘门的平均疏散人数大于30人的房间; 5 疏散楼梯间及其前室的门; 6 室内通向室外疏散楼梯的门。7.1.5在疏散通道、疏散走道、疏散出口处,不应有任何影响人员疏散的物体,并应在疏散通道、疏散走道、疏散出口的明显位置设置明显的指示标志。疏散通道、疏散走道、疏散出口的净高度均不应小于2.1m。疏散走道在防火分区分隔处应设置疏散门。 Previous audit on 05/06/2024: Based on site tour, it was noted that 2 out of 2 emergency exit doors installed in the cutting and gluing workshop and oil edge workshop respectively and 1 out of 2 emergency exit doors installed on the 1st floor of one 3-storey building were rolling doors. All the rolling doors were installed with fixed devices. 根据现场巡视,审核员发现下料过胶车间及油边车间的各2个安全出口及3层楼1楼的2个安全出口中的1个安装的是卷帘门。	Answer PARTIALLY
Documents from audit  Factory comment (english) Factory agreed and will correct it. Factory comment (local language) 工厂同意问题点,并表示尽快改善。 Auditor comment Nil	

8.57 Has the factory put fire detection measures in place where hazardous waste are stored? Corrected re-audit on 27/05/2026: New finding: It was noted that no smoking detector was installed in the hazardous waste storage area. ICS requirement: In accordance with ICS Code of Conduct, fire detection measures should be installed in the hazardous waste warehouse. 新问题：审核员发现危废仓库没有安装火灾探测装置。根据ICS要求,危废仓库应安装火灾探测装置。	Answer NO
Factory comment (english) Factory agreed and will correct it. Factory comment (local language) 工厂同意问题点,并表示尽快改善。 Auditor comment Nil	

8.74 Are production and process equipment as well as machinery safe to use?

Corrected re-audit on 27/05/2026: New finding: It was noted that 2 out of 4 sewing machines in the sewing workshop were not equipped with needle guards. The factory had established machine safety regulations and provided machine safety training for employees. Per employee interview, no injury accident was occurred. Thus, this finding was rated as partially non-compliance. Legal Requirement: In accordance with Article 6.1.6 of Code of Design of Manufacturing Equipment Safety and Hygiene, the exposed dangerous components or part of any transmission belts, rotational axis, transmission chain, coupling, belt wheel, gear, flying wheels, chain wheels, electric saw and others, which is within 2 meters height of the plane where the operator is operating such devices shall be equipped with safety devices. 新问题：审核员发现缝制车间4台缝纫机有2台没有安装针档。工厂制定了机器安全规程，并为员工提供了机器安全培训。根据员工访谈，工厂没有工伤事故发生。因此，该问题点为部分不符合。根据《生产设备安全卫生设计总则(GB5083-1999)》第6.1.6条：以操作人员的操作位置所在平面为基准，凡高度在2m之内的所有传动带、转轴、传动链、联轴节、带轮、齿轮、飞轮、链轮、电锯等外露危险零部件及危险部位，都必须设置安全防护装置。

Answer
PARTIALLY

Documents from audit



Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil

8.81 Does the factory maintain a reliable and complete chemical inventory with the following basic information: area of use, chemical name, CAS Numbers of the chemical components, chemical supplier, MSDS availability and quantities stored?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that the factory did not maintain a reliable and complete chemical inventory. ICS requirement: In accordance with ICS Code of Conduct, the factory should maintain a detailed inventory of all chemicals used and stored on-site. The factory should implement a system to ensure a reliable and complete chemical inventory with the following basic information: area of use, CAS number of the chemical components, chemical supplier, MSDS availability and quantities stored. 未改善：审核员发现工厂未保留一份完整的化学品清单。根据ICS要求，工厂应保留一份完整的化学品清单包含以下信息：使用区域，CAS编号，化学品供应商，是否有MSDS和存储的数量。
Previous audit on 05/06/2024: Based on document review, it was noted that factory maintained a chemical inventory with chemical name, MSDS availability, CAS number, supplier name, missing used area and quantities. 审核发现工厂的化学品清单保留了化学品名称，是否有MSDS，CAS号码及供应商名称缺少供使用区域及存储数量。

Answer
NO

Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil

8.85 Does the facility make sure that the workers who handle wastes are aware and are trained to the requirements on waste management (segregation, storage, labelling and disposal)?

Corrected re-audit on 27/05/2026: Not corrected: During this audit, it was noted that no training was provided to workers on waste management. ICS requirement: In accordance with ICS Code of Conduct, the factory shall make sure that the workers who handle wastes are aware and are trained to the requirements on waste management (segregation, storage, labelling and disposal). 未改善：审核员发现工厂没有为员工提供危废处理的培训。根据ICS要求，工厂应为员工提供危废处理的培训。 Previous audit on 05/06/2024: Based on site tour and document review, it was noted that no records showed the worker who handle wastes were trained and aware to the requirements on waste management, and hazardous waste such as empty chemical container in the storage area was without secondary container. 根据现场巡视及文件审核，审核员发现处理危废的员工没有经过相关培训并知晓，现场发现化学品空桶存放没有二次容器。

Answer
NO

Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil

8.92 Is use of personal protective equipment (PPE) required and enforced by facility management?

Corrected re-audit on 27/05/2026: Not corrected: It was noted that two employees working in the edge oiling workshop did not wear the provided rubber gloves and activated carbon masks. Legal Requirement: In accordance with Article 45 of Law of the People's Republic of China on Production Safety, business entities must provide their employees with labor protection products meeting the national or industry standards, and supervise and educate their employees on wearing or using such products in accordance with the rules of use. 未改善：审核员发现工厂油边车间的2名员工没有佩戴工厂提供的橡胶手套和活性炭口罩。根据《中华人民共和国安全生产法》第45条：生产经营单位必须为从业人员提供符合国家标准或者行业标准的劳动防护用品，并监督、教育从业人员按照使用规则佩戴、使用。 Previous audit on 05/06/2024: Based on site tour, it was noted that 2 out of 2 employees working in oil edge workshop who were contact with leather edge paint didn't wear the provided rubber gloves. 根据现场巡视，审核员发现油边车间两名员工没有佩戴工厂提供的橡胶手套。 Legal Requirement: In accordance with Article 42 of Law of the People's Republic of China on Production Safety, business entities must provide their employees with labor protection products meeting the national or industry standards, and supervise and educate their employees on wearing or using such products in accordance with the rules of use. It is recommended that management adopt practices and controls to ensure that necessary personal protective equipments are provided to relevant employees and measures are taken to ensure that employees use such personal protective equipment appropriately. 建议工厂为相关的员工提供必要的个人防护用品，并确保他们正确佩戴。

Answer
NO

Documents from audit



Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil

8.97 Do workers have access to gender-specific, clean and private toilet facilities?

Corrected re-audit on 27/05/2026: New finding: It was noted that 1 out of 3 private doors in the female toilet was broken. ICS requirement: In accordance with ICS Code of Conduct, the factory shall make sure workers have access to gender-specific, clean and private toilet facilities. 新问题：审核员发现女厕所1/3个隐私门坏了。根据ICS要求，工厂应确保员工可以使用性别区分、干净且私密的卫生间设施。

Answer

NO

Documents from audit



Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil

8.102 Is there a valid first aid kit present in every working area?

Corrected re-audit on 27/05/2026: New finding: It was noted that the disposable medical rubber examination gloves in the first aid kit was expired on May 15, 2019 and the eye drops was expired on January 17, 2026. ICS requirement: In accordance with ICS Code of Conduct, the factory shall make sure a valid first aid kit present in every working area. 新问题：审核员发现药箱里的一次性使用医用橡胶检查手套于2019年5月15日过期，眼药水于2026年1月17日过期。根据ICS要求，工厂应确保在工作区域提供药箱，并确保药品在有效期内。

Answer

NO

Documents from audit



Factory comment (english)

Factory agreed and will correct it.

Factory comment (local language)

工厂同意问题点，并表示尽快改善。

Auditor comment

Nil