Yellow Shortage
LIMITATION

Withhold 2 Yellow dice.

> The precision components are on another bench. Nobulous has misplaced the bench.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Green Shortage
LIMITATION

Withhold 2 Green dice.

> Mobility actuators have been reassigned to a 'more urgent' prototype.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Blue Shortage
LIMITATION

Withhold 2 Blue dice.

> Sensor stock is low; confidence remains inexplicably high.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Purple Shortage
LIMITATION

Withhold 2 Purple dice.

> Load-bearing modules are delayed. The load is not.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Diversity Protocol
LIMITATION

Withhold 2 dice of different non-Red colors.

> Nobulous demands cross-functional resilience with fewer functions.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Red Quarantine
LIMITATION

Withhold the Red die.

> The emergency die is perfectly safe inside the locked cabinet.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Element 1
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 2
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 3
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 4
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 5
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Maintain Balance

ROUTINE · STABLE



The shale frame holds steady while Nobulous adds one unnecessary clipboard.

PROGRAM REWARD

Gain 1 HP

Any failed element makes this Program Overheated.

Lift a Heavy Object

ROUTINE · STABLE



The automaton raises the test mass with reassuring precision.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Climb an Incline

ROUTINE · STABLE



Measured steps carry the chassis cleanly up the graded ramp.


PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Move at Speed

ROUTINE · STABLE



The timing gates agree: it is fast, controlled, and technically indoors.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Navigate a Passage

ROUTINE · STABLE



The frame folds through the mock corridor without touching a wall.


PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Cross Uneven Ground

ROUTINE · STABLE



Independent joints keep the load level over broken ground.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Manipulate an Object

ROUTINE · STABLE



Stone fingers turn the instrument exactly one calibrated notch.


PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Detect an Obstacle

ROUTINE · STABLE



Its sensors mark every obstruction before contact.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Climb an Incline

ROUTINE · OVERHEATED



> Each step lands harder than the last; the ramp files a complaint.

PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Lift a Heavy Object

ROUTINE · OVERHEATED



> The test mass rises. The floor follows.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Maintain Balance

ROUTINE · OVERHEATED



> The frame still balances, provided nobody breathes near it.


PROGRAM REWARD

Gain 1 HP

Any failed element sets this Program aside.

Cross Uneven Ground

ROUTINE · OVERHEATED



> The joints correct so violently that the ground becomes the stable part.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Navigate a Passage

ROUTINE · OVERHEATED



> The corridor is now wider, though not by design.

PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Move at Speed

ROUTINE · OVERHEATED



> It clears the final gate before the first one stops shaking.


PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Detect an Obstacle

ROUTINE · OVERHEATED



> It detects each obstruction immediately after impact.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Manipulate an Object

ROUTINE · OVERHEATED



> The instrument turns three notches and ceases to be calibrated.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Traverse Difficult Terrain
SPECIALIZED · STABLE




The chassis reads the terrain and places each step where the ground will hold.

PROGRAM REWARD

Gain 1 HP

Any failed element makes this Program Overheated.

Move Without Detection
SPECIALIZED · STABLE



Noise dampers reduce a stone machine to a passing draft.

PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Track a Moving Subject
SPECIALIZED · STABLE




Sensors maintain a calm lock through every change of direction.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Climb a Vertical Surface
SPECIALIZED · STABLE



Anchors bite, release, and rise in a clean mechanical rhythm.

PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Clear an Obstacle
SPECIALIZED · STABLE




It measures the barrier and clears it with centimeters to spare.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Operate in Low Light
SPECIALIZED · STABLE




Passive sensors map the dark without announcing their presence.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Maintain a Pursuit
SPECIALIZED · STABLE




It matches the subject's pace without closing too quickly.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Carry a Moving Load
SPECIALIZED · STABLE



Compensators cradle the shifting load through every turn.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Track a Moving Subject
SPECIALIZED · OVERHEATED




> The lock tightens until every movement looks like an escape attempt.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Move Without Detection
SPECIALIZED · OVERHEATED



> The dampers hold; the footprints still resemble impact craters.

PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Traverse Difficult Terrain
SPECIALIZED · OVERHEATED




> It reads the terrain correctly, then challenges every conclusion.

PROGRAM REWARD

Gain 1 HP

Any failed element sets this Program aside.

Operate in Low Light
SPECIALIZED · OVERHEATED



> The map is perfect; the glowing heat signature is less subtle.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Clear an Obstacle
SPECIALIZED · OVERHEATED




> It clears the barrier. The barrier does not clear it.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Climb a Vertical Surface
SPECIALIZED · OVERHEATED




> The anchors bite deeper; sections of wall begin climbing too.

PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Carry a Moving Load
SPECIALIZED · OVERHEATED




> The load remains secure while everything beneath it shifts.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Maintain a Pursuit
SPECIALIZED · OVERHEATED




> Pursuit logic discards 'too quickly' as an unnecessary constraint.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Navigate Without Guidance
UNSTABLE · STABLE




The automaton builds a route from landmarks and quiet inference.

PROGRAM REWARD

Gain 1 HP

Any failed element makes this Program Overheated.

Evade Observation
UNSTABLE · STABLE




Timing and cover reduce a stone chassis to a rumor.

PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Overcome a Barrier
UNSTABLE · STABLE




The frame tests the obstruction, then applies exactly enough force.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Intercept a Moving Subject
UNSTABLE · STABLE




Prediction places the automaton precisely in the subject's path.

PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Maintain Control of a Load
UNSTABLE · STABLE




Micro-corrections keep unstable cargo centered and intact.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Adapt to Changing Terrain
UNSTABLE · STABLE




The gait rewrites itself as the ground changes.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Execute a Complex Route
UNSTABLE · STABLE




Every turn arrives on time, in sequence, and without hesitation.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Operate Autonomously
UNSTABLE · STABLE




It completes the objective without instruction or improvisation.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Overcome a Barrier
UNSTABLE · OVERHEATED




It applies exactly enough force to redefine the obstruction.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Evade Observation
UNSTABLE · OVERHEATED




It avoids every observer except the ones staring at the new hole.

PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Navigate Without Guidance
UNSTABLE · OVERHEATED




It builds several routes and attempts all of them at once.

PROGRAM REWARD

Gain 1 HP

Any failed element sets this Program aside.

Adapt to Changing Terrain
UNSTABLE · OVERHEATED




The gait keeps rewriting after the ground stops.

PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Maintain Control of a Load
UNSTABLE · OVERHEATED




Corrections accelerate until the cargo is the calmest thing in motion.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Intercept a Moving Subject
UNSTABLE · OVERHEATED




Prediction becomes certainty; the path has no remaining alternatives.

PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Operate Autonomously
UNSTABLE · OVERHEATED




It completes a different objective with alarming confidence.

PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Execute a Complex Route
UNSTABLE · OVERHEATED




The sequence remains flawless; the surrounding architecture does not.

PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.


Rapid Approach
ADVANCED · STABLE



It reaches the target before the warning can become an alarm.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Unobserved Entry
ADVANCED · STABLE



Locks open, cameras loop, and the corridor never learns it was occupied.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Subject Acquisition
ADVANCED · STABLE



It identifies, isolates, and secures the designated subject without disturbing the room.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Difficult Extraction
ADVANCED · STABLE



It carries the subject through the least impossible route.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Autonomous Infiltration
ADVANCED · STABLE



It enters, adapts, and advances without a single transmitted instruction.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Controlled Restraint
ADVANCED · STABLE



Force sensors hold the subject firmly below the injury threshold.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Adaptive Pursuit
ADVANCED · STABLE



It learns each evasion and closes the next escape before it begins.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Council Extraction Protocol
ADVANCED · STABLE



The automaton escorts the Councilor out beneath a veil of perfect procedure.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Subject Acquisition
ADVANCED · OVERHEATED



It secures the subject, several bystanders, and the room's structural supports.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Unobserved Entry
ADVANCED · OVERHEATED



Locks open, cameras loop, and the corridor becomes difficult to explain.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Rapid Approach
ADVANCED · OVERHEATED



It reaches the target before the warning —and most of the doorway.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Controlled Restraint
ADVANCED · OVERHEATED



The threshold remains documented, if no longer especially relevant.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Autonomous Infiltration
ADVANCED · OVERHEATED



Silence is maintained because it has stopped accepting instructions.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.


Difficult Extraction
ADVANCED · OVERHEATED



The route becomes less impossible as walls become optional.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Council Extraction Protocol
ADVANCED · OVERHEATED



The Councilor is extracted. The Council chamber is now an open-plan space.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Adaptive Pursuit
ADVANCED · OVERHEATED



It learns too quickly; every movement becomes evidence of escape.

2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Architect
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

RECONFIGURE

Once per Program, before rolling an element, move up to 2 allocated dice between unresolved elements.

Choose one Technician card and one side at setup.

Optimizer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

OPTIMIZE

Once per Program, Target +1 successes may count as Optimal Implementation.

Choose one Technician card and one side at setup.

Operator
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

WORKAROUND

When a non-Red Limitation would withhold 2 dice, you may withhold 1 of those dice as another non-Red color instead.

Choose one Technician card and one side at setup.

Compiler
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

COMPILE

When spending an additional STR roll, reroll any number of dice on that element while keeping the others.

Choose one Technician card and one side at setup.

Engineer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

REDUNDANCY

For up to 2 elements per Program, the safe allocation threshold is Target +2 instead of Target +1.

Choose one Technician card and one side at setup.

Debugger
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

DEBUG

Once per Program, after failing by exactly 1 success, reroll 1 allocated die. If it still fails, exhaust that die.

Choose one Technician card and one side at setup.