Rummage
SCROUNGER - SIDE A

HP 1 | STR 2 | REC 2

CAREFUL BORROWER

When checking whether a die you borrowed is banished, you may reroll the check once.

Choose one side of each Lab Rat at setup.

Fidget
TINKERER - SIDE A

HP 1 | STR 2 | REC 2

JURY-RIG

Once per Encounter, after rolling, reroll one miss. This does not use a Strategy phase.

Choose one side of each Lab Rat at setup.

Whiz
PRODIGY - SIDE A

HP 2 | STR 2 | REC 1

SELF-SUFFICIENT

If this Rat commits no borrowed die and does not use the Red die this Encounter, reduce the Encounter's Target by 1.

Choose one side of each Lab Rat at setup.

Mottle
MUTANT - SIDE A

HP 2 | STR 2 | REC 1

EXPERIMENTAL SUBJECT

If at least one Specimen is revealed, this Rat has +1 STR for that Encounter and recovers 1 additional die this turn.

Choose one side of each Lab Rat at setup.

Fidget
TINKERER - SIDE B

HP 1 | STR 2 | REC 2

FINE TUNING

Once per Encounter, reroll one basic hit. If the reroll misses, retain the original basic hit.

Choose one side of each Lab Rat at setup.

Rummage
SCROUNGER - SIDE B

HP 1 | STR 2 | REC 2

TOOL KEEPER

When another Rat borrows one of your dice and it is not banished, return it available instead of exhausted.

Choose one side of each Lab Rat at setup.

Mottle
MUTANT - SIDE B

HP 2 | STR 2 | REC 1

SPECIMEN ADAPTATION

After this Rat completes an Encounter, recover 1 additional die for each Specimen this Rat holds.

Choose one side of each Lab Rat at setup.

Whiz
PRODIGY - SIDE B

HP 2 | STR 2 | REC 1

PREPARED

If a different Rat was active on the previous turn, recover 1 of this Rat's exhausted dice after selecting this Rat and before committing dice.

Choose one side of each Lab Rat at setup.

Baseline Calibration

BUILD-A-TYRANT EXPERIMENT

2
TARGET

Flip the active Lab Rat to its other side. That side remains active until another effect flips it.

Every breakthrough begins by proving the researcher probably still works.

Specimen revealed: +1 Target total (once).

Fine Motor Trial

BUILD-A-TYRANT EXPERIMENT

2
TARGET

A Yellow die must be committed to this Experiment. If unable to do so, increase the Target by 1.

Tiny claws. Tiny screws. Absolutely no margin for error.

Specimen revealed: +1 Target total (once).

Structural Stress Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Reveal 1 additional Upgrade for this Experiment. Resolve the normal Upgrade choice using all revealed options.

Nobulous calls the third prototype a control. Nobody asks what it controls.

Specimen revealed: +1 Target total (once).

Contaminated Tissue

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Discard the revealed Upgrades and reveal 2 new Upgrades. These become the Upgrades for this Experiment.

The sample was sterile until Nobulous explained his definition of sterile.

Specimen revealed: +1 Target total (once).

Performance Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Discard the top 2 cards of the Experiment deck face down without resolving them.

The schedule has been accelerated by removing the parts involving caution.

Specimen revealed: +1 Target total (once).

Load-Bearing Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

A Purple die must be committed to this Experiment. If unable to do so, discard this Experiment and draw another one, replacing any revealed Upgrades.

Add weight until something fails. Preferably not the researcher.

Specimen revealed: +1 Target total (once).

Diagnostic Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

If you commit a Blue die to this Experiment, you may look at the next Experiment and return it to the top of the deck.

The instruments say everything is fine. The smoke has submitted a dissenting report.

Specimen revealed: +1 Target total (once).

Rapid Response Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

A Green die must be committed to this Experiment. If unable to do so, discard the stronger revealed Upgrade and continue the Experiment.

There is no time to do it right, only time to make it testable.

Specimen revealed: +1 Target total (once).

Full-Spectrum Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Committed dice must include 3 different colors.

Nobulous requested versatility. The equipment requested mercy.

Specimen revealed: +1 Target total (once).

Workspace Efficiency Study

BUILD-A-TYRANT EXPERIMENT

3
TARGET

You may only commit two dice to this Experiment.

Four researchers. One bench. Zero lessons learned.

Specimen revealed: +1 Target total (once).

Restricted Materials Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Place the Red die on the active Rat. Red cannot be used for this Experiment.

The best reagent is unavailable for reasons marked administrative.

Specimen revealed: +1 Target total (once).

Independent Performance Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

You cannot borrow a die during this Experiment.

Collaboration introduces confounds. Nobulous has generously removed collaboration.

Specimen revealed: +1 Target total (once).

Resource Depletion Study

BUILD-A-TYRANT EXPERIMENT

3
TARGET

During your second Strategy phase, you may commit no additional dice.

There was a second prototype. Past tense.

Specimen revealed: +1 Target total (once).

Reliability Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Hits and Crits on Purple and Blue dice in the first Strategy phase must be rerolled.

It only fails when you need it, which is remarkably consistent.

Specimen revealed: +1 Target total (once).

Reagent Exclusion Trial

BUILD-A-TYRANT EXPERIMENT

3
TARGET

Randomly select one available die belonging to the active Rat. That die cannot be committed to this Experiment.

Science advances rapidly once you stop checking the labels.

Specimen revealed: +1 Target total (once).

Containment Failure

BUILD-A-TYRANT EXPERIMENT

4
TARGET

You may choose to reduce the Target by 2. If you do, before committing, roll a Yellow die. On a hit or Crit, banish one available Blue die. Otherwise, banish that Yellow die.

The blast shield performed exactly as specified. The blast did not.

Specimen revealed: +1 Target total (once).

Endurance Trial

BUILD-A-TYRANT EXPERIMENT

4
TARGET

STR is 1 for this Experiment.

The experiment is repeatable. Unfortunately, so is the overtime.

Specimen revealed: +1 Target total (once).

Field Retrofit Trial

BUILD-A-TYRANT EXPERIMENT

4
TARGET

If successful, you may swap one of the active Rat's Upgrades with one of the revealed Upgrades. Specimens cannot be swapped.

The replacement fits perfectly once you stop asking what it replaced.

Specimen revealed: +1 Target total (once).

Methodological Optimization

BUILD-A-TYRANT EXPERIMENT

4

TARGET

You may reduce the Target to 0. If you do, take the weaker revealed Upgrade and Splice the stronger revealed Upgrade into the Prototyrant. If tied, choose which to take.

Why test both prototypes when the Prototyrant can test the better one?

Specimen revealed: +1 Target total (once).

Degraded Tissue Study

BUILD-A-TYRANT EXPERIMENT

4

TARGET

If successful, reduce the Prototyrant's Health dial by 2.

The tissue is weaker than projected. Nobulous has classified this as progress.

Specimen revealed: +1 Target total (once).

Serrated Claws
P1 - POWER

2

VALUE

+1 damage from each Blue or Green basic hit you apply during this attack.

Tap to use. A tapped Upgrade cannot absorb damage.

Reinforced Jaw
P2 - POWER

3

VALUE

Add +2 damage to this attack if at least one Purple hit is applied.

Tap to use. A tapped Upgrade cannot absorb damage.

Capacitor Muscles
P3 - POWER

3

VALUE

Commit one exhausted Purple or Blue die to the current attack. It remains exhausted afterward.

Tap to use. A tapped Upgrade cannot absorb damage.

Piercing Horn
P4 - POWER

4

VALUE

Add +2 damage. If you roll a Yellow hit or Crit, bypass one Defense Upgrade when assigning this attack.

Tap to use. A tapped Upgrade cannot absorb damage.

Spring-Loaded Legs
M1 - MOBILITY

2

VALUE

Roll 1 exhausted Green die. It must match a color already committed to the attack; exhaust it afterward.

Tap to use. A tapped Upgrade cannot absorb damage.

Prehensile Tail
M2 - MOBILITY

2

VALUE

Roll 1 exhausted Yellow die. It must match a color already committed to the attack; exhaust it afterward.

Tap to use. A tapped Upgrade cannot absorb damage.

Tripwire Tendons
M3 - MOBILITY

3

VALUE

Opponent exhausts one Green die; if unable, one Yellow die, if able.

Tap to use. A tapped Upgrade cannot absorb damage.

Evasive Reflexes
M4 - MOBILITY

3

VALUE

Remove 1 success from the opponent's next attack.

Tap to use. A tapped Upgrade cannot absorb damage.

Thickened Hide
D1 - DEFENSE

2

VALUE

Reduce incoming damage by 1.

Tap to use. A tapped Upgrade cannot absorb damage.

Layered Carapace
D2 - DEFENSE

3

VALUE

Reduce incoming damage by 2.

Tap to use. A tapped Upgrade cannot absorb damage.

Chromatic Plating
D3 - DEFENSE

3

VALUE

Reduce damage dealt by Blue and Green dice by 1 each. Yellow dice are unaffected.

Tap to use. A tapped Upgrade cannot absorb damage.

Reactive Shell
D4 - DEFENSE

4

VALUE

Reduce damage dealt by Purple and Yellow dice by 1 each.

Tap to use. A tapped Upgrade cannot absorb damage.

Acute Hearing
S1 - SENSES

2

VALUE

+1 STR during your next turn.

Tap to use. A tapped Upgrade cannot absorb damage.

Predatory Focus
S2 - SENSES

3

VALUE

+1 STR for the current attack.

Tap to use. A tapped Upgrade cannot absorb damage.

Rapid Metabolism
S3 - SENSES

2

VALUE

Recover 1 additional die this turn.

Tap to use. A tapped Upgrade cannot absorb damage.

Neural Overclock
S4 - SENSES

4

VALUE

Recover 2 additional dice this turn.

Tap to use. A tapped Upgrade cannot absorb damage.

Titanium-Toothed Mole
POWER SPECIMEN

SPECIMEN

5

VALUE

Add +3 damage to the current attack.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Voltaic Mantis
POWER SPECIMEN

SPECIMEN

5

VALUE

Add +2 damage; one applied Crit deals +2 additional damage.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Blink Hare
MOBILITY SPECIMEN

SPECIMEN

5

VALUE

Roll up to 2 exhausted dice matching colors already committed to this attack.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Ghost Gecko
MOBILITY SPECIMEN

SPECIMEN

5

VALUE

Remove 2 successes from the opponent's next attack.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Ironback Beetle
DEFENSE SPECIMEN

SPECIMEN

5

VALUE

Reduce incoming damage by 3.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Prismatic Tortoise
DEFENSE SPECIMEN

SPECIMEN

5

VALUE

Reduce damage from two colors of your choice by 1 per die for this attack.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Echo Bat

SENSES SPECIMEN

SPECIMEN

5

VALUE

+1 STR for this turn and recover 1 additional die afterward.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Regenerator Newt

SENSES SPECIMEN

SPECIMEN

5

VALUE

Recover 3 additional dice this turn.

Specimen. At most 1 may be retained for the Imposter Research Pool.

Overwhelming Mass
TYRANT ATTACK

REVEAL AFTER RAT TURN

This attack deals +3 damage.

Discard after resolving. Reshuffle the discard when the deck is empty.

Adaptive Strike
TYRANT ATTACK

REVEAL AFTER RAT TURN

Ignore the first Upgrade that would absorb this attack. It neither absorbs damage nor is damaged. Remaining damage continues to the next eligible Upgrade, then to Health.

Discard after resolving. Reshuffle the discard when the deck is empty.

Predatory Instinct
TYRANT ATTACK

REVEAL AFTER RAT TURN

This attack is made against the Rat holding the greatest total Upgrade Value instead of the active Rat. If tied, the player chooses. If only one Rat remains, it is the target.

Discard after resolving. Reshuffle the discard when the deck is empty.

Spliced Reflexes
TYRANT ATTACK

REVEAL AFTER RAT TURN

This attack deals +1 damage for each Splice the Tyrant still holds.

Discard after resolving. Reshuffle the discard when the deck is empty.

Terrifying Roar
TYRANT ATTACK

REVEAL AFTER RAT TURN

The Tyrant deals no damage this attack. Instead, exhaust 2 dice from the shared battle pool. The player chooses which dice.

Discard after resolving. Reshuffle the discard when the deck is empty.

Crushing Blow
TYRANT ATTACK

REVEAL AFTER RAT TURN

1 damage from this attack is dealt directly to the target Rat's Health and cannot be absorbed by Upgrades. Any remaining damage is absorbed normally.

Discard after resolving. Reshuffle the discard when the deck is empty.


Unstable Growth


TYRANT ATTACK

REVEAL AFTER RAT TURN

Resolve this attack. If the target was not knocked out, the Tyrant immediately attacks again, committing 2 dice. Do not reveal a Tyrant Attack card for the second attack.

Discard after resolving. Reshuffle the discard when the deck is empty.


4
3
BUFF HP
The number that reads upright is the Tyrant’s remaining Buff HP. Rotate clockwise for each damage dealt.
1
2


8
7
BUFF HP
The number that reads upright is the Tyrant’s remaining Buff HP. Rotate clockwise for each damage dealt.
5
9