Yellow Shortage
LIMITATION

Withhold 2 Yellow dice.

The precision components are on another bench. Nobulous has misplaced the bench.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Green Shortage
LIMITATION

Withhold 2 Green dice.

Mobility actuators have been reassigned to a 'more urgent' prototype.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Blue Shortage
LIMITATION

Withhold 2 Blue dice.

Sensor stock is low; confidence remains inexplicably high.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Purple Shortage
LIMITATION

Withhold 2 Purple dice.

Load-bearing modules are delayed. The load is not.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Diversity Protocol
LIMITATION

Withhold 2 dice of different non-Red colors.

Nobulous removes two components to demonstrate how little you needed them.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Red Quarantine
LIMITATION

Withhold the Red die.

The emergency die is perfectly safe inside the locked cabinet.

Reveal before committing required-color dice. Withheld dice cannot be used in this Program.

Maintain Balance
ROUTINE · STABLE



PROGRAM REWARD

Gain 1 HP

The shale frame holds steady while Nobulous adds one unnecessary clipboard.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Lift a Heavy Object
ROUTINE · STABLE



PROGRAM REWARD

Recover 3 exhausted dice

The test mass rises smoothly, with Nobulous still standing on it.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Climb an Incline
ROUTINE · STABLE



PROGRAM REWARD

+1 REC; remove this Program

It reaches the top. Nobulous raises the ramp.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

AoS
LIMITATION
THE NOBULOUS SET

AoS
LIMITATION
THE NOBULOUS SET

AoS
LIMITATION
THE NOBULOUS SET

AoS
LIMITATION
THE NOBULOUS SET

AoS
LIMITATION
THE NOBULOUS SET

AoS
LIMITATION
THE NOBULOUS SET

Climb an Incline
ROUTINE · OVERHEATED



PROGRAM REWARD
+1 REC; remove this Program

Each step lands harder than the last; the ramp files a complaint.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Lift a Heavy Object
ROUTINE · OVERHEATED



PROGRAM REWARD
Recover 3 exhausted dice

The test mass rises. The floor follows.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Maintain Balance
ROUTINE · OVERHEATED




PROGRAM REWARD
Gain 1 HP

The frame still balances, provided nobody breathes near it.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Move at Speed
ROUTINE · STABLE



PROGRAM REWARD

Return 1 Overheated Program to Stable

The timing gates agree: it is fast, controlled, and technically indoors.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Navigate a Passage
ROUTINE · STABLE




PROGRAM REWARD

+1 STR; remove this Program

No contact with either wall. The plasterers are sent home.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Cross Uneven Ground
ROUTINE · STABLE



PROGRAM REWARD

Banish 1 Limitation from the game.

The chassis crosses the rubble without spilling Nobulous's tea.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Manipulate an Object
ROUTINE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Stone fingers adjust a screw the apprentices have been rounding off all morning.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Detect an Obstacle
ROUTINE · STABLE



PROGRAM REWARD

Return 1 Overheated Program to Stable

It stops for the glass wall, to the disappointment of the spectators.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Traverse Difficult Terrain
SPECIALIZED · STABLE




PROGRAM REWARD

Gain 1 HP

Nobulous follows in its footsteps until the gaps become inconvenient.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Move Without Detection
SPECIALIZED · STABLE



PROGRAM REWARD

+1 STR; remove this Program

Noise dampers reduce a stone machine to a passing draft.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Track a Moving Subject
SPECIALIZED · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

The assistant ducks behind a screen. The head keeps turning.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Climb a Vertical Surface
SPECIALIZED · STABLE




PROGRAM REWARD

+1 REC; remove this Program

A bell rings at the ceiling. Now for the descent.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Cross Uneven Ground
ROUTINE · OVERHEATED



PROGRAM REWARD

Banish 1 Limitation from the game.

The joints correct so violently that the ground becomes the stable part.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Navigate a Passage
ROUTINE · OVERHEATED



PROGRAM REWARD

+1 STR; remove this Program

The corridor is now wider, though not by design.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Move at Speed
ROUTINE · OVERHEATED



PROGRAM REWARD

Return 1 Overheated Program to Stable

It clears the final gate before the first one stops shaking.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Traverse Difficult Terrain
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Gain 1 HP

It reads the terrain correctly, then challenges every conclusion.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Detect an Obstacle
ROUTINE · OVERHEATED



PROGRAM REWARD

Return 1 Overheated Program to Stable

It detects each obstruction immediately after impact.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Manipulate an Object
ROUTINE · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

The instrument turns three notches and ceases to be calibrated.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Climb a Vertical Surface
SPECIALIZED · OVERHEATED



PROGRAM REWARD

+1 REC; remove this Program

The anchors bite deeper; sections of wall begin climbing too.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Track a Moving Subject
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

The lock tightens until every movement looks like an escape attempt.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Move Without Detection
SPECIALIZED · OVERHEATED



PROGRAM REWARD

+1 STR; remove this Program

The dampers hold; the footprints still resemble impact craters.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Clear an Obstacle
SPECIALIZED · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

The apprentice is allowed to put the ladder away.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Operate in Low Light
SPECIALIZED · STABLE




PROGRAM REWARD

Banish 1 Limitation from the game.

It finds the switch without needing the light.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Maintain a Pursuit
SPECIALIZED · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

The subject slows to a walk. So does the automaton, with considerably less wheezing.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Carry a Moving Load
SPECIALIZED · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

The crate objects throughout the journey but arrives upright.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Navigate Without Guidance
UNSTABLE · STABLE




PROGRAM REWARD

Gain 1 HP

It takes the short route that Nobulous insists he was about to suggest.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Evade Observation
UNSTABLE · STABLE




PROGRAM REWARD

+1 REC; remove this Program

Timing and cover reduce a stone chassis to a rumor.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Overcome a Barrier
UNSTABLE · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

The door opens. Nobulous checks that it can still close.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Intercept a Moving Subject
UNSTABLE · STABLE




PROGRAM REWARD

+1 STR; remove this Program

It waits at the corner while the assistant discovers how predictable he is.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Maintain Control of a Load
UNSTABLE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

The crate stays level through every lunge from inside.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Maintain a Pursuit
SPECIALIZED · OVERHEATED



PROGRAM REWARD

Recover 3 exhausted dice

Pursuit logic discards 'too quickly' as an unnecessary constraint.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Operate in Low Light
SPECIALIZED · OVERHEATED



PROGRAM REWARD

Banish 1 Limitation from the game.

The map is perfect; the glowing heat signature is less subtle.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Clear an Obstacle
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

It clears the barrier. The barrier does not clear it.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Evade Observation
UNSTABLE · OVERHEATED




PROGRAM REWARD

+1 REC; remove this Program

It avoids every observer except the ones staring at the new hole.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Navigate Without Guidance
UNSTABLE · OVERHEATED




PROGRAM REWARD

Gain 1 HP

It builds several routes and attempts all of them at once.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Carry a Moving Load
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

The load remains secure while everything beneath it shifts.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Maintain Control of a Load
UNSTABLE · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

Corrections accelerate until the cargo is the calmest thing in motion.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Intercept a Moving Subject
UNSTABLE · OVERHEATED




PROGRAM REWARD

+1 STR; remove this Program

Prediction becomes certainty; the path has no remaining alternatives.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Overcome a Barrier
UNSTABLE · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

It applies exactly enough force to redefine the obstruction.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Adapt to Changing Terrain
UNSTABLE · STABLE




PROGRAM REWARD

Banish 1 Limitation from the game.

The gait rewrites itself as the ground changes.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Execute a Complex Route
UNSTABLE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

It takes a turn missing from the diagram. Nobulous pencils it in.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Operate Autonomously
UNSTABLE · STABLE



PROGRAM REWARD

Return 1 Overheated Program to Stable

Nobulous leaves it to work and returns to find his instructions followed exactly.

1 failed element: this Program Overheats. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.


Rapid Approach
ADVANCED · STABLE



It reaches the target before the warning can become an alarm.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Unobserved Entry
ADVANCED · STABLE



Locks open, cameras loop, and the corridor never learns it was occupied.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.


Subject Acquisition
ADVANCED · STABLE



Only the designated subject is inconvenienced. Nobulous checks the designation twice.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Difficult Extraction
ADVANCED · STABLE



It carries the subject through the least impossible route.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.


Autonomous Infiltration
ADVANCED · STABLE



The observer at the controls has nothing to do but look essential.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.


Controlled Restraint
ADVANCED · STABLE



"Can you breathe?" "Unfortunately," says the subject.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Operate Autonomously
UNSTABLE · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

It completes a different objective with alarming confidence.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Execute a Complex Route
UNSTABLE · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

The sequence remains flawless; the surrounding architecture does not.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.

Adapt to Changing Terrain
UNSTABLE · OVERHEATED



PROGRAM REWARD

Banish 1 Limitation from the game.

The gait keeps rewriting after the ground stops.

1 failed element: this Program is set aside. 2+ (Catastrophic Failure): lose 1 HP, or exhaust 2 misses on them.


Subject Acquisition
ADVANCED · OVERHEATED



It secures the subject, several bystanders, and the room's structural supports.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Unobserved Entry
ADVANCED · OVERHEATED



Locks open, cameras loop, and the corridor becomes difficult to explain.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.


Rapid Approach
ADVANCED · OVERHEATED



It reaches the target before the warning—and most of the doorway.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Controlled Restraint
ADVANCED · OVERHEATED



The threshold remains documented, if no longer especially relevant.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.


Autonomous Infiltration
ADVANCED · OVERHEATED



Silence is maintained because it has stopped accepting instructions.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Difficult Extraction
ADVANCED · OVERHEATED



The route becomes less impossible as walls become optional.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Adaptive Pursuit
ADVANCED · STABLE



It learns each evasion and closes the next escape before it begins.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Council Extraction Protocol
ADVANCED · STABLE



The automaton escorts the Councilor out beneath a veil of perfect procedure.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Architect
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

RECONFIGURE

Once per Program, before rolling an element, move up to 2 allocated dice between unresolved elements.

Choose one Technician card and one side at setup.

Optimizer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

OPTIMIZE

Once per cycle and once in Advanced Programming, Target +1 successes may count as Optimal Implementation.

Choose one Technician card and one side at setup.

Operator
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

WORKAROUND

When a non-Red Limitation would withhold 2 dice, you may withhold 1 of those dice as another non-Red color instead.

Choose one Technician card and one side at setup.

Element 1
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 2
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 3
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 4
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Debugger
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

DEBUG
Once per Program, after failing by exactly 1 success, reroll 1 allocated die. If it still fails, exhaust that die.

Choose one Technician card and one side at setup.

Council Extraction Protocol
ADVANCED · OVERHEATED

3 - 4 - 3 - 3 - 3

The Councilor is extracted. The Council chamber is now an open-plan space.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

Adaptive Pursuit
ADVANCED · OVERHEATED

2 - 4 - 3 - 3 - 2

It learns too quickly; every movement becomes evidence of escape.

2+ failed elements: lose 1 HP, or exhaust 2 misses on them; either way the next Advanced Program Overheats. 0-1: it stays Stable. Recover between Advanced Programs.

AoS
ELEMENT MAT
THE NOBULOUS SET

Compiler
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

COMPILE
When spending an additional STR roll, reroll any number of dice on that element while keeping the others.

Choose one Technician card and one side at setup.

Engineer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

REDUNDANCY
For up to 2 elements per Program, the allocation cap is Target +2 instead of Target +1.

Choose one Technician card and one side at setup.

AoS
ELEMENT MAT
THE NOBULOUS SET

AoS
ELEMENT MAT
THE NOBULOUS SET

AoS
ELEMENT MAT
THE NOBULOUS SET

Element 5

DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

AoS

ELEMENT MAT

THE NOBULOUS SET