Architect
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

RECONFIGURE

Once per Program, before rolling an element, move up to 2 allocated dice between unresolved elements.

Choose one Technician card and one side at setup.

Optimizer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

OPTIMIZE

Once per Program, Target +1 successes may count as Optimal Implementation.

Choose one Technician card and one side at setup.

Operator
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

WORKAROUND

When a non-Red Limitation would withhold 2 dice, you may withhold 1 of those dice as another non-Red color instead.

Choose one Technician card and one side at setup.

Engineer
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

REDUNDANCY

For up to 2 elements per Program, the safe allocation threshold is Target +2 instead of Target +1.

Choose one Technician card and one side at setup.

Debugger
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

DEBUG

Once per Program, after failing by exactly 1 success, reroll 1 allocated die. If it still fails, exhaust that die.

Choose one Technician card and one side at setup.

Compiler
EXPERIMENTAL TECHNICIAN

HP 2 | STR 2 | REC 3

COMPILE

When spending an additional STR roll, reroll any number of dice on that element while keeping the others.

Choose one Technician card and one side at setup.

Maintain Balance
ROUTINE · STABLE



PROGRAM REWARD

Recover 1 HP

Any failed element makes this Program Overheated.

Lift a Heavy Object
ROUTINE · STABLE



PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Climb an Incline
ROUTINE · STABLE




PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Move at Speed
ROUTINE · STABLE



PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Navigate a Passage
ROUTINE · STABLE




PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Cross Uneven Ground
ROUTINE · STABLE



PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Climb an Incline
ROUTINE · OVERHEATED



PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Lift a Heavy Object
ROUTINE · OVERHEATED



PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Maintain Balance
ROUTINE · OVERHEATED




PROGRAM REWARD

Recover 1 HP

Any failed element sets this Program aside.

Cross Uneven Ground
ROUTINE · OVERHEATED



PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Navigate a Passage
ROUTINE · OVERHEATED



PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Move at Speed
ROUTINE · OVERHEATED



PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Manipulate an Object

ROUTINE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Detect an Obstacle

ROUTINE · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Detect an Obstacle

ROUTINE · OVERHEATED



PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Manipulate an Object

ROUTINE · OVERHEATED



PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Traverse Difficult Terrain
SPECIALIZED · STABLE




PROGRAM REWARD

Recover 1 HP

Any failed element makes this Program Overheated.

Move Without Detection
SPECIALIZED · STABLE



PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Track a Moving Subject
SPECIALIZED · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Climb a Vertical Surface
SPECIALIZED · STABLE



PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Clear an Obstacle
SPECIALIZED · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Operate in Low Light
SPECIALIZED · STABLE



PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Track a Moving Subject
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Move Without Detection
SPECIALIZED · OVERHEATED



PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Traverse Difficult Terrain
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Recover 1 HP

Any failed element sets this Program aside.

Operate in Low Light
SPECIALIZED · OVERHEATED



PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Clear an Obstacle
SPECIALIZED · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Climb a Vertical Surface
SPECIALIZED · OVERHEATED




PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Maintain a Pursuit

SPECIALIZED · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Carry a Moving Load

SPECIALIZED · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Carry a Moving Load

SPECIALIZED · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Maintain a Pursuit

SPECIALIZED · OVERHEATED




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Navigate Without Guidance
UNSTABLE · STABLE




PROGRAM REWARD

Recover 1 HP

Any failed element makes this Program Overheated.

Evade Observation
UNSTABLE · STABLE




PROGRAM REWARD

+1 REC; remove this Program

Any failed element makes this Program Overheated.

Overcome a Barrier
UNSTABLE · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Intercept a Moving Subject
UNSTABLE · STABLE




PROGRAM REWARD

+1 STR; remove this Program

Any failed element makes this Program Overheated.

Maintain Control of a Load
UNSTABLE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Adapt to Changing Terrain
UNSTABLE · STABLE




PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element makes this Program Overheated.

Overcome a Barrier
UNSTABLE · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Evade Observation
UNSTABLE · OVERHEATED




PROGRAM REWARD

+1 REC; remove this Program

Any failed element sets this Program aside.

Navigate Without Guidance
UNSTABLE · OVERHEATED




PROGRAM REWARD

Recover 1 HP

Any failed element sets this Program aside.

Adapt to Changing Terrain
UNSTABLE · OVERHEATED




PROGRAM REWARD

Banish 1 Limitation from the game.

Any failed element sets this Program aside.

Maintain Control of a Load
UNSTABLE · OVERHEATED



PROGRAM REWARD

Recover 3 exhausted dice

Any failed element sets this Program aside.

Intercept a Moving Subject
UNSTABLE · OVERHEATED




PROGRAM REWARD

+1 STR; remove this Program

Any failed element sets this Program aside.

Execute a Complex Route

UNSTABLE · STABLE




PROGRAM REWARD

Recover 3 exhausted dice

Any failed element makes this Program Overheated.

Operate Autonomously

UNSTABLE · STABLE




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element makes this Program Overheated.

Operate Autonomously

UNSTABLE · OVERHEATED




PROGRAM REWARD

Return 1 Overheated Program to Stable

Any failed element sets this Program aside.

Execute a Complex Route

UNSTABLE · OVERHEATED



PROGRAM REWARD

Recover 3 exhausted dice


Any failed element sets this Program aside.

Rapid Approach
ADVANCED · STABLE



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Unobserved Entry
ADVANCED · STABLE




2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Subject Acquisition
ADVANCED · STABLE



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Difficult Extraction
ADVANCED · STABLE




2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Autonomous Infiltration
ADVANCED · STABLE



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Controlled Restraint
ADVANCED · STABLE




2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Subject Acquisition
ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Unobserved Entry
ADVANCED · OVERHEATED




2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Rapid Approach
ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Controlled Restraint
ADVANCED · OVERHEATED




2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Autonomous Infiltration
ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Difficult Extraction
ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Adaptive Pursuit

ADVANCED · STABLE



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Council Extraction Protocol

ADVANCED · STABLE



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Council Extraction Protocol

ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Adaptive Pursuit

ADVANCED · OVERHEATED



2+ failed elements: lose 1 HP and the next Advanced Program is Overheated. 0-1 failed elements: next Advanced Program is Stable. Recover between Advanced Programs.

Yellow Shortage
LIMITATION

Withhold 2 Yellow dice.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Green Shortage
LIMITATION

Withhold 2 Green dice.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Blue Shortage
LIMITATION

Withhold 2 Blue dice.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Purple Shortage
LIMITATION

Withhold 2 Purple dice.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Diversity Protocol
LIMITATION

Withhold 2 dice of different non-Red colors.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Red Quarantine
LIMITATION

Withhold the Red die.

Reveal after required-color dice are committed. Withheld dice come from the remaining pool.

Element 1
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 2
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 3
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 4
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.

Element 5
DICE ALLOCATION

Place all dice assigned to this element here before running the Program.