



Data Structures and Algorithms -3 (25CS2103E)

LOCAL SEQUENCE ALIGNMENT OF DNA AND PROTEIN SEQUENCES

P. Anuradha Nandini- 2520030171

B. Jamuna- 2520030408

B. Pemesh- 2520030388

Under the Esteemed Guidance of

Dr. S. Madhavi

Contents

- Abstract
- Introduction
- Literature survey
- Problem Statement and Objectives
- Hardware and Software requirements
- Results
- Conclusion
- Future Scope

Abstract

Our project is a Java-based bioinformatics application developed to analyse DNA and protein sequences and identify significant genetic variations between a **healthy reference sequence and a patient sequence**.

Genetic sequences can contain substitutions, insertions, or deletions that may affect biological functions and can be associated with certain diseases. The project provides an algorithm-based approach to studying these sequence differences.

The application combines multiple **Data Structures and Algorithms concepts** to perform sequence analysis efficiently. The **Suffix Array and Kasai's Longest Common Prefix (LCP) algorithm** are used to identify exact matching regions and conserved patterns within the sequences. These matching regions help locate areas where the sequences are similar before performing detailed local alignment.

For identifying variations in similar regions, the project implements the **Smith–Waterman local sequence alignment algorithm**. It uses a **2D dynamic programming scoring matrix** to calculate the best possible local alignment based on user-defined match, mismatch, and gap scores. The algorithm then performs **traceback** from the highest-scoring cell to generate the optimal alignment between the sequences.

The system displays the **aligned sequences, alignment score, percentage similarity, and sequence differences**, including substitutions, insertions, and deletions. These results can help users study conserved regions and understand how genetic sequences vary between samples. Overall, GeneScan demonstrates how **suffix arrays, LCP, dynamic programming, string processing, and sequence alignment algorithms** can be applied to a practical bioinformatics problem involving genetic sequence comparison and mutation analysis.

Introduction

- **Bioinformatics** combines biology, computer science, and data analysis to study biological information such as DNA, RNA, and protein sequences.
- DNA and protein sequences contain important genetic information, and even small changes in these sequences can result in **genetic variations or mutations**.
- Comparing a **patient sequence with a healthy reference sequence** can help identify regions that are conserved as well as regions where differences occur.
- However, biological sequences may contain **substitutions, insertions, and deletions**, making direct comparison difficult.
- **GeneScan** addresses this problem by applying efficient **Data Structures and Algorithms** for sequence comparison and analysis.
- The project uses **Suffix Array and Kasai's LCP algorithm** to identify exact matching and conserved regions between sequences.
- It uses the **Smith–Waterman algorithm** for local sequence alignment, allowing the system to detect similar regions even when mismatches or gaps are present.
- The alignment process uses **dynamic programming and traceback** to calculate the best local alignment and identify sequence differences.
- The system presents the results through **aligned sequences, alignment score, percentage similarity, and detected variations**, providing a clear way to analyze genetic sequence differences.



Literature Survey

Author / Year	Work / Technique	Key Contribution
Needleman & Wunsch (1970)	Global Sequence Alignment	Introduced a dynamic programming approach for aligning two complete biological sequences and measuring their similarity.
Smith & Waterman (1981)	Smith–Waterman Algorithm	Proposed local sequence alignment to identify the most similar regions between DNA, RNA, or protein sequences.
Manber & Myers (1993)	Suffix Arrays	Introduced an efficient suffix-array-based method for string processing and pattern matching, which can also be applied to biological sequences.
Kasai et al. (2001)	LCP Array	Developed an efficient method for constructing the Longest Common Prefix (LCP) array from a suffix array, improving the detection of repeated and matching sequence regions.
Durbin et al. (1998)	Computational Molecular Biology	Presented computational methods for analyzing biological sequences, including sequence alignment, evolutionary relationships, and molecular data.
GeneScan – Proposed System	Suffix Array + Kasai LCP + Smith–Waterman	Combines exact matching and local alignment techniques in a single Java application to compare reference and patient sequences and identify sequence variations.

Problem Statement and Objectives


Problem Statement

- Biological DNA and protein sequences can be very long and complex, making manual comparison difficult and time-consuming.
- Small genetic changes such as **substitutions, insertions, and deletions** may occur between a reference sequence and a patient sequence.
- Simple character-by-character comparison may fail to identify the **most similar local regions** when gaps or mismatches are present.
- There is a need for an efficient algorithm-based system that can identify **conserved regions and sequence variations**.
- Therefore, the project aims to develop **GeneScan**, a Java-based application that combines efficient string-processing and sequence-alignment algorithms for analysing biological sequences.

Objectives

- To develop a **Java-based application** for DNA and protein sequence comparison.
- To compare a **healthy reference sequence with a patient sequence** to identify sequence variations.
- To use **Suffix Array and Kasai's LCP algorithm** for finding exact matching and conserved regions.
- To implement the **Smith–Waterman algorithm** for identifying the best local alignment between sequences.
- To use **dynamic programming and traceback** to calculate and reconstruct the optimal alignment.
- To detect and highlight **substitutions, insertions, and deletions** between the sequences.
- To calculate and display the **alignment score and percentage similarity**.
- To demonstrate the practical application of **Data Structures and Algorithms in bioinformatics**.

Flow Chart



Results

- Successfully compared **healthy reference and patient DNA/protein sequences**.
- **Suffix Array + Kasai LCP** identified exact matching and conserved regions efficiently.
- **Smith–Waterman** generated the optimal local alignment between the sequences.
- Detected different types of sequence variations, including **substitutions, insertions, and deletions**.
- Calculated the **alignment score, match count, mismatch count, gap count, and percentage similarity**.
- Successfully demonstrated the **Sickle Cell Anaemia HBB mutation** using a point mutation example.
- Tested an illustrative **Cystic Fibrosis-style deletion** case.
- Performed **batch screening of 100 synthetic patient samples** and classified samples as normal or mutation detected.
- Performance testing demonstrated the expected **$O(n \times m)$** time growth of the Smith–Waterman algorithm as sequence length increases.
- Overall, the project successfully demonstrates the practical use of **String Algorithms and Dynamic Programming in bioinformatics**.

Hardware and Software requirements

Category	Tools / Technologies	Purpose
Programming Language	Java (JDK 21)	Core application + algorithms
Algorithms	Suffix Array + Kasai LCP, Smith–Waterman	CO2 exact matching → CO3 local alignment
Data Structures	2D Arrays, Strings, int[] arrays	Alignment matrix, suffix/LCP arrays
File Handling	Java I/O	Read/process sequences from text files
Version Control	Git & GitHub	Manage and maintain project source code

Conclusion

GeneScan successfully demonstrates the application of **Data Structures and Algorithms in bioinformatics** for comparing DNA and protein sequences. By combining **Suffix Array with Kasai's LCP algorithm** and the **Smith–Waterman local alignment algorithm**, the system can identify conserved regions as well as sequence variations between a healthy reference and patient sample.

The use of **dynamic programming and traceback** enables the system to generate optimal local alignments while handling mismatches and gaps. The project successfully identifies **substitutions, insertions, and deletions**, and provides useful measures such as alignment score and percentage similarity.

The implementation and experimental results demonstrate that combining **exact string matching with local sequence alignment** provides a structured approach to biological sequence analysis. Overall, GeneScan shows how fundamental DSA concepts can be applied to solve practical problems in **genetic sequence comparison and mutation analysis**.

Future Scope

- **Integration with real genomic datasets:** Extend the system to analyze larger, real-world DNA and protein datasets from biological databases.
- **Support for larger sequences:** Optimize the algorithms to handle complete genes, genomes, and long protein sequences efficiently.
- **Advanced mutation classification:** Enhance the system to classify mutations as **substitutions, insertions, deletions, and other sequence variations** automatically.
- **Disease-specific analysis:** Expand the application to analyze mutations associated with a wider range of genetic disorders.
- **Improved performance:** Explore optimized alignment techniques and parallel processing to reduce computation time for large sequences.
- **Graphical User Interface:** Develop a user-friendly GUI or web application where users can upload sequences and visualize alignment results.
- **Visualization of mutations:** Add graphical representations of conserved regions, mismatches, gaps, and mutation locations.
- **Database integration:** Connect the system with biological and genomic databases to provide additional information about detected variants.
- **Machine Learning integration:** In the future, machine learning techniques could be incorporated to assist in predicting the possible biological significance of detected sequence variations.

Thank you