



PLG Motion / V1

Catalog — banner

Where: Above the fold, non-entitled users only.

Why: A user browsing the catalog is evaluating. This is the earliest moment to surface the ask without interrupting anything.




Image detail page

Where: Right rail, above the security summary.

Why: A user reading about a specific image is actively considering it. The nudge sits before the security proof so the ask lands first, then the evidence

The screenshot shows the Docker Hub interface for the 'Node.js' image by 'DHI'. The page is titled 'Node.js' and includes a 'Docker Hardened Image' badge. The description states: 'Hardened Node.js runtime for production workloads. Continuously patched, minimal, and compliance-ready. dhi.io/nodejs'. The page features a 'Use this image' button in the top right corner. Below the description, there is a table with columns: UPDATED (1 month ago), PULLS (10M+), STARS (1.6K), OS / ARCH (Alpine, Debian · linux/amd64, linux/arm64), and COMPLIANCE (CIS, FIPS, STIG). The page also includes a 'Pulls 10M+' badge, a 'Stars 847' badge, and an 'Updated 1 day ago' badge. The 'linux/amd64' and 'linux/arm64' architecture filters are visible. The page has tabs for 'Overview', 'Guides', and 'Images'. The 'About Dart' section states: 'Dart is available as a free Docker Hardened Image — distroless, non-root, signed SBOM, and zero CVEs at build time. No account required to pull. This image ships with 14 packages, has 0 known CVEs, and is 72% smaller than the standard upstream image. It includes SLSA Build Level 3 provenance attestation. Show more'. The 'Try DHI Enterprise' section includes a list of benefits: 'Mirror to your org registry', 'FIPS & STIG-compliant variants', 'SLA-backed CVE fixes', and 'Audit logs for compliance'. A 'Try DHI Enterprise' button and a 'Compare all plans' link are also present.

AUTH STATE | Not signed in | Personal | Org — No entitlements

Docker Hub | Explore | My Hub | Search Docker Hub... | Sign in | Sign up

DHI > Operating Systems > Dart

N **Node.js** Docker Hardened Image [Use this image](#)

Hardened Node.js runtime for production workloads. Continuously patched, minimal, and compliance-ready.
dhi.io/nodejs

UPDATED	PULLS	STARS	OS / ARCH	COMPLIANCE
1 month ago	10M+	1.6K	Alpine, Debian · linux/amd64, linux/arm64	CIS FIPS STIG

Pulls **10M+** | Stars **847** | Updated **1 day ago** | linux/amd64 | linux/arm64 | Documentation | Report a vulnerability

[Overview](#) | [Guides](#) | [Images](#)

About Dart

Dart is available as a free Docker Hardened Image — distroless, non-root, signed SBOM, and zero CVEs at build time. No account required to pull.

This image ships with 14 packages, has 0 known CVEs, and is 72% smaller than the standard upstream image. It includes SLSA Build Level 3 provenance attestation.

[Show more](#)

Try DHI Enterprise

Mirror this image to your org registry, unlock FIPS/STIG variants, and get SLA-backed CVE fixes within 7 days.

- ✓ Mirror to your org registry
- ✓ FIPS & STIG-compliant variants
- ✓ SLA-backed CVE fixes
- ✓ Audit logs for compliance

[Try DHI Enterprise](#)

[Compare all plans →](#)

Guides — mirroring nudge

Where: Right after "How to use this image."

Why: That section explains how to pull from dhi.io. The moment a user reads it, they think about their CI setup. Mirroring solves that problem directly.

The screenshot shows the Docker Hub interface for the **Node.js** image by **dhi.io**. The page is titled "Node.js @ Docker Hardened Image" and describes it as a "Hardened Node.js runtime for production workloads. Continuously patched, minimal, and compliance-ready." The image has 10M+ pulls and 1.6K stars. The "Guides" tab is selected, showing a section titled "How to use this image" with instructions on how to use the public image or mirror it to a private registry. A "Try DHI Enterprise" button is visible at the bottom right of the guide section.

How to use this image

All examples in this guide use the public image. If you've mirrored the repository for your own use (for example, to your Docker Hub namespace), update your commands to reference the mirrored image instead of the public one.

For example:

```
Public image: dhi.io/<repository>:<tag>
Mirrored image: <your-namespace>/dhi-<repository>:<tag>
```

For the examples, you must first use `docker login dhi.io` to authenticate to the registry to pull the images.

[Mirror this image to your org registry and pull from your own namespace — no dhi.io auth required in CI.](#) [Try DHI Enterprise](#)

Start a Dart instance

ON THIS PAGE

- How to use this image
- Start a Dart instance
- Common Dart use cases
- Build and run a Dart CLI application
- Compile your app inside the Docker container
- Run Dart package commands
- Image variants
- Migrate to a Docker Hardened Image
- Troubleshooting migration

Guides — migration nudge

Where: After the migration table, quiet left-border style.

Why: Someone completing a migration is going to production. That's the moment to mention SLA-backed CVE fixes and compliance. The

 Docker Hub

Explore

My Hub

 [Sign in](#) [Sign up](#)

Image variants

Docker Hardened Images come in different variants depending on their intended use.

Runtime variants are designed to run your application in production. These images run as the nonroot user, do not include a package manager, and contain only the minimal set of libraries needed to run the app.

Build-time variants typically include `dev` in the variant name and are intended for use in the first stage of a multi-stage Dockerfile. These images run as root, include a shell and package manager, and are used to build or compile applications.

Migrate to a Docker Hardened Image

To migrate your application to a Docker Hardened Image, update your Dockerfile. At minimum, update the base image to a Docker Hardened Image.

Item	Migration note
Base image	Replace your base images in your Dockerfile with a Docker Hardened Image.
Package management	Non-dev images don't contain package managers. Use package managers only in images with a dev tag.
Non-root user	By default, non-dev images run as the nonroot user. Ensure that necessary files and directories are accessible to the nonroot user.
Multi-stage build	Use images with a dev tag for build stages and non-dev images for runtime.
TLS certificates	Docker Hardened Images contain standard TLS certificates by default. No need to install them.
Ports	Non-dev images run as nonroot and can't bind to privileged ports (below 1024). Configure your app to listen on port 1025 or higher.
Entry point	Docker Hardened Images may have different entry points than Docker Official Images. Inspect and update your Dockerfile if necessary.
No shell	Some images don't contain a shell. Use dev images in build stages and copy artifacts to the runtime stage.


Going to production? DHI Enterprise includes audit logs, compliance reporting, and a dedicated security review.

[Try DHI Enterprise →](#)

Drawer

Where: Footer CTA across all three non-entitled states: not signed in, personal, org with no entitlements.

Why: This was already in V2. V3 keeps it and makes sure it routes to the plans page, not a dead link.



Every CTA routes to the plans page

The plans page is where all tiers are listed. "Free Trial" was renamed to "Try DHI Enterprise" to keep the copy consistent across every surface.



Any placements to add or remove?