

Standard Operation Procedure (SOP)

Table of Contents

1. Purpose & scope	4
Purpose	4
Scope	4
Out of scope:	4
2. Environment overview.....	5
3. Roles & responsibilities.....	5
• 1st Line Technician	5
• 2nd Line / Server Tech:	5
• OPS / Client Manager:	5
• Vendor/QuickBooks (Intuit) Support:.....	5
4. User lifecycle	6
4.1 User onboarding (New QuickBooks user)	6
Trigger:	6
Mandatory inputs (must be present before action):.....	6
Procedure:.....	6
Control point:	7
4.2 Modify user access (Add / remove client or Enterprise access)	7
Trigger:	7
Procedure:.....	7
4.3 Suspend or disable user	7
Trigger:	7
Procedure:.....	7
5. Access management & security groups	7
How to verify current user sessions:	8
6. QuickBooks-specific accounts & Intuit support	8
7. Common incidents and troubleshooting	8
7.1 QuickBooks application freeze / not responding	8
Likely causes:	8
Resolution steps:	8

7.2 Multi-user mode issues / file lock errors	9
Likely causes:	9
Resolution steps:	9
7.3 Frequent crashes or corruption symptoms	9
Indicators:	9
Action:	9
8. Server & QuickBooks services operations.....	10
8.1 Services to check on the file/server	10
8.2 Safe procedure to restart QuickBooks services	10
8.3 Server restart guidelines	10
9. Maintenance, patching & rollback.....	10
9.1 Patch window and cadence	10
9.2 Rollback / restore plan.....	11
Impact note:	11
10. Change control, approvals & downtime.....	11
10.1 When approval is mandatory	11
10.2 Approval workflow	11
10.3 Maintenance window.....	11
11. Ticketing templates, communication & handover	12
11.1 Access request (email/ticket) template	12
11.2 Maintenance approval request	12
12. Escalation matrix & contact points.....	12
• First line:	12
• Second line (server/AD):	12
• OPS approvals / contact:	12
• Vendor escalation:	13
13. Checklists, runbooks and quick reference	13
Quick reference — top actions	13
Runbook summary for a critical outage affecting many users.....	13
14. Appendices.....	13
Appendix A — sample PowerShell snippets (AD user cloning)	13

Appendix B — sample restart services script (admin only)	14
Appendix C — recommended documentation & records to maintain	14
Final notes & recommendations.....	14
1. Get a maintained list of QuickBooks admin contacts	14
2. Define & document a formal maintenance window	14
3. Automate a basic health-check script.....	14
4. Consider introducing a light-weight load distribution policy.....	15
Appendix — AD PowerShell module & Vendor Escalation	15
AD PowerShell module (summary & usage)	15
Enterprise access groups (explicitly included):	15
Examples	15
Vendor escalation.....	16
Appendix — Console-based Vendor Callback & Enterprise Account Details	16
Console access (Enterprise groups)	16
Initiate Intuit / QuickBooks callback via console	16
Enterprise Account Details — GlobalCFO LLC.....	17
Account Profile — License Set 1	17
Account Profile — License Set 2	17
Usage guidance.....	18

QuickBook Application Support

Scope: QuickBook Application

Prepared By: Geo Thomas

Prepared On: 02-Dec-2025

1. Purpose & scope

Purpose

This Standard Operating Procedure (SOP) is designed to provide end-to-end operational, technical, and support guidance for technicians handling QuickBooks Desktop support in the GlobalCFO / Numera environment. The SOP ensures consistency, auditability, and faster resolution by clearly defining who does what, when, how, and with whose approval.

Scope

This SOP covers:

- User onboarding, modification, suspension, and offboarding for QuickBooks users
- Active Directory (AD) group-based access control including Enterprise groups
- RDP / Parallels hosted QuickBooks Desktop environment
- File server-hosted QuickBooks company files
- Common QuickBooks incidents and structured troubleshooting
- Vendor (Intuit) escalation via console callback
- Backup, restore, and rollback considerations

Out of scope:

- Accounting or bookkeeping functional support
 - Client-side data correctness issues
 - License procurement or billing changes (handled by client finance/OPS)
-

2. Environment overview

A short, practical summary of the environment you'll operate in:

- Multiple RDS servers QuickBooks is installed across selected servers. User sessions are load-distributed manually between these servers.
- Central file server (shared drive) hosts client QuickBooks company files. Multi-user mode and most file-related issues originate here.
- User authentication and group membership are handled through Active Directory.
- Backups of virtual machines (VMs) and file servers are performed daily; retention typically 30–60 days.

Operational implication: many QuickBooks problems are either user-profile related (local profile corruption) or file-server/service related (database services or VM issues). Know both sides.

3. Roles & responsibilities

- **1st Line Technician:** Accept ticket, verify user identity and basic checks (connectivity, sign-out/in, Task Manager), attempt quick fixes (force-close QuickBooks, sign out of Parallels), escalate if needed.
 - **2nd Line / Server Tech:** AD membership changes, service restarts, run QuickBooks Tool Hub/DB Server Manager, copy company files, move user to alternate server, manage VM snapshots and restores.
 - **OPS / Client Manager:** Approves access requests, approves server reboots/maintenance windows and authorizes contacting Intuit under client credentials.
 - **Vendor/QuickBooks (Intuit) Support:** Engage when application-level or database corruption requires vendor troubleshooting. Requires client Intuit admin credentials to open ticket.
-

4. User lifecycle

4.1 User onboarding (New QuickBooks user)

Trigger:

- Email or ticket from OPS / authorized manager requesting QuickBooks access

Mandatory inputs (must be present before action):

- User full name and email ID
- Required client(s) / company files
- Enterprise access requirement (MTF Enterprise / MSCFO Enterprise / Both)
- OPS approval (email confirmation)

Procedure:

1. Verify OPS approval. If missing, reply to requester and CC OPS. Do not proceed without approval.
2. Create AD user account by copying the approved template user.
3. Assign baseline groups:
 - Domain Users
 - Master Training / Common drive group
 - Appropriate RDP server group (NRD05A–NRD05E)
4. Assign Enterprise groups if required:
 - MTF Enterprise
 - MSCFO Enterprise
5. Assign client-specific folder groups as per request.
6. Set initial password and enforce password change at first login (as per policy).
7. Communicate credentials securely to the requester/user.
8. Ask the user to log in and confirm QuickBooks launch and client file visibility.
9. Update the ticket with:
 - Groups added
 - Server assigned
 - Time and technician name

Control point: No access is granted without OPS approval.

4.2 Modify user access (Add / remove client or Enterprise access)

Trigger:

- User cannot access a client file or needs additional access

Procedure:

1. Validate request and OPS approval.
 2. Add or remove the user from the required AD security group(s).
 3. Instruct the user to fully sign out of Parallels/RDP and sign back in.
 4. Validate access with the user.
 5. Update ticket and notify OPS.
-

4.3 Suspend or disable user

Trigger:

- User exit, long leave, or security request

Procedure:

1. Confirm suspension request with OPS / HR.
 2. Disable the AD account (do not delete).
 3. Remove from Enterprise and client groups if instructed.
 4. Move account to Disabled Users OU.
 5. Confirm access is blocked.
 6. Document action in ticket.
-

5. Access management & security groups

- Client data access is controlled by AD security groups: a "client data share" group and per-client groups (one group per client). Add/remove users to control folder visibility.

- The default new user member-of groups: Domain Users, QB Master Training Drive group, server-specific group (e.g., NRD05E Users).
- When moving a user to another server, remove the old server group and add the new server group. This creates a fresh local profile on the new server and commonly resolves profile-specific issues.

How to verify current user sessions: Use the connection broker / RD Connection Manager to see users logged into each server. This helps decide the least-impact server to move a user to or to plan maintenance.

6. QuickBooks-specific accounts & Intuit support

- QuickBooks application accounts and Intuit (Intuit ID) credentials are managed by the Numera.
 - Engaging Intuit support: The client must open the case or provide credentials; once Intuit is engaged, technicians should join the session, provide requested logs, run vendor tools and execute actions as instructed.
 - Keep an internal list (maintained by OPS) of the QuickBooks admin contacts for each client file (recommended).
-

7. Common incidents and troubleshooting

7.1 QuickBooks application freeze / not responding

Likely causes:

- Hung QuickBooks process
- Corrupt local user profile
- Database lock contention

Resolution steps:

1. Ask user to close QuickBooks and reopen.
2. If not possible, guide user to Task Manager → End QBW32.exe.
3. If user is unable, force sign-out from RDP/Parallels.
4. If issue repeats:

- Log in as admin
 - Run QuickBooks Tool Hub → Quick Fix My Program
5. If only one user is affected:
- Move user to alternate server (new profile)
6. If multiple users are affected:
- Proceed to service-level troubleshooting (Section 8)
-

7.2 Multi-user mode issues / file lock errors

Likely causes:

- Database Server Manager service stopped
- Stale .nd or .tlg files
- File server connectivity issue

Resolution steps:

1. Confirm no user has the file open in single-user mode.
 2. Restart QuickBooks Database Server Manager services.
 3. Verify .nd and .tlg files regenerate.
 4. Test file access with a single test user.
 5. If unresolved, prepare vendor escalation bundle.
-

7.3 Frequent crashes or corruption symptoms

Indicators:

- Repeated crashes across users
- Verify/Rebuild failures
- Intuit error codes

Action:

- Do not attempt repeated rebuilds.
- Take a fresh backup copy.
- Initiate vendor escalation as per Appendix.

8. Server & QuickBooks services operations

8.1 Services to check on the file/server

- QuickBooks Database Server Manager (QBDBMgrN) — ensures multi-user database hosting.
- QuickBooksDBXX services (version-specific) — verify running state.
- Network connectivity to NAS/file share where QuickBooks files reside.

8.2 Safe procedure to restart QuickBooks services

1. Notify OPS/affected users if more than a couple of users are connected.
2. From admin session, stop QuickBooks services in order, wait 30 sec, then start them.
3. Monitor event logs for errors and attempt to open a test company file.

8.3 Server restart guidelines

- If restarting an entire server is needed, confirm:
 - Approval from OPS/manager (email confirmation is required for reboots that affect other users).
 - Ensure company files are in a consistent state / no active write operations.
 - Prefer maintenance windows (lean period observed: ~03:00–08:00 IST as an example).

9. Maintenance, patching & rollback

9.1 Patch window and cadence

- Windows updates and server patching are performed manually during lean hours (example: 03:00–08:00 IST). Document the exact customer-approved maintenance window in the change control.

9.2 Rollback / restore plan

- Daily VM backups exist with typical retention 30–60 days. If a patch causes QuickBooks to fail to start, try in order:
 1. Revert the problematic Windows update (if known) / uninstall update.
 2. Restart QuickBooks services and attempt to open the company file.
 3. If unsuccessful and data at risk, restore the VM from a backup snapshot (prefer using same-day morning backup).

Impact note: Restoring the file server can revert client files to the backup point—any work performed after that time will be lost. Communicate risk to OPS and client.

10. Change control, approvals & downtime

10.1 When approval is mandatory

- Server reboot
- File server restart
- Database service restart impacting multiple users
- Vendor (Intuit) engagement

10.2 Approval workflow

1. Raise request with:
 - Reason
 - Impacted users
 - Expected downtime
2. Obtain written approval from OPS.
3. Attach approval to ticket.
4. Execute change.
5. Post-change validation and update.

10.3 Maintenance window

- Preferred lean window: early IST hours
- No ad-hoc changes during business hours unless P1 incident

11. Ticketing templates, communication & handover

11.1 Access request (email/ticket) template

Subject: QuickBooks Access Request — <User Full Name> — <Client Name>

Body:

- User: <Full Name> (<email>)
- Action: Add / Remove / Change
- Client folders required: <Client A>, <Client B>
- RDP access required: Yes/No
- Additional apps: TransactionPro (Yes/No)
- OPS Approval: <Rohit / OPS email confirmation attached>

Please action and confirm once complete.

11.2 Maintenance approval request

Subject: Approval Request — QuickBooks Server Restart — <ServerName> — <Date/Time IST>

Body:

- Reason: troubleshooting / updates
- Expected impact: users signed out; downtime ~20–30 mins
- Backup plan: VM snapshot exists; backups daily with 30–60 day retention
- Approval: Please reply to approve or provide alternate window.

12. Escalation matrix & contact points

- **First line:** Ticket assigned to Tech Team — perform initial troubleshooting.
- **Second line (server/AD):** Server team — service restarts, AD user changes.
- **OPS approvals / contact:** Numera — for access approvals and maintenance authorizations.

- **Vendor escalation:** Intuit (QuickBooks) — client must open support case or provide admin credentials for vendor access.

(Maintain a live contact list in a secure vault: OPS approvers, server admins, backup/restore owners.)

13. Checklists, runbooks and quick reference

Quick reference — top actions

- Can't open QuickBooks: sign out/in, Task Manager, remote assist, run Quick Fix.
- Multi-user issues: check QB services on the file server → restart services → if >5 users, seek approval before reboot.
- Access issues: confirm AD group membership → ensure NTFS ACLs are correct → user sign out/in.
- Profile-specific errors: move user to alternate server / create new local profile & copy relevant desktop files.

Runbook summary for a critical outage affecting many users

1. Open P1 ticket, notify OPS + management.
 2. Check connection broker for number of connected users (which servers are affected).
 3. Check file server health and QuickBooks DB service.
 4. Restart services if appropriate; if unsuccessful and users idle period present, request approval to reboot server.
 5. If still unresolved, involve Intuit with client admin credentials; provide logs and run vendor-guided steps.
-

14. Appendices

Appendix A — sample PowerShell snippets (AD user cloning)

Example: copy an AD user as a template

```
Import-Module ActiveDirectory
```

```
$template = Get-ADUser -Identity "template.user" -Properties memberOf  
New-ADUser -Name "John Doe" -SamAccountName "j.doe" -AccountPassword  
(ConvertTo-SecureString "P@ssw0rd!" -AsPlainText -Force) -Enabled $true  
  
# Add to groups  
  
$template.memberOf | ForEach-Object { Add-ADGroupMember -Identity $_ -Members  
"j.doe" }
```

Appendix B — sample restart services script (admin only)

```
# Restart QuickBooks Database Services (replace with actual service names)  
  
$services = @('QBDBMgr<version>','QuickBooksServiceName2')  
  
foreach ($svc in $services) {  
  
    if ((Get-Service -Name $svc).Status -eq 'Running') { Restart-Service -Name $svc -Force  
-ErrorAction Stop }  
  
    else { Start-Service -Name $svc }  
  
}
```

Appendix C — recommended documentation & records to maintain

- Current inventory of QuickBooks admin/Intuit account owners per client.
- Mapping: AD group → client folder → NTFS permission list.
- Backup retention and last successful backup timestamps.
- Server assignment list and number of active users per server (taken from connection broker logs).

Final notes & recommendations

1. **Get a maintained list of QuickBooks admin contacts** (Numera must provide). It speeds vendor escalation.
2. **Define & document a formal maintenance window** and an approval channel (email distribution list) to avoid mid-day reboots.
3. **Automate a basic health-check script** to report QuickBooks DB service status and number of connected users; run it daily during lean period.

4. Consider introducing a light-weight load distribution policy for the RDS servers to avoid ad-hoc manual balancing.
-

Appendix — AD PowerShell module & Vendor Escalation

AD PowerShell module (summary & usage)

I added a production-ready AD helper module named `QuickBooks.AD.Tools.psm1`. Place it on an admin workstation under `C:/Tools/QuickBooks.AD.Tools.psm1`. It contains functions for:

- Creating users from a template (`New-QBUserFromTemplate`)
- Adding/removing users to groups (`Add-QBUserToGroups` / `Remove-QBUserFromGroups`)
- Moving users between OUs (`Move-QBUserToOU`)
- Enabling/disabling accounts (`Enable-QBUser` / `Disable-QBUser`)
- Exporting user reports (`Export-QBUserReport`)

Enterprise access groups (explicitly included):

- MTF Enterprise
- MSCFO Enterprise

Use these groups when provisioning users who require enterprise-level QuickBooks access.

Examples

```
Import-Module C:/Tools/QuickBooks.AD.Tools.psm1
```

```
# Create user from template
```

```
New-QBUserFromTemplate -SamAccountName j.doe -GivenName John -Surname Doe  
-Template template.user -OU 'OU=Users,DC=contoso,DC=com'
```

```
# Grant Enterprise access
```

```
Add-QBUserToGroups -SamAccountName j.doe -Groups @('MTF Enterprise','MSCFO  
Enterprise')
```

The module writes operational logs to C:/Logs/QuickBooks-AD-Module.log. Run in an elevated PowerShell session and ensure the running account has AD privileges.

Vendor escalation

- Copy of company file (*.qbw) plus .nd and .tlg files (or a recent backup copy)
 - QuickBooks application logs (user AppData paths or Tool Hub Log Collector output)
 - Database Server Manager logs (ProgramData/Intuit or Program Files/Intuit locations)
 - Windows Event Logs (Application and System exports for the incident window)
 - Network captures: ipconfig /all, netstat -ano, tracert to the file server
 - NTFS ACLs for the company file folder (icacls /save output)
 - Process list and, if necessary, a ProcDump process dump of QBW32.exe
 - Backup snapshot IDs and backup application logs
-

Appendix — Console-based Vendor Callback & Enterprise Account Details

Console access (Enterprise groups)

Technicians who are members of the below AD security groups are authorized to initiate vendor callbacks from within the QuickBooks console:

- MTF Enterprise
- MSCFO Enterprise

Ensure the technician is logged in via RDP/Parallels with one of the above group memberships before proceeding.

Initiate Intuit / QuickBooks callback via console

1. Log in to the QuickBooks server via RDP/Parallels using an account that belongs to MTF Enterprise or MSCFO Enterprise.
2. Launch QuickBooks Desktop.
3. Navigate to Help → Callback.

4. When prompted, provide the RingCentral contact number as the callback number.
5. Stay connected to the session until Intuit support initiates the callback. Do not close QuickBooks during this period.
6. Once connected, follow vendor-guided diagnostics and document all actions performed.

Important: Callback initiation must be done only after OPS / client approval and during an active incident or approved support window.

Enterprise Account Details — GlobalCFO LLC

The following enterprise account information must be used when engaging Intuit / QuickBooks support. Share these details only with authorized vendor representatives and do not store them in unsecured locations.

Account Profile — License Set 1

- Entity Name: GlobalCFO LLC
- Primary Contact Person: Shriya Garg
- Email: sgarg@numerafinance.com
- Contact Number: +1 469-468-5429
- Account Number: 400672108
- QuickBooks License: 661788335427686
- Billing / Mailing Address: 4512 Legacy Dr, STE 100, Plano, TX 75024-2186

Account Profile — License Set 2

- Entity Name: GlobalCFO LLC
- Primary Contact Person: Shriya Garg
- Email: sgarg@numerafinance.com
- Contact Number: +1 469-468-5429
- Account Number: 400672108
- QuickBooks License: 642227553599069
- Billing / Mailing Address: 4512 Legacy Dr, STE 100, Plano, TX 75024-2186

Usage guidance

- Use the appropriate QuickBooks License number based on the affected company file or environment.
 - Always quote the Account Number and Entity Name during Intuit verification.
 - If Intuit requests account owner validation, loop in the Primary Contact Person immediately.
 - Record the Intuit case number in the internal ticket and update OPS at every major milestone.
-