### eJabberd installation for OurGrid

#### Install

- apt-get install ejabberd

Ejabberd dir: /etc/ejabberd

### Configure

If you are using the template file, just change the hostnames and IPs:

- vim /etc/ejabberd/ejabberd.cfg
- change {hosts, ["localhost"]}. to your host Ex.: {hosts, ["estrela"]}.
- change {acl, admin, {user, "", "localhost"}}. to your admin user and host. Ex.: {acl, admin, {user, "abmar", "estrela"}}.
- set the server external IP in the c2s and in the s2s connections, by adding an IP object: Ex.: {ip, {150, 165, 85, 185}},

If you are not using the template file, do the following changes:

- remove ejabberd c2s shaper by changing {shaper, c2s shaper} to {shaper, none}.
- remove registration\_timeout by uncommenting the line {registration\_timeout, 600}. and changing it to {registration\_timeout, infinity}. (That line may not exist in every config file. In this case you should add this line without uncommenting anything)
- increase max\_user\_sessions:

  Ex.: {access, max user sessions, [{100, all}]}.
- open for inbound registration by changing {access, register, [{deny, all}]}. to {access, register, [{allow, all}]}.
- remove max stanza limitter, by changing *max\_stanza\_size* to *none*, both in the c2s and in the s2s connections.
- In the c2s connection, remove the *starttls* option and add the *zlib* option in order to allow for compression, as for issue <a href="https://support.process-one.net/browse/EJAB-1382">https://support.process-one.net/browse/EJAB-1382</a>
- remove traffic shapers and max stanza limit, by changing {access, c2s\_shaper, [{none, admin}, {normal, all}]}. and {access, s2s\_shaper, [{fast, all}]}. to {access, c2s\_shaper, [{none, all}]}. and {access, s2s\_shaper, [{none, all}]}.
- remove welcome message by commenting {welcome message, {"Welcome!" ...} and

uncommenting {welcome\_message, none}. (Remember to comment all lines from the welcome message).

```
- comment the ejabberd mods that are not required
      %%{mod_adhoc, []},
      %%{mod_announce, [{access, announce}]}, % requires mod_adhoc
      %%{mod caps, []},
      %%{mod_configure,[]}, % requires mod_adhoc
      %%{mod ctlextra, []},
      %%{mod_echo, [{host, "echo.localhost"}]},
      %%{mod_irc,
      %%{mod last, []},
      %%{mod_muc, [
              %%{host, "conference.@HOST@"},
                   {access, muc},
              %%
                    {access_create, muc},
              %%
                   {access persistent, muc},
              %% {access admin, muc admin},
              %%
                   {max users, 500}
              %% ]},
      %%{mod_pubsub, [% requires mod_caps
      %%
              {access_createnode, pubsub_createnode},
      %%
              {plugins, ["default", "pep"]}
      %%
             ]},
      %%{mod_roster, []},
      %%{mod_service_log,[]},
      %%{mod_shared_roster,[]},
      %%{mod_stats, []},
      %%{mod_time,
                      []},
      %%{mod_vcard, []},
```

# Register admin

- ejabberdctl register admin domain password

## Restart ejabberd

- /etc/init.d/ejabberd restart