

# Natural logarithm (integral representation)

Alexander S. Madsen \*

Institute for Physics og Astronomi, Aarhus Universitet, Denmark

June 28, 2018

## 1 Introduction

In the following we are asked to implement a function that calculates the natural logarithm of a real positive number  $x$  using the integral representation

$$\ln(x) = \int_1^x \frac{1}{t} dt \quad (1.0.1)$$

The integration is to be carried out using a suitable GSL integration routine. Furthermore, to improve computational efficiency, the integration interval must be *reduced* before the routine is called such that  $1 \leq x < 2$  for an arbitrary positive number  $x$ . This is to be done using the formulas

$$\ln(x) = -\ln\left(\frac{1}{x}\right), \ln(x) = \ln(2) + \ln\left(\frac{x}{2}\right) \quad (1.0.2)$$

Finally the acquired results must be compared to a with  $\ln(x)$  function from the `< math.h >` library or from GSL.

## 2 Implementation

A separate *c*-file called *log\_int.c* is build containing a numerical implementation of eq. (1.0.1), compliant with the specification of the GSL library h, as well as a function executing the GSL integration routine itself. Specifically the function takes a *double*  $x$  corresponding to the upper integration limit in eq. (1.0.1) and returns the *double result*. The function automatically allocates and frees the workspace needed for the particular GSL integration routine which for this problem is set to be `gsl_integration_qags`. The "projection" of the positive variable  $x$  onto the interval  $1 \leq x < 2$  is implemented by nesting the function within itself using the following if-statement sequence

```
if (x < 1){return -log_int(1.0/x, calls);}  
if (x >= 2){return log(2.0) + log_int(x/2.0, calls);}
```

This results in a recursion in which the function continuously calls itself until the condition  $1 \leq x < 2$  is realized at which point the GSL integration routine is carried out. The program is run from the *c*-file *main.c* by calling `???` in a `???` loop. Specifically the function is evaluated from 0.1 to 10 using a step size of  $\Delta x = 0.1$ .

## 3 Results

---

\*e-mail: asm.arbejde@gmail.com