

# speedtest

*Benjamin Christoffersen*

*2018-10-22*

## Setup

```
library(dynamichazard); library(microbenchmark)

## Loading required package: survival

sim_func <- function(n, p){
  func <- asNamespace("dynamichazard")$test_sim_func_logit
  set.seed(101)
  t_max <- 30L
  func(n_series = n, n_vars = p, t_max = t_max, x_range = 1, x_mean = 0,
       beta_start = runif(p, -1.5, 1.5),
       intercept_start = -3, sds = c(.1, rep(.25, p)),
       tstart_sampl_func = function(t0, t_max)
         max(0, runif(1, -t_max, t_max - 1L)),
       lambda = 1 / 10)
}

get_rune_time_summary <- function(n, p){
  sims <- sim_func(n, p)

  out <- summary(microbenchmark(
    EKF_one_correction_step =
      suppressMessages(ddhazard(
        formula = Surv(tstart, tstop, event) ~ . - id,
        data = sims$res,
        model = "logit",
        id = sims$res$id,
        by = 1L,
        max_T = 30L,
        Q_0 = diag(1e6, p + 1L),
        Q = diag(1e-1, p + 1L))),
    EKF_more_correction_step =
      suppressMessages(ddhazard(
        formula = Surv(tstart, tstop, event) ~ . - id,
        data = sims$res,
        model = "logit",
        id = sims$res$id,
        by = 1L,
        max_T = 30L,
        Q_0 = diag(1, p + 1L),
        Q = diag(1e-1, p + 1L),
        control = list(NR_eps = 1e-3))),
    SMA = suppressMessages(ddhazard(
```

```

    formula = Surv(tstart, tstop, event) ~ . - id,
    data = sims$res,
    model = "logit",
    id = sims$res$id,
    by = 1L,
    max_T = 30L,
    Q_0 = diag(1e6, p + 1L),
    Q = diag(1e-1, p + 1L),
    control = list(method = "SMA"))),

GMA = suppressMessages(ddhazard(
  formula = Surv(tstart, tstop, event) ~ . - id,
  data = sims$res,
  model = "logit",
  id = sims$res$id,
  by = 1L,
  max_T = 30L,
  Q_0 = diag(1, p + 1L),
  Q = diag(1e-1, p + 1L),
  control = list(method = "GMA"))),

UKF = suppressMessages(ddhazard(
  formula = Surv(tstart, tstop, event) ~ . - id,
  data = sims$res,
  model = "logit",
  id = sims$res$id,
  by = 1L,
  max_T = 30L,
  Q_0 = diag(1, p + 1L),
  Q = diag(1e-1, p + 1L),
  control = list(method = "UKF"))),

  times = 1
))

cat("(n, p) = (", n, ", ", p, ")",
    ". Units is ", sQuote(attr(out, "unit")), "\n", sep = "")

print(out[, c("expr", "lq", "median", "uq")], row.names = FALSE)

cat("\n\n")

invisible()
}

```

## Test

```

grid_vals <- expand.grid(
  n = c(250, 1000, 10000),
  p = c(5, 10, 15))

```

```
invisible(
  mapply(get_rune_time_summary, n = grid_vals$n, p = grid_vals$p))

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  70.5   70.5  70.5
## EKF_more_correction_step 126.3  126.3 126.3
##           SMA 195.8  195.8 195.8
##           GMA 183.6  183.6 183.6
##           UKF 365.8  365.8 365.8

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  222    222  222
## EKF_more_correction_step 648    648  648
##           SMA 618    618  618
##           GMA 287    287  287
##           UKF 569    569  569

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  412    412  412
## EKF_more_correction_step 968    968  968
##           SMA 2334   2334 2334
```

```

##          GMA  891    891  891
##          UKF 2582   2582 2582

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 111    111 111
## EKF_more_correction_step 247    247 247
##          SMA 447    447 447
##          GMA 394    394 394
##          UKF 947    947 947

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 159    159 159
## EKF_more_correction_step 302    302 302
##          SMA 530    530 530
##          GMA 222    222 222
##          UKF 823    823 823

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 486    486 486
## EKF_more_correction_step 1026   1026 1026
##          SMA 3309   3309 3309
##          GMA 1068   1068 1068

```

```

##                                UKF 4466    4466 4466

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 298    298 298
## EKF_more_correction_step 333    333 333
##           SMA  959    959 959
##           GMA  440    440 440
##           UKF 2363   2363 2363

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 226    226 226
## EKF_more_correction_step 489    489 489
##           SMA 1362   1362 1362
##           GMA  344    344 344
##           UKF 1673   1673 1673

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 470    470 470
## EKF_more_correction_step 1046   1046 1046
##           SMA 4291   4291 4291
##           GMA 1257   1257 1257
##           UKF 5386   5386 5386

```

## Session info

- R version 3.5.0 (2018-04-23), x86\_64-w64-mingw32
- Locale: LC\_COLLATE=English\_United States.1252, LC\_CTYPE=C, LC\_MONETARY=English\_United States.1252, LC\_NUMERIC=C, LC\_TIME=English\_United States.1252
- Running under: Windows 10 x64 (build 17134)
- Matrix products: default
- Base packages: base, datasets, graphics, grDevices, methods, stats, utils
- Other packages: dynamichazard 0.6.1, microbenchmark 1.4-4, survival 2.41-3
- Loaded via a namespace (and not attached): backports 1.1.2, boot 1.3-20, compiler 3.5.0, digest 0.6.15, evaluate 0.10.1, grid 3.5.0, htmltools 0.3.6, knitr 1.20, lattice 0.20-35, magrittr 1.5, Matrix 1.2-14, parallel 3.5.0, Rcpp 0.12.18, rmarkdown 1.9, rprojroot 1.3-2, splines 3.5.0, stringi 1.1.7, stringr 1.3.0, tools 3.5.0, yaml 2.1.18