

# speedtest

*Benjamin Christoffersen*

*2018-10-09*

## Setup

```
library(dynamichazard); library(microbenchmark)

## Loading required package: survival

sim_func <- function(n, p){
  func <- asNamespace("dynamichazard")$test_sim_func_logit
  set.seed(101)
  t_max <- 30L
  func(n_series = n, n_vars = p, t_max = t_max, x_range = 1, x_mean = 0,
       beta_start = runif(p, -1.5, 1.5),
       intercept_start = -3, sds = c(.1, rep(.25, p)),
       tstart_sampl_func = function(t0, t_max)
         max(0, runif(1, -t_max, t_max - 1L)),
       lambda = 1 / 10)
}

get_rune_time_summary <- function(n, p){
  sims <- sim_func(n, p)

  out <- summary(microbenchmark(
    EKF_one_correction_step =
      suppressMessages(ddhazard(
        formula = Surv(tstart, tstop, event) ~ . - id,
        data = sims$res,
        model = "logit",
        id = sims$res$id,
        by = 1L,
        max_T = 30L,
        Q_0 = diag(1e6, p + 1L),
        Q = diag(1e-1, p + 1L))),
    EKF_more_correction_step =
      suppressMessages(ddhazard(
        formula = Surv(tstart, tstop, event) ~ . - id,
        data = sims$res,
        model = "logit",
        id = sims$res$id,
        by = 1L,
        max_T = 30L,
        Q_0 = diag(1, p + 1L),
        Q = diag(1e-1, p + 1L),
        control = list(NR_eps = 1e-3))),
    SMA = suppressMessages(ddhazard(
```

```

    formula = Surv(tstart, tstop, event) ~ . - id,
    data = sims$res,
    model = "logit",
    id = sims$res$id,
    by = 1L,
    max_T = 30L,
    Q_0 = diag(1e6, p + 1L),
    Q = diag(1e-1, p + 1L),
    control = list(method = "SMA"))),

GMA = suppressMessages(ddhazard(
  formula = Surv(tstart, tstop, event) ~ . - id,
  data = sims$res,
  model = "logit",
  id = sims$res$id,
  by = 1L,
  max_T = 30L,
  Q_0 = diag(1, p + 1L),
  Q = diag(1e-1, p + 1L),
  control = list(method = "GMA"))),

UKF = suppressMessages(ddhazard(
  formula = Surv(tstart, tstop, event) ~ . - id,
  data = sims$res,
  model = "logit",
  id = sims$res$id,
  by = 1L,
  max_T = 30L,
  Q_0 = diag(1, p + 1L),
  Q = diag(1e-1, p + 1L),
  control = list(method = "UKF"))),

  times = 1
))

cat("(n, p) = (", n, ", ", p, ")",
    ". Units is ", sQuote(attr(out, "unit")), "\n", sep = "")

print(out[, c("expr", "lq", "median", "uq")], row.names = FALSE)

cat("\n\n")

invisible()
}

```

## Test

```

grid_vals <- expand.grid(
  n = c(250, 1000, 10000),
  p = c(5, 10, 15))

```

```
invisible(
  mapply(get_rune_time_summary, n = grid_vals$n, p = grid_vals$p))

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  67.7   67.7  67.7
## EKF_more_correction_step 130.0  130.0 130.0
##           SMA 190.7  190.7 190.7
##           GMA 206.5  206.5 206.5
##           UKF 334.0  334.0 334.0

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  245    245 245
## EKF_more_correction_step  580    580 580
##           SMA 639    639 639
##           GMA 277    277 277
##           UKF 521    521 521

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 5). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step  376    376 376
## EKF_more_correction_step  929    929 929
##           SMA 2417   2417 2417
```

```

##          GMA  899    899  899
##          UKF 2444   2444 2444

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 109    109 109
## EKF_more_correction_step 246    246 246
##          SMA 452    452 452
##          GMA 358    358 358
##          UKF 927    927 927

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 136    136 136
## EKF_more_correction_step 279    279 279
##          SMA 537    537 537
##          GMA 213    213 213
##          UKF 796    796 796

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 10). Units is 'milliseconds'
##          expr  lq median  uq
## EKF_one_correction_step 463    463 463
## EKF_more_correction_step 1031   1031 1031
##          SMA 3225   3225 3225
##          GMA 1047   1047 1047

```

```

##                                UKF 4162    4162 4162

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (250, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 279    279 279
## EKF_more_correction_step 316    316 316
##           SMA    950    950 950
##           GMA    447    447 447
##           UKF   2201    2201 2201

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (1000, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 194    194 194
## EKF_more_correction_step 422    422 422
##           SMA   1351    1351 1351
##           GMA    346    346 346
##           UKF   1550    1550 1550

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## Warning in ddhazard(formula = Surv(tstart, tstop, event) ~ . - id, data = sims
## $res, : 'ddhazard_control' instead of 'list' to the 'control' argument

## (n, p) = (10000, 15). Units is 'milliseconds'
##           expr    lq median    uq
## EKF_one_correction_step 412    412 412
## EKF_more_correction_step 919    919 919
##           SMA   4332    4332 4332
##           GMA   1125    1125 1125
##           UKF   5156    5156 5156

```

## Session info

- R version 3.5.0 (2018-04-23), x86\_64-w64-mingw32
- Locale: LC\_COLLATE=English\_United States.1252, LC\_CTYPE=C, LC\_MONETARY=English\_United States.1252, LC\_NUMERIC=C, LC\_TIME=English\_United States.1252
- Running under: Windows 10 x64 (build 17134)
- Matrix products: default
- Base packages: base, datasets, graphics, grDevices, methods, stats, utils
- Other packages: dynamichazard 0.6.0, microbenchmark 1.4-4, survival 2.41-3
- Loaded via a namespace (and not attached): backports 1.1.2, boot 1.3-20, compiler 3.5.0, digest 0.6.15, evaluate 0.10.1, grid 3.5.0, htmltools 0.3.6, knitr 1.20, lattice 0.20-35, magrittr 1.5, Matrix 1.2-14, parallel 3.5.0, Rcpp 0.12.18, rmarkdown 1.9, rprojroot 1.3-2, splines 3.5.0, stringi 1.1.7, stringr 1.3.0, tools 3.5.0, yaml 2.1.18