

```
1 "C:\Program Files\Java\jdk-18\bin\java.exe" -ea -  
Didea.test.cyclic.buffer.size=1048576 "-javaagent:C:\  
Program Files\JetBrains\IntelliJ IDEA Community  
Edition 2022.2.4\lib\idea_rt.jar=57186:C:\Program  
Files\JetBrains\IntelliJ IDEA Community Edition 2022.  
2.4\bin" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=  
UTF-8 -Dsun.stderr.encoding=UTF-8 -classpath "C:\  
Program Files\JetBrains\IntelliJ IDEA Community  
Edition 2022.2.4\lib\idea_rt.jar;C:\Program Files\  
JetBrains\IntelliJ IDEA Community Edition 2022.2.4\  
plugins\testng\lib\testng-rt.jar;C:\Users\User\  
Documents\FacebookTest\Faceboook\target\test-classes;  
C:\Users\User\Documents\FacebookTest\Faceboook\target  
\classes;C:\Users\User\.m2\repository\org\seleniumhq\  
selenium\selenium-chrome-driver\4.6.0\selenium-chrome  
-driver-4.6.0.jar;C:\Users\User\.m2\repository\com\  
google\auto\service\auto-service-annotations\1.0.1\  
auto-service-annotations-1.0.1.jar;C:\Users\User\.m2\  
repository\com\google\auto\service\auto-service\1.0.1  
\auto-service-1.0.1.jar;C:\Users\User\.m2\repository\  
com\google\auto\auto-common\1.2\auto-common-1.2.jar;C  
:\Users\User\.m2\repository\com\google\guava\guava\31  
.1-jre\guava-31.1-jre.jar;C:\Users\User\.m2\  
repository\com\google\guava\failureaccess\1.0.1\  
failureaccess-1.0.1.jar;C:\Users\User\.m2\repository\  
com\google\guava\listenablefuture\9999.0-empty-to-  
avoid-conflict-with-guava\listenablefuture-9999.0-  
empty-to-avoid-conflict-with-guava.jar;C:\Users\User  
\.m2\repository\org\checkerframework\checker-qual\3.  
12.0\checker-qual-3.12.0.jar;C:\Users\User\.m2\  
repository\com\google\errorprone\  
error_prone_annotations\2.11.0\  
error_prone_annotations-2.11.0.jar;C:\Users\User\.m2\  
repository\com\google\j2objc\j2objc-annotations\1.3\  
j2objc-annotations-1.3.jar;C:\Users\User\.m2\  
repository\org\seleniumhq\selenium\selenium-api\4.6.0  
\selenium-api-4.6.0.jar;C:\Users\User\.m2\repository\  
org\seleniumhq\selenium\selenium-chromium-driver\4.6.  
0\selenium-chromium-driver-4.6.0.jar;C:\Users\User\  
.m2\repository\org\seleniumhq\selenium\selenium-json\4  
.6.0\selenium-json-4.6.0.jar;C:\Users\User\.m2\  

```

```
1 repository\org\seleniumhq\selenium\selenium-remote-
driver\4.6.0\selenium-remote-driver-4.6.0.jar;C:\Users\User\.m2\repository\io\netty\netty-buffer\4.1.
84.Final\netty-buffer-4.1.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-codec-http\4.1.84.
Final\netty-codec-http-4.1.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-codec\4.1.84.Final\
netty-codec-4.1.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-handler\4.1.84.Final\netty-
handler-4.1.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-common\4.1.84.Final\netty-common-4.1.
84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-
transport-classes-epoll\4.1.84.Final\netty-
transport-classes-epoll-4.1.84.Final.jar;C:\Users\
User\.m2\repository\io\netty\netty-transport-classes-
kqueue\4.1.84.Final\netty-transport-classes-kqueue-4.
1.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-
transport-native-epoll\4.1.84.Final\netty-
transport-native-epoll-4.1.84.Final.jar;C:\Users\User\
\.m2\repository\io\netty\netty-transport-native-
kqueue\4.1.84.Final\netty-transport-native-kqueue-4.1
.84.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-
transport-native-unix-common\4.1.84.Final\netty-
transport-native-unix-common-4.1.84.Final.jar;C:\
Users\User\.m2\repository\io\netty\netty-transport\4.
1.84.Final\netty-transport-4.1.84.Final.jar;C:\Users\
User\.m2\repository\io\netty\netty-resolver\4.1.84.
Final\netty-resolver-4.1.84.Final.jar;C:\Users\User\
.m2\repository\io\opentelemetry\opentelemetry-api\1.19
.0\opentelemetry-api-1.19.0.jar;C:\Users\User\.m2\
repository\io\opentelemetry\opentelemetry-context\1.
19.0\opentelemetry-context-1.19.0.jar;C:\Users\User\
.m2\repository\io\opentelemetry\opentelemetry-exporter-
logging\1.19.0\opentelemetry-exporter-logging-1.19.0
.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-
sdk-metrics\1.19.0\opentelemetry-sdk-
metrics-1.19.0.jar;C:\Users\User\.m2\repository\io\
opentelemetry\opentelemetry-sdk-logs\1.19.0-alpha\
opentelemetry-sdk-logs-1.19.0-alpha.jar;C:\Users\User\
.m2\repository\io\opentelemetry\opentelemetry-api-
logs\1.19.0-alpha\opentelemetry-api-logs-1.19.0-alpha
```

```
1 .jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-sdk-common\1.19.0\opentelemetry-sdk-common-1.19.0.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-sdk-extension-autoconfigure-spi\1.19.0\opentelemetry-sdk-extension-autoconfigure-spi-1.19.0.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-sdk-extension-autoconfigure\1.19.0-alpha\opentelemetry-sdk-extension-autoconfigure-1.19.0-alpha.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-exporter-common\1.19.0\opentelemetry-exporter-common-1.19.0.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-trace\1.19.0\opentelemetry-sdk-trace-1.19.0.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-sdk\1.19.0\opentelemetry-sdk-1.19.0.jar;C:\Users\User\.m2\repository\io\opentelemetry\opentelemetry-semconv\1.19.0-alpha\opentelemetry-semconv-1.19.0-alpha.jar;C:\Users\User\.m2\repository\io\ous\jtoml\2.0.0\jtoml-2.0.0.jar;C:\Users\User\.m2\repository\org\asynchttpclient\async-http-client\2.12.3\async-http-client-2.12.3.jar;C:\Users\User\.m2\repository\org\asynchttpclient\async-http-client-netty-utils\2.12.3\async-http-client-netty-utils-2.12.3.jar;C:\Users\User\.m2\repository\io\netty\netty-codec-socks\4.1.60.Final\netty-codec-socks-4.1.60.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-handler-proxy\4.1.60.Final\netty-handler-proxy-4.1.60.Final.jar;C:\Users\User\.m2\repository\io\netty\netty-transport-native-epoll\4.1.60.Final\linux-x86_64.jar;C:\Users\User\.m2\repository\io\netty\netty-transport-native-kqueue\4.1.60.Final\netty-transport-native-kqueue-4.1.60.Final-osx-x86_64.jar;C:\Users\User\.m2\repository\org\reactivestreams\reactive-streams\1.0.3\reactive-streams-1.0.3.jar;C:\Users\User\.m2\repository\com\typesafe\netty\netty-reactive-streams\2.0.4\netty-reactive-streams-2.0.4.jar;C:\Users\User\.m2\repository\com\sun\activation\jakarta.activation\1.2.2\jakarta.activation-1.2.2.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-http\4.6.
```

```
1 0\selenium-http-4.6.0.jar;C:\Users\User\.m2\repository\dev\failsafe\failsafe\3.3.0\failsafe-3.3.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-manager\4.6.0\selenium-manager-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-support\4.6.0\selenium-support-4.6.0.jar;C:\Users\User\.m2\repository\net\bytebuddy\byte-buddy\1.12.18\byte-buddy-1.12.18.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-java\4.6.0\selenium-java-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-devtools-v105\4.6.0\selenium-devtools-v105-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-devtools-v106\4.6.0\selenium-devtools-v106-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-devtools-v107\4.6.0\selenium-devtools-v107-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-devtools-v85\4.6.0\selenium-devtools-v85-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-edge-driver\4.6.0\selenium-edge-driver-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-firefox-driver\4.6.0\selenium-firefox-driver-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-ie-driver\4.6.0\selenium-ie-driver-4.6.0.jar;C:\Users\User\.m2\repository\org\seleniumhq\selenium\selenium-safari-driver\4.6.0\selenium-safari-driver-4.6.0.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-archiver\3.6.0\maven-archiver-3.6.0.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-io\3.4.0\plexus-io-3.4.0.jar;C:\Users\User\.m2\repository\javax\inject\javax.inject\1\javax.inject-1.jar;C:\Users\User\.m2\repository\commons-io\commons-io\2.11.0\commons-io-2.11.0.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-archiver\4.4.0\plexus-archiver-4.4.0.jar;C:\Users\User\.m2\repository\org\apache\commons\commons-compress\1.21\commons-compress-1.21.jar;C:\Users\User\.m2\repository\org\iq80\snappy\snappy\0.4\snappy-0.4.jar;C:\Users\User\.m2\repository\org\tukaani\xz\1.9\xz-1.9.jar;C:\Users\User\.m2\repository\org\codehaus\
```



```
1 commons-codec\commons-codec\1.15\commons-codec-1.15.jar;C:\Users\User\.m2\repository\io\qameta\allure\allure-maven\2.12.0\allure-maven-2.12.0.jar;C:\Users\User\.m2\repository\org\apache\httpcomponents\httpclient\4.5.13\httpclient-4.5.13.jar;C:\Users\User\.m2\repository\org\apache\httpcomponents\httpcore\4.4.13\httpcore-4.4.13.jar;C:\Users\User\.m2\repository\commons-logging\commons-logging\1.2\commons-logging-1.2.jar;C:\Users\User\.m2\repository\com\fasterxml\jackson\core\jackson-databind\2.14.0\jackson-databind-2.14.0.jar;C:\Users\User\.m2\repository\com\fasterxml\jackson\core\jackson-annotations\2.14.0\jackson-annotations-2.14.0.jar;C:\Users\User\.m2\repository\com\fasterxml\jackson\core\jackson-core\2.14.0\jackson-core-2.14.0.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-plugin-api\3.8.6\maven-plugin-api-3.8.6.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-classworlds\2.6.0\plexus-classworlds-2.6.0.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-core\3.8.6\maven-core-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-model\3.8.6\maven-model-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-settings\3.8.6\maven-settings-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-settings-builder\3.8.6\maven-settings-builder-3.8.6.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-sec-dispatcher\2.0\plexus-sec-dispatcher-2.0.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-cipher\2.0\plexus-cipher-2.0.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-builder-support\3.8.6\maven-builder-support-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-repository-metadata\3.8.6\maven-repository-metadata-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-artifact\3.8.6\maven-artifact-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-model-builder\3.8.6\maven-model-builder-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\maven-resolver-provider\3.8.6\maven-resolver-provider-3.8.6.jar;C:\Users\User\.m2\repository\org\apache\maven\resolver\maven-
```

```
1 resolver-impl\1.6.3\maven-resolver-impl-1.6.3.jar;C:\Users\User\.m2\repository\org\apache\maven\resolver\maven-resolver-api\1.6.3\maven-resolver-api-1.6.3.jar;C:\Users\User\.m2\repository\org\apache\maven\resolver\maven-resolver-spi\1.6.3\maven-resolver-spi-1.6.3.jar;C:\Users\User\.m2\repository\org\apache\maven\resolver\maven-resolver-util\1.6.3\maven-resolver-util-1.6.3.jar;C:\Users\User\.m2\repository\org\apache\maven\shared\maven-shared-utils\3.3.4\maven-shared-utils-3.3.4.jar;C:\Users\User\.m2\repository\org\eclipse\sisu\org.eclipse.sisu.plexus\0.3.5\org.eclipse.sisu.plexus-0.3.5.jar;C:\Users\User\.m2\repository\javax\annotation\javax.annotation-api\1.2\javax.annotation-api-1.2.jar;C:\Users\User\.m2\repository\org\eclipse\sisu\org.eclipse.sisu.inject\0.3.5\org.eclipse.sisu.inject-0.3.5.jar;C:\Users\User\.m2\repository\com\google\inject\guice\4.2.2\guice-4.2.2-no_aop.jar;C:\Users\User\.m2\repository\aoapalliance\aoapalliance\1.0\aoapalliance-1.0.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-component-annotations\2.1.0\plexus-component-annotations-2.1.0.jar;C:\Users\User\.m2\repository\org\apache\maven\reporting\maven-reporting-impl\3.0.0\maven-reporting-impl-3.0.0.jar;C:\Users\User\.m2\repository\org\apache\maven\reporting\maven-reporting-api\3.0\maven-reporting-api-3.0.jar;C:\Users\User\.m2\repository\org\apache\maven\doxia\doxia-sink-api\1.7\doxia-sink-api-1.7.jar;C:\Users\User\.m2\repository\org\apache\maven\doxia\doxia-logging-api\1.7\doxia-logging-api-1.7.jar;C:\Users\User\.m2\repository\org\apache\maven\doxia\doxia-decoration-model\1.7.4\doxia-decoration-model-1.7.4.jar;C:\Users\User\.m2\repository\org\codehaus\plexus\plexus-container-default\1.0-alpha-30\plexus-container-default-1.0-alpha-30.jar;C:\Users\User\.m2\repository\junit\junit\3.8.1\junit-3.8.1.jar;C:\Users\User\.m2\repository\commons-lang\commons-lang\2.4\commons-lang-2.4.jar;C:\Users\User\.m2\repository\xmlunit\xmlunit\xmlunit\1.5\xmlunit-1.5.jar;C:\Users\User\.m2\repository\org\
```

```
1 apache\maven\doxia\doxia-site-renderer\1.7.4\doxia-
site-renderer-1.7.4.jar;C:\Users\User\.m2\repository\
org\apache\maven\doxia\doxia-skin-model\1.7.4\doxia-
skin-model-1.7.4.jar;C:\Users\User\.m2\repository\org\
\apache\maven\doxia\doxia-module-xhtml\1.7\doxia-
module-xhtml-1.7.jar;C:\Users\User\.m2\repository\org\
\codehaus\plexus\plexus-i18n\1.0-beta-7\plexus-i18n-1
.0-beta-7.jar;C:\Users\User\.m2\repository\org\
codehaus\plexus\plexus-velocity\1.2\plexus-velocity-1
.2.jar;C:\Users\User\.m2\repository\org\apache\
velocity\velocity\1.7\velocity-1.7.jar;C:\Users\User
\.m2\repository\org\apache\velocity\velocity-tools\2.
0\velocity-tools-2.0.jar;C:\Users\User\.m2\repository
\commons-digester\commons-digester\1.8\commons-
digester-1.8.jar;C:\Users\User\.m2\repository\commons-
chain\commons-chain\1.1\commons-chain-1.1.jar;C:\
Users\User\.m2\repository\commons-validator\commons-
validator\1.3.1\commons-validator-1.3.1.jar;C:\Users\
User\.m2\repository\dom4j\dom4j\1.1\dom4j-1.1.jar;C:\
Users\User\.m2\repository\oro\oro\2.0.8\oro-2.0.8.jar
;C:\Users\User\.m2\repository\sslext\sslext\1.2-0\
sslext-1.2-0.jar;C:\Users\User\.m2\repository\org\
apache\struts\struts-core\1.3.8\struts-core-1.3.8.jar
;C:\Users\User\.m2\repository\antlr\antlr\2.7.2\antlr-
2.7.2.jar;C:\Users\User\.m2\repository\org\apache\
struts\struts-taglib\1.3.8\struts-taglib-1.3.8.jar;C
:\Users\User\.m2\repository\org\apache\struts\struts-
tiles\1.3.8\struts-tiles-1.3.8.jar;C:\Users\User\.m2\
repository\org\apache\maven\shared\maven-artifact-
transfer\0.13.1\maven-artifact-transfer-0.13.1.jar;C
:\Users\User\.m2\repository\org\apache\maven\shared\
maven-common-artifact-filters\3.1.0\maven-common-
artifact-filters-3.1.0.jar;C:\Users\User\.m2\
repository\org\sonatype\sisu\sisu-inject-plexus\1.4.2
\sisu-inject-plexus-1.4.2.jar;C:\Users\User\.m2\
repository\org\sonatype\sisu\sisu-inject-bean\1.4.2\
sisu-inject-bean-1.4.2.jar;C:\Users\User\.m2\
repository\org\sonatype\sisu\sisu-guice\2.1.7\sisu-
guice-2.1.7-noaop.jar;C:\Users\User\.m2\repository\
commons-beanutils\commons-beanutils\1.9.4\commons-
beanutils-1.9.4.jar;C:\Users\User\.m2\repository\
```

```
1 commons-collections\commons-collections\3.2.2\commons-
  -collections-3.2.2.jar;C:\Users\User\.m2\repository\
  net\lingala\zip4j\zip4j\1.3.3\zip4j-1.3.3.jar;C:\
  Users\User\.m2\repository\org\apache\commons\commons-
  exec\1.3\commons-exec-1.3.jar;C:\Users\User\.m2\
  repository\org\apache\maven\plugin-tools\maven-plugin-
  annotations\3.7.0\maven-plugin-annotations-3.7.0.jar
;C:\Users\User\.m2\repository\org\apache\maven\
  plugins\maven-jxr-plugin\3.3.0\maven-jxr-plugin-3.3.0
.jar;C:\Users\User\.m2\repository\org\apache\maven\
  maven-jxr\3.3.0\maven-jxr-3.3.0.jar;C:\Users\User\.m2
\repository\org\apache\maven\wagon\wagon-provider-api
\2.8\wagon-provider-api-2.8.jar;C:\Users\User\.m2\
repository\org\codehaus\plexus\plexus-java\1.1.1\
plexus-java-1.1.1.jar;C:\Users\User\.m2\repository\
org\ow2\asm\asm\9.2\asm-9.2.jar;C:\Users\User\.m2\
repository\com\thoughtworks\qdox\qdox\2.0.1\qdox-2.0.
1.jar;C:\Users\User\.m2\repository\io\qameta\allure\
allure-testng\2.20.1\allure-testng-2.20.1.jar;C:\
  Users\User\.m2\repository\io\qameta\allure\allure-
  java-commons\2.20.1\allure-java-commons-2.20.1.jar;C
 : \Users\User\.m2\repository\io\qameta\allure\allure-
  model\2.20.1\allure-model-2.20.1.jar;C:\Users\User\
  .m2\repository\io\qameta\allure\allure-test-filter\2.
  20.1\allure-test-filter-2.20.1.jar" com.intellij.rt.
  testng.RemoteTestNGStarter -usedefaultlisteners false
  -socket57183 @w@C:\Users\User\AppData\Local\Temp\
  idea_working_dirs_testng.tmp -temp C:\Users\User\
  AppData\Local\Temp\idea_testng.tmp
2 SLF4J: Failed to load class "org.slf4j.impl.
  StaticLoggerBinder".
3 SLF4J: Defaulting to no-operation (NOP) logger
  implementation
4 SLF4J: See http://www.slf4j.org/codes.html#
  StaticLoggerBinder for further details.
5 org.testng.TestNGException:
6 Cannot instantiate class SeleniumWebSignupTest
7     at org.testng.internal.objects.InstanceCreator.
      newInstance(InstanceCreator.java:41)
8     at org.testng.ITestObjectFactory.newInstance(
      ITestObjectFactory.java:18)
```

```
9      at org.testng.internal.objects.  
10     SimpleObjectDispenser.  
11     instantiateUsingDefaultConstructor(  
12       SimpleObjectDispenser.java:178)  
13     at org.testng.internal.objects.  
14     SimpleObjectDispenser.createInstance(  
15       SimpleObjectDispenser.java:87)  
16     at org.testng.internal.objects.  
17     SimpleObjectDispenser.dispense(SimpleObjectDispenser.  
18       java:40)  
19     at org.testng.internal.objects.  
20     GuiceBasedObjectDispenser.dispense(  
21       GuiceBasedObjectDispenser.java:28)  
22     at org.testng.internal.ClassImpl.  
23     getDefaultInstance(ClassImpl.java:106)  
24     at org.testng.internal.ClassImpl.getInstances(  
25       ClassImpl.java:136)  
26     at org.testng.TestClass.getInstances(TestClass.  
27       java:129)  
28     at org.testng.TestClass.  
29     initTestClassesAndInstances(TestClass.java:109)  
30     at org.testng.TestClass.init(TestClass.java:101)  
31     at org.testng.TestClass.<init>(TestClass.java:66)  
32     at org.testng.TestRunner.initMethods(TestRunner.  
33       java:463)  
34     at org.testng.TestRunner.init(TestRunner.java:335  
35   )  
36     at org.testng.TestRunner.init(TestRunner.java:288  
37   )  
38     at org.testng.TestRunner.<init>(TestRunner.java:  
39       178)  
40     at org.testng.  
41     SuiteRunner$DefaultTestRunnerFactory.newTestRunner(  
42       SuiteRunner.java:639)  
43     at org.testng.SuiteRunner.init(SuiteRunner.java:  
44       225)  
45     at org.testng.SuiteRunner.<init>(SuiteRunner.java  
46       :115)  
47     at org.testng.TestNG.createSuiteRunner(TestNG.  
48       java:1349)  
49     at org.testng.TestNG.createSuiteRunners(TestNG.  
50       
```

```
27 java:1325)
28     at org.testng.TestNG.runSuitesLocally(TestNG.java
:1167)
29     at org.testng.TestNG.runSuites(TestNG.java:1099)
30     at org.testng.TestNG.run(TestNG.java:1067)
31     at com.intellij.rt.testng.IDEARemoteTestNG.run(
IDEARemoteTestNG.java:66)
32     at com.intellij.rt.testng.RemoteTestNGStarter.
main(RemoteTestNGStarter.java:109)
33 Caused by: java.lang.reflect.
InvocationTargetException
34     at java.base/jdk.internal.reflect.
DirectConstructorHandleAccessor.newInstance(
DirectConstructorHandleAccessor.java:77)
35     at java.base/java.lang.reflect.Constructor.
newInstanceWithCaller(Constructor.java:499)
36     at java.base/java.lang.reflect.Constructor.
newInstance(Constructor.java:483)
37     at org.testng.internal.objects.InstanceCreator.
newInstance(InstanceCreator.java:38)
38     ... 25 more
39 Caused by: java.lang.NullPointerException: Cannot
invoke "org.openqa.selenium.WebDriver.findElement(org
.openqa.selenium.By)" because "this.driver" is null
40     at SeleniumWebSignupTest.<init>(
SeleniumWebSignupTest.java:49)
41     at java.base/jdk.internal.reflect.
DirectConstructorHandleAccessor.newInstance(
DirectConstructorHandleAccessor.java:67)
42     ... 28 more
43
44 Process finished with exit code -1
45
```