



SRI GOLJU FURNITURE
INDUSTRIES (INDIA)™



HOSPITAL FURNITURE
M.S. & S.S. ALSO WORK



SRI GOLJU FURNITURE INDUSTRIES (INDIA)™





SGFI 101

ELECTRIC ICU BED MULTIFUNCTION

- Frame work made of Rectangular M.STube
- Back Rest, Knee Rest, TB/RTB and Hi-Lo Positions obtained by electric actuator operator by hand remote system.
- ABS moulded head and foot bows.
- ABS track away safety side Railing.
- Telescopic IV Rod with Four Locations.
- Bed Mounted on 125 mm dia Center Locking Castor.
- Nurse control panel
- CPR system
- Overall Size: 210 Lx 90W x 50-70H cms
- Finish: Epoxy Powder Coated
- Preforated CRCA Sheet Top in four section.
- Provided 100 mm matt.



SGFI 102

ELECTRIC ICU BED (ABS PANELS)

- Frame work made of rectangular M.S. tube perforated CRC sheet top in four sections.
- Back rest, knee rest and hi-lo positions TB/RTB obtained by electric actuator operate by hand remote system.
- ABS molded head and foot bows.
- Aluminum collapsible safety side railings.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor-two with brakes.
- Provided with 100 mm. mattress in 40 density.
- Overall size: 210 (14 x 90 (W)x 50-70 (H) cm.
- Finish: Epoxy powder coated.



SGFI 103

ELECTRIC ICU BED (ABS PANELS & RAILING)

- Frame work made of Rectangular M.STube.
- Back Rest, Knee Rest and Hi-Lo TB/RTB Positions obtained by electric actuator operator by hand remote system.
- ABS molded head and foot bows.
- ABS track away safety side Railing.
- Bed Mounted on 125 mm Dia Castor with two braking wheels.
- Telescopic IV Rod with Four Locations.
- Overall Size: 210 Lx 90W x 50-70Hcms
- Finish: Epoxy Powder Coated
- Preforated CRC Sheet Top in four section.
- Provided 100 mm matt.



SGFI 104

RECOVERY BED ELECTRIC

- Advance Linear actuator system (02 Pcs Motor, 01 Pcs Control Box, 01 Pcs Handset.
- Two Pieces individual detachable SS side railing
- Abs Moulded Head & Foot Panel with locking.
- Framework made from M.S. Tubes.
- 4 Sectional Top Made-up of CRCA M.S Sheet.
- Bed mounted on 100mm castors, 2 with break.
- Finish Pretreated & Epoxy Powder Coated.
- Overall Approx Size: 2090Lx 910W x 600H mm.
- 4 Sectional Mattress, 100mm.
- SS telescopic I.V Rod.
- Position Obtained by Hand Remote (a) Backrest Elevation. (b) Kneerest Elevation



SGFI 105

ICU BED MECHANICAL

- Four Pieces individual Side-rails, ABS Moulded.
- Heavy ABS Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 5" Castors, 2 with brakes.
- S.S. Telescopic I.V. Rod with 4 Locations.
- Holder for Urine Bag.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090Lx 910W x 625-820H mm.
- Back Rest, Knee Rest, TB/RTB and Hi-Low Postions maneuvered by sepret etc.

SGFI 106

MECHANICAL ICU BED (ABS PANEL)

- Frame work made of rectangular M.S. tube 4 section top made of perforated M.S. sheet.
- Backrest, knee rest, TB/RTB and hi-lo positions maneuvered by separate.
- ABS molded Head & foot bows.
- Collapsible safety side railing.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor two with brakes.
- Overall Size: 2100 (L) x 900 (W)x 600-800 (H) mm
- Finish: Epoxy powder coated



SGFI 107

HOSPITAL SEMI-FOWLER BED ELCETRIC

- Foot Panel & ABS Head with locking.
- Advance linear actuator system (01 Pc Motor, 01 Pc Control box, 1 Pc Handset).
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Frame work Made-up of M.S Tubes.
- 2 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest Elevation is Position Obtained by Hand Remote.
- Overall Approx. Size 2090Lx 910W x 600 H mm.

SGFI 108

HOSPITAL FOWLER BED ELECTRIC

- Advance linear actuator system (02 Pcs Motor, 01 Pc Control box, 01 Pcs Handset).
- Two Pieces individual detachable Side-rails, Stainless steel.
- ABS Moulded Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size : 2090Lx 910W x 600H mm.





SGFI 109

HOSPITAL FOWLER BED

- Heavy ABS Head and Foot Panel with locking & corner .
- Bed Mounted on 4" Castor with brakes on two castors
- Framework Made of M.STubes.
- 4 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest & Kneerest Elevation is Position Obtained by Foldable Handle.
- Overall Approx. Size 2090Lx 910W x 600 H mm.



SGFI 110

HOSPITAL FOWLER BED

- Laminated Board with Stainless Steel Head & Foot Panel.
- Bed Mounted on 4" Castor with brakes on two castors
- 4 Location for IV Rod
- Framework Made of M.STubes.
- 4 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest & Kneerest Elevation is Position Obtained by Smooth crank system with foldable Handle.
- Overall Approx. Size 2090Lx 910W x 600 H mm.



SGFI 111

ICU BED MECHANICAL FIXED HEIGHT 3 KEY (ABS PANELS)

- Made of rectangular M.S. Tube.
- 4 Section top made of perforated MS sheet.
- Backrest, Knee Rest, TB / RTB Positions manoeured by separate head & foot panels.
- ABS moulded head & foot panels.
- Collapsible safety side railing.
- Telescopic IV Rod with four locations.
- Bed mounted on 125 mm dia castor two with brakes.
- Overall Size : 210 Lx 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.



SGFI 112

SEMI FOWLER BED (ABS PANEL)

- Frame work made of Rectangular M.S. Tube.
- 2 Section Top made of Perforated M.S. Sheet.
- Back rest Position manoeuvred by Separate screw from foot end.
- ABS Moulded Head & Foot Panels.
- Four Location for I.V Rod.
- Overall Size : 206Lx 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.



SGFI 113

HOSPITAL SEMI - FOWLER BED

- Foot Bows & Tubular Head of unequal height with vertical tube support with Powder Coated.
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Framework Made of M.S Tubes.
- 2 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest Elevation is Position Obtained by Smooth crank system with foldable handle. • Overall Approx. Size 2090Lx910Wx 600 H mm.



SGFI 114

SEMI-FOWLER BED (DX)

- Frame work made of Rectangular square M.S. Tube.
- Top made of Perforated CRCA MS sheet.
- Tubular Head & Foot Bows of Unequal Height.
- Four Location for I.V Rod.
- Overall Size : 206 Lx 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- S.S. Bows are of equal Height.



SGFI 115

SEMI-FOWLER BED (DLX)

- Size: 206 Lx 91 Wx 61 H Cms.
- Frame Work of specially designed CRC Rectangular heavy Tubes.
- Two Section Top of Uniformly Perforated CRC Sheets.
- Backrest maneuvered by screw, at Legend., S.S. Bows are of equal height fitted with Laminated Panel.
- Four Location Saline Hole.
- Pretreated and Epoxy Powder Coated.



SGFI 116

HOSPITAL PLAIN GERNAL BED

- Foot Bows & Tubular Head of unequal height with vertical tube support.
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Framework Made of M.S.Tubes.
- Top made up of oval perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Overall Approx. Size 2090Lx 910W x 600 H mm.



SGFI 117

ATTENDANT BED SS PANEL

- Frame work made of strong and precise steel tubes mounted on "H" type legs mounted on rubber stumps.
- Top made of perforated CRCA sheet machine pressed and bent with mattress guard.
- Stainless Steel Head & Foot Bows.
- Size: 72" Lx 24" Wx 18" H.
- Finish: Pre-treated and Epoxy Powder Coated.



SGFI 118

ATTENDANT BED

- Overall Size : 180 L X 60 W x 46 H Cms.
- Frame work made of rectangular/square MS Tube.
- 5 cm Foam Padded with fixed mattress Covered with rexine.
- Legs fitted with PVC stumps.
- Finish : Epoxy Powder Coated.



SGFI 119

DELUX ATTENDANT BED WITH LAMINATED BOARD & 2 WHEELS

- Overall Size 721 x 24W x 18H inch
- Leg fitted two no. of wheels
- Framework mad-up of rectangular M.S Tubes.
- Tubular Head & Foot Bowl Fitted with laminated board.
- Finish Pretreated & Epoxy Powder Coated.
- Optional : Mattress

SGFI 120

PEDIATRIC BED

- Foot Bows & Tubular Head of unequal height with vertical tube support.
- 4 Location for IV Rod.
- Legs fitted with PVC Stumps.
- Full length drop side rails on both sides.
- Framework Made of M.S Tubes.
- Top made up of oval perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Overall Approx. Size 1480L x 840W x 600 H mm.
- Bed frame Size : 1370 Lx 760 W mm.





SGFI 121

**OBSTETRIC LABOUR TABLE TELESCOPIC
(FIXED HEIGHT)**

- Overall Approx. max. Size : 72" x 27" x 30".
- Frame work made of MS Tube.
- Legs fitted with PVC Stumps.
- 3 Section Top made of S.S. Sheet.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section.
- The entire table top gives trendlenberg positions by Screw Mechanism
- Removable safety side railing are provided on 3 sides of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient bearing down hand grips made of S.S. Tubes.
- Supplied with waste collecting S.S. Bowl on S.S. bracket and one S.S. I.V. Rod.
- Also available in Powder Coated Frame work and S.S. Top.
- Provided 3 Section Matt



SGFI 122

S.S. OBST / GYNE TABLE



- Overall Approx. max. Size : 72" x 27" x 30".
- Frame work made from SS Tubes.
- 3 Section top made of SS Sheet.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section.
- The entire table top gives trendelburg Positions by Screw Mechanism.
- Removable safety side railling are provided on 3 sides of the table.
- Height adjustable by Hydraulic pump.
- A Pair of foam padded knee crutches.
- Patient bearing down hand grips made of SS Tubes.
- Supplied with collecting SS Bowl on SS Bracket and one S.S. I.V Rod.
- Provided 3 Sectional Mattress.



SGFI 123

DELIVERY BED MOTORIZED

- Overall Size : 1880Lx 900W x 600-800H mm.
- Tubular Frame work mounted on 125 mm dia castor two with brakes.
- Three Section top made of MS pipe with fixed Cushioned mattress.
- Height Adjustment, Back section & Trendlenburg / Reverse Trendlenburg Positions adjustment through electric actuator system.
- Leg end section can slide under the main section.
- Provided with a pair of upholstery lithotomic position.
- SS telescopic IV Rod.
- Detachable SS Tray.
- Provided Three Section Mattress.



SGFI 124

LABOUR DELIVERY ROOM BED HYDRAULIC (LDR BED)

- Overall size : 1900 Lx 900 W x 600-800 H mm
- Tubular frame work mounted on 5" dia castor two with brakes
- Three section top made of M.S. Pipe fitted with CRC Sheet covered with cushioned mattress.
- Trendlenburg / Reverse Trendlenburg positions adjustable through gear mechanism
- ABS tuck away safety side railing are provided on 2 side of the table with detachable head side ABS panel.
- Height adjustment through hydraulic pump
- Back section adjustment through ratchet system
- Leg end section can slide under the main section
- Provided with pair of upholstery Lithotomy positions
- SS telescopic IV Rod
- Detachable S.S. Tray
- Finish : Pretreated Epoxy Powder Coated
- Provided Three Section Mattress



SGFI 125

EXMINATION TABLE WITH CABINET AND DRAWER

- Approx. Dimensions : 72" Lx 24" W x 32" H.
- Frame work of CRCubes.
- 5 cms foam cushioned top covered with rexine.
- 1Pc. cabinet with drawer.
- Legs fitted with PVC stumps.
- Finish :Pre-treated and epoxy powder coated.

Optional

- Single foot step in powder coted / S.S.



SGFI 126

EXAMINATION COUCH

- Approx. Dimensions : 72" Lx 24" W x 32" H.
- Body frame work made of 18/20 G. CRC sheet backrest adjustable on gas spring .

Optional

- S.S./ M.S. foot step.



SGFI 127

EXAMINATION TABLE WITH 2 SECTION (PLAIN)

- Approx. Dimensions : 72" Lx 24" W x 32" H.
- Frame work Rectangular & Square Steel Tubes.
- Adjustable Back Rest by hand lever.
- Two section cushioned top / Two Section M.S. Powder Coated Top with Mattress.
- Legs fitted on PVC stumps.
- Pre -treated & Epoxy Powder Coated.



SGFI 128

EXAMINATION CUM GYNAE TABLE (U-CUT) & BACK REST

- Approx. Dimensions : 72" Lx 24" W x 32" H.
- Frame work made of MS CRC tubes.
- Two section cushioned top / two section M.S. powder coated top with perineal cut and mattress.
- Complete with the pair of S.S. lithotomy rod made of 12 mm S.S. rod.
- Back rest adjustable by hand lever.
- Epoxy powder coated finish.



SGFI 129

BAD SIDE LOCKER DELUXE

- Overall Size 16" Lx 16" W x 30" H
- CRCA sheet constructions. Having one Box & one drawer.
- S.S. Top with three sides raise edges
- Epoxy Powder Coated



SGFI 130

BED SIDE LOCKER ABS

- 480x480x760/800mm (LWXH)
- Made of ABS Plastic, Light, steadiness, no aging.
- Built in towel shelf and one oddment rack.



SGFI 131

BED SIDE LOCKER (STD)

- Four MS legs fitted with PVC Stumps.
- Box and door made of MS sheet.
- Top made by machine pressed SS Sheet.
- Finish : Epoxy Powdercoated.
- 16" Lx 16" W x 32" H



SGFI 132

BED SIDE LOCKER Z TYPE

- Overall Size: 16" Lx 16" W x 32" H.
- Frame work made from powder coated.
- Shelves made from stainless steel.



SGFI 133

BED SIDE LOCKER OPEN GENERAL THREE SHELVES

- Bed side Locker S.S. Three shelves
- Three shelves Provided.
- Side Railing for three side.
- Four legs fitted with P.V.C. stumps.
- 16" Lx 16" W x 32" H



SGFI 134

OVER BED TABLE FIXED HEIGHT

- Tubular frame work mounted on 5 cms castors.
- Fixed Laminated top 30"x16"
- Pre-treated and Epoxy Powder Coated.
- Overall Size 42" Lx 20" W x 39" H.



SGFI 135

OVER BED TABLE MAYO'S TYPE

(Adjustable height with gear handle)

- Size: 72" L x 20" W x 30" H
- M.S. Rectangular frame work mounted on 5 cms castors
- 30" x 16" laminated top adjustable by gear handle.
- Epoxy Powder Coated.



SGFI 136

OVER BED TABLE WITH ABS TOP

- ABS Molded Top 33" x 18" fitted on MS square tubular telescopic stem
- Height adjustable from Approx 750 x 1100 mm by gear handle
- Base frame made of rectangular MS tube mounted on 50mm dia castors
- Finish Epoxy Powder Coated.
- Note : Also Available in stainless steel model



SGFI 137

OVER BED TABLE (Manually Adjustable)

- Rectangular frame work mounted on 5 cms castors.
- Membrane pressed wooden top adjustable by side Knob.
- Top size 32" X 16".
- Finish : Pre-treated and epoxy powder coated frame.
- Also available in ABS molded top.
- Also Available in stainless steel frame model.



SGFI 138

BABY CRADLE

- M.S. tubular pipe. Stand fitted with PVC stumps.
- Wire mesh hanging cradle.
- Pre-treated and Epoxy Powder coated.
- Size - 36" Lx15" Wx 39" H



SGFI 139

MAYO'S INSTRUMENT TROLLEY WITH S.S. TRAY

- Rectangular CRC tube mounted on 5 cms castors, height adjustable by side Knob.
- Also available in S.S. frame & tray.
- Tray size S.S. : 22" Lx 16" W (Approx.)



SGFI 140

INSTRUMENT TROLLEY (TWO SHELVES)

- Frame work made of 1" x 18 G vertical S.S. Tubes.
- Two 18G S.S. Shelves with three sides railing.
- The trolley mounted on 75mm dia castors.
- Finish : SS frame and SS shelves.
- Size : 35" L x 20" W x 32" H



SGFI 141

DRESSING TROLLEY

- Frame work made of S.S. tubes.
- Two S.S. Shelves over with S.S. railings on all Three sides.
- The trolley fitted S.S. bucket and S.S. bowl.
- Finish : SS frame work and SS shelves.
- Size : 18" Lx 30" W x 32" H (Approx.)



SGFI 142

INSTRUMENT TROLLEY (TWO SHELVES)

- Frame work made of 1" x 18 G vertical S.S. Tubes.
- Two 18G S.S. Shelves with three sides railing.
- The trolley mounted on 75mm dia castors.
- Finish : SS frame and SS shelves.
- Size : 30" Lx 18" W x 32" H



SGFI 143

INSTRUMENT MAYO'S TROLLEY OVER THE O.T TABLE (MECHANICALLY)

- Approx Tray S.S. Size : 82 Lx 50 W cms
- Frame Work Of S.S. Ttubes Mounted on 10cms Castors.
- Height adjustable By Gear Handle.
- S.S. frame with S.S. Top.



SGFI 144

S.S. MAYO'S TROLLEY

Wholly made of stainless steel, Mayo trolley, Adjustable height suitable to use over the operation table, Mounted on four 5 cm castors.



SGFI 145

SOILD LINEN TROLLEY WITH PLASTIC BUCKET

- Push handle at one hand.
- Frame work of CRC tube on 10 cms castors.
- Superior quality plastic bucket of 50 ltr. capacity.
- Also available in S.S. Frame.



SGFI 146

SOILED LINEN TROLLEY WITH CANVAS BAG

- Frame work of C R C t u b e mounted on 10 cms castors.
- Superior quality canvas bag.
- Also Available in M.S. frame.

**SGFI 147 A****PATIENT'S / VISITOR STOOL PC WITH SS TOP**

- Approx. Size :12" x 12" x 20" H
- Legs made of 25 mm x 18 G and Horizontal Support of 19 mm X 18 G CRCA Tube fitted with PVC stumps
- Finish : Epoxy Powder Coated

**SGFI 148 B****PATIENT'S / VISITOR STOOL FULL SS**

- Approx. Size :12" x 12" x 20" H
- Top made of S.S. Sheet double bent
- Legs made of 25 mm x 18 G and Horizontal Support of 19 mm X 18 G S.S. Tube fitted with PVC stumps

**SGFI 149****REVOLVING STOOL (CUSHIONED TOP)**

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- Cushioned top support with MS Circle.

**SGFI 150****REVOLVING STOOL (SS TOP)**

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- SS top support with MS Sheet top.

**SGFI 151****REVOLVING STOOL (CUSHIONED TOP)**

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of S.S. Tube.
- Cushioned top support with S.S. Circle.

**SGFI 152****REVOLVING STOOL (S.S. TOP)**

- Four leg base with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of S.S. Tube.
- SS top supported with S.S. sheet top.

**A****B****SGFI 153****TROLLEY FOR OXYGEN CYLINDER**

- Frame work made of CRC tube mounted on 10/15cms castors
- Epoxy powder coated finish.
- A - for B type cylinder.
- B - for D type cylinder.

**SGFI 154****WASH BASIN STAND (SINGLE)**

- Five Legs base mounted on 5 cms dia castor.
- With one approx. 30cm S.S Basin
- Finish S.S. Frame with S.S. Basin

**SGFI 155****WASH BASIN STAND (DOUBLE)**

- Five Legs base mounted on 5cms dia castors.
- With two appox. 35cms dia 5.5. basins.
- Vertical S.S. tube made of 25mm X 15G.
- Basin holder 5.5. tube made of 16mm X 18G.
- Finish S.S. Frame with S.S. Basin



SGFI 156

KICK BOWL / BUCKET

- Approx. S.S. Bowl of 350 mm dia/SS Bucket.
- Frame work made of S.S. tubes.
- Mounted on 75 mm castors.
- Finish S.S. Frame with S.S. Basin



SGFI 157

BED SIDE SCREEN (4 PANELS)


- Overall Approx. Size : 1680 H x 2450 mm.
- MS tubular construction made of 19 mm x 18G in four section.
- Legs made of 25 mm x 18G fitted with 50 mm dia castors.
- Each span 610 mm vide.
- Supplied with hooks and spring with curtain cloth.
- Finish : pre treated and Epoxy Powder Coated.



SGFI 158

BED SIDE SCREEN (3 PANELS)

- Screen panel Size: (160cm H x 60cm L)
- Curtain Size: (140cm H X 60cm L)
- M.S steel Tubular frame work mounted on 50mm castors with curtains.
- Curtains available in different colors. (Green, Blue)
- Easy assemble & dissemble or storage.
- Pre-treated & epoxy coated



SGFI 159

SALINE STANDS

- (A) Plastic base with powder coated pipe and chrome plated rod.
- (B) Plastic base with SS pipe and rod (202/304 G.S.S.)
- (C) S.S. base with S.S. pipe & rod.
- Spronged base fitted with 5cm dia castors.
- 8/10mm S.S./ C.P. Adjustable double hook I.V. Rod to hold I.V. rod at one fixed height by knob.



SGFI 160

FOOT STEP (SINGLE STEP S.S.)

- Overall Approx. Size : 20" L x 11" W x 10" H
- S.S. Tubular legs fitted with PVC stump.
- Complete in S.S. Model.



SGFI 161

FOOT STEP DOUBLE

- Overall Approx. Size : 18" L x 11" W x 18" H
- S.S. Tubular Frame fitted with PVC stump.
- S.S. sheet duly double press bent
- Complete in S.S.



SGFI 162

FOOT STEP SINGLE

- M.S. Tubular construction
- M.S. top superimposed rubber matting
- Legs with rubbed stumps
- Epoxy Powder Coated



SGFI 163

FOOT STEP DOUBLE S.S.

- M.S. Tubular construction
- M.S. top superimposed rubber matting
- Legs with rubbed stumps
- Epoxy Powder Coated.



SGFI 164

PATIENT TROLLEY (SEMI DELUXE) S.S.

- Approx. size : 195L x 65W x 68-90H cms.
- Frame Work made of S.S. Tubes.
- Safety side railing I.V. Rod.
- Backrest Adjustable.
- 15 cms dia castors.
- Finish S.S. Base S.S. Top
- Supplied with Mattress



SGFI 165

EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)

- Approx. size: 210L x 65W x 65-95H cms.
- Safety side railing , I.V. Rod, storage tray & Cylinder cage. Removable X-Ray translucent top with tray for holding X-ray Cassettes.
- Adjustable Height by hydraulic pump through foot pedal.
- Trendlenburg / Rev. Trendlenburg by gas spring. 15 cms dia castors.
- Corner buffers.
- Pre-treated & Epoxy Powder Coated.



SGFI 166

EMERGENCY & RECOVERY TROLLEY MANUAL

- 4 Removable Swivel castors. 5" dia, two with brake.
- Pre—treated & Epoxy Powder Coated finish.
- SS I.V Rod along with provision at two locations.
- Backrest raised on ratchet.
- Overall approx dimensions 210 Lx 65 W cms.
- Two section top with removable X-ray permeable stretcher.
- Supplied with Mattress.

SGFI 167

STRETCHER TROLLEY

- Overall Approx. Size : 213 Lx 56 W x 81 H cms.
 - Frame work made of 1.25" 16 G vertical and 1" x 18 G horizontal CRC tube.
 - Trolley mounted on 15 cm dia castors 2 with brake.
 - Removable stretcher top made of MS sheet.
 - Pushing handle at both end of the stretcher top.
 - Finish : Pre treated and Epoxy Powder Coated.
 - Also available in complete S.S.
- Optional : 200mm Dia castor





SGFI 168

WHEEL CHAIR NON FOLDING

- 17" cushioned seat & back fixed armrests front with 5" solid castors & rear 26" solid wheels with brakes.
- Size- 41" x 28" x 33" (LxWxH).



SGFI 169

WHEEL CHAIR FOLDING

- 16" Seat with Fixed Armrest Front with 4" Solid Castors & Rear 26" Solid Wheels with brakes.
- Size 39.5" L x 28" W x 34.5 H.



SGFI 170

COMMODE Chair



SGFI 171

FOLDING COMMODE (P.C.)

SGFI 173

CHAIR CUM BED (REQUILINE CHAIR)

- From work mode of M.S. Tubes.
- Back section Leg section T.X.R.T position and Up & Down operated by Electric activater systems.
- 125 M.M. Dia caster with two brakes
- Three suction top made of bakelite sheet coverd with matt.
- S.S. Telesopic I.V. Pol.
- Size : L-1820, W-600, H-600-800



SGFI 172

BLOOD DONER CHAIR

- Frame work made of S.S. Tubes.
- The fabric is pressed PVC artificial leather.
- Head & foot section will be up & down.
- Aram rest will be adujastable.



SGFI 174

MONITOR TROLLEY SS

- Overall Approx. Size : 800 mm L x 600 mm W x 1400 mm H.
- Four shelves and one drawers.
- Trolley having two handle.
- The trolley mounted on 125 mm dia castors -2 with breaks.
- Switch and Socket for medical equipment.
- Supplied with S.S. IV Rod and S.S. Oxygen Gas Cylinder Cage.
- Fully S.S.
- Also Available in Powder Coated



SGFI 175

CRASH CART TROLLEY

- Overall approx size: 940mm L x 490mm W x 1535mm H.
- M. S. tubular frame.
- Six removable plastic bins and two polystyrene lockable storage units with three drawers each.
- Four swivel castors, 150 mm dia. (Two with brakes.)
- Complete with corner buffers, oxygen cylinder holder, S.S. IV rod, S.S. Powder Coated Top & shelves. cardiac massage board and electric lamp
- Epoxy powder coated



SGFI 176

CRASH CART IN S.S. FRAME

- Overall Approx. Size : 960 L x 500 W x 1545 H mm.
- Frame work made of S.S. Tubes.
- Two light weight polystyrene boxes each with three drawers. Upper drawer with medicine container of different sizes.
- Provision to hold oxygen cylinder made of S.S.
- Massage board for cardiac patient are provided.
- Six Number colour hand out small bins at eye level.
- Total three S.S. shelves with railing to carry medical equipments.
- Provided with S.S. I.V. Rod, corner Buffers
- The cart mounted on 5" dia casters 2 with brakes



SGFI 177 SURGEON CHAIR FULL ELECTRIC (DX)

- Overall approx size cushioned Seat & Back
- Electrically height adjustable.
- 100M.M. Dia caster with two break.



SGFI 178 SURGEON CHAIR (S. DX)

- Overall approx size cushioned seat
- Pneumatic Height Adjustable.
- Legs Chrome Plated Base with Foot Ring
- Base fitted with 50 M.M. Dia castors.



SGFI 179 SWAB RACK S.S.

- Size : L-580mm. X W-330mm X H-1500mm




SGFI 180 SCRAB STATION

- Scrub station made of heavy duty S.S. sheet 304 grade.
- Double foot operated with sences also available in sing foot operated with sencer.
- Size :- L-60", W-20" - H-50" L-36" , W-20" - H-45"

SGFI 181 OPERATING TABLES C-ARM COMPATIBLE (HYDRAULIC)



- Four Sections Radiolucent top.
- Optional X-ray translucent, C-Arm compatible inbuilt kidney bridge.
- Eccentrically positioned top for maximum access for movement of C-Arm image intensifier.
- Heavy & sturdy T shaped base allowing maximum foot room for operating team
- Mobile on smooth running castors & Floorlocking system for stability
- Heavy & Hygienic stainless steel cladded base and lifting column
- All the fittings, side rails and accessories made of RUST FREE stainless steel Accessories clamps made of rust free light weight aluminium.



SGFI 182

UNIVERSAL HYDRAULIC OPERATING TABLE



FEATURES

- Five sectional stainless steel top.
- Hydraulic UP/DOWN.
- Standard Positioning : Height UP/DOWN, Trendelenberg/Reverse Trendelenberg, Lateral tilt sides, Flex / Reflex, Chair, Kidney Elevation and Lithotomy etc.
- Mobile on Smooth running castors.
- Floor Lock facility.

STANDARD ACCESSORIES

- Antistatic Waterproof Rubber Mattress 50 mm.
- Pair of S.S. Arm Board with Mattress.
- Anaesthetic Frame.
- Pair of Padded lateral support.
- Pair of Padded shoulder support.
- Pair of Lithotomy leg holder with straps.
- Accessory clamps.

OPTIONAL ACCESSORIES

- Geopal type Lithotomy crutches.
- S.S. Top foot rest.
- Radio-Lucent table top.
- X-Ray Cassette Holder.
- Drainage Tray S.S.
- Orthopaedic Attachment.
- Neuro Surgical Attachment.

SGFI 183

ELECTRIC OPERATION TABLE C. ARM COMPITABLE



Four Sectional X-ray translucent top. Finger touch hand set controlled position :

- Height Up/Down
- Trendelenburg / Reverse Trendelenburg.
- Lateral tilt both sides.
- Flex/Reflex
- 90 degree chair.


Head and Leg sections are detachable and adjustable manually.

STANDARD ACCESSORIES

- | | |
|----------------------------------|------------|
| • Antistatic rubber Mattress | : One Set |
| • Arm board S.S top | : One Pc |
| • Shoulder Support padded | : One Pair |
| • Lateral Support padded | : One Pair |
| • Lithotomy crutches Geopal Type | : One Pair |

OPTIONAL ACCESSORIES

- Orthopaedic Attachment
 - > Orthopaedic Leg TractionDevice.
 - > L-Shaped Knee rest padded.
 - > Steinmen Pin Holder.
 - > Inner thigh support padded.
 - > Raised arm rest padded.
 - > Lateral Cassette holder.
- Hand Surgery Attachment
- Neuro Surgery Attachment
 - > Horse Shoe shaped
 - > Mayfield Three Pin Head Fixator
- Manually operated Kidney Bridge.
- Hand Surgery Table (X-ray translucent) with telescopic support.



SGFI 184

LED CEILING LIGHT 4+3

Memory Function, High quality sterilizable handle, With protective fire resistant ESG safety glass for scratch proof, fast disinfection process, protects UV and IR rays and improve light penetration. With special European design for ventilation of heat. Body is made of high quality fire resistant polymer.



Technical Data

| | | | |
|------------------------|-------------------------------|--------------------|--------------------------|
| Intensity | : 80,000 + 1,10,000 Lux ± 10% | Diameter of Light | : 500mm x 2 |
| Size of Light Field | : 12-30 cm | Brightness Control | : Capacitive Touch Panel |
| Colour Temperature | : 4000-5000 K | Power Supply | : 220V/50Hz AC |
| Colour Reduction Index | : 93 RA | Focusing | : Adjustable |
| LED Life | : >50000 Hrs. | Battery Backup | : Optional |
| Number of LED | : 57 + 76 | | |



SGFI 185

LED CEILING LIGHT

Technical Data


| | |
|------------------------|--------------------------|
| Intensity | : 90,000 Lux ± 10% |
| Size of Light Field | : 12-30 cm |
| Colour Temperature | : 4000-5000 K |
| Colour Reduction Index | : 93 RA |
| LED Life | : >50000 Hrs. |
| Number of LED | : 63 |
| Diameter of Light | : 500mm |
| Brightness Control | : Capacitive Touch Panel |
| Power Supply | : 220V/50Hz AC |
| Focusing | : Adjustable |
| Battery Backup | : Optional |

SGFI 186

LED OT LIGHT STAND MODEL

Memory Function, High quality sterilizable handle, With protective fire resistant ESG safety glass for scratch proof, fast disinfection process, protects UV and IR rays and improve light penetration. With special European design for ventilation of heat. Body is made of high quality fire resistant polymer.





SGFI 187

ANAESTHESIA MACHINE

- Construction: Trolley made by tubular rigid steel section electrostatically powder coated or stainless steel
- Suitable drawer for keeping anaesthesia kit/accessories
- Extended platform at rear for two 10 Ltrs. (Water cap.) cylinders
- Small roller bearings, antistatic castors, for easy mobility and brakes
- Top tray provided at eye level for keeping monitoring equipments
- Hook for breathing circuit
- Wipe clean stainless steel top
- Unitised rota meter block for oxygen & nitrous oxide with fine adjustment controls & colour coated knob and luminous back plate. Oxygen flow meter calibrated from 100cc/min to 10 ltrs. / Minute & Nitrous oxide flow meter from 200cc/min to 12 liters / min down Stream receipt of oxygen
- One gold man type vaporizer for halothene, provision to mount two vaporizers at a time
- Non return cum blow off valve in circuit ensures that pressure does not build-up beyond 200cm. water column & minimises risk of back flow of gases.
- 60 psl outlet for driving ventilator
- Emergency Oxygen flush valve At table level to give 35-60 ltrs./min for emergencies
- Cylinder yokes: Pin indexed yokes two each of oxygen & nitrous oxide
- 50mm diameter, colour coded gauges fitted at convenient angle for better visibility & clarity
- High efficiency regulators for reliability two each for O₂ & N₂O
- One Maggill's or Bain circuit



SAFETY FEATURES

- Emergency oxygen flush
- Alarm to provide audible indication of O₂ supply pressure failure
- Nitrous oxide shut off in the event of O₂ failure
- Built in Hypoxguard

DIMENSION

| | |
|-------------|-------|
| Height | 152cm |
| Depth | 60cm |
| Width | 65cm |
| Weight App. | 45kg |



SGFI 188

VERTICLE DOUBLE DRUM AUTOCLAVE WING NUT TYPE (S.S.)

Vertical Autoclave inner outer made of Stainless Steel heavy gauge sheet fitted with pressure gauge (Max. pressure 15PSI), safety valve (weighted) pressure release valve & good quality rubber gasket for seamless/leak proof fitting (Silicon gasket optional).

Note: • Ring made of a aluminum casting • Lid made of S.S. plate • Electric autoclave fitted with heating element of 2KW single phase 220V/50Hz •Also available in semi automatic (Timer Based) • sizes : 12" X 25", 16" x 24"



SGFI 189
ELECTRIC SUCTION TROLLEY
MODEL (CROMPTON)



SGFI 190
RADIANT HEAT
WARMER
SUPER MODEL

- FEATURES:**
- Microprocessor Control with PID System
 - PT 100 Sensor
 - S.S. IV Stand
 - Drop down acrylic Side
 - 650 Watt Heater
 - Examination Lamp



SRI GOLJU FURNITURE INDUSTRIES (INDIA)™



SGFI 191
Infrared Thermometer



SGFI 192
Philips Nebulizer Compressor



SGFI 193
Hot Water Bottle



SGFI 194
Digital Doppler (BPL)



SGFI 195
Stethoscope, Nursescope



SGFI 196
Blood Pressure Monitor



SGFI 197
BP Monitor Mercury Free



SGFI 198
Cleo Plus



SGFI 199
Digital Thermometer



SGFI 200
Cardiart 6208 View



SGFI 201
Baby weighing
Machine Digital



SGFI 202
Digital Adult Weight
Machine



SRI GOLJU FURNITURE INDUSTRIES (INDIA)™

www.srigoljufurniture.com

BIFMA
Business + Institutional Furniture Manufacturers Association

GeM
Government e Marketplace

MSEME
सूक्ष्म, लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES

MAKE IN INDIA

Mob. no. : 9927-073-844, 1800-123-777-778 (Toll Free)

Email : sales.srigoljufurniture@gmail.com

Sri Golju Tower, Opposite Jivan Daan Hospital, Moti Nagar Road Bareilly - Nainital Rd, Haldwani, Uttarakhand | 263139
Sri Golju Furniture Industries, GMS Road Village Kanwali Near JB Marvell, Shree Ram Tower, Dehradun, Uttarakhand | 248001