

leetcode.com/problems/find-k-closest-elements/submissions/1974157821/

Problem List Submit Ctrl Enter

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 70 / 70 testcases passed

gouthamboga submitted at Apr 10, 2026 10:43

Analysis Solution

Runtime 0 ms Beats 100.00%

Memory 20.82 MB Beats 26.09%



Test Result

Testcase

Case 1 Case 2 +

Source

```
1
2 #include <stdlib.h>
3
4 int* findClosestElements(int* arr, int arrSize, int k, int x, int* returnSize) {
5     int left = 0;
6     int right = arrSize - k;
7
8     while (left < right) {
9         int mid = left + (right - left) / 2;
10
11         if (x - arr[mid] > arr[mid + k] - x) {
12             left = mid + 1;
13         } else {
14             right = mid;
15         }
16     }
17
18     int* result = (int*)malloc(sizeof(int) * k);
19     for (int i = 0; i < k; i++) {
20         result[i] = arr[left + i];
21     }
22 }
```

Saved Ln 1, Col 1

Problem List

<

>

↔

Submit

🏠

🔧

🔗

👤

🌙

🔒

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 70 / 70 testcases passed

gouthamboga submitted at Apr 10, 2026 10:43

Analysis

Solution

Runtime

0 ms Beats 100.00%

Memory

20.82 MB Beats 26.09%

Test Case	Runtime (ms)
1	~60
2	3
3	11
4	17
5	29
6	37
7	267
8	298

Test Result

Testcase

Case 1 Case 2 +

Source

Code

C Auto

```
9 int mid = left + (right - left) / 2;
10
11 if (x - arr[mid] > arr[mid + k] - x) {
12     left = mid + 1;
13 } else {
14     right = mid;
15 }
16
17
18 int* result = (int*)malloc(sizeof(int) * k);
19 for (int i = 0; i < k; i++) {
20     result[i] = arr[left + i];
21 }
22
23 *returnSize = k;
24 return result;
25 }
```

Saved

Ln 1, Col 1