

LABORATORY REPORT

PRIVATE & CONFIDENTIAL



SYNERGYBIO (PVT) LTD

296/2D, NEW KANDY ROAD

MALABE, WESTERN, SRILANKA

Tel: +94 113 437 759 | Hotline: +94 741 374 299

email: info@synergybio.lk, Web: www.synergybio.lk

CLIENT CODE : DM

CLIENT DETAILS

NAME : Derana Medical Laboratory Testing Services (PVT) LTD

ADDRESS : No. 553/A, Madiwela Road, Thalawathugoda

Hotline : 0112785454

PATIENT DETAILS

PATIENT NAME : MRS. BONDAR YULIA

PATIENT ID : 275940

AGE/GENDER : 46 Years Female

LAB CODE : DM013155

DOB :

RECEIVED : 2022-02-09 08:20:AM

NIC/PASSPORT : FG320542

REPORTED : 2022-02-09 06:39:PM

REFERRED BY :

NATIONALITY :

TEST

Real Time RT PCR to detect COVID 19 (SARS CoV 2)

SPECIMEN INFORMATION

Nasopharyngeal and Throat Swab

TEST RESULTS

COVID-19 SARS-CoV-2 Viral RNA:	Not detected
--------------------------------	--------------

Comments The result indicates that the SARS-CoV-2 virus was not present in the given specimen at the time of testing

Cycle Threshold (Ct.) : E Gene 22.5, S Gene:25

Test Method/s:

The test was performed using IVD and CE certified RNA isolation Kits and Real Time RT PCR detection kits for SARS-CoV-2.

The test targets at B-βCoV (Target E gene) and SARS-CoV-2 (Target S gene) in SARS-CoV-2 using Real Time RT-PCR. An internal control (IC) is used to validate the PCR amplification. Absence of the amplification of the above specific genes in the presence of internal control (IC) indicates the absence of SARS-CoV-2 viral RNA in the given specimen.

Disclaimer:

*Non detection of virus does not exclude the possibility of infection; please correlate with patient's history, clinical findings and epidemiological information.

*A false negative result may occur if the viral count is below the point of being amplified, if the primer/probe sequences mismatches due to genetic variations of the virus (mutations) contained in the given specimen, a specimen is improperly collected, transported or handled.

E M Corea

Prof. Enoka Corea

M.B.B.S. PG. Dip (Medical Microbiology)

M.D. (Medical Microbiology), PhD CTHE (Colombo)

SFDA (UK) PG Cert Med Ed (Dundee)

Consultant Microbiologist

Dr. Rohan Sugathadasa

Consultant Molecular Medicine & Endocrinology

PhD, MSc, MBA

Dr. N.D.S Goonawardhana

Ph.D, Head of Molecular Diagnostics

Synergy Bio(PVT) Ltd



Scan to download