


## oven hinges



1



2




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700004	right	3.5	7	A	Mareno	1304600
1	700007	right	3.5	11	A	universal	
1	690534	right	4.0	11	A	Emmepi	C10080

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
2	700005	left	3.5	7	A	Mareno	1304700
2	700006	left	3.5	11	A	universal	
2	690533	left	4.0	11	A	Emmepi	C10079



1



2





fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700164	left/right	3.5	5	A	Mareno	CM041300

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
2	700820	left/right	3.5	11	A	Fagor	U020528000



Pos .	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700010	left/right	3	10	A	Electrolux Zanussi Zanussi	0C0203 050766 059277



1



2





fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690349	left	3.8	8	B, C	STAR 10	55905

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
2	690324	right	3.8	8	B, C	STAR 10	55904



no.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700625	left/right	3	8	B, C	universal	




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700676	left	3	8	C, G, H	Smeg	931330289
2	700675	right	3	8	C, F, I	Smeg	931330288




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690499	left	4	12	B	MBM MBM Techninox	9626107100 RIC0002136 RC00803000
2	690498	right	4	12	B	MBM MBM Techninox	9626107000 RIC0002135 RC00802000





fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700674	left	3.8	12	H	Smeg	931330250
1	700669	left	4.2	12	H	Smeg	931330807
2	700673	right	3.8	12	F, K	Smeg	931330249
2	700670	right	4.2	12	K	Smeg	931330808



no.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690032	left/right	3.5	6	D	Lotus	531007300





fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.	fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700013	left	3.5	12	B	Berto's Giga Mareno MBM MBM	22607800 X68021 1031102000 9626105100 RIC0002134	2	700014	right	3.5	12	B	Berto's Giga Mareno MBM MBM	22608100 X68020 1031105500 9626105000 RIC0002133



no.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690700	left/right	4	12	B	MBM	9980699512 RIC003282





fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	passend for	equiv. no.	fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700016	left	3.5	11	B	Foem Mareno	05150024501 1031105900	2	700015	right	3.5	11	B	Foem Mareno	05150024401 1031105800



no.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690030	left/right	3.5	11	B	Lotus Mareno Modular	531007100 1034400400 68402200




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690035	left	3.5	11	Lotus	B	531005300




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counter-part	suitable for	equiv. no.
1	700554	left	3.5	7	C	Küppersbusch	133764




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counter-part	suitable for	equiv. no.
1	700000	left/right	3.5	12	C, Q, R	Tecnoeka	1980859512
2	700433	left/right	4	12	C, Q, R	Tecnoeka	9981619512

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counter-part	suitable for	equiv. no.
3	700459	left/right	3.5	7	C	Olis Roller Grill	A035980 B09005




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	passend for	equiv. no.
1	700624	left/right	3.2	13	F, G	Smeg	931330461
2	700672	left/right	4	13	G, K, P	Smeg	931330806

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
3	700671	left/right	4	11	G, K, P	Smeg	931330656




fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	passend for	equiv. no.
1	700623	left/right	3	14	L	GAM Smeg Piron	RFORM17 931330805 742400003

fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
2	700627	left/right	3.5	14	L	Smeg Smeg	931330887 931331154






fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700738	left/right	4	11	M	RM Gastro	408790300


fig.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
2	700456	left/right	3.5	11	S	Zanussi Zanussi	056339 058933




no.	part no.	mounting ear	$\varnothing$ (mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690037	left/right	4.5	13	T	Lotus	531008200




no.	part no.	mounting ear	ø(mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700390	left/right	3	12	-	Foinox	15062



no.	part no.	Qty	mounting ear	ø(mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700760	1 pair	left/right	2.8	12	-	Unox Unox Unox	KCR020 CR1065A0 CR1070A0



no.	part no.	Qty	mounting ear	ø(mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700759	1 pair	left/right	3	9	-	Unox Unox Unox Unox	KCR012 KCR013 CR1000A0 CR1025A0



no.	part no.	Qty	mounting ear	ø(mm)	C (mm)	counterpart	suitable for	equiv. no.
1	690560	1 pair	left/right	3.6	-	-	Gico	A00006



no.	part no.	mounting ear	ø(mm)	C (mm)	counterpart	suitable for	equiv. no.
1	700704	left/right	2	5	Angelo Po	36M0190	531008200

## oven hinges






fig.	Bestell.no.	type	A (mm)	suitable for	equiv. no.
1	700001	A		universal	--
2	700003	B		universal	--

fig.	part no.	type	A (mm)	suitable for	equiv. no.
3	693045	C		universal	--





fig.	Bestell.no.	type	A (mm)	suitable for	equiv. no.
1	690039	D		Lotus	531012400
2	700739	M		RM Gastro	408790310

fig.	part no.	type	A (mm)	suitable for	equiv. no.
3	700457	S		Zanussi	058934 056439



fig.	Bestell.no.	mounting position	type	suitable for	equiv. no.
1	700633	left	G	Smeg	685970012
2	700625	right	F	Smeg	685970011
3	700677	left	H	Smeg	685970027

fig.	part no.	mounting position	type	suitable for	equiv. no.
4	700678	right	I	Smeg	685970026
5	700681	right	K	Smeg Smeg	685970043 685970024



fig.	Bestell.no.	mounting position	type	suitable for	equiv. no.
1	700628	right	L	Smeg	698290716
2	700629	left	L	Smeg	698290717
3	693931	right	P	Smeg	685970017 685970017

fig.	part no.	mounting position	type	suitable for	equiv. no.
4	700706	right	Q	Tecnoeka	1981599512
5	700707	left	R	Tecnoeka	1981589512



fig.	Bestell.no.	description	suitable for	equiv. no.
1	690369	hinge	Baumeister	-
2	690029	spring	Baumeiser	-

fig.	part no.	description	suitable for	equiv. no.
3	690348	spacer ring	Baumeister	-



fig.	Bestell.no.	description	suitable for	equiv. no.
1	700400	hinge right	Ambach	3512016349
2	700401	hinge left	Ambach	3512016350

fig.	part no.	description	suitable for	equiv. no.
3	700402	spacer ring	Ambach	3031414396




fig.	Bestell.no.	description	suitable for	equiv. no.
1	700029	hinge right	Juno series 71/72 static	820596
2	700094	hinge left	Juno series 71/72 static	821830
3	700024	hinge rod	Juno series 71/72 static	234612

fig.	part no.	description	suitable for	equiv. no.
4	700022	spring right	Juno series 71/72 static	245663
5	700023	spring left	Juno series 71/72 static	245664



fig.	Bestell.no.	description	suitable for	equiv. no.
1	700436	hinge right/left	Juno series 71 umluft	828931
2	693742	hinge rod	Juno series 71 umluft	224242

fig.	part no.	description	suitable for	equiv. no.
3	700426	spring right	Juno series 71 umluft	279830
4	700427	spring left	Juno series 71 umluft	279829




fig.	Bestell.no.	description	suitable for	equiv. no.
1	700029	hinge right	Juno series 74/75/85/90	820596
2	700094	hinge left	Juno series 74/75/85/90	821830
3	700028	hinge rod	Juno series 74/75/85/90	234607

fig.	part no.	description	suitable for	equiv. no.
4	700026	spring right	Juno series 74/75/85/90	279449
5	700027	spring left	Juno series 74/75/85/90	279450




fig.	Bestell.no.	description	suitable for	equiv. no.
1	700514	spring	MKN	216079
2	700040	spring	Blumauer	-

fig.	part no.	description	suitable for	equiv. no.
3	700096	spring	Tornatti	TO515002
4	700499	spring	Tornatti	-



fig.	Bestell.no.	description	suitable for	equiv. no.
1	693384	hinge right	Zanolli	SUPP0207
2	693385	hinge left	Zanolli	SUPP0139

fig.	part no.	description	suitable for	equiv. no.
3	693386	spring right	Zanolli	SPR10010
4	693387	spring left	Zanolli	SPR10009



fig.	Bestell.no.	description	suitable for	equiv. no.
1	514073	spring	Cuppone	ADME01203
2	700492	spring 127mm	Moretti	72500670
3	700493	spring 155mm	Moretti	72500660

fig.	part no.	description	suitable for	equiv. no.
4	700159	spring	Pizza Group	4000530
5	697349	spring	Pizza Group	PF08650

**springs**

## tension springs




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700030	187	12.9	2.1	Eloma	G0195
2	700031	260	15	2.3	Eloma	G0197





fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	690180	315	12.2	2	Mercury	03.3.3453.0
2	690181	260	12.3	1.9	Mercury	03.3.3454.0

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	501057	385	45	6.5	Meiko Meiko	8001613 0430006
2	501326	80	10	1	Meiko	430025





fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	501296	275	12	1.5	Dihr	560003
2	504030	355	35	5	Mach Mach	512006300 80001359
3	506199	355	30	5	Lamber	0800711
fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	506424	320	30	5	Lamber	0800033
5	505009	420	35	5	Fagor	Z710528000







fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	504638	185	15	1.5	Zanussi	049200
2	504639	195	15	2	Zanussi	049086
3	504649	160	10	2	Zanussi	048815

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	504682	295	50	5	Zanussi	046615
5	504684	365	40	4	Zanussi	048655




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	513206	510	25	5	Elettrobar	926007
2	504686	495	25	4	Zanussi	048258

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	504685	750	40	5.5	Zanussi	049582
4	504687	750	35	5.5	Zanussi	049947




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	510926	540	35	4	Comenda	391312
2	510927	820	35	6.5	Comenda	391313
3	510928	905	40	5	Comenda Hoonved	391316 33522

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	511216	790	20	6	Elframo	00018056
5	507157	920	40	5	IME Omnidish	GMML6261




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	511904	150	15	2	Elframco	00013717
2	516175	290	40	5	ATA	6083
3	508071	110	20	2	Aristarco	1722

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	508315	250	13	2	Aristarco	6377
5	508127	400	30	5	Aristarco	2543




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	517261	135	20	2.5	Dihr	10700/A
2	517260	140	15	2	Dihr	10700/B

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	517273	225	10	1.5	Dihr	550206/A
4	517048	310	30	5	Dihr Dihr	10800033 10800034




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	517272	540	15	2	Dihr	550212
2	517286	865	35	5	Dihr	75303

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	517287	670	40	4	Dihr	70302




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	512373	330	40	6	Hoonved	25826
2	519163	385	40	6.5	Silanos Silanos	904133 904137

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	519443	220	10	2	Silanos Silanos	904051 908041
4	524355	340	43	5.3	Adler	10563





fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	510064	68	13	1.5	Comenda	450288
2	510225	185	12	1.5	Comenda	391336
3	510228	165	12	1	Comenda	450217

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	528718	46	10	1	Rancilio	39220010
5	528719	85	13.2	2.1	Rancilio	39220025





fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	518260	145	10	1	Elettrobar	449049
2	518523	95	10	1	Elettrobar	449048

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	700420	60	20	2.6	Zanussi	056975
4	700421	39	10.3	1.3	Zanussi	056977




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	695108	21	6.3	0.5	Brema	20228
2	695435	24	9.2	1.6	Brema	20232
3	695544	42	10.5	1.5	Brema	20282

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	695674	80	13	1.7	Icematic	25475400/0
5	700730	100	12	1	Lamber	0800161




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	691455	270	24.8	3	Olis	2510545
2	693289	240	36.5	6.9	Zanussi	0A5150
3	693294	322	29.3	4.6	Zanussi	0C0671

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
4	693295	310	29.5	4.6	Zanussi	0C0666
5	700191	275	30.3	4.1	Küppers-busch	131072




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700429	260	50	6.3	Baron	41823210020
2	700430	200	33.9	4.2	Baron	41823210031

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	700169	360	35	5.3	Gico	290203700
4	700168	555	35	5.1	Gico	290202420




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700413	210	29	4.1	Electrolux Juno	OK2039 245668
2	700414	285	25	4	Electrolux Juno	OK2703 279902

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	540858	285	34.4	5.3	Electrolux Juno	OK2683 279457
4	540859	274	25	4.1	Electrolux Juno	OK2682 279455




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700552	220	35	4	MKN	216084
2	700718	79	16.4	2.9	Angelo Po	36G5240

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	700748	95	8.5	1	TurboChef	T0708
4	700749	220	19	2	TurboChef	T0542




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	690150	148	19.4	1.6	Blanco	146305
2	690151	147	12.9	1.1	Blanco	146304

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	690152	150	26.1	2.1	Blanco	146302
4	690914	156	17	1.3	Rieber	32681801




fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700519	210	38.6	3.8	Rieber	32680101
2	700520	205	34.9	3.3	Rieber	32680201

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
3	700521	210	35	3.1	Rieber	32680301
4	700522	145	19.6	1.6	Rieber	32681501






fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
700516	145	19.4	1.6	Hupfer	014040101	
700517	145	11.8	1.1	Hupfer	014040164	

fig.	part no.	L (mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
700518	150	25.5	2	Hupfer	014004104	
700523	116	18.3	1.3	Mobile containing	957610	

## torsion springs



no.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	514339	right	110	20	20	4.1	52	Icos	I08007
2	514346	left	110	20	20	4.1	52	Icos	I08008
3	514349	right	95	28	28	6	51	Icos	I08054
4	514350	left	95	28	28	6	51	Icos	I08055
5	514351	right	101	28	28	6.5	51	Icos	I08083
6	514352	left	101	28	29	6.5	51	Icos	I08093
7	540846	left	93	26	26	4.1	42.5	Rubinetterie del Friuli	30003866
8	540847	right	93	26	26	4.1	42.5	Rubinetterie del Friuli	30003864
9	540848	left	90	25	25	5	43	Rubinetterie del Friuli	30003870
10	540849	right	90	25	25	5	43	Rubinetterie del Friuli	30003868
11	540852	left	108	19	35	4.3	52	Rubinetterie del Friuli	30003872
12	540853	right	108	19	35	4.3	52	Rubinetterie del Friuli	30003874
13	540854	right	104	29	34	5.1	51	Rubinetterie del Friuli Icos	30003876 I08051
14	540855	left	104	29	34	5.1	51	Rubinetterie del Friuli Icos	30003878 I08052
15	540856	right	95	30	30	6.2	52	Rubinetterie del Friuli	30003880
16	540857	left	95	30	30	6.2	52	Rubinetterie del Friuli	30003882
17	700178	right	97	25	25	4.2	52.5	Modular	26001500
18	700179	left	97	25	25	4.2	52.5	Modular	26001600
19	691182	right/left	110	20	20	6	52	Angelo Po	36G9970
20	700432	right/left	116	19	19	4.1	52	Baron	41853310009





fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	690512	---	152	20	20	4.5	24.4	Ambach	5004705253
1	700405	---	153	20	20	5.2	24	Ambach	5004705386
2	690513	---	145	27	27	5.2	42.4	Ambach	5004714718
2	690514	---	170	27	27	7.2	44.6	Ambach	5004709717
2	690515	---	138	26	26	6.7	44.4	Ambach	5004714695
3	700404	---	405	21	21	4.1	20	Ambach	5004705557
4	700406	---	510	16	16	6.1	30	Ambach	5004707073




fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	693313	---	212	19	19	6.2	38	Zanussi	051527
2	693315	---	322	31	23	7.1	39	Zanussi	002981
2	693316	---	320	31	24	6.2	38	Zanussi	059518
3	693286	---	308	19	19	7.2	39.2	Zanussi	051268
4	693304	---	101	7	7	4	28.6	Zanussi	004850
5	700185	---	295	30	30	4.7	30.5	Angelo Po	36G1300
5	700186	---	300	30	30	5.5	31.7	Angelo Po	36G2640




fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700192	---	160	23	17	5.1	27	Küppersbusch	131070
1	700193	---	160	21	17	5.7	27	Küppersbusch	131075
1	700194	---	165	29	15	6.3	29	Küppersbusch	131080
2	690549	right	281	31	24	7	39	Giga	Y71800
2	690548	left	281	31	24	7	39	Giga	Y71500
3	693626	---	282	35	21	6.1	38	MBM	RTCP800026
3	693627	---	280	33	20	7.2	39	MBM	RTBF800103
4	693328	---	196	30	14	4.8	30.5	MBM	RTCU700476
700177	---		250	26	26	4	31	Modular	26001000





fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700087	right	86	30	16	2.7	14.5	Zanussi	082179
1	690683	left	86	30	16	2.7	14.5	Zanussi	082178
2	690578	right	82	25	15	2.7	14.9	Friulinox	935057
2	690579	left	82	25	15	2.7	14.9	Friulinox	935058
3	690370	right	101	32	13	2.8	16.5	Dexion	01157300R
3	690371	left	101	32	13	2.8	16.5	Dexion	01157200R
4	690271	right	80	27	16	2.5	15	Polaris	1412083
4	690272	left	80	27	16	2.5	15	Polaris	1412084





fig.	part no.	L1(mm)	L2(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	514226	192	14	32.2	5.9	Mareno	139732
1	514234	188	15	32.2	5.7	Mareno	810210
2	700066	140	27	31.1	3.6	Gico	270203340
2	700068	135	31	33.2	5.2	Gico	241200840




fig.	part no.	mounting position	L1(mm)	L2(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	691067	---	107	42	4	28.2	Fagor	S316110
1	693299	---	103	45	3.6	28.6	Zanussi Berto's	052894
2	693386	right	150	9	3.4	27.4	Zanolli	SPRI0010
2	393387	left	150	10	3.6	27.4	Zanolli	SPRI0009
3	700159	---	150	62	4.5	20	Pizza Group	4000530



fig.	part no.	$L_1$ (mm)	$L_2$ (mm)	$L_3$ (mm)	$D_1$ (mm)	$D_2$ (mm)	suitable for	equiv. no.
1	690029	71	79	13	3.7	25.8	Baumeister	
2	690503	97	265	11	3.3	16.7	IME	TUR00005023
3	690879	117	80	18	7.2	43	Juno	279411
4	693369	51	38	15	3.7	22	Fornitalia	65/65Z1



fig.	part no.	mounting position	$L_1$ (mm)	$L_2$ (mm)	$L_3$ (mm)	$D_1$ (mm)	$D_2$ (mm)	suitable for	equiv. no.
1	700022	right	93	133	24	3.4	18.6	Juno	245663
1	700023	left	93	133	24	3.4	18.6	Juno	245664
2	700026	right	88	132	26	3.4	19	Juno	279449
2	700027	left	88	132	26	3.4	19	Juno	279450
3	700426	right	64	100	11	2.6	12.9	Juno	279830
3	700427	left	64	100	11	2.6	12.9	Juno	279829
4	700601	right	94	268	14	4.1	23	Küppersbusch Thielmann	540454 141039
4	700600	left	94	268	14	4.1	23	Küppersbusch Thielmann	540453 150095




fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	691532	right	340	87	87	10	46	Henkelman	0080035
1	691533	left	340	87	87	10	46	Henkelman	0080036
2	700514	--	240	90	26.	6.1	26.6	MKN	216079
3	690880	--	75	200	20	3.7	20.9	Juno	292805





fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	504002	--	240	210	30	4	19	Mach	512006200
2	504652	right	185	145	20	3.7	20	Zanussi	046269
2	504653	left	185	145	20	3.7	20	Zanussi	046268
3	518359	right	235	205	22	3.5	19	Colged	449051
3	518255	left	235	205	22	3.5	19	Colged	449052





fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	700871	right	39	70	14	3	31	OEM	KD018
1	700872	left	39	70	14	3	31	OEM	KD019
2	516090	right	180	200	25	3	16.2	ATA	7162
2	516088	left	180	200	25	3	16.2	ATA	7160
3	516114	right	250	270	27	4.3	19	ATA	4082




fig.	part no.	mounting position	L1(mm)	L2(mm)	L3(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	690080	right	42	34.4	34.4	3.4	19.4	CF	63.3.0852
1	690081	left	42	34.4	34.4	3.4	19.4	CF	63.3.0853
1	690159	right	40	36.2	36.2	3.7	20.2	Sirman	IGS540C
1	690169	left	40	36.2	36.2	3.7	20.2	Sirman	IGS543C
1	690193	right	40	36.2	36.2	3.8	20.2	Sirman	IGS540
1	690194	left	40	36.2	36.2	3.8	20.2	Sirman	IGS543
2	690185	right	40	45.2	29.2	3.8	20.2	Sirman	IGS540C/99
2	690192	left	40	45.2	29.2	3.8	20.2	Sirman	IGS543C/99
2	690198	right	40	45	29	3.5	20	Sirman	IGS540/99
2	690199	left	40	45	29	3.5	20	Sirman	IGS543/99
3	691217	right	41	36	36	3.5	19	Vema	XRPV13
3	690218	left	41	36	36	3.5	19	Vema	XRPV28
4	700172	right	48	47.2	36.2	3	19.2	Silanos	904080
4	700173	left	48	47.2	36.2	3	19.2	Silanos	904081
4	700174	right	57	42	38	3.6	20	Silanos	904100
4	700175	left	57	42	38	3.6	20	Silanos	904101




fig.	part no.	L1(mm)	L2(mm)	D1(mm)	D2(mm)	suitable for	equiv. no.
1	690511	118	62.7	3.7	21.7	Elettrobar	921005
1	693019	124	68.8	3.7	20.8	Roller Grill	B07015
1	693199	118	59	3.8	21	Forved	GRILLMOLLA
1	700084	119	86	3	22	CF RM Gastro	63.3.0861 408702500
1	700723	120	60.5	3.6	20.5	RM Gastro	408702505
1	700731	120	60.4	3	20.4	CF	63.3.0862
1	700822	119	89	3.6	20	Roller Grill	B07019
2	695021	23.2	57.8	2.3	20.8	Icematic	25474600/0
2	695022	23.2	58.2	2.6	21.2	Icematic	25474602/0
2	695676	29	51	3	23	Icematic	25474601/0
3	700170	131	62	4.1	22	Faba	PR10012
3	700171	100	61.4	3.3	21.4	Faba	PR13032
3	700569	100	61.5	3.3	21.5	Star 10	2001

**wheels DERBY**

swivel castors with plate (steel chrome-plated/stainless steel)



fig.	part no.	description	material					
1	700202	swivel castor	chrome-plated	100	90x70	70x50	134	80
1	700209	swivel castor	chrome-plated	125	90x70	70x50	159	100
1	700217	swivel castor	SS	100	90x70	70x50	134	80
1	700224	swivel castor	SS	125	90x70	70x50	159	100
2	700203	swivel castor with brake	chrome-plated	100	90x70	70x50	134	80
2	700210	swivel castor with brake	chrome-plated	125	90x70	70x50	159	100
2	700218	swivel castor with brake	SS	100	90x70	70x50	134	80
2	700225	swivel castor with brake	SS	125	90x70	70x50	159	100
3	700204	fixed castor for heavy load	chrome-plated	100	90x70	70x50	134	80
3	700211	fixed castor for heavy load	chrome-plated	125	90x70	70x50	159	100
3	700219	fixed castor for heavy load	SS	100	90x70	70x50	134	80
3	700226	fixed castor for heavy load	SS	125	90x70	70x50	159	100

swivel castors with bolt hole (steel chrome-plated/stainless steel)



fig.	part no.	description	material					
1	700200	swivel castor	chrome-plated	100	12	131	80	
1	700207	swivel castor	chrome-plated	125	13	159	100	
1	700215	swivel castor	SS	100	12	131	80	
1	700222	swivel castor	SS	125	13	159	100	
2	700201	swivel castor with brake	chrome-plated	100	12	131	80	
2	700208	swivel castor with brake	chrome-plated	125	13	159	100	
2	700216	swivel castor with brake	SS	100	12	131	80	
2	700223	swivel castor with brake	SS	125	13	159	100	

## swivel castors with plate (plastic)



fig.	part no.	description	material	100	90x70	70x50	138	80
1	700362	swivel castor	plastic	100	90x70	70x50	138	80
1	700363	swivel castor	plastic	125	90x70	70x50	164	100
2	700364	swivel castor with caging device	plastic	100	90x70	70x50	138	80
2	700365	swivel castor with caging device	plastic	125	90x70	70x50	164	100

## swivel castors with bolt hole (plastic)



fig.	part no.	description	material	100	13	135	80
1	700366	swivel castor	plastic	100	13	135	80
1	700367	swivel castor	plastic	125	13	161	100
2	700368	swivel castor with caging device	plastic	100	13	135	80
2	700369	swivel castor with caging device	plastic	125	13	161	100

## spare parts and accessories




fig.	part no.	description	100	700145	expanding sleeve for round pipe ø inner 19.8-21.7mm
1	700142	wheel ball bearing	100	7	expanding sleeve for round ø inner 21.7-24.5mm
1	700140	wheel ball bearing	125	7	expanding sleeve for round ø inner 24.5-27mm
2	700143	wheel slide bearing	100	7	expanding sleeve for round ø inner 27-29.5mm
2	700141	wheel slide bearing	125	8	expanding sleeve for square pipe inner 22x22-24x24mm
3	700131	slide bearing steel zinc-plated		8	expanding sleeve for square pipe inner 25x25-28x28mm
3	700130	slide bearing SS		8	expanding sleeve for square pipe inner 29x29-32x32mm
4	700133	screw steel zinc-plated		8	expanding sleeve for square pipe inner 36x36-38x38mm
4	700132	screw SS		9	tooth lock washer steel zinc-plated
5	700135	nut steel zinc-plated		9	tooth lock washer SS
5	700134	nut SS		10	screw steel zinc-plated
6	700125	protective plate SS	100	10	screw SS
6	700126	protective plate SS	125		

**wheels STEINCO**

swivel castors with plate (SS)



1

2

3

fig.	part no.	description	material	100	77x66	61.5x/56x51.5/46.5	158	100
1	700294	swivel castor	SS	100	77x66	61.5x/56x51.5/46.5	158	100
1	700295	swivel castor	SS	125	77x66	61.5x/56x51.5/46.5	158	100
2	700296	swivel castor with brake	SS	100	77x66	61.5x/56x51.5/46.5	158	100
2	700297	swivel castor with brake	SS	125	77x66	61.5x/56x51.5/46.5	158	100
1	700298	swivel castor	SS	100	95x70	75x70	158	100
1	700292	swivel castor	SS	125	95x70	75x70	158	100
2	700319	swivel castor with brake	SS	100	95x70	75x70	158	100
2	700293	swivel castor with brake	SS	125	95x70	75x70	158	100
3	700320	fixed castor for heavy load	SS	100	95x70	75x70	158	100
3	700321	fixed castor for heavy load	SS	125	95x70	75x70	158	100

## swivel castors with bolt hole (SS)



1

2

fig.	part no.	description	material	100	10.5	158	100
1	700322	swivel castor	SS	100	10.5	158	100
1	700323	swivel castor	SS	125	10.5	158	100
2	700324	swivel castor with brake	SS	100	10.5	158	100
2	700325	swivel castor with brake	SS	125	10.5	158	100

## swivel castors with round stem (steel zinc-plated/SS)



1

2

fig.	part no.	description	material	125	18	62	161	100
1	700288	swivel castor	steel zinc-plated	125	18	62	161	100
1	700273	swivel castor	SS	125	18	62	161	100
2	700289	swivel castor with brake	steel zinc-plated	125	18	62	161	100
2	700274	swivel castor with brake	SS	125	18	62	161	100

swivel castors with square stem (steel zinc-plated/stainless steel)



1 2

fig.	part no.	description	material					
1	700309	swivel castor	steel zinc-plated	125	22x22	45	161	100
2	700310	swivel castor with brake	steel zinc-plated	125	22x22	45	161	100

swivel castors with threaded bolt (steel zinc-plated)



1 2

fig.	part no.	description	material					
1	700251	swivel castor	steel zinc-plated	125	M10	15	161	100
2	700252	swivel castor with brake	steel zinc-plated	125	M10	15	161	100

swivel castors with plate (plastic)



1 2 3

fig.	part no.	description						
1	700228	swivel castor	125	95x70	75x50	161	100	
2	700227	swivel castor with brake	125	95x70	75x50	161	100	
3	700231	fixed castor for heavy load	125	95x70	75x50	161	100	

swivel castors with bolt hole (plastic)



1 2

fig.	part no.	description					
1	700328	swivel castor	125	10.3	161	100	
2	700329	swivel castor with brake	125	10.3	161	100	

swivel castors with round stem (plastic)



fig.	part no.	description					
1	700229	swivel castor	125	18	62	161	100
2	700241	swivel castor with brake	125	18	62	161	100
3	700240	fixed castor for heavy load	125	18	62	161	100

spare parts and accessories



fig.	part no.	description		fig.	part no.	description
1	700330	wheel ball bearing	100	4	710067	sleeve for stem 37.6x37.6mm
1	700331	wheel ball bearing	125	5	700354	expansion sleeves for round pipe ø inner 18-20mm
2	700332	wheel slide bearing	100	5	700355	expansion sleeves for round pipe ø inner 21-23mm
2	700333	wheel slide bearing	125	5	700356	expansion sleeves for round pipe ø inner 24-27mm
3	700334	sleeve for stem ø22.0mm		5	700357	expansion sleeves for round pipe ø inner 28-31mm
3	700350	sleeve for stem ø22.6mm		6	700358	expansion sleeves for square pipe inner 18x18-20x20mm
4	700230	sleeve for stem 21.8x21.8mm		6	700359	expansion sleeves for square pipe inner 21x21-23x23mm
4	700351	sleeve for stem 22.5x22.5mm		6	700360	expansion sleeves for square pipe inner 24x24-27x27mm
4	700352	sleeve for stem 27.1x27.1mm		6	700361	expansion sleeves for square pipe inner 28x28-31x31mm
4	700353	sleeve for stem 32.5x32.5mm				

**wheels TENTE****swivel castors with plate (steel zinc-plated SS)**

1

2

3

fig.	part no.	description	material	125	77x66	61.5/56x51.5/46.5	160	100
1	710003	swivel castor	steel zinc-plated	125	77x66	61.5/56x51.5/46.5	160	100
1	700264	swivel castor	SS	125	77x66	61.5/56x51.5/46.5	160	100
1	700337	swivel castor	steel zinc-plated	150	77x66	61.5/56x51.5/46.5	185	100
2	710004	swivel castor with brake	steel zinc-plated	125	77x66	61.5/56x51.5/46.5	160	100
2	700265	swivel castor with brake	SS	125	77x66	61.5/56x51.5/46.5	160	100
2	700338	swivel castor with brake	steel zinc-plated	150	77x66	61.5/56x51.5/46.5	185	100
3	700311	fixed castor for heavy load	steel zinc-plated	125	77x66	61.5/56x51.5/46.5	160	100
3	700266	fixed castor for heavy load	SS	125	77x66	61.5/56x51.5/46.5	160	100
1	700255	swivel castor	steel zinc-plated	125	95x70	75x70	160	100
1	700270	swivel castor	SS	125	95x70	75x70	160	100
2	700256	swivel castor with brake	steel zinc-plated	125	95x70	75x70	160	100
2	700271	swivel castor with brake	SS	125	95x70	75x70	160	100
3	700257	fixed castor for heavy load	steel zinc-plated	125	95x70	75x70	160	100
3	700272	fixed castor for heavy load	SS	125	95x70	75x70	160	100

23



1

2

3

fig.	part no.	description	material	160	137X115	105X80/75	200	300
1	700243	swivel castor	steel zinc-plated	160	137X115	105X80/75	200	300
1	700258	swivel castor	steel zinc-plated	200	137X115	105X80/75	240	400
1	700248	swivel castor	SS	160	137X115	105X80/75	200	300
1	700261	swivel castor	SS	200	137X115	105X80/75	240	400
2	700244	swivel castor with brake	steel zinc-plated	160	137X115	105X80/75	200	300
2	700259	swivel castor with brake	steel zinc-plated	200	137X115	105X80/75	240	400
2	700249	swivel castor with brake	SS	160	137X115	105X80/75	200	300
2	700262	swivel castor with brake	SS	200	137X115	105X80/75	240	400
3	700242	fixed castor for heavy load	steel zinc-plated	160	137X115	105X80/75	200	300
3	700260	fixed castor for heavy load	steel zinc-plated	200	137X115	105X80/75	240	400
3	700247	fixed castor for heavy load	SS	160	137X115	105X80/75	200	300
3	700263	fixed castor for heavy load	SS	200	137X115	105X80/75	240	400

## swivel castors with plate/pneumatic tyres (steel zinc-plated/SS)



1



2



3

fig.	part no.	description	material					
1	700267	swivel castor	steel zinc-plated	200	137x115	105x80/75	240	75
1	700283	swivel castor	SS	200	137x115	105x80/75	240	75
2	700268	swivel castor with brake	steel zinc-plated	200	137x115	105x80/75	240	75
2	700284	swivel castor with brake	SS	200	137x115	105x80/75	240	75
3	700269	fixed castor for heavy load	steel zinc-plated	200	137x115	105x80/75	240	75
3	700285	fixed castor for heavy load	SS	200	137x115	105x80/75	240	75

## swivel castors with bolt hole (steel zinc-plated/SS)



1



2

fig.	part no.	description	material				
1	700253	swivel castor	steel zinc-plated	125	11	160	100
1	700275	swivel castor	SS	125	10.3	159	100
2	700254	swivel castor with brake	steel zinc-plated	125	11	160	100
2	700276	swivel castor with brake	SS	125	10.3	159	100

## swivel castors with plate (plastic)



1



2



3

fig.	part no.	description					
1	700305	swivel castor	125	95x70	75x50	166	100
2	700304	swivel castor with brake	125			166	100
3	700306	fixed castor for heavy load	125			166	100

## swivel castors with round stem (plastic)



1

2

3

fig.	part no.	description					
1	700302	swivel castor	125	18	62	162	100
2	700303	swivel castor with brake	125	18	62	162	100
3	700277	fixed castor for heavy load	125	18	62	162	100



## spare parts and accessories




fig.	part no.	description	
1	700278	wheel ball bearing	125
1	700279	wheel ball bearing sealed	125
2	700280	wheel slide bearing	125



fig.	part no.	description	
3	700281	wheel ball bearing sealed	160
4	700282	wheel ball bearing sealed	200




fig.	part no.	description
1	700370	sleeve for stem ø18mm-pipe ø22mm
2	700371	sleeve for stem ø18mm-pipe ø22.5mm
2	700372	sleeve for stem ø18mm-pipe ø30mm
2	710065	sleeve for stem ø18mm-pipe ø22.5x22.5mm
3	700374	sleeve for stem ø18mm-pipe ø27.5x27.5mm
3	700375	expansion sleeves for round pipe ø inner 19-21.5mm
3	700375	expansion sleeves for round pipe ø inner 19-21.5mm
3	700375	expansion sleeves for round pipe ø inner 21.5-24mm

fig.	part no.	description
3	700376	expansion sleeves for round pipe ø inner 24-27mm
3	700377	expansion sleeves for round pipe ø inner 27-30mm
3	700378	expansion sleeves for round pipe ø inner 31-35mm
4	700379	expansion sleeves for square pipe inner 21.5x21.5-24x24mm
4	700380	expansion sleeves for square pipe inner 24x24-27x27mm
4	700381	expansion sleeves for square pipe inner 27x27-30x30mm
4	700382	expansion sleeves for square pipe inner 32x32-35x35mm
4	700383	expansion sleeves for square pipe inner 36x36-40x40mm

**bumper wheels**

1




2



3

fig.	part no.	description	pipe (mm)	fig.	part no.	description	pipe
1	700153	bumper wheel for round pipe	20	1	700156	bumper wheel for square pipe	35
1	700154	bumper wheel for round pipe	25	2	700157	bumper wheel for square pipe	25x25
1	700155	bumper wheel for round pipe	30	3	690899	bumper wheel for square pipe	25x25

**corner bumpers**

1

2

3

4




fig.	part no.	material	A	B	C	D	E	suitable for	equiv. no.
1	690334	soft PVC	96	25	22	13.5	40	universal	
2	690421	silicone	96	25	22	13.5	40	universal	
3	690890	thermoplastic	183	27	33	34	60	Rieber	37130701
4	690898	thermoplastic	170	30	40	18	65	Blanco	00362453



1

2

3

4




fig.	part no.	material	A	B	C	D	E	suitable for	equiv. no.
1	690378	thermoplastic	163	23	33	32	50	Blanco	145429
2	690933	thermoplastic	150	35	31	17.5	65	Blanco	00144651
3	690908	thermoplastic	180	30	31	29	80	Hupfer Blanco	014002110 00127640
4	690938	rubber	125	29	27	35	30	Abner RM Gastro	M115503 407830000



1

2

3

4






fig.	part no.	material	A	B	C	D	E	suitable for	equiv. no.
1	690935	thermoplastic	145	29	25	22	70	Mobile Containg	958000
2	690924	thermoplastic	235	38	70	22	63	Blanco	0014
3	690154	thermoplastic	167	22	26	40	59	Köhler-Esback	3000555
4	690153	thermoplastic	175	31	36	40	50	Blanco	00146220




no.	part no.	material	A	B	C	D	E	suitable for	equiv. no.
1	690942	thermoplastic	180	28	35	45	52	Metalcarrelli	233004680002

### consoles



1



2





fig.	part no.	material	A	B	C	D	E	F	G	H	suitable for	equiv. no.
1	690115	thermoplastic	79	37	57	30	-	105	15	60	universal	-
2	691132	thermoplastic	75	37	56	25	-	105	15	58	universal	-



1



2





fig.	part no.	material	A	B	C	D	E	F	G	H	suitable for	equiv. no.
1	690329	thermoplastic	68	56	30	25	22	5.5	12	50	Scholl	79.01.64
2	690925	thermoplastic	73	45	22	25	20	M6	4	50	Blanco	00144041



1



2




fig.	part no.	material	A	B	C	D	E	F	G	H	suitable for	equiv. no.
1	690939	thermoplastic	80	46	53	30	-	8.5	9	60	Abner	M115398
2	690889	thermoplastic	75	65	46	25	30	7.0	19	54	Rieber	37130501




fig.	part no.	material	A	B	C	D	E	F	G	H	suitable for	equiv. no.
1	693465	thermoplastic	60	33	49	25	-	7	15	44	Blanco	00146585





fig.	part no.	material	A	B	C	D	E	F	G	H	suitable for	equiv. no.
1	690718	thermoplastic	71	28	35	20x20	-	M10	19	61	Mobile Containing	95.8170

### stainless steel pipes



no.	part no.	ø (mm)	L (mm)	no.	part no.	ø (mm)	L (mm)	no.	part no.	ø (mm)	L (mm)
1	690931	25	256	6	690893	25	490	10	690928	25	708
2	690892	25	290	7	690930	25	495	11	690439	30	300
3	690897	25	362	8	690442	25	500	12	690440	30	500
4	690894	25	450	9	690932	25	605	13	690441	30	700
5	690929	25	473								

**handles****pull handles (plastic)**

no.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	690083	thermoplastic 150°C	94	21	6.5	29	universal	-
1	690084	thermoplastic 150°C	117	26	8.5	34	universal	-
1	690079	thermoplastic 150°C	132	27	8.5	38	universal	-
1	690075	thermoplastic 150°C	179	28	8.5	42	universal	-
1	690076	thermoplastic 150°C	235	31	10.5	45	universal	-



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	691312	thermoplastic 100°C	72	12	M4	15	RM Gastro	407801100
2	691327	thermoplastic 150°C	105	28	M6	26	Mareno	CM073100
3	700737	thermoplastic 150°C	109	25	M4	18	RM Gastro	407802100
4	691510	thermoplastic 150°C	112	31	M6	28	Bartscher	A040575
5	693328	thermoplastic 100°C	117	23	M6	34	universal	-
6	690182	thermoplastic 150°C	117	24	M5	32	Mercury	03.6.1466.0



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	693609	thermoplastic 150°C	127	20	M4	30	CB	10010009
2	691263	Duroplast 150°C	132	36	M8	36	Sirman	IB4200910
3	510478	thermoplastic 150°C	152	30	M5	26	Comenda	170801 170812
4	700551	Duroplast 150°C	179	30	M8	42	Tecnoinox Fage	RC00003101 MANMS180



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	690452	thermoplastic 100°C	95	14	5.5	20	universal	-
2	690183	thermoplastic 100°C	110	25	6.5	30	Mercury	03.6.1612.0
3	690918	thermoplastic 100°C	140	30	7	30	Köhler-Esback	3000607



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	690895*	thermoplastic 100°C	-	30	5.2	30	Hupfer	162592
2	690904	thermoplastic 100°C					Blanco	00146416
3	690905	thermoplastic 100°C					Blanco	00146417

\*Qty: one pair

### pull handles (metal)



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	505001	aluminium	170	36	M6	32	Fagor	U580521
1	505002	aluminium	260	36	M6	32	Fagor	Z200512
2	693726	aluminium	164	30	M5	30	Nayati	GS3780
2	693725	aluminium	592	30	M5	30	Nayati	GS3782
3	695616	aluminium	185	26	4.2	37	Giga	AVA013ZR10
3	691338	aluminium	470	26	4.2	37	Giga	AVA011ZR10
4	691679	aluminium	258	32	M6	32	Fagor	Z400542000
5	691328	steel chrome-plated	235	30	M6	40	Mareno	1031110900

1



2



3



4

1



2



3

4



5

fig. part no. material A B C D suitable for equiv. no.

fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	691315	SS	175	30	M5	33	RM Gastro	408015110
1	691374	SS	497	30	M5	33	RM Gastro	408015100
2	691681	SS	170	30	M5	29	Fagor	Z400540000
2	691678	SS	580	30	M5	29	Fagor	U560501000
3	693229	SS	279	16	M5	27	Tecnoeka	09960099002
3	693225	SS	497	16	M5	27	Tecnoeka	09960209002
4	506147	SS	390	25	M8	36	Lamber	0500049
5	504163	SS	290	30	M8	30	Mach	511039400

## pull handles (fridge)

1




2



fig.	part no.	material	A	B	C	D	suitable for	equiv. no.
1	690450	plastic/aluminium	226	28	5.5	25	universal	-
1	690451	plastic/aluminium	376	28	5.5	25	universal	-
2	690449	plastic/aluminium	232	19	6.5	27	universal	-
2	690448	plastic/aluminium	375	19	6.5	27	universal	-

## cylindric handles





no.	part no.	description	G	Dø	L
1	693471	with internal thread	M8	20	36
2	111056	with internal thread	M10	19	54

no.	part no.	description	G	Dø	L
3	111037	with internal thread	M10	24	80
4	697442	with internal thread	M12	28	30



(A)



(B)




fig.	part no.	description	G	dø	Dø	L
1A	110332	bullet handle	10	23	65	
1A	110331	bullet handle	12	26	80	
1B	540235	with internal thread	M6		18	40
1B	540236	with internal thread	M6		21	50
1B	540713	with internal thread	M8		17	38
1B	112917	with internal thread	M8		23	55
1B	540237	with internal thread	M8		23	65
1B	691314	with internal thread	M8		28	86
1B	690158	with internal thread	M8		29	112

fig.	part no.	description	G	Dø	L
1B	111036	with internal thread	M10	21	50
1B	111597	with internal thread	M10	23	65
1B	540238	with internal thread	M10	26	80
1B	110703	with internal thread	M10	28	87
1B	529183	with internal thread	M10	29	86
1B	514065	with internal thread	M12	23	65
1B	110803	with internal thread	M12	28	85
1B	110804	with internal thread	M12	29	115



no.	part no.	description	G	Dø	L
1	540245	rotary, screws SS	M6	21	50
2	540246	rotary, screws SS	M8	23	65

no.	part no.	description	G	Dø	L
3	693332	rotary, screws zinc-plated	M8	23	65
4	540247	rotary, screws SS	M10	26	80

## cone handles



1



2



3



4




fig.	part no.	description	G	Dø	L
1	110704	with internal thread	M6	16	25
1	111092	with internal thread	M8	24	41
1	691395	with internal thread	M8	24	59
1	528942	with internal thread	M8	28	46
1	111129	with internal thread	M10	34	55

fig.	part no.	description	G	Dø	L
2	693121	with internal thread	M8	33	82
2	112942	with internal thread	M10	29	67
3	697517	with internal thread	M10	30	66
4	698195	with internal thread	M10	32	87



fig.	part no.	description	G	Dø	L1	L2
1	540232	with external thread	M6	18	64	8
1	540233	with external thread	M6	21	72	10
1	697432	with external thread	M6	26	70	6
1	697431	with external thread	M6	26	70	10
1	540234	with external thread	M8	25	90	10

fig.	part no.	description	G	Dø	L1	L2
2	693036	with external thread	M8	28	105	11
3	514256	with external thread aluminium	M10	26	82	15




fig.	part no.	description	G	Dø	L
1	110920	with internal thread	M5	25	26
2	111145	with internal thread	M6	20	26

fig.	part no.	description	G	Dø	L
3	112059	with internal thread	M6	24	17
4	111236	with internal thread	M10	33	35

### ball handles






fig.	part no.	description	G	Bø	Dø
1A	697346	with internal thread	M4	20	
1A	540320	with internal thread	M5	20	
1A	540075	with internal thread	M5	25	
1A	691311	with internal thread	M6	20	
1A	540321	with internal thread	M6	25	
1A	510496	with internal thread	M6	29	

fig.	part no.	description	G	Bø	Dø
1A	101718	with internal thread	M8		25
1A	540322	with internal thread	M8		32
1A	691438	with internal thread	M8		40
1A	693488	with internal thread	M10		34
1A	540323	with internal thread	M10		40
1B	693474	bullet handle conical 12			40

## star handles



1



B




fig.	part no.	finish	G	Bø	Dø	L
1A	697765	threaded blind hole	M6		30	22
1A	698200	threaded blind hole	M6		40	29

fig.	part no.	description	Bø	Dø	L1	L2
1B	540738	blind hole	10	60	38	10



1




fig.	part no.	finish	G	Dø	L
1	698183	threaded blind hole	M8		40



1




fig.	part no.	finish	G	Dø	L1	L2
1	697443	threaded blind hole	M8	50	29	-



2




fig.	part no.	description	G	Dø	L1	L2
2	111785	threaded blind hole	M12	70	40	8



1




fig.	part no.	finish	S	Dø	L
1	514051	square hole	7x7	63	22
1	541563	square hole	7x7	74	24



2





fig.	part no.	description	S	Dø	L
2	111666	square hole	7x7	70	22
2	111836	square hole	8x8	70	22



no.	part no.	finish	S	Dø	L
1	540365	square hole	6x6	50	18
2	541559	square hole	8x8	80	23

no.	part no.	description	S	Dø	L
3	540229	square hole	9x9	80	23
4	541361	square hole	9x9	100	25

**hand wheels****with folding handle**

fig.	part no.	description	Dø	dø	L	suitable for	equiv. no.
1	690853	hand wheel without handle	150	6	--	Silko	0100482
2	690855	folding handle	--	--	82	Silko	0100483
3	690854	hand wheel without handle	200	6	--	Silko	0100480
4	690856	folding handle	--	--	105	Silko	0100481




fig.	part no.	description	Dø	dø	handle type	L	d1	suitable for	equiv. no.
1	691974	hand wheel without handle	178	20	--	8	M8	Electrolux Zanussi	052392 052392
2	690859	folding handle	--	--	C			Electrolux Zanussi	052393 052393




fig.	part no.	description	Dø	dø	handle type	L	d1	suitable for	equiv. no.
1A	690082	hand wheel with folding handle	160	16	A	--	--	universal	
1A	690609	hand wheel with folding handle	200	16	B	--	--	Emmepi universal	C00248 ---
1A	690085	hand wheel with folding handle	200	20	B	--	--	Electrolux Juno Fagor Fagor	0H6471 234851 X156117 X156139
1B	514026	hand wheel with folding handle	160	16	A	9	M8	Mareno	1685691
1B	690860	hand wheel with folding handle	160	16	A	8	M5	Küppersbusch	061425
1C	693399	hand wheel with folding handle	160	16	A	4	4	Electrolux Zanussi	0A5164 0A5164
1B	690553	hand wheel with folding handle	200	16	B	15	M6	Küppersbusch	61424
1B	690086	hand wheel with folding handle	200	20	B	9	M8	Mareno Angelo Po	1475200 36M4910
1C	690249	hand wheel with folding handle	200	20	B	11	7	Angelo Po	36M5562



1




fig.	part no.	description	Dø	dø	handle type	L	d1	suitable for	equiv. no.
1	690964	hand wheel with folding handle	200	20	C	--	--	MKN	216907



1




fig.	part no.	description	Dø	dø	B	handle type	suitable for	equiv. no.
1A	690800	hand wheel with folding handle	150	16	5	--	Küpperbusch Thielmann	540479 144139
1B	690901	hand wheel with Sicherheits-folding handle	150	16	5	--	Küpperbusch Thielmann	540479 144139



1




fig.	part no.	description	Dø	dø	handle type	b	L	suitable for	equiv. no.
1A	693113	hand wheel with folding handle	150	14	A	5	--	GIGA STAR 10 OFFCAR Firex LOTUS Silko	0900X18500 X18500 FXSMB013600 SMB013600 SMB013600 LC336-00
1A	690550	hand wheel with folding handle	200	20	D	6	--	GIGA STAR 10 Berto's Silko	0900Y41900 0900Y41900 35995000 9203665
1B	690555	hand wheel with folding handle	200	20	D	6	7	MBM	RTBF800093




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	690556	hand wheel with folding handle	130	14		8	M6	MBM	164461




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.	
1	690965	hand wheel with folding handle	170	16		--	7	M6	MKN	216076




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1A	693437	hand wheel with folding handle	150	22	E	6	6	Nayati	GS3790
1B	690858	hand wheel with folding handle	178	20	C	8	M8	Electrolux Zanussi	




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	691018	hand wheel with folding handle	150	15	F	6	M6	Modular	65101800



1




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	514398	hand wheel with folding handle	200	15	--	6	M6	Berto's	31995000



1




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1A	690852	hand wheel with folding handle	175	20	G	7	M6	Ambach	2020100286
1B	691815	hand wheel with folding handle	180	14	K	5	4	G.I.C.O.	770307460
1B	540742	hand wheel with folding handle	180	17	K	10	5	G.I.C.O.	790325450



1




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	693159	hand wheel with folding handle	200	20	--	6	M6	Olis ALI	A039702



1




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	691973	hand wheel with folding handle	150	17	E	5	--	Falcon	731750510

## with fixed handle




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	693156	hand wheel with fixed handle	150	15		6	M6	Olis ALI	A039705




fig.	part no.	description	Dø	dø	handle type	suitable for	equiv. no.
1	690551	hand wheel with fixed handle	200	20		universal Electrolux JUNO Therma	OH6472 234854 19006140

23

Locks and fittings




fig.	part no.	description	Dø	dø	handle type	L	d1ø	suitable for	equiv. no.
1	691441	hand wheel with fixed handle	160	20		6	M6	Olis ALI	6A039710

**hand wheel handles**  
**folding handle**



1



2



3




fig.	part no.	handle type	mounting	metal parts	G	L	D
1	690855	H	centre	steel	19	82	M6
1	690856	G	centre	steel	21	107	M6
2	514255	A	centre	steel	20	85	M6
2	514179	B	centre	steel	20	100	M6

fig.	part no.	handle type	mounting	metal parts	G	L	D
2	514180	D	centre	steel	20	110	M6
3	514178	E	off-centre	steel	20	85	M6
3	514181	F	off-centre	SS	20	85	M6
3	690859	C	off-centre	steel	26	110	M6



1




2



fig.	part no.	handle type	mounting	metal parts	A	L	M
1	514177	K	centre	steel	20	100	M6

fig.	part no.	handle type	mounting	metal parts	A	L	M
2	514254	L	centre	steel	20	102	M6

**rotary handles**

no.	part no.	handle type	mounting	metal parts	A	L	M
1	540245		centre	SS	21	50	M6
2	540246		centre	SS	23	65	M8
3	693332	N	centre	steel/cp	23	65	M8

no.	part no.	handle type	mounting	metal parts	A	L	M
4		M	centre	steel/cp	26	80	M8
5	540247	O	centre	SS	26	80	M10



**waste chutes**

fig.	part no.	D1	D2	D3	D4	H1	H2	H3
1A	530600	237	180	205	-	30	55	-
1B	690333	234	166	200	218	25	50	35

**equipment feet**

with threaded bolt



fig.	part no.	material	diagram	diagram	diagram	fig.	part no.	material	diagram	diagram	diagram
1	700857	SS	38	M8	55-70	2	802132	SS	50	M10	55-67
1	700859	SS	38	M8	89-99	2	527176	SS	50	M10	88-100
1	700858	SS	38	M10	55-70	2	700810	SS	50	M10	107-135
1	700860	SS	38	M10	89-99						



fig.	part no.	material	diagram	diagram	diagram	fig.	part no.	material	diagram	diagram	diagram
1	700761	SS	50	M10	130-180	8	700867	SS	64	M12	135-215
2	700864	SS	57	M10	135-190	9	700868	SS	64	M12	155-235
3	513287	SS	60	M12	155-235	10	701202	SS	67	M10	115-175
5	701087	SS	64	M10	123-160	11	701205	SS	67	M10	150-190
6	700866	SS	64	M10	135-190						



fig.	part no.	material	diagram	diagram	diagram	fig.	part no.	material	diagram	diagram	diagram
1	700116	SS	64	M12	95-135	3	700826	SS	56	M10	107
2	690038	StVc	42	M10	87-140						



fig.	part no.	material	64	65	66	suitable for	equiv. no.	fig.	part no.	material	60	M10	75-110	suitable for	equiv. no.
1	691381	StVc	32	3/8"UNC	102-145	Turbochef		4	701080	plastic	60	M10	75-110	Smeg	
2	691476	plastic	36	3/8"UNC	101-135	Hatco		5	701203	plastic	65	M10	115-180	RM Gastro	
3	701081	plastic	42	M10	50-65	Smeg		6	701088	plastic	65	M10	115-180	Desmon	

feet with threaded bolt and floor mounting



no.	part no.	material	64	M10	100-130
1	700127	SS			

feet with plate



fig.	part no.	material	52	65x67	51x51	120-190	fig.	part no.	material	64	85x100	55x75	120-180
1	701204	SS	52	65x67	51x51	120-190	3	701089	SS	64	85x100	55x75	120-180
2	700724	SS	57	70x70	56x56	130-215	3	700708	SS	64	90x90	70x70	140-195
2	700863	SS	57	82.5x82.5	65x65	135-215	3	700742	SS	64	88x100	70x80	135-200
2	700712	SS	57	85x105	60x78	135-215	3	700862	SS	64	100x100	85x85	135-190
2	700861	SS	57	100x100	85x85	130-175	3	700865	SS	64	90x130	75x105	135-215
3	700823	SS	64	80x100	55x78	130-185							



fig.	part no.	material	63	81x81	64x64	135-190	fig.	part no.	material	67	80x100	60x80	115-185
1	700806	SS/plastic	63	81x81	64x64	135-190	2	700709	SS/plastic	67	80x100	60x80	115-185



## Locks and fittings

various



fig.	part no.	thread		suitable for	equiv. no.	fig.	part no.	thread		suitable for	equiv. no.		
1	695677	1 1/4" internal		180-190	Icematic	25570870/0	4	701090	2" external		145	Angelo Po	36D4000
2	701000	1" external		115-126	Scotsman	65067000	5	701091	1 1/2" internal		125	Angelo Po	6000150
3	701093	1 1/4" external		68	Scotsman	25570880							

## bullet feet plastic



fig.	part no.			
1	700099	30X30	1	18-45
2	700100	35x35	1.5	19-55

fig.	part no.			
3	700101	40x40	1-1.5	20-35



fig.	part no.			
1	700117	30X30	1.2-1.5	23-55
2	700118	35x35	1.2-1.5	15-50

fig.	part no.			
3	700119	40x40	1.2-1.5	30-62
4	700870	40x40	1.2-1.5	30-62



fig.	part no.			
1	700108	40x40	1-1.2	17-55

fig.	part no.			
1	700108	40x40	1-1.2	17-55

## bullet feet plastic/ss



fig.	part no.			
1	700110	40x40	1-1.2	28-72

fig.	part no.			
2	700869	40x40	1-1.2	32-100

## bullet feet Zamak/SS



no.	part no.	fig.	fig.	fig.
1	700112	40x40	1	33-60
2	700113	40x40	1.2	37-67

## bullet feet Zamak



fig.	part no.	fig.	fig.	fig.
1	700114	35x35	1.2-1.5	27-55
2	700115	40x40	1.2-1.5	37-65

## feet with stem



4



5

fig.	part no.	fig.	fig.	suitable for	equiv. no.	fig.	part no.	fig.	fig.	suitable for	equiv. no.	
1	527380	6mm	12mm	2.5mm	Acopa	9050	4	802133	8mm	25mm	4mm	universal
2	650012	13.5mm	18mm	10mm	Cunill	CUN/024	5	802130	10mm	40	15	universal
3	514010	10mm	20mm	4mm	Mareno	1036016200						



1



2

fig.	part no.				suitable for	equiv. no.
1	701083	7mm	20mm	10mm	Smeg	755770280

feet with blind hole



1



2

fig.	part no.				suitable for	equiv. no.
1	697330	20mm	36mm	38mm	Pizza Group	8301340

feet with hole



1



2



3



4



5



6



7



8

fig.	part no.				suitable for	equiv. no.
1	691345	5mm	28mm	21mm	RM Gastro	407810000
2	691117	4mm	20mm	23mm	Smeg	765770202
3	691509	4mm	30mm	18mm	Bartscher	A0AT93602
4	691814	4mm	22mm	20mm	Roller Grill	A13003

feet with internal thread



no.	part no.				suitable for	equiv. no.
1	697748	M8	40mm	34mm	RGV	1251

feet with threaded bolt



fig.	part no.				suitable for	equiv. no.	fig.	part no.				suitable for	equiv. no.
1	696094	M5x9mm	15mm	10mm	Sirman	IB4356015	4	691344	M8x22mm	23mm	12mm	RM Gastro	636002100
2	696043	M5x9mm	28mm	24mm	Sirman	MSC04N114K	5	695614	M10x20mm	27mm	30mm	Giga	M06400
3	527271*	M6x10mm	20mm	23mm	Thermo-plan	50.31.00	6	510904	M10x42mm	60mm	30mm	Comenda	210203

\*Qty 4 pcs.



fig.	part no.				suitable for	equiv. no.	fig.	part no.				suitable for	equiv. no.
1	691264	M6x16mm	25mm	6.5mm	Sirman	IB4356000	6	691118	M8x25mm	25mm	6.5mm	Smeg	975770293
2	693947	M8x16mm	25mm	8mm	Smeg	975770040	7	700873	M8x25mm	25mm	8mm	universal	
3	695612	M8x20mm	25mm	11mm	Sirman	IV4083500	8	700874	M8x45mm	25mm	8mm	universal	
4	513284	M8x20mm	29mm	12mm	Elettrobar Silanos Sirman	461019 907142 IB4356005	9	691828	M8x26mm	25mm	8mm	Roller Grill	A13009
5	691122	M8x22mm	32mm	13mm	Angelo Po	36E0010	10	695738	M8x27mm	30mm	12mm	Icematic	81502119/0



fig.	part no.				suitable for	equiv. no.	fig.	part no.				suitable for	equiv. no.
1	701079	M8x30mm	38mm	11mm	Smeg	975770151	5	700876	M10x45mm	25mm	8mm	universal	
2	691836	M8x50mm	32mm	11mm	CPE	I0.62600.000	6	695545	M10x25mm	40mm	14mm	Friulinox Piron	925640 PIE30001
3	691652	M10x22mm	25mm	7mm	Hoonved	25209	7	695604	M10x25mm	48mm	12mm	Elframco	00000970
4	700875	M10x25mm	25mm	8mm	universal								



fig.	part no.				suitable for	equiv. no.	fig.	part no.				suitable for	equiv. no.
1	697331	M10x32mm	34mm	12mm	Pizza Group	5874000	4	510115	M10x45mm	30mm	10mm	Fagor	Z200107000
2	701065	M10x40mm	50mm	17mm	Desmon	89010430	5	701004	M10x45mm	42mm	18mm	La Sumilliere	C6025141
3	510939	M10x40mm	60mm	15mm	Comenda	440201	6	700710	M12x58mm	32mm	15mm	Angelo Po	36D2970



fig.	part no.				suitable for	equiv. no.	fig.	part no.				suitable for	equiv. no.
1	693791	M5	35mm	25mm	Sirman	19560201	4	527255	M8	47mm	45mm	Wega	WY15314001
2	697387	M5	36mm	27mm	Fimar	SL2674	5	802136	M8	47mm	41mm	Sirman	19560202
3	697757	M6	37mm	28mm	universal		6	697383	M8	47mm	47mm	RGV	628

## miscellaneous



fig.	part no.	suitable for	equiv. no.	fig.	part no.	suitable for	equiv. no.	fig.	part no.	suitable for	equiv. no.
1	690184	Mercury	03.1.0906.0	3	691521	Unox	PD1000A0	5	695601	Elettrobar Elframbo	461010 00206960
2	514009	Mareno	1036021613	4	695353	Brema Kastel Scotsman	10017 K01086 65038201				

## end caps plastic



no.	part no.	for pipE (mm)	no.	part no.	for pipE (mm)	no.	part no.	for pipE (mm)
1	690470	20x20	3	690472	30x30	5	690474	40x40
2	690471	25x25	4	690473	35x35	6	691342	30x20

## **Notes**