## Sociodemographic & Economic Factors

### The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table 1 of Gender by Informed_Consent						
Con	Controlling for Group_study=0					
	Informed_C	onsent(Inforn	ned_Consent)			
Gender(Gender)	0	1	Total			
0	135	142	277			
	31.69	33.33	65.02			
	48.74	51.26				
	69.23 61.47					
1	60	89	149			
	14.08	20.89	34.98			
	40.27 59.73					
	30.77 38.53					
Total	195 231 426					
	45.77	54.23	100.00			

### Statistics for Table 1 of Gender by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	2.7989	0.0943
Likelihood Ratio Chi-Square	1	2.8115	0.0936
Continuity Adj. Chi-Square	1	2.4682	0.1162
Mantel-Haenszel Chi-Square	1	2.7924	0.0947
Phi Coefficient		0.0811	
Contingency Coefficient		0.0808	
Cramer's V		0.0811	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 135			
Left-sided Pr <= F	0.9623		
Right-sided Pr >= F	0.0579		
Table Probability (P)	0.0202		
Two-sided Pr <= P	0.1033		

Sample Size = 426

Table 2 of Gender by Informed_Consent					
Con	trolling for G	roup_study=1			
	Informed_C	onsent(Inforn	ned_Consent)		
Gender(Gender)	0	1	Total		
0	117 32.96 53.18 73.13	103 29.01 46.82 52.82	220 61.97		
1	43 12.11 31.85 26.88	92 25.92 68.15 47.18	135 38.03		
Total	160 195 355 45.07 54.93 100.00				

## Statistics for Table 2 of Gender by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	15.3748	<.0001
Likelihood Ratio Chi-Square	1	15.6331	<.0001
Continuity Adj. Chi-Square	1	14.5253	0.0001
Mantel-Haenszel Chi-Square	1	15.3315	<.0001
Phi Coefficient		0.2081	
Contingency Coefficient		0.2037	
Cramer's V		0.2081	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 117				
Left-sided Pr <= F	1.0000			
Right-sided Pr >= F <.0001				
Table Probability (P) <.0001				
Two-sided Pr <= P	0.0001			

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

Summary Statistics for Gender by Informed\_Consent Controlling for Group\_study

<b>Cochran-Mantel-Haenszel Statistics</b> (Based on Table Scores)					
Statistic	Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	15.1211	0.0001	
2	Row Mean Scores Differ	1	15.1211	0.0001	
3	General Association	1	15.1211	0.0001	

Common Odds Ratio and Relative Risks				
Statistic	Method Value 95% Confidence Lie			
Odds Ratio	Mantel-Haenszel	1.8021	1.3370	2.4290
	Logit	1.7987	1.3326	2.4279
Relative Risk (Column 1)	Mantel-Haenszel	1.3967	1.1707	1.6664
	Logit	1.3806	1.1571	1.6474
Relative Risk (Column 2)	Mantel-Haenszel	0.7733	0.6818	0.8770
	Logit	0.7713	0.6799	0.8750

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 3.1342			
DF 1			
Pr > ChiSq	0.0767		

Total Sample Size = 781

Frequency Percent Row Pct Results: Program 3.sas

Col Pct

Table 1 of Age_Group by Informed_Consent				
Controlling for Group_study=0				
	Informed_Consent(Informed_Consent)			
Age_Group(Age_Group)	0	1	Total	
0	6 1.41 60.00 3.08	4 0.94 40.00 1.73	10 2.35	
1	35 8.22 38.89 17.95	55 12.91 61.11 23.81	90 21.13	
2	43 10.09 41.35 22.05	61 14.32 58.65 26.41	104 24.41	
3	45 10.56 46.39 23.08	52 12.21 53.61 22.51	97 22.77	
4	33 7.75 62.26 16.92	20 4.69 37.74 8.66	53 12.44	
5	22 5.16 41.51 11.28	31 7.28 58.49 13.42	53 12.44	
6	11 2.58 57.89 5.64	8 1.88 42.11 3.46	19 4.46	
Total	195 45.77	231 54.23	426 100.00	

# Statistics for Table 1 of Age\_Group by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	6	10.6897	0.0985
Likelihood Ratio Chi-Square	6	10.7082	0.0978
Mantel-Haenszel Chi-Square	1	2.3650	0.1241
Phi Coefficient		0.1584	
Contingency Coefficient		0.1565	
Cramer's V		0.1584	

Sample Size = 426

Table 2 of Age_Group by Informed_Consent							
Controlling for Group_study=1							
	Informed_Consent(Informed_Consent)						
Age_Group(Age_Group)	0	1	Total				
0	7	4	11				
	1.97	1.13	3.10				
	63.64	36.36					
	4.38 2.05						
1	28	39	67				
	7.89	10.99	18.87				
	41.79 58.21						
17.50 20.00							
2	2 28 40 68						
	7.89	11.27	19.15				

Table 2 of Age_Group by Informed_Consent						
Controlling for Group_study=1						
	Informed_Consent(Informed_Con					
Age_Group(Age_Group)	0	1	Total			
	41.18	58.82				
	17.50	20.51				
3	41	39	80			
	11.55	10.99	22.54			
	51.25	48.75				
	25.63	20.00				
4	30	44	74			
	8.45	12.39	20.85			
	40.54	59.46				
	18.75	22.56				
5	15	20	35			
	4.23	5.63	9.86			
	42.86	57.14				
	9.38	10.26				
6	11	9	20			
	3.10	2.54	5.63			
	55.00	45.00				
	6.88	4.62				
Total	160	195	355			
	45.07	54.93	100.00			

# Statistics for Table 2 of Age\_Group by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	6	4.9522	0.5500
Likelihood Ratio Chi-Square	6	4.9470	0.5506
Mantel-Haenszel Chi-Square	1	0.0190	0.8905
Phi Coefficient		0.1181	
Contingency Coefficient		0.1173	
Cramer's V		0.1181	

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

## Summary Statistics for Age\_Group by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis	DF	Value	Prob	
1	Nonzero Correlation	1	1.4966	0.2212	
2	Row Mean Scores Differ	6	9.3576	0.1544	
3	General Association	6	9.3576	0.1544	

Total Sample Size = 781

Table 1 of Marital_Status by Informed_Consent					
Controlling for Group_study=0					
	Informed_Consent(Informed_Consent)				
Marital_Status(Marital_Status)	0 1 To				
0	50	60	110		
	11.74	14.08	25.82		

Table 1 of Marital_S	Status by Info	rmed_Conse	nt			
Controlling for Group_study=0						
	Informed_Consent(Informed_Conse					
Marital_Status(Marital_Status)	0	1	Total			
	45.45 25.64	54.55 25.97				
1	34 7.98 38.64 17.44	54 12.68 61.36 23.38	88 20.66			
2	16 3.76 36.36 8.21	28 6.57 63.64 12.12	44 10.33			
3	8 1.88 40.00 4.10	12 2.82 60.00 5.19	20 4.69			
4	87 20.42 53.05 44.62	77 18.08 46.95 33.33	164 38.50			
Total	195 45.77	231 54.23	426 100.00			

# Statistics for Table 1 of Marital\_Status by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	4	7.1458	0.1284
Likelihood Ratio Chi-Square	4	7.1800	0.1267
Mantel-Haenszel Chi-Square	1	2.9519	0.0858
Phi Coefficient		0.1295	
Contingency Coefficient		0.1284	
Cramer's V		0.1295	

Sample Size = 426

Table 2 of Marital_Status by Informed_Consent					
Controlling for Group_study=1					
	Informed_C	onsent(Inforn	ned_Consent)		
Marital_Status(Marital_Status)	0	1	Total		
0	31 8.73 38.75 19.38	49 13.80 61.25 25.13	80 22.54		
1	29 8.17 39.19 18.13	45 12.68 60.81 23.08	74 20.85		
2	7 1.97 26.92 4.38	19 5.35 73.08 9.74	26 7.32		
3	4 1.13 36.36 2.50	7 1.97 63.64 3.59	11 3.10		
4	89 25.07 54.27 55.63	75 21.13 45.73 38.46	164 46.20		

Table 2 of Marital_Status by Informed_Consent					
Controlling for Group_study=1					
	Informed_Consent(Informed_Consent)				
Marital_Status(Marital_Status)	0	1	Total		
Total	160 45.07	195 54.93	355 100.00		

### Statistics for Table 2 of Marital\_Status by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	4	11.7245	0.0195
Likelihood Ratio Chi-Square	4	11.8948	0.0182
Mantel-Haenszel Chi-Square	1	7.4602	0.0063
Phi Coefficient		0.1817	
Contingency Coefficient		0.1788	
Cramer's V		0.1817	

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

#### Summary Statistics for Marital\_Status by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis	DF	Value	Prob	
1	Nonzero Correlation	1	9.7102	0.0018	
2	Row Mean Scores Differ	4	17.5828	0.0015	
3	General Association	4	17.5828	0.0015	

Total Sample Size = 781

Table 1 of Income_Src by Informed_Consent						
Controlling for Group_study=0						
	Informed_Consent(Informed_Consent)					
Income_Src(Income_Src)	0	1	Total			
0	87 20.42 49.15 44.62	90 21.13 50.85 38.96	177 41.55			
1	42 9.86 47.73 21.54	46 10.80 52.27 19.91	88 20.66			
2	1 0.23 25.00 0.51	3 0.70 75.00 1.30	4 0.94			
3	65 15.26 42.21 33.33	89 20.89 57.79 38.53	154 36.15			
4	0 0.00 0.00 0.00	3 0.70 100.00 1.30	3 0.70			

Table 1 of Income_Src by Informed_Consent					
Controlling for Group_study=0					
	Informed_Consent(Informed_Consent				
Income_Src(Income_Src)	0	1	Total		
Total	195 45.77	231 54.23	426 100.00		

## Statistics for Table 1 of Income\_Src by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	4	4.9661	0.2908
Likelihood Ratio Chi-Square	4	6.1478	0.1884
Mantel-Haenszel Chi-Square	1	2.4898	0.1146
Phi Coefficient		0.1080	
Contingency Coefficient		0.1073	
Cramer's V		0.1080	
WARNING: 40% of the cells ha	ve exp	ected cou	ints less

WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Income_Src by Informed_Consent						
Controlling for Group_study=1						
	Informed_Consent(Informed_Conser					
Income_Src(Income_Src)	0	1	Total			
0	72 20.28 47.37 45.00	80 22.54 52.63 41.03	152 42.82			
1	38 10.70 49.35 23.75	39 10.99 50.65 20.00	77 21.69			
2	4 1.13 57.14 2.50	3 0.85 42.86 1.54	7 1.97			
3	45 12.68 38.46 28.13	72 20.28 61.54 36.92	117 32.96			
4	1 0.28 50.00 0.63	1 0.28 50.00 0.51	2 0.56			
Total	160 45.07	195 54.93	355 100.00			

## Statistics for Table 2 of Income\_Src by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	4	3.3899	0.4948
Likelihood Ratio Chi-Square	4	3.4086	0.4919
Mantel-Haenszel Chi-Square	1	2.0637	0.1508

WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Statistic	DF	Value	Prob
Phi Coefficient		0.0977	
Contingency Coefficient		0.0973	
Cramer's V		0.0977	
WARNING: 40% of the cells h than 5. Chi-Square may			

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

Summary Statistics for Income\_Src by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis	DF	Value	Prob	
1	Nonzero Correlation	1	4.5531	0.0329	
2	Row Mean Scores Differ	4	5.6193	0.2294	
3	General Association	4	5.6193	0.2294	

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Edu_Level by Informed_Consent						
Controlling for Group_study=0						
	Informed_Consent(Informed_Consent)					
Edu_Level(Edu_Level)	0	1	Total			
0	17 3.99 89.47 8.72	2 0.47 10.53 0.87	19 4.46			
1	49 11.50 50.00 25.13	49 11.50 50.00 21.21	98 23.00			
2	44 10.33 47.31 22.56	49 11.50 52.69 21.21	93 21.83			
3	25 5.87 28.09 12.82	64 15.02 71.91 27.71	89 20.89			
4	31 7.28 56.36 15.90	24 5.63 43.64 10.39	55 12.91			
5	16 3.76 30.19 8.21	37 8.69 69.81 16.02	53 12.44			
6	13 3.05 68.42 6.67	6 1.41 31.58 2.60	19 4.46			
Total	195 45.77	231 54.23	426 100.00			

Statistics for Table 1 of Edu\_Level by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	6	38.2221	<.0001
Likelihood Ratio Chi-Square	6	40.5470	<.0001
Mantel-Haenszel Chi-Square	1	3.9994	0.0455
Phi Coefficient		0.2995	
Contingency Coefficient		0.2869	
Cramer's V		0.2995	

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Edu_Level by Informed_Consent					
Controlling for Group_study=1					
	Informed_Consent(Informed_Consent)				
Edu_Level(Edu_Level)	0	1	Total		
0	19 5.35 61.29 11.88	12 3.38 38.71 6.15	31 8.73		
1	45 12.68 56.25 28.13	35 9.86 43.75 17.95	80 22.54		
2	25 7.04 42.37 15.63	34 9.58 57.63 17.44	59 16.62		
3	24 6.76 33.33 15.00	48 13.52 66.67 24.62	72 20.28		
4	23 6.48 60.53 14.38	15 4.23 39.47 7.69	38 10.70		
5	11 3.10 21.57 6.88	40 11.27 78.43 20.51	51 14.37		
6	13 3.66 54.17 8.13	11 3.10 45.83 5.64	24 6.76		
Total	160 45.07	195 54.93	355 100.00		

## Statistics for Table 2 of Edu\_Level by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	6	27.3598	0.0001
Likelihood Ratio Chi-Square	6	28.3073	<.0001
Mantel-Haenszel Chi-Square	1	6.8238	0.0090
Phi Coefficient		0.2776	
Contingency Coefficient		0.2675	
Cramer's V		0.2776	

Sample Size = 355

## Results: Program 3.sas

## Sociodemographic & Economic Factors

### The FREQ Procedure

### Summary Statistics for Edu\_Level by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis	DF	Value	Prob	
1	Nonzero Correlation	1	10.6550	0.0011	
2	Row Mean Scores Differ	6	58.5750	<.0001	
3	General Association	6	58.5750	<.0001	

### Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Insured_Status by Informed_Consent						
Controlling for Group_study=0						
	Informed_Consent(Informed_Consent)					
Insured_Status(Insured_Status)	0	1	Total			
0	34 7.98 59.65 17.44	23 5.40 40.35 9.96	57 13.38			
1	161 37.79 43.63 82.56	208 48.83 56.37 90.04	369 86.62			
Total	195 45.77	231 54.23	426 100.00			

## Statistics for Table 1 of Insured\_Status by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	5.1034	0.0239
Likelihood Ratio Chi-Square	1	5.0930	0.0240
Continuity Adj. Chi-Square	1	4.4785	0.0343
Mantel-Haenszel Chi-Square	1	5.0915	0.0240
Phi Coefficient		0.1095	
Contingency Coefficient		0.1088	
Cramer's V		0.1095	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 34			
Left-sided Pr <= F	0.9918		
Right-sided Pr >= F	0.0173		
Table Probability (P)	0.0091		
Two-sided Pr <= P	0.0315		

Sample Size = 426

Table 2 of Insured_Status by Informed_Consent				
Controlling for Group_study=1				
Informed_Consent(Informed_Consent)			ned_Consent)	
Insured_Status(Insured_Status) 0 1 Total				

Table 2 of Insured_Status by Informed_Consent				
Controlling for Group_study=1				
Informed_Consent(Informed_Consent				
Insured_Status(Insured_Status)	0	1	Total	
0	27 7.61 62.79 16.88	16 4.51 37.21 8.21	43 12.11	
1	133 37.46 42.63 83.13	179 50.42 57.37 91.79	312 87.89	
Total	160 45.07	195 54.93	355 100.00	

### Statistics for Table 2 of Insured\_Status by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	6.2056	0.0127
Likelihood Ratio Chi-Square	1	6.1960	0.0128
Continuity Adj. Chi-Square	1	5.4179	0.0199
Mantel-Haenszel Chi-Square	1	6.1881	0.0129
Phi Coefficient		0.1322	
Contingency Coefficient		0.1311	
Cramer's V		0.1322	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 27				
Left-sided Pr <= F	0.9960			
Right-sided Pr >= F	0.0100			
Table Probability (P)	0.0061			
Two-sided Pr <= P	0.0144			

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

# Summary Statistics for Insured\_Status by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob
1	Nonzero Correlation	1	11.1289	0.0008
2	Row Mean Scores Differ	1	11.1289	0.0008
3	General Association	1	11.1289	0.0008

Common Odds Ratio and Relative Risks				
Statistic Method Value 95% Confidence Limits				
Odds Ratio	Mantel-Haenszel	2.0573	1.3389	3.1611
	Logit	2.0564	1.3380	3.1606
Relative Risk (Column 1)	Mantel-Haenszel	1.4124	1.1811	1.6890

Common Odds Ratio and Relative Risks				
Statistic Method Value 95% Confidence Limit				
	Logit	1.4148	1.1833	1.6915
Relative Risk (Column 2)	Mantel-Haenszel	0.6864	0.5325	0.8848
	Logit	0.6880	0.5338	0.8866

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.1528			
DF	1		
Pr > ChiSq	0.6958		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Residence_Type by Informed_Consent				
Controlling for Group_study=0				
Informed_Consent(Informed_Consent				
Residence_Type(Residence_Type)	0	1	Total	
0	115 27.00 40.21	171 40.14 59.79	286 67.14	
_	58.97	74.03	440	
1	80 18.78 57.14 41.03	60 14.08 42.86 25.97	140 32.86	
Total	195 45.77	231 54.23	426 100.00	

# Statistics for Table 1 of Residence\_Type by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	10.8575	0.0010
Likelihood Ratio Chi-Square	1	10.8573	0.0010
Continuity Adj. Chi-Square	1	10.1860	0.0014
Mantel-Haenszel Chi-Square	1	10.8320	0.0010
Phi Coefficient		-0.1596	
Contingency Coefficient		0.1577	
Cramer's V		-0.1596	

Fisher's Exact Test			
Cell (1,1) Frequency (F)			
Left-sided Pr <= F	0.0007		
Right-sided Pr >= F	0.9997		
Table Probability (P)	0.0004		
Two-sided Pr <= P	0.0013		

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Residence_Type by Informed_Consent				
Controlling for Group_study=1				
	Informed_C	Informed_Consent(Informed_Consent)		
Residence_Type(Residence_Type)	0	1	Total	
0	113 31.83 43.63 70.63	146 41.13 56.37 74.87	259 72.96	
1	47 13.24 48.96 29.38	49 13.80 51.04 25.13	96 27.04	
Total	160 45.07	195 54.93	355 100.00	

## Statistics for Table 2 of Residence\_Type by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	0.8034	0.3701
Likelihood Ratio Chi-Square	1	0.8014	0.3707
Continuity Adj. Chi-Square	1	0.6026	0.4376
Mantel-Haenszel Chi-Square	1	0.8011	0.3708
Phi Coefficient		-0.0476	
Contingency Coefficient		0.0475	
Cramer's V		-0.0476	

Fisher's Exact Test				
<b>Cell (1,1) Frequency (F)</b> 113				
Left-sided Pr <= F	0.2186			
Right-sided Pr >= F	0.8453			
Table Probability (P)	0.0639			
Two-sided Pr <= P	0.4015			

Sample Size = 355

## Sociodemographic & Economic Factors

### The FREQ Procedure

### Summary Statistics for Residence\_Type by Informed\_Consent Controlling for Group\_study

Cochran-l	Cochran-Mantel-Haenszel Statistics (Based on Table Scores)			
Statistic Alternative Hypothesis DF Value Pro				
1	Nonzero Correlation	1	9.4679	0.0021
2	Row Mean Scores Differ	1	9.4679	0.0021
3	General Association	1	9.4679	0.0021

Common Odds Ratio and Relative Risks						
Statistic Method Value 95% Confidence Limits						
Odds Ratio	Mantel-Haenszel	0.6181	0.4545	0.8406		
	Logit	0.6180	0.4539	0.8415		
Relative Risk (Column 1) Mantel-Haenszel 0.7767 0.6646 0.907						

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Limit					
	Logit	0.7734	0.6616	0.9039	
Relative Risk (Column 2)	Mantel-Haenszel	1.2584	1.0783	1.4687	
	Logit	1.2477	1.0693	1.4560	

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 2.1879			
DF	1		
Pr > ChiSq	0.1391		

Total Sample Size = 781

## **Clinical & Psychiatric Symptoms**

### The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table 1 of Psych_Symptoms by Informed_Consent				
Controlling for Group_study=0				
	Informed_C	Informed_Consent(Informed_Consent)		
Psych_Symptoms(Psych_Symptoms)	0	1	Total	
0	117 27.46 69.23	52 12.21 30.77	169 39.67	
	60.00	22.51		
1	78 18.31 30.35 40.00	179 42.02 69.65 77.49	257 60.33	
Total	195 45.77	231 54.23	426 100.00	

# Statistics for Table 1 of Psych\_Symptoms by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	62.0938	<.0001
Likelihood Ratio Chi-Square	1	63.3934	<.0001
Continuity Adj. Chi-Square	1	60.5373	<.0001
Mantel-Haenszel Chi-Square	1	61.9480	<.0001
Phi Coefficient		0.3818	
Contingency Coefficient		0.3567	
Cramer's V		0.3818	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 117				
Left-sided Pr <= F	1.0000			
Right-sided Pr >= F	<.0001			
Table Probability (P)	<.0001			
Two-sided Pr <= P	<.0001			

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Psych_Symptoms by Informed_Consent					
Controlling for Group_study=1					
	Informed_Consent(Informed_Consent				
Psych_Symptoms(Psych_Symptoms)	0	1	Total		
0	89	30	119		
	25.07	8.45	33.52		
	74.79	25.21			
	55.63	15.38			
1	71	165	236		
	20.00	46.48	66.48		
	30.08	69.92			
44.38 84.62					
Total	160	195	355		
	45.07	54.93	100.00		

## Statistics for Table 2 of Psych\_Symptoms by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	63.8628	<.0001
Likelihood Ratio Chi-Square	1	65.6298	<.0001
Continuity Adj. Chi-Square	1	62.0698	<.0001
Mantel-Haenszel Chi-Square	1	63.6829	<.0001
Phi Coefficient		0.4241	
Contingency Coefficient		0.3905	
Cramer's V		0.4241	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 8				
Left-sided Pr <= F	1.0000			
Right-sided Pr >= F	<.0001			
Table Probability (P)	<.0001			
Two-sided Pr <= P	<.0001			

Sample Size = 355

## **Clinical & Psychiatric Symptoms**

### The FREQ Procedure

# Summary Statistics for Psych\_Symptoms by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	tic Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	125.0043	<.0001	
2	Row Mean Scores Differ	1	125.0043	<.0001	
3	General Association	1	125.0043	<.0001	

Common Odds Ratio and Relative Risks				
Statistic	Method Value 95% Confidence Limit			ence Limits
Odds Ratio Mantel-Haenszel 5.8326 4.2299		8.0426		

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Lin					
	Logit	5.8241	4.2217	8.0347	
Relative Risk (Column 1)	Mantel-Haenszel	2.3702	2.0346	2.7611	
	Logit	2.3766	2.0406	2.7679	
Relative Risk (Column 2)	Mantel-Haenszel	0.4062	0.3349	0.4928	
	Logit	0.4107	0.3389	0.4977	

Breslow-Day Test for Homogeneity of Odds Ratios				
Chi-Square 0.7542				
DF	1			
Pr > ChiSq	0.3851			

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Agg_Behaviorc by Informed_Consent				
Controlling for Group_study=0				
Informed_Consent(Informed_Conser				
Agg_Behaviorc(Agg_Behaviorc)	0	1	Total	
0	55 12.91 33.33 28.21	110 25.82 66.67 47.62	165 38.73	
1	140 32.86 53.64 71.79	121 28.40 46.36 52.38	261 61.27	
Total	195 45.77	231 54.23	426 100.00	

# Statistics for Table 1 of Agg\_Behaviorc by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	16.7942	<.0001
Likelihood Ratio Chi-Square	1	17.0274	<.0001
Continuity Adj. Chi-Square	1	15.9860	<.0001
Mantel-Haenszel Chi-Square	1	16.7547	<.0001
Phi Coefficient		-0.1986	
Contingency Coefficient		0.1948	
Cramer's V		-0.1986	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 55				
Left-sided Pr <= F	<.0001			
Right-sided Pr >= F	1.0000			
Table Probability (P)	<.0001			
Two-sided Pr <= P	<.0001			

Sample Size = 426

Frequency Percent

Results: Program 3.sas

Row Pct Col Pct

Table 2 of Agg_Behaviorc by Informed_Consent				
Controlling for Group_study=1				
	Informed_Consent(Informed_Consent			
Agg_Behaviorc(Agg_Behaviorc)	0	1	Total	
0	36 10.14 30.51 22.50	82 23.10 69.49 42.05	118 33.24	
1	124 34.93 52.32 77.50	113 31.83 47.68 57.95	237 66.76	
Total	160 45.07	195 54.93	355 100.00	

### Statistics for Table 2 of Agg\_Behaviorc by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	15.1392	<.0001
Likelihood Ratio Chi-Square	1	15.4709	<.0001
Continuity Adj. Chi-Square	1	14.2710	0.0002
Mantel-Haenszel Chi-Square	1	15.0966	0.0001
Phi Coefficient		-0.2065	
Contingency Coefficient		0.2022	
Cramer's V		-0.2065	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 3				
Left-sided Pr <= F	<.0001			
Right-sided Pr >= F	1.0000			
Table Probability (P)	<.0001			
Two-sided Pr <= P	0.0001			

Sample Size = 355

## **Clinical & Psychiatric Symptoms**

### The FREQ Procedure

# Summary Statistics for Agg\_Behaviorc by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic Alternative Hypothesis DF Value Prob					
1	Nonzero Correlation	1	31.8085	<.0001	
2	Row Mean Scores Differ	1	31.8085	<.0001	
3	General Association	1	31.8085	<.0001	

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Limit					
Odds Ratio	Mantel-Haenszel	0.4180	0.3078	0.5676	
	Logit	0.4181	0.3079	0.5678	
Relative Risk (Column 1)	Mantel-Haenszel	0.6049	0.5008	0.7306	

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Lim					
	Logit	0.6058	0.5017	0.7315	
Relative Risk (Column 2)	Mantel-Haenszel	1.4467	1.2790	1.6364	
	Logit	1.4472	1.2796	1.6366	

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.0597			
DF	1		
Pr > ChiSq	0.8070		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Suicide_Attempt by Informed_Consent					
Controlling for Group_study=0					
	Informed_Consent(Informed_Consen				
Suicide_Attempt(Suicide_Attempt)	0	1	Total		
0	169 39.67 44.13 86.67	214 50.23 55.87 92.64	383 89.91		
1	26 6.10 60.47 13.33	17 3.99 39.53 7.36	43 10.09		
Total	195 45.77	231 54.23	426 100.00		

# Statistics for Table 1 of Suicide\_Attempt by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	4.1584	0.0414
Likelihood Ratio Chi-Square	1	4.1513	0.0416
Continuity Adj. Chi-Square	1	3.5261	0.0604
Mantel-Haenszel Chi-Square	1	4.1486	0.0417
Phi Coefficient		-0.0988	
Contingency Coefficient		0.0983	
Cramer's V		-0.0988	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 16				
Left-sided Pr <= F	0.0303			
Right-sided Pr >= F	0.9861			
Table Probability (P)	0.0164			
Two-sided Pr <= P	0.0522			

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Suicide_Attempt by Informed_Consent					
Controlling for Group_study=1					
	Informed_C	Informed_Consent(Informed_Consent)			
Suicide_Attempt(Suicide_Attempt)	0	1	Total		
0	136 38.31 43.31 85.00	178 50.14 56.69 91.28	314 88.45		
1	24 6.76 58.54 15.00	17 4.79 41.46 8.72	41 11.55		
Total	160 45.07	195 54.93	355 100.00		

## Statistics for Table 2 of Suicide\_Attempt by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	3.3953	0.0654
Likelihood Ratio Chi-Square	1	3.3794	0.0660
Continuity Adj. Chi-Square	1	2.8081	0.0938
Mantel-Haenszel Chi-Square	1	3.3857	0.0658
Phi Coefficient		-0.0978	
Contingency Coefficient		0.0973	
Cramer's V		-0.0978	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 136				
Left-sided Pr <= F	0.0472			
Right-sided Pr >= F 0.9				
Table Probability (P)	0.0248			
Two-sided Pr <= P	0.0689			

Sample Size = 355

## **Clinical & Psychiatric Symptoms**

### The FREQ Procedure

### Summary Statistics for Suicide\_Attempt by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	7.5255	0.0061	
2	Row Mean Scores Differ	1	7.5255	0.0061	
3	General Association	1	7.5255	0.0061	

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Limits					
Odds Ratio	Mantel-Haenszel	0.5283	0.3332	0.8375	
	Logit	0.5283	0.3332	0.8376	
Relative Risk (Column 1)	Mantel-Haenszel	0.7346	0.6042	0.8932	

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Lim					
	Logit	0.7345	0.6041	0.8929	
Relative Risk (Column 2)	Mantel-Haenszel	1.3904	1.0640	1.8170	
	Logit	1.3898	1.0637	1.8160	

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.0100			
DF 1			
Pr > ChiSq	0.9204		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Prim_Diag by Informed_Consent			
Controlling for Group_study=0			
	Informed_Consent(Informed_Consent)		
Prim_Diag(Prim_Diag)	0	1	Total
0	25 5.87 53.19 12.82	22 5.16 46.81 9.52	47 11.03
1	55 12.91 79.71 28.21	14 3.29 20.29 6.06	69 16.20
2	47 11.03 27.65 24.10	123 28.87 72.35 53.25	170 39.91
3	13 3.05 22.41 6.67	45 10.56 77.59 19.48	58 13.62
4	5 1.17 55.56 2.56	4 0.94 44.44 1.73	9 2.11
5	40 9.39 67.80 20.51	19 4.46 32.20 8.23	59 13.85
6	10 2.35 71.43 5.13	4 0.94 28.57 1.73	14 3.29
Total	195 45.77	231 54.23	426 100.00

## Statistics for Table 1 of Prim\_Diag by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	6	83.8995	<.0001
Likelihood Ratio Chi-Square	6	87.4943	<.0001
Mantel-Haenszel Chi-Square	1	0.4748	0.4908
Phi Coefficient		0.4438	
Contingency Coefficient		0.4056	

Sta	tistic	DF	Value	Prob
Cra	mer's V		0.4438	

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Prim_Diag by Informed_Consent				
Controlling for Group_study=1				
	Informed_Consent(Informed_Consent)			
Prim_Diag(Prim_Diag)	0	1	Total	
0	15 4.23 62.50 9.38	9 2.54 37.50 4.62	24 6.76	
1	58 16.34 87.88 36.25	8 2.25 12.12 4.10	66 18.59	
2	38 10.70 24.36 23.75	118 33.24 75.64 60.51	156 43.94	
3	14 3.94 24.56 8.75	43 12.11 75.44 22.05	57 16.06	
4	7 1.97 77.78 4.38	2 0.56 22.22 1.03	9 2.54	
5	24 6.76 66.67 15.00	12 3.38 33.33 6.15	36 10.14	
6	4 1.13 57.14 2.50	3 0.85 42.86 1.54	7 1.97	
Total	160 45.07	195 54.93	355 100.00	

### Statistics for Table 2 of Prim\_Diag by Informed\_Consent Controlling for Group\_study=1

DF	Value	Prob
6	99.5969	<.0001
6	106.4787	<.0001
1	1.4976	0.2210
	0.5297	
	0.4681	
	0.5297	
	6	6 99.5969 6 106.4787 1 1.4976 0.5297 0.4681

WARNING: 29% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 355

## **Clinical & Psychiatric Symptoms**

The FREQ Procedure

Summary Statistics for Prim\_Diag by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob
1	Nonzero Correlation	1	0.0484	0.8259
2	Row Mean Scores Differ	6	179.9421	<.0001
3	General Association	6	179.9421	<.0001

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Comorbid by Informed_Consent				
Controlling for Group_study=0				
	Informed_C	onsent(Inforn	ned_Consent)	
Comorbid(Comorbid)	0	1	Total	
0	96 22.54 36.92 49.23	164 38.50 63.08 71.00	260 61.03	
1	99 23.24 59.64 50.77	67 15.73 40.36 29.00	166 38.97	
Total	195 45.77	231 54.23	426 100.00	

# Statistics for Table 1 of Comorbid by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	21.0614	<.0001
Likelihood Ratio Chi-Square	1	21.1547	<.0001
Continuity Adj. Chi-Square	1	20.1562	<.0001
Mantel-Haenszel Chi-Square	1	21.0120	<.0001
Phi Coefficient		-0.2224	
Contingency Coefficient		0.2171	
Cramer's V		-0.2224	

Fisher's Exact Test		
Cell (1,1) Frequency (F) 96		
Left-sided Pr <= F	<.0001	
Right-sided Pr >= F	1.0000	
Table Probability (P)	<.0001	
Two-sided Pr <= P	<.0001	

Sample Size = 426

Table 2 of Comorbid by Informed Consent				
Table 2 of Co	omorbia by infoi	mea_Consent		
Contro	Iling for Group_	study=1		
Informed_Consent(Informed_Consent				
Comorbid(Comorbid)	0	1	Total	
0	71	141	212	
	20.00	39.72	59.72	
	33.49	66.51		
	44.38	72.31		
1	89	54	143	
	25.07	15.21	40.28	
	62.24	37.76		

Table 2 of Comorbid by Informed_Consent			
Controlling for Group_study=1			
	Informed_Consent(Informed_Consent)		
Comorbid(Comorbid)	0	1	Total
	55.63	27.69	
Total	160 45.07	195 54.93	355 100.00

## Statistics for Table 2 of Comorbid by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	28.5060	<.0001
Likelihood Ratio Chi-Square	1	28.7504	<.0001
Continuity Adj. Chi-Square	1	27.3567	<.0001
Mantel-Haenszel Chi-Square	1	28.4257	<.0001
Phi Coefficient		-0.2834	
Contingency Coefficient		0.2726	
Cramer's V		-0.2834	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 71			
Left-sided Pr <= F	<.0001		
Right-sided Pr >= F	1.0000		
Table Probability (P)	<.0001		
Two-sided Pr <= P	<.0001		

Sample Size = 355

## **Clinical & Psychiatric Symptoms**

## The FREQ Procedure

## Summary Statistics for Comorbid by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	48.7471	<.0001	
2	Row Mean Scores Differ	1	48.7471	<.0001	
3	General Association	1	48.7471	<.0001	

Common Odds Ratio and Relative Risks					
Statistic	istic Method Value 95% Confidence Limits				
Odds Ratio	Mantel-Haenszel	0.3525	0.2622	0.4741	
	Logit	0.3525	0.2621	0.4742	
Relative Risk (Column 1)	Mantel-Haenszel	0.5812	0.4995	0.6762	
	Logit	0.5822	0.5003	0.6774	
Relative Risk (Column 2)	Mantel-Haenszel	1.6503	1.4146	1.9253	
	Logit	1.6482	1.4127	1.9230	

Breslow-Day Test for Homogeneity of Odds Ratios

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.7301			
DF 1			
<b>Pr &gt; ChiSq</b> 0.392			

Total Sample Size = 781

### **Substance Use & Behavioral Factors**

### The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table 1 of Alcohol_Cons by Informed_Consent				
Controlling for Group_study=0				
	Informed_Co	Informed_Consent(Informed_Consent)		
Alcohol_Cons(Alcohol_Cons)	0	1	Total	
0	94 22.07 33.69 48.21	185 43.43 66.31 80.09	279 65.49	
1	101 23.71 68.71 51.79	46 10.80 31.29 19.91	147 34.51	
Total	195 45.77	231 54.23	426 100.00	

### Statistics for Table 1 of Alcohol\_Cons by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	47.5566	<.0001
Likelihood Ratio Chi-Square	1	48.2726	<.0001
Continuity Adj. Chi-Square	1	46.1564	<.0001
Mantel-Haenszel Chi-Square	1	47.4450	<.0001
Phi Coefficient		-0.3341	
Contingency Coefficient		0.3169	
Cramer's V		-0.3341	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 94				
Left-sided Pr <= F	<.0001			
Right-sided Pr >= F	1.0000			
Table Probability (P)	<.0001			
Two-sided Pr <= P <.000				

Sample Size = 426

Table 2 of Alcohol_Cons by Informed_Consent				
Controlling for Group_study=1				
	Informed_Consent(Informed_Consent)			
Alcohol_Cons(Alcohol_Cons)	0 1 Tot			
0	64 18.03	170 47.89	234 65.92	

Table 2 of Alcohol_Cons by Informed_Consent				
Controlling for Group_study=1				
Informed_Consent(Informed_Consen			ned_Consent)	
Alcohol_Cons(Alcohol_Cons)	0	1	Total	
	27.35	72.65		
	40.00	87.18		
1	96	25	121	
	27.04	7.04	34.08	
	79.34	20.66		
	60.00	12.82		
Total	160	195	355	
	45.07	54.93	100.00	

## Statistics for Table 2 of Alcohol\_Cons by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	87.0739	<.0001
Likelihood Ratio Chi-Square	1	90.8137	<.0001
Continuity Adj. Chi-Square	1	84.9866	<.0001
Mantel-Haenszel Chi-Square	1	86.8287	<.0001
Phi Coefficient		-0.4953	
Contingency Coefficient		0.4438	
Cramer's V		-0.4953	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 64			
Left-sided Pr <= F	<.0001		
Right-sided Pr >= F	1.0000		
Table Probability (P)	<.0001		
Two-sided Pr <= P	<.0001		

Sample Size = 355

### **Substance Use & Behavioral Factors**

### The FREQ Procedure

# Summary Statistics for Alcohol\_Cons by Informed\_Consent Controlling for Group\_study

Cochran-	Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Statistic Alternative Hypothesis DF Value Pro					
1	Nonzero Correlation	1	129.1628	<.0001		
2	Row Mean Scores Differ	1	129.1628	<.0001		
3	General Association	1	129.1628	<.0001		

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Lim					
Odds Ratio	Mantel-Haenszel	0.1632	0.1175	0.2266	
	Logit	0.1643	0.1179	0.2290	
Relative Risk (Column 1)	Mantel-Haenszel	0.4192	0.3612	0.4864	
	Logit	0.4215	0.3631	0.4894	
Relative Risk (Column 2)	Mantel-Haenszel	2.6130	2.1218	3.2180	

Common Odds Ratio and Relative Risks				
Statistic	Method Value 95% Confidence Limits			
	Logit	2.5101	2.0408	3.0874

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 6.2085			
DF			
Pr > ChiSq	0.0127		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Psycho_Sub by Informed_Consent					
Controlling for Group_study=0					
	Informed_Co	Informed_Consent(Informed_Consent)			
Psycho_Sub(Psycho_Sub)	0	1	Total		
0	176 41.31 46.32 90.26	204 47.89 53.68 88.31	380 89.20		
1	1 19 27 4.46 6.34 1 41.30 58.70 9.74 11.69				
Total	195 45.77	231 54.23	426 100.00		

# Statistics for Table 1 of Psycho\_Sub by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	0.4152	0.5194
Likelihood Ratio Chi-Square	1	0.4175	0.5182
Continuity Adj. Chi-Square	1	0.2378	0.6258
Mantel-Haenszel Chi-Square	1	0.4142	0.5198
Phi Coefficient		0.0312	
Contingency Coefficient		0.0312	
Cramer's V		0.0312	

Fisher's Exact Test			
Cell (1,1) Frequency (F)	176		
Left-sided Pr <= F	0.7879		
Right-sided Pr >= F	0.3140		
Table Probability (P)	0.1020		
Two-sided Pr <= P	0.5357		

Sample Size = 426

Table 2 of Psycho_Sub by Informed_Consent						
Controlling for Group_study=1						
	Informed_Consent(Informed_Consent)					
Psycho_Sub(Psycho_Sub)	_Sub(Psycho_Sub) 0 1 To					
0	148	179	327			
41.69 50.42 92.11						

Table 2 of Psycho\_Sub by Informed\_Consent Controlling for Group\_study=1 Informed\_Consent(Informed\_Consent) Psycho\_Sub(Psycho\_Sub) Total 45.26 54.74 92.50 91.79 1 12 16 28 3.38 4.51 7.89 42.86 57.14 7.50 8.21 Total 160 195 355 45.07 54.93 100.00

## Statistics for Table 2 of Psycho\_Sub by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	0.0601	0.8063
Likelihood Ratio Chi-Square	1	0.0603	0.8060
Continuity Adj. Chi-Square	1	0.0022	0.9622
Mantel-Haenszel Chi-Square	1	0.0600	0.8065
Phi Coefficient		0.0130	
Contingency Coefficient		0.0130	
Cramer's V		0.0130	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 14			
Left-sided Pr <= F	0.6692		
Right-sided Pr >= F	0.4834		
Table Probability (P)	0.1525		
Two-sided Pr <= P	0.8456		

Sample Size = 355

### **Substance Use & Behavioral Factors**

### The FREQ Procedure

## Summary Statistics for Psycho\_Sub by Informed\_Consent Controlling for Group\_study

Cochran-l	Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Statistic Alternative Hypothesis DF Value Prob					
1	Nonzero Correlation	1	0.4311	0.5115		
2	Row Mean Scores Differ	1	0.4311	0.5115		
3	General Association	1	0.4311	0.5115		

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Limit					
Odds Ratio	Mantel-Haenszel	1.1766	0.7241	1.9119	
	Logit	1.1765	0.7240	1.9118	
Relative Risk (Column 1)	Mantel-Haenszel	1.0956	0.8279	1.4498	
	Logit	1.0949	0.8274	1.4489	
Relative Risk (Column 2)	Mantel-Haenszel	0.9311	0.7581	1.1434	

Common Odds Ratio and Relative Risks					
Statistic	Method	Value	95% Confidence Limits		
	Logit	0.9306	0.7578	1.1428	

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.0437			
DF	1		
Pr > ChiSq	0.8344		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of First_Adm by Informed_Consent								
Controlling for Group_study=0								
	Informed_Consent(Informed_Consent)							
First_Adm(First_Adm)	0	1	Total					
0	113	141	254					
	26.53	33.10	59.62					
	44.49	55.51						
	57.95	61.04						
1	82	90	172					
	19.25	21.13	40.38					
	47.67 52.33							
	42.05 38.96							
Total	195	231	426					
	45.77	54.23	100.00					

# Statistics for Table 1 of First\_Adm by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	0.4194	0.5172
Likelihood Ratio Chi-Square	1	0.4192	0.5173
Continuity Adj. Chi-Square	1	0.3009	0.5833
Mantel-Haenszel Chi-Square	1	0.4185	0.5177
Phi Coefficient		-0.0314	
Contingency Coefficient		0.0314	
Cramer's V		-0.0314	

Fisher's Exact Test			
Cell (1,1) Frequency (F)	113		
Left-sided Pr <= F	0.2916		
Right-sided Pr >= F	0.7724		
Table Probability (P)	0.0640		
Two-sided Pr <= P	0.5526		

Sample Size = 426

Table 2 of First_Adm by Informed_Consent						
Controlling for Group_study=1						
	Informed_Consent(Informed_Consent)					
First_Adm(First_Adm)	0 1 7					
0	83 113 1					
	23.38	31.83	55.21			

Table 2 of First_Adm by Informed_Consent								
Controlling for Group_study=1								
Informed_Consent(Informed_Consent)								
First_Adm(First_Adm)	0	1	Total					
	42.35	57.65						
	51.88	57.95						
1	77	82	159					
	21.69	23.10	44.79					
	48.43	51.57						
	48.13 42.05							
Total	160	195	355					
	45.07	54.93	100.00					

# Statistics for Table 2 of First\_Adm by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	1.3111	0.2522
Likelihood Ratio Chi-Square	1	1.3109	0.2522
Continuity Adj. Chi-Square	1	1.0770	0.2994
Mantel-Haenszel Chi-Square	1	1.3074	0.2529
Phi Coefficient		-0.0608	
Contingency Coefficient		0.0607	
Cramer's V		-0.0608	

Fisher's Exact Test			
Cell (1,1) Frequency (F)			
Left-sided Pr <= F	0.1497		
Right-sided Pr >= F	0.8948		
Table Probability (P)	0.0444		
Two-sided Pr <= P	0.2837		

Sample Size = 355

### **Substance Use & Behavioral Factors**

### The FREQ Procedure

# Summary Statistics for First\_Adm by Informed\_Consent Controlling for Group\_study

Cochran-l	Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob	
1	Nonzero Correlation	1	1.5654	0.2109	
2	Row Mean Scores Differ	1	1.5654	0.2109	
3	General Association	1	1.5654	0.2109	

Common Odds Ratio and Relative Risks					
Statistic Method Value 95% Confidence Limits					
Odds Ratio	Mantel-Haenszel	0.8334	0.6266	1.1085	
	Logit	0.8334	0.6265	1.1086	
Relative Risk (Column 1)	Mantel-Haenszel	0.9059	0.7765	1.0567	
	Logit	0.9061	0.7767	1.0570	
Relative Risk (Column 2)	Mantel-Haenszel	1.0870	0.9530	1.2398	

Common Odds Ratio and Relative Risks				
Statistic	Method Value 95% Confidence Limits			
	Logit	1.0871	0.9531	1.2400

Breslow-Day Test for Homogeneity of Odds Ratios		
Chi-Square 0.1614		
DF		
Pr > ChiSq	0.6879	

Total Sample Size = 781

## **Legal & Admission Circumstances**

### The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table 1 of Police_Inv by Informed_Consent					
Contro	Controlling for Group_study=0				
	Informed_Consent(Informed_Consent)				
Police_Inv(Police_Inv)	0	1	Total		
0	61	101	162		
	14.32	23.71	38.03		
	37.65	62.35			
	31.28	43.72			
1	134	130	264		
	31.46	30.52	61.97		
	50.76	49.24			
	68.72	56.28			
Total	195	231	426		
	45.77	54.23	100.00		

## Statistics for Table 1 of Police\_Inv by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	6.9445	0.0084
Likelihood Ratio Chi-Square	1	6.9942	0.0082
Continuity Adj. Chi-Square	1	6.4266	0.0112
Mantel-Haenszel Chi-Square	1	6.9282	0.0085
Phi Coefficient		-0.1277	
Contingency Coefficient		0.1266	
Cramer's V		-0.1277	

Fisher's Exact Test			
61			
0.0055			
0.9970			
0.0025			
0.0093			

Sample Size = 426

Frequency

Results: Program 3.sas

Percent Row Pct Col Pct

Table 2 of Police_Inv by Informed_Consent				
Contro	Controlling for Group_study=1			
	Informed_Consent(Informed_Consent)			
Police_Inv(Police_Inv)	0	1	Total	
0	41	86	127	
	11.55	24.23	35.77	
	32.28	67.72		
	25.63	44.10		
1	119	109	228	
	33.52	30.70	64.23	
	52.19	47.81		
	74.38	55.90		
Total	160	195	355	
	45.07	54.93	100.00	

### Statistics for Table 2 of Police\_Inv by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	13.0597	0.0003
Likelihood Ratio Chi-Square	1	13.2789	0.0003
Continuity Adj. Chi-Square	1	12.2679	0.0005
Mantel-Haenszel Chi-Square	1	13.0229	0.0003
Phi Coefficient		-0.1918	
Contingency Coefficient		0.1884	
Cramer's V		-0.1918	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 41				
Left-sided Pr <= F	0.0002			
Right-sided Pr >= F	0.9999			
Table Probability (P)	0.0001			
Two-sided Pr <= P	0.0004			

Sample Size = 355

## **Legal & Admission Circumstances**

### The FREQ Procedure

# Summary Statistics for Police\_Inv by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob
1	Nonzero Correlation	1	19.1037	<.0001
2	Row Mean Scores Differ	1	19.1037	<.0001
3	General Association	1	19.1037	<.0001

Common Odds Ratio and Relative Risks				
Statistic Method Value 95% Confidence Limits				
Odds Ratio	Mantel-Haenszel	0.5149	0.3818	0.6945
	Logit	0.5154	0.3820	0.6955
Relative Risk (Column 1)	Mantel-Haenszel	0.6857	0.5736	0.8198

Common Odds Ratio and Relative Risks				
Statistic	Method Value 95% Confidence L			
	Logit	0.6894	0.5767	0.8240
Relative Risk (Column 2)	Mantel-Haenszel	1.3324	1.1765	1.5090
	Logit	1.3349	1.1788	1.5118

Breslow-Day Test for Homogeneity of Odds Ratios			
Chi-Square 0.9101			
DF	1		
Pr > ChiSq	0.3401		

Total Sample Size = 781

Frequency Percent Row Pct Col Pct

Table 1 of Inv_Req by Informed_Consent				
Cont	Controlling for Group_study=0			
	Informed_Co	onsent(Inforn	ned_Consent)	
Inv_Req(Inv_Req)	0	1	Total	
0	38 8.92	65 15.26	103 24.18	
	36.89 19.49	63.11 28.14	21.10	
1	20	19	39	
	4.69 51.28	4.46 48.72	9.15	
	10.26	8.23		
2	13 3.05 33.33 6.67	26 6.10 66.67 11.26	39 9.15	
3	21 4.93 46.67 10.77	24 5.63 53.33 10.39	45 10.56	
4	4 0.94 12.90 2.05	27 6.34 87.10 11.69	31 7.28	
5	99 23.24 58.58 50.77	70 16.43 41.42 30.30	169 39.67	
Total	195 45.77	231 54.23	426 100.00	

## Statistics for Table 1 of Inv\_Req by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	5	30.8556	<.0001
Likelihood Ratio Chi-Square	5	32.8928	<.0001
Mantel-Haenszel Chi-Square	1	8.2360	0.0041
Phi Coefficient		0.2691	
Contingency Coefficient		0.2599	
Cramer's V		0.2691	

Sample Size = 426

Percent Row Pct Col Pct

Table 2 of Inv_Req by Informed_Consent					
Controlling for Group_study=1					
	Informed_Co	Informed_Consent(Informed_Consent)			
Inv_Req(Inv_Req)	0	1	Total		
0	26 7.32 33.33 16.25	52 14.65 66.67 26.67	78 21.97		
1	16 4.51 35.56 10.00	29 8.17 64.44 14.87	45 12.68		
2	3.10 39.29 6.88	17 4.79 60.71 8.72	28 7.89		
3	7 1.97 33.33 4.38	14 3.94 66.67 7.18	21 5.92		
4	15 4.23 38.46 9.38	24 6.76 61.54 12.31	39 10.99		
5	85 23.94 59.03 53.13	59 16.62 40.97 30.26	144 40.56		
Total	160 45.07	195 54.93	355 100.00		

## Statistics for Table 2 of Inv\_Req by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	5	19.5520	0.0015
Likelihood Ratio Chi-Square	5	19.6784	0.0014
Mantel-Haenszel Chi-Square	1	14.9805	0.0001
Phi Coefficient		0.2347	
Contingency Coefficient		0.2285	
Cramer's V		0.2347	

Sample Size = 355

## **Legal & Admission Circumstances**

The FREQ Procedure

Summary Statistics for Inv\_Req by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	stic Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	22.3664	<.0001	
2	Row Mean Scores Differ	5	42.2049	<.0001	
3	General Association	5	42.2049	<.0001	

Total Sample Size = 781

Frequency

Results: Program 3.sas

Percent Row Pct Col Pct

Table 1 of Recurrence by Informed_Consent					
Controll	Controlling for Group_study=0				
	Informed_Consent(Informed_Consent)				
Recurrence(Recurrence)	0	1	Total		
0	152 35.68 46.06 77.95	178 41.78 53.94 77.06	330 77.46		
1	43 10.09 44.79 22.05	53 12.44 55.21 22.94	96 22.54		
Total	195 45.77	231 54.23	426 100.00		

# Statistics for Table 1 of Recurrence by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	0.0482	0.8262
Likelihood Ratio Chi-Square	1	0.0483	0.8261
Continuity Adj. Chi-Square	1	0.0107	0.9178
Mantel-Haenszel Chi-Square	1	0.0481	0.8264
Phi Coefficient		0.0106	
Contingency Coefficient		0.0106	
Cramer's V		0.0106	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 152			
Left-sided Pr <= F	0.6309		
Right-sided Pr >= F	0.4596		
Table Probability (P)	0.0905		
Two-sided Pr <= P	0.9074		

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Recurrence by Informed_Consent						
Controlling for Group_study=1						
	Informed_Consent(Informed_Consent)					
Recurrence(Recurrence)	0	1	Total			
0	134	159	293			
	37.75	44.79	82.54			
	45.73	54.27				
	83.75	81.54				
1	26	36	62			
	7.32	10.14	17.46			
	41.94	58.06				
16.25 18.46						
Total	160	195	355			
	45.07	54.93	100.00			

## Statistics for Table 2 of Recurrence by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	0.2982	0.5850

Statistic	DF	Value	Prob
Likelihood Ratio Chi-Square	1	0.2994	0.5843
Continuity Adj. Chi-Square	1	0.1645	0.6850
Mantel-Haenszel Chi-Square	1	0.2974	0.5855
Phi Coefficient		0.0290	
Contingency Coefficient		0.0290	
Cramer's V		0.0290	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 13			
Left-sided Pr <= F	0.7532		
Right-sided Pr >= F	0.3436		
Table Probability (P)	0.0968		
Two-sided Pr <= P	0.6738		

Sample Size = 355

## **Legal & Admission Circumstances**

### The FREQ Procedure

## Summary Statistics for Recurrence by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)					
Statistic	Statistic Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	0.2671	0.6053	
2	Row Mean Scores Differ	1	0.2671	0.6053	
3	General Association	1	0.2671	0.6053	

Common Odds Ratio and Relative Risks				
Statistic	Method	Value	95% Confid	ence Limits
Odds Ratio	Mantel-Haenszel	1.0975	0.7715	1.5612
	Logit	1.0974	0.7713	1.5612
Relative Risk (Column 1)	Mantel-Haenszel	1.0527	0.8644	1.2821
	Logit	1.0517	0.8636	1.2808
Relative Risk (Column 2)	Mantel-Haenszel	0.9592	0.8212	1.1204
	Logit	0.9585	0.8207	1.1194

Breslow-Day Test for Homogeneity of Odds Ratios		
Chi-Square 0.0793		
DF		
<b>Pr &gt; ChiSq</b> 0.7783		

Total Sample Size = 781

## **Restraint & Timing Factors**

The FREQ Procedure

Frequency

Results: Program 3.sas

Percent Row Pct Col Pct

Table 1 of Phys_Restraint by Informed_Consent					
Controlling	Controlling for Group_study=0				
	Informed_Consent(Informed_Consent				
Phys_Restraint(Phys_Restraint)	0	1	Total		
0	129 30.28 44.95 66.15	158 37.09 55.05 68.40	287 67.37		
1	66 15.49 47.48 33.85	73 17.14 52.52 31.60	139 32.63		
Total	195 45.77	231 54.23	426 100.00		

# Statistics for Table 1 of Phys\_Restraint by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	0.2423	0.6225
Likelihood Ratio Chi-Square	1	0.2421	0.6227
Continuity Adj. Chi-Square	1	0.1510	0.6976
Mantel-Haenszel Chi-Square	1	0.2417	0.6230
Phi Coefficient		-0.0238	
Contingency Coefficient		0.0238	
Cramer's V		-0.0238	

Fisher's Exact Test		
<b>Cell (1,1) Frequency (F)</b> 129		
Left-sided Pr <= F	0.3485	
Right-sided Pr >= F 0.7246		
Table Probability (P) 0.073		
Two-sided Pr <= P 0.6784		

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Phys Restraint by Informed Consent					
Controlling for Group_study=1					
	Informed_Consent(Informed_Consent)				
Phys_Restraint(Phys_Restraint)	0	1	Total		
0	100 28.17 44.64 62.50	124 34.93 55.36 63.59	224 63.10		
1	60 16.90 45.80 37.50	71 20.00 54.20 36.41	131 36.90		
Total	160 45.07	195 54.93	355 100.00		

## Statistics for Table 2 of Phys\_Restraint by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	0.0448	0.8323

Statistic	DF	Value	Prob
Likelihood Ratio Chi-Square	1	0.0448	0.8324
Continuity Adj. Chi-Square	1	0.0102	0.9194
Mantel-Haenszel Chi-Square	1	0.0447	0.8326
Phi Coefficient		-0.0112	
Contingency Coefficient		0.0112	
Cramer's V		-0.0112	

Fisher's Exact Test		
Cell (1,1) Frequency (F) 100		
Left-sided Pr <= F	0.4593	
Right-sided Pr >= F 0.626		
Table Probability (P)	0.0860	
Two-sided Pr <= P	0.9120	

Sample Size = 355

## **Restraint & Timing Factors**

### The FREQ Procedure

# Summary Statistics for Phys\_Restraint by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob
1	Nonzero Correlation	1	0.2532	0.6148
2	Row Mean Scores Differ	1	0.2532	0.6148
3	General Association	1	0.2532	0.6148

Common Odds Ratio and Relative Risks				
Statistic	Method	Value	95% Confid	ence Limits
Odds Ratio	Mantel-Haenszel	0.9267	0.6891	1.2462
	Logit	0.9267	0.6891	1.2462
Relative Risk (Column 1)	Mantel-Haenszel	0.9595	0.8178	1.1258
	Logit	0.9593	0.8177	1.1256
Relative Risk (Column 2)	Mantel-Haenszel	1.0354	0.9034	1.1868
	Logit	1.0352	0.9032	1.1865

Breslow-Day Test for Homogeneity of Odds Ratios		
Chi-Square 0.0332		
DF 1		
<b>Pr &gt; ChiSq</b> 0.8554		

### Total Sample Size = 781

Table 1 of Psych_Agitation by Informed_Consent					
Controlling for Group_study=0					
Informed_Consent(Informed_Consent			ned_Consent)		
Psych_Agitation(Psych_Agitation)	itation(Psych_Agitation) 0 1 To				
0	0 36 68 1				

Table 1 of Psych_Agitation by Informed_Consent  Controlling for Group_study=0				
Psych_Agitation(Psych_Agitation)	0	1	Total	
	8.45	15.96	24.41	
	34.62	65.38		
	18.46	29.44		
1	159	163	322	
	37.32	38.26	75.59	
	49.38	50.62		
	81.54	70.56		
Total	195	231	426	
	45.77	54.23	100.00	

## Statistics for Table 1 of Psych\_Agitation by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	6.9029	0.0086
Likelihood Ratio Chi-Square	1	7.0115	0.0081
Continuity Adj. Chi-Square	1	6.3209	0.0119
Mantel-Haenszel Chi-Square	1	6.8867	0.0087
Phi Coefficient		-0.1273	
Contingency Coefficient		0.1263	
Cramer's V		-0.1273	

Fisher's Exact Test				
Cell (1,1) Frequency (F) 36				
Left-sided Pr <= F 0.0057				
Right-sided Pr >= F 0.9971				
Table Probability (P) 0.0028				
Two-sided Pr <= P	0.0093			

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Psych_Agitation by Informed_Consent					
Controlling for	Controlling for Group_study=1				
Informed_Consent(Informed_Con			ned_Consent)		
Psych_Agitation(Psych_Agitation)	0	1	Total		
0	28 7.89 42.42 17.50	38 10.70 57.58 19.49	66 18.59		
1	132 37.18 45.67 82.50	157 44.23 54.33 80.51	289 81.41		
Total	160 45.07	195 54.93	355 100.00		

# Statistics for Table 2 of Psych\_Agitation by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	0.2293	0.6320

Statistic	DF	Value	Prob
Likelihood Ratio Chi-Square	1	0.2300	0.6315
Continuity Adj. Chi-Square	1	0.1168	0.7325
Mantel-Haenszel Chi-Square	1	0.2287	0.6325
Phi Coefficient		-0.0254	
Contingency Coefficient		0.0254	
Cramer's V		-0.0254	

Fisher's Exact Test			
Cell (1,1) Frequency (F) 28			
Left-sided Pr <= F 0.367			
Right-sided Pr >= F 0.7303			
Table Probability (P) 0.0976			
Two-sided Pr <= P	0.6820		

Sample Size = 355

## **Restraint & Timing Factors**

### The FREQ Procedure

# Summary Statistics for Psych\_Agitation by Informed\_Consent Controlling for Group\_study

Cochran-l	Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	tistic Alternative Hypothesis DF Value Prob				
1	Nonzero Correlation	1	5.4192	0.0199	
2	Row Mean Scores Differ	1	5.4192	0.0199	
3	General Association	1	5.4192	0.0199	

Common Odds Ratio and Relative Risks					
Statistic	Method	Value	95% Confidence Limits		
Odds Ratio	Mantel-Haenszel	0.6621	0.4672	0.9382	
	Logit	0.6636	0.4677	0.9416	
Relative Risk (Column 1)	Mantel-Haenszel	0.7893	0.6398	0.9736	
	Logit	0.7987	0.6477	0.9851	
Relative Risk (Column 2)	Mantel-Haenszel	1.1936	1.0368	1.3740	
	Logit	1.2015	1.0438	1.3829	

Breslow-Day Test for Homogeneity of Odds Ratios		
Chi-Square 1.7597		
DF	1	
Pr > ChiSq	0.1847	

### Total Sample Size = 781

Table 1 of Time_Slot by Informed_Consent					
Controlling for Group_study=0					
Informed_Consent(Informed_Consent)					
Time_Slot(Time_Slot)	0 1 Total				
0	115 147 262				

Table 1 of Time_Slot by Informed_Consent  Controlling for Group_study=0					
Time_Slot(Time_Slot)	0	1	Total		
	27.00	34.51	61.50		
	43.89	56.11			
	58.97	63.64			
1	80	84	164		
	18.78	19.72	38.50		
	48.78	51.22			
	41.03	36.36			
Total	195	231	426		
	45.77	54.23	100.00		

### Statistics for Table 1 of Time\_Slot by Informed\_Consent Controlling for Group\_study=0

Statistic	DF	Value	Prob
Chi-Square	1	0.9706	0.3245
Likelihood Ratio Chi-Square	1	0.9699	0.3247
Continuity Adj. Chi-Square	1	0.7837	0.3760
Mantel-Haenszel Chi-Square	1	0.9684	0.3251
Phi Coefficient		-0.0477	
Contingency Coefficient		0.0477	
Cramer's V		-0.0477	

Fisher's Exact Test		
Cell (1,1) Frequency (F) 115		
Left-sided Pr <= F	0.1880	
Right-sided Pr >= F	0.8611	
Table Probability (P)	0.0490	
Two-sided Pr <= P	0.3685	

Sample Size = 426

Frequency Percent Row Pct Col Pct

Table 2 of Time_Slot by Informed_Consent					
Controlling for Group_study=1					
Informed_Consent(Informed_Consent			ned_Consent)		
Time_Slot(Time_Slot)	0	1	Total		
0	91	127	218		
	25.63	35.77	61.41		
	41.74	58.26			
	56.88	65.13			
1	69	68	137		
	19.44	19.15	38.59		
	50.36	49.64			
	43.13	34.87			
Total	160	195	355		
	45.07	54.93	100.00		

# Statistics for Table 2 of Time\_Slot by Informed\_Consent Controlling for Group\_study=1

Statistic	DF	Value	Prob
Chi-Square	1	2.5261	0.1120

Statistic	DF	Value	Prob
Likelihood Ratio Chi-Square	1	2.5233	0.1122
Continuity Adj. Chi-Square	1	2.1898	0.1389
Mantel-Haenszel Chi-Square	1	2.5190	0.1125
Phi Coefficient		-0.0844	
Contingency Coefficient		0.0841	
Cramer's V		-0.0844	

Fisher's Exact Test		
Cell (1,1) Frequency (F) 91		
Left-sided Pr <= F	0.0695	
Right-sided Pr >= F 0.9553		
Table Probability (P)	0.0248	
Two-sided Pr <= P	0.1255	

Sample Size = 355

## **Restraint & Timing Factors**

### The FREQ Procedure

# Summary Statistics for Time\_Slot by Informed\_Consent Controlling for Group\_study

Cochran-Mantel-Haenszel Statistics (Based on Table Scores)				
Statistic	Alternative Hypothesis	DF	Value	Prob
1	Nonzero Correlation	1	3.2280	0.0724
2	Row Mean Scores Differ	1	3.2280	0.0724
3	General Association	1	3.2280	0.0724

Common Odds Ratio and Relative Risks				
Statistic	Method	Value	95% Confidence Limits	
Odds Ratio	Mantel-Haenszel	0.7670	0.5743	1.0243
	Logit	0.7670	0.5742	1.0244
Relative Risk (Column 1)	Mantel-Haenszel	0.8670	0.7433	1.0112
	Logit	0.8669	0.7432	1.0111
Relative Risk (Column 2)	Mantel-Haenszel	1.1304	0.9865	1.2953
	Logit	1.1301	0.9862	1.2949

Breslow-Day Test for Homogeneity of Odds Ratios		
Chi-Square 0.2600		
DF	1	
<b>Pr &gt; ChiSq</b> 0.6101		

Total Sample Size = 781