```
bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (main)
$ git branch -l
* main

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (main)
$ git branch hw5

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (main)
$ git switch hw5
Switched to branch 'hw5'

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$
```

```
bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ git status
On branch hw5
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   figure.py
        modified:   figure_main.py

no changes added to commit (use "git add" and/or "git commit -a")

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ git add figure.py figure_main.py

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ git commit -m 'implement hw5'
[hw5 96f46a1] implement hw5
 2 files changed, 52 insertions(+), 34 deletions(-)

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ |
```

```
bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ git branch -l
* hw5
  main

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (hw5)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (main)
$ git merge hw5
Updating 81c2b03..96f46a1
Fast-forward
 figure.py      | 60 ++++++++++++++++++++++++++++++++++++++++++++++-----------------------
 figure_main.py | 26 +++++++++++++++----------
 2 files changed, 52 insertions(+), 34 deletions(-)

bogyu@David MINGW64 ~/OneDrive/바 탕  화 면 /workplace/cau_oss_python_03 (main)
$
```