

# wefwe

mithun Client: we



brightgreen

# Area 1

# Area 1 summary

# Electrical

Total Power: W


Legal Power Limit: 5W p/sqm

Average Power: W p/sqm

# Photometric

Recommended Lumens: 6699lm

Reached Lumens: 68370lm



Product	Units
Number of Rooms	6
TR700.H1-RT-3K-60-B	24
● D900+T-CR-3K-45-W	8
PR900.E27-RT-3K-35-B	12
BR180.G9-RT-3K-200-W	3
light-switch	6
W200-CR-3K-90.75-W	4
■ G200.E-CR-3K-120-B	10
T900.H.H1-CR-3K-45-W	10
● D700.NF-CR-3K-55-B	8
W900-CR-3K-90.75-W	6
<b>D</b> 400.SHX-LN-3K-40-W	4
D550.SHX-CR-3K-36-B	4
● D550-CR-4K-36-W	4
DR700.GU10-RT-3K-60-B	4
Wiring	~29.84m

Lighting Design

PREPARE FOR: Area 1

Client: we

Designer: mithun

Date: 27/06/2017

Contact:

Square Metres: 89.9sqm

Email: mithunkumar@eoxys.com

### Area 1 - Room (

# Electrical

Recommended Wattage: 81W

Average Power: W p/sqm

### Photometric

Recommended Lumens: 1207lm

Reached Lumens: 13730lm

Reflectivity: Light

#### Assets

tr700.h1-rt-3k-60-b: 6

d900+t-cr-3k-45-w: 4

pr900.e27-rt-3k-35-b: 6

br180.g9-rt-3k-200-w: 3

light-switch: 1

# Area 1 - Room

# Electrical

Recommended Wattage: 107.5W

Average Power: W p/sqm

### Photometric

Recommended Lumens: 1599lm

Reached Lumens: 14980lm

Reflectivity: Light

### Assets

w200-cr-3k-90.75-w: 4

d900+t-cr-3k-45-w: 4

g200.e-cr-3k-120-b: 6

t900.h.h1-cr-3k-45-w: 10

light-switch: 1

# Area 1 - Room

## Electrical

Power:

312W12W12W12W12W12W12W12W12W12W12W12W19W19W19W19W19W19W19W12W12W12W12W12W12W12W8W8W8W8W

Recommended Wattage: 75W

Average Power: W p/sqm

# Photometric

Recommended Lumens: 1116lm

Reached Lumens: 20600lm

Reflectivity: Light

# Assets

tr700.h1-rt-3k-60-b: 10

d700.nf-cr-3k-55-b: 8

w900-cr-3k-90.75-w: 6

d400.shx-ln-3k-40-w: 4

light-switch: 1

### Area 1 - Room 3

# Electrical

Total Power: 08.5W8.5W8.5W8.5WW

Recommended Wattage: 86W

Average Power: W p/sqm

# Photometric

Recommended Lumens: 1285lm

Reached Lumens: 2200lm

Reflectivity: Light

#### Assets

d550.shx-cr-3k-36-b: 4

light-switch: 1

# Area 1 - Room 4

## Electrical

Total Power: 08.5W8.5W8.5W8.5W4.4W4.4W4.4W4.4W10.5W10.5W10.5W10.5WW

Recommended Wattage: 49.5W

Average Power: W p/sqm

### Photometric

Recommended Lumens: 736lm

Reached Lumens: 6000lm

Reflectivity: Light

## Assets

d550-cr-4k-36-w: 4

g200.e-cr-3k-120-b: 4

dr700.gu10-rt-3k-60-b: 4

light-switch: 1

# Area 1 - Room!

## Electrical

Total Power: 017.1W17.1W17.1W17.1W17.1W17.1W12W12W12W12W12W12W12WW

Recommended Wattage: 50.5W

Average Power: W p/sqm

### Photometric

Recommended Lumens: 756lm

Reached Lumens: 10860lm

Reflectivity: Light

## Assets

pr900.e27-rt-3k-35-b: 6

tr700.h1-rt-3k-60-b: 8

light-switch: 1