



asdfs

mithun

Client: asdfsda



brightgreen

Area 1


Area 1 summary

Electrical

Total Power: W
Legal Power Limit: 5W p/sqm
Average Power: W p/sqm

Photometric

Recommended Lumens: 7875lm
Reached Lumens: 107475lm



90 SQM [2nd LEVEL] NO LIFT

Product	Units
Number of Rooms	5
D400.SHX-LN-3K-40-W	21
D400.SHX-LN-4K-10-B	76
C35.E14-LM-2.7K-320-C	4
D900-CR-4K-55-W	6
D700+-CR-3K-55-W	1
D700.NF-CR-3K-55-B	12
DR700.MR16-RT-4K-40-B	3
DR700.GU10-RT-3K-60-B	10
light-switch	5
window	1
door	1
projector	1
CUSTOM LIGHT	14
TR700.H1-RT-3K-60-B	31
G200.E-CR-3K-120-B	1
D900-CR-3K-45-S	3
Wiring	~859.35m

Lighting Design

PREPARE FOR:
Area 1

Client: asdfsda

Designer: mithun

Date: 06/06/2017

Contact:

Square Metres: 88.2sqm

Email: mithunkumar@eoxys.com

Area 1 - Room 0

Electrical

Total Power: 08W8W8W8W8W22228W8W8W8W8W8W8W15.7W15.7W15.7W15.7W15.7W15.7W12W12W12W12W12W10.5W10.5W10.5W8W8W8W8W8W8W10.5W10.5W10.5W12W12W12WW

Recommended Wattage: 67W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1198lm

Reached Lumens: 25870lm

Reflectivity: 47

Assets

d400.shx-ln-3k-40-w: 3

d400.shx-ln-4k-10-b: 16

c35.e14-lm-2.7k-320-c: 4

d900-cr-4k-55-w: 6

d700+-cr-3k-55-w: 1

d700.nf-cr-3k-55-b: 7

dr700.mr16-rt-4k-40-b: 3

dr700.gu10-rt-3k-60-b: 3

light-switch: 1

window: 1

door: 1

projector: 1

Area 1 - Room 1

Electrical

Total Power: 08W8W8W8W8W8W8W8W8W8W8W8W8W8W8W8W15.715.715.715.715.715.7W

Recommended Wattage: 114W

Average Power: W p/sqm

Photometric

Recommended Lumens: 2037lm

Reached Lumens: 13880lm

Reflectivity: 70

Assets

d400.shx-ln-4k-10-b: 13

d400.shx-ln-3k-40-w: 6

Custom Light: 6

light-switch: 1

Area 1 - Room 2

Electrical

Total Power: 08W8W8W8W8W8W8W8W8W8W8W8W8W8W8W8W15.715.715.715.715.715.78W8W8W8W8W12W12W12W12W10.5W10.5W12W12W12W12W10.5W4.4W12W12W12W12WW

Recommended Wattage: 96W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1713lm

Reached Lumens: 30620lm

Reflectivity: 85

Assets

d400.shx-ln-4k-10-b: 19

d400.shx-ln-3k-40-w: 6

Custom Light: 6

tr700.h1-rt-3k-60-b: 12

dr700.gu10-rt-3k-60-b: 3

g200.e-cr-3k-120-b: 1

d700.nf-cr-3k-55-b: 4

light-switch: 1

Summary

Electrical

[illegible]

Recommended Wattage: 93.5W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1667lm

Reached Lumens: 23680lm

Reflectivity: 60

Assets

d400.shx-ln-4k-10-b: 16

d400.shx-ln-3k-40-w: 6

tr700.h1-rt-3k-60-b: 13

dr700.gu10-rt-3k-60-b: 4

Custom Light: 2

light-switch: 1

Electrical

Total Power: 08W8W8W8W8W8W8W8W8W8W15.7W15.7W15.7W8W8W12W12W12W12W12W12W12W12W

Recommended Wattage: 70.5W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1260lm

Reached Lumens: 13425lm

Reflectivity: 54

Assets

d400.shx-ln-4k-10-b: 12

d900-cr-3k-45-s: 3

tr700.h1-rt-3k-60-b: 6

d700.nf-cr-3k-55-b: 1

light-switch: 1