



Real-Time-Projects

Nazrin

Client: Tester



brightgreen

Area 1

Area 1 summary




























Electrical


Total Power: W
Legal Power Limit: 5W p/sqm
Average Power: W p/sqm

Photometric

Recommended Lumens: 13856lm
Reached Lumens: 40030lm

Summary

			Product	Units
			 D550.SH-CR-3K-36-W	1
			 D700.CL-CR-3K-55-W	3
			light-switch	7
			 T900.H.H1-CR-3K-45-W	3
			 W200.SX-CR-3K-180.20-S	2
			 G200.E-CR-3K-120-B	1
			 AR900-RT-4K-45-B	1
			 DR700.GU10-RT-3K-60-B	1
			 SL3500-RT-4K-110-W	1
			 C35.E14-LM-2.7K-320-C	1
			 T550.H.H1-CR-3K-36-W	3
			 D900.S-CR-3K-40-B	1
			 D550.SHX-CR-3K-36-B	1
			 D700+.TRIO-CR-3K-55-W	1
			 D900-CB-3K-55-S	1
			 D400-CB-3K-36-S	1
			 W200-CB-3K-90.75-W	1
			 W900-CB-3K-90.75-W	1
			 W200.SX-CB-3K-180.20-S	1
			 BR80-RT-3K-200-W	3
			 PR900.E27-RT-3K-35-B	1
			 TR700.S-RT-3K-40-B	3
			 A60.E27-LM-2.7K-320-C	1
			 ST64.E27-LM-2.7K-320-C	1
			 120S-LM-3K-120-C	1
			 CUSTOM LIGHT	2
			 D900+P-CR-3K-45-W	1
			 D900+C-CR-3K-45-W	1
Lighting Design	PREPARE FOR: Area 1	Client: Tester		
		Date: 10/03/2017		
		Square Metres: 186.2sqm		



D900+FLT-CR-3K-45-W	1
D900+FNL-CR-3K-45-W	2
D900+-CR-3K-45-W	1
D550-CR-4K-36-W	1
D2000-CR-3K-55-W	1
W200-CR-3K-90.75-W	1
W900.SX-CR-3K-180.20-S	1
D700+-CR-3K-55-W	1
P900-CR-3K-45-W	1
D900.SHX-CR-3K-45-W	1
W900-CR-3K-90.75-W	1
W900.SX-CB-3K-180.20-S	1
G125.E27-LM-2.7K-320-C	2
12C-LM-3K-90-W	1
Wiring	~60.37m

Area 1 - Room 0

Electrical

Total Power: 09W12W12W12WW

Recommended Wattage: 86W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1279lm

Reached Lumens: 2890lm

Reflectivity: Light

Assets

d550.sh-cr-3k-36-w: 1

d700.cl-cr-3k-55-w: 3

light-switch: 1

Area 1 - T900.H BedRoom

Electrical

Total Power: 016.5W16.5W6W4.4W15W10.5W38W2W

Recommended Wattage: 106W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1579lm

Reached Lumens: 6360lm

Reflectivity: Light

Assets

t900.h.h1-cr-3k-45-w: 2

w200.sx-cr-3k-180.20-s: 1

g200.e-cr-3k-120-b: 1

ar900-rt-4k-45-b: 1

dr700.gu10-rt-3k-60-b: 1

sl3500-rt-4k-110-w: 1

c35.e14-lm-2.7k-320-c: 1

light-switch: 1

Area 1 - T550.H MBR

Electrical

Total Power: 08.5W8.5W8.5W12W8.5W36W6W19W7W6W18W6W1.5W17.1W12W12W1.5W1.5W229.615.7W

Recommended Wattage: 150W

Average Power: W p/sqm

Photometric

Recommended Lumens: 2230lm

Reached Lumens: 12815lm

Reflectivity: Light

Assets

t550.h.h1-cr-3k-36-w: 3

d900.s-cr-3k-40-b: 1

d550.shx-cr-3k-36-b: 1

d700+.trio-cr-3k-55-w: 1

w200.sx-cr-3k-180.20-s: 1

d900-cb-3k-55-s: 1

d400-cb-3k-36-s: 1

w200-cb-3k-90.75-w: 1

w900-cb-3k-90.75-w: 1

w200.sx-cb-3k-180.20-s: 1

br80-rt-3k-200-w: 3

pr900.e27-rt-3k-35-b: 1

tr700.s-rt-3k-40-b: 2

a60.e27-lm-2.7k-320-c: 1

st64.e27-lm-2.7k-320-c: 1

Summary

Custom Light: 1

light-switch: 1

Summary

Area 1 - Room 3

Electrical

Total Power: 0W

Recommended Wattage: 55W

Average Power: 0W p/sqm

Photometric

Recommended Lumens: 819lm

Reached Lumens: 0lm

Reflectivity: Light

Area 1 - Room 4

Electrical

Total Power: 0W

Recommended Wattage: 18.5W

Average Power: 0W p/sqm

Photometric

Recommended Lumens: 279lm

Reached Lumens: 0lm

Reflectivity: Light

Area 1 - Room 5

Electrical

Total Power: 0W

Recommended Wattage: 36.5W

Average Power: 0W p/sqm

Photometric

Recommended Lumens: 541lm

Reached Lumens: 0lm

Reflectivity: Light

Area 1 - Room 6

Electrical

Total Power: 15.7W

Recommended Wattage: 51.5W

Average Power: 1.5W p/sqm

Photometric

Recommended Lumens: 767lm

Reached Lumens: 920lm

Reflectivity: Light

Assets

Custom Light: 1

light-switch: 1

Area 1 - Room 7

Electrical

Total Power: 016W16.3W16W16W16WW

Recommended Wattage: 77W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1147lm

Reached Lumens: 4815lm

Reflectivity: Light

Assets

d900+p-cr-3k-45-w: 1

d900+c-cr-3k-45-w: 1

d900+flt-cr-3k-45-w: 1

d900+fnl-cr-3k-45-w: 2

light-switch: 1

Area 1 - Room 8

Electrical

Total Power: 0W

Recommended Wattage: 78.5W

Average Power: 0W p/sqm

Photometric

Recommended Lumens: 1169lm

Reached Lumens: 0lm

Reflectivity: Light

Area 1 - Room 9

Electrical

Total Power: 015.7W8.5W30W6WW

Recommended Wattage: 87.5W

Average Power: W p/sqm

Photometric

Recommended Lumens: 1298lm

Reached Lumens: 3730lm

Reflectivity: Light

Assets

d900+-cr-3k-45-w: 1

d550-cr-4k-36-w: 1

d2000-cr-3k-55-w: 1

w200-cr-3k-90.75-w: 1

light-switch: 1

Area 1 - Room 10

Electrical

Total Power: 015W12W16.5W16.5W19W15W12W4412.6W

Recommended Wattage: 184.5W

Average Power: W p/sqm

Photometric

Recommended Lumens: 2748lm

Reached Lumens: 8500lm

Reflectivity: Light

Assets

w900.sx-cr-3k-180.20-s: 1

d700+-cr-3k-55-w: 1

p900-cr-3k-45-w: 1

t900.h.h1-cr-3k-45-w: 1

d900.shx-cr-3k-45-w: 1

w900-cr-3k-90.75-w: 1

w900.sx-cb-3k-180.20-s: 1

tr700.s-rt-3k-40-b: 1

g125.e27-lm-2.7k-320-c: 2

12c-lm-3k-90-w: 1

light-switch: 1