

Fastener set FI-8-ZM-2

Ref. C28135



IP20

- Completed set of items
- Lengthwise suspension on a wire
- Easy height adjustment of the suspension at the ceiling
- Minimum dimensions


APPLICATION

- for suspending LED lighting fixtures

MOUNTING

- to the lighting fixture, using a small lock
- to the surface, using properly selected screws
- to the wire with a pressure screw

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	stainless steel, aluminum
IP protection rating	20
Corrosion resistance	yes
UV radiation resistance	yes
Lifting capacity	15 kg

Color	Ref
☐ white lacquered	C28135L07
☒ black lacquered	C28135L10
☐ silver	C28135N00

Fastener set FI-8-ZM-2

Ref. C28135


RELATED PROFILES > ARCHITECTURAL



3035
A18039




3035-O
A08441



4050
A18050



4050-W
A18051




GIZA-DUO-LL
A02162



GIZA-LL
A00758



JAZ
A08547



LIPOD
A05554



OPK-4
A00370

RELATED PROFILES > FOR MAIN LIGHTING



LIPOD-50
A02609

RELATED PROFILES > MINIMALISTIC



PIKO-ZM
A01168

Fastener set FI-8-ZM-2

Ref. C28135

RELATED PROFILES > UNIVERSAL



OLEK
A08505



PDS-ZM-PLUS
A02056



PDS-ZMG
A01418

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > WIRES AND RODS



STAINLESS STEEL WIRE
FI-1
C24510N00



STAINLESS STEEL WIRE
FI-1 1m
C24522N00