

Boiling Mind - A Dataset of Physiological Signals during an Exploratory Dance Performance

Zhuoqi Fu
Jiawen Han
George Chernyshov
fzq1996,hanjiawen,chernyshov
@kmd.keio.ac.jp
Keio University

Karola Marky
marky@tk.tu-darmstadt.de
Technische Universität Darmstadt

Moe Sugawa
Dingding Zheng
Danny Hynds
moe.sen.se321@gmail.com
zheng208,dannyhynds
@kmd.keio.ac.jp
Keio University

Jamie A Ward
jamie@jamieward.net
Goldsmiths, University of London

Taichi Furukawa
Marcelo Padovani
Kouta Minamizawa
taichi,mapama,kouta
@kmd.keio.ac.jp
Keio University

ABSTRACT

The relationship between audience and performers is crucial to what makes live events so special. The aim of this work is to develop a new approach amplifying the link between audiences and performers. Specifically, we explore the use of wearable sensors in gathering real-time audience data to augment the visuals of a live dance performance. We used the J!NS MEME, smart glasses with integrated electrodes enabling eye movement analysis (e.g. blink detection) and inertial motion sensing of the head (e.g. nodding recognition). This data is streamed from the audience and visualised live on stage during a performance, alongside we also collected heart rate and eye gaze of selected audience. In this paper we present the recorded dataset, including accelerometer, electrooculography(EOG), and gyroscope data from 23 audience members.

CCS CONCEPTS

• Human-centered computing → Interaction design; Interaction design process and methods.

KEYWORDS

Physiological Signals, Visualization, Audience Engagement

ACM Reference Format:

Zhuoqi Fu, Jiawen Han, George Chernyshov, Moe Sugawa, Dingding Zheng, Danny Hynds, Taichi Furukawa, Marcelo Padovani, Kouta Minamizawa, Karola Marky, Jamie A Ward, and Kai Kunze. 2021. Boiling Mind - A Dataset of Physiological Signals during an Exploratory Dance Performance. In *Proceedings of ACM Conference (Conference'17)*. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Conference'17, July 2017, Washington, DC, USA

© 2021 Association for Computing Machinery.
ACM ISBN 978-x-xxxx-xxxx-x/YY/MM...\$15.00
<https://doi.org/10.1145/nnnnnnn.nnnnnnn>



Figure 1: Visualizations while performers were dancing

1 INTRODUCTION

Each live performance is unique, even when following the same choreography, or script. Reactions between audiences and performers can have noticeable effects on the overall experience. This work attempts to understand and amplify these effects by integrating real-time audience physical and physiological data directly into the performance itself.

We present an exploratory performance to integrate various physical and physiological audience signals, obtained using wearable sensors, into the visual effects of a live dance performance. Specifically, the work shows: (1) the technical feasibility of streaming multiple sensors using electrooculography (EOG) and head movement with smart eyewear, Blood Volume Pulse (BVP), and a gaze tracker (2) an integrated wearable system that consists of a smart eyewear, back-end processing and output visualization (3) a multi-person, multi-modal audience dataset (available [here](#)).

Connecting performers and audience via sensing technology is not new. Previously, researchers have attempted to develop an interactive system where sound and visual changes were manipulated by dancers' movement [10, 12]. However, even though tracking performers movement can enrich the stage design, that work does not involve the audience directly. Some works explore audience participation by using linguistic feedback [3, 6], collective heart rate [15], electroencephalography (EEG) [8], and galvanic skin response (GSR) [17, 20]. Here we build on these ideas by integrating EOG and head movement signals obtained using commercial eyewear with heart rate and gaze.

Eyewear-recorded EOG has been used to recognize activity, concentration, and potential social interaction [4, 7, 9, 13, 19]. Heart

rate (HR) and heart rate variability (HRV) have also been used to track affect and mental state [5, 14]. By using multi-modal sensors like these on audience, we hope to pave the way for systems that can characterise audience mental states like engagement and enjoyment both cheaply and in real-time.

2 PERFORMANCE AND HARDWARE SETUP




Figure 2: Audience Wearing Blood Volume Pulse Sensor (a), Pupil Core (e) and Jins Meme (g), EOG-enabled Smart Eye-wear. (c), (f), and (h) Visualization of the physiological data collected from the audience.

A 20 minute experimental public dance performance titled "Her Chair", was performed on November 4th 2019, at the Session House Theater (Tokyo, Japan), in collaboration with a contemporary dance group Mademoiselle Cinema.

The audience were aware that their signals would be visualised and projected onto a screen as part of the performance, and we have informed consent from everyone whose data is included in the anonymized dataset. The setup and performance were conducted with the full approval of the ethics board of our university.

In order to measure the response of the audience to the dancers' motion we use a combination of audience EOG, eye tracking and BVP. EOG was used to calculate audience blinks [9], and BVP was used to calculate HR and HRV.

Audience data was visualized in real time using TouchDesigner software and projected on the stage. When three audience members blink simultaneously, the visuals were changed from blue to red as shown in Fig.2 (h). To abstractly express the audience's interest to the stage, the eye movement streamed from the Pupil Core was visualized as shown in Fig.2 (f). HR data was presented as a planar image flowing horizontally as shown in Fig.2 (c). The ratio of low frequency band (LF) and high frequency (HF) band of HRV signal (LF/HF) was used to set the display coloring. As an example of how this translated into the visuals, an LF/HF ratio of 0.0 to 2.0 was assumed to be in a relaxed state and was visualised as blue. Conversely, a ratio of 2.0-5.0 and beyond was interpreted as audience excitement, and was represented by red colors.

3 DATASET DESCRIPTION

The dataset mainly consists of MEME recordings including 3-axis accelerometer data, 2-side EOG data, and three gyroscopes data (sampled with 50Hz). We also include audience HR data from BVP sensor (20Hz) and eye movement data from the Pupil Core (120 Hz

sampling binocular) as well as dancers' motion data in our dataset for more comprehensive information.




Figure 3: Example x,y,z accelerometer (above) and EOG (below) data from three audience members during the performance

We present an initial exploration of the 3-axis accelerometer to show the quality of the data recorded. Fig. 3 (above) depicts accelerometer data from three audience members' glasses recordings. The accelerometer data looks usable and some patterns between the audience members can be seen, e.g. potential head nods and hand clap timings. To further quantify the synchrony among physiological signals, we will apply various techniques such as windowed cross-lagged correlation (WCLC) [2] and dynamic time warping (DTW) [1, 11].

We also investigate the EOG data recorded from MEME. Fig. 3 (below) shows an example of EOG taken from three audience members. The data seems usable and not more or less noisy than similar data we collected in the laboratory before. With the feasibility to reflect people's cognitive state [4, 18], EOG data could also provide us with implicit engagement information. From initial observations, we found that audiences blinked less as the performance went on, which potentially suggests growing visual attention [16].

4 DISCUSSION AND FUTURE WORKS

We present an approach at collecting and streaming multi-person, multi-modal sensor data using commercial eyewear. We give a brief analysis of the recorded data and provide a full dataset for download. Future work includes 1) building the feedback loop from the audience to the dancers, by visualizing physiological data to the stage and enable dancers to adjust their performance according to the audience status, 2) applying more intuitive methods of human cognition analysis including combining blink frequency, blink strength, and head gesture to make precise rating on engagement.

REFERENCES

- [1] Donald J. Berndt and James Clifford. 1994. Using Dynamic Time Warping to Find Patterns in Time Series. In *Proceedings of the 3rd International Conference on Knowledge Discovery and Data Mining* (Seattle, WA) (AAAIWS'94). AAAI Press, 359–370.
- [2] Steven Boker, Minquan Xu, Jennifer Rotondo, and Kadijah King. 2002. Windowed cross-correlation and peak picking for the analysis of variability in the association between behavioral time series. *Psychological methods* 7 (10 2002), 338–55. <https://doi.org/10.1037/1082-989X.7.3.338>
- [3] Teresa Cerrato-Pargman, Chiara Rossitto, and Louise Barkhuus. 2014. Understanding Audience Participation in an Interactive Theater Performance. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction: Fun, Fast, Foundational* (Helsinki, Finland) (NordiCHI '14). Association for Computing Machinery, New York, NY, USA, 608–617. <https://doi.org/10.1145/2639189.2641213>
- [4] George Chernyshov, Kirill Ragozin, Benjamin Tag, and Kai Kunze. 2019. EOG Glasses: an Eyewear Platform for Cognitive and Social Interaction Assessments in the Wild. In *Proceedings of the 21st International Conference on Human-Computer Interaction with Mobile Devices and Services*, 1–5.
- [5] Kwang-Ho Choi, Junbeom Kim, O Sang Kwon, Min Ji Kim, Yeon Hee Ryu, and Ji-Eun Park. 2017. Is heart rate variability (HRV) an adequate tool for evaluating human emotions?—A focus on the use of the International Affective Picture System (IAPS). *Psychiatry Research* 251 (2017), 192–196.
- [6] Sabrina A. L. Frohn, Jeevan S. Matharu, and Jamie A. Ward. 2020. Towards a Characterisation of Emotional Intent during Scripted Scenes Using In-Ear Movement Sensors. In *Proceedings of the 2020 International Symposium on Wearable Computers* (Virtual Event, Mexico) (ISWC '20). Association for Computing Machinery, New York, NY, USA, 37–39. <https://doi.org/10.1145/3410531.3414292>
- [7] Aman Gupta, Finn L Strivens, Benjamin Tag, Kai Kunze, and Jamie A Ward. 2019. Blink as You Sync: Uncovering Eye and Nod Synchrony in Conversation Using Wearable Sensing. In *Proceedings of the 23rd International Symposium on Wearable Computers* (London, United Kingdom) (ISWC '19). Association for Computing Machinery, New York, NY, USA, 66–71. <https://doi.org/10.1145/3341163.3347736>
- [8] Mariam Hassib, Stefan Schneegass, Philipp Eiglsperger, Niels Henze, Albrecht Schmidt, and Florian Alt. 2017. EngageMeter: A System for Implicit Audience Engagement Sensing Using Electroencephalography. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, New York, NY, USA, 5114–5119. <https://doi.org/10.1145/3025453.3025669>
- [9] Shoya Ishimaru, Kai Kunze, Koichi Kise, Jens Weppner, Andreas Dengel, Paul Lukowicz, and Andreas Bulling. 2014. In the Blink of an Eye: Combining Head Motion and Eye Blink Frequency for Activity Recognition with Google Glass. In *Proceedings of the 5th Augmented Human International Conference* (Kobe, Japan) (AH '14). Association for Computing Machinery, New York, NY, USA, Article 15, 4 pages. <https://doi.org/10.1145/2582051.2582066>
- [10] Jodi James, Todd Ingalls, Gang Qian, Loren Olsen, Daniel Whiteley, Siew Wong, and Thanassis Rikakis. 2006. Movement-Based Interactive Dance Performance. In *Proceedings of the 14th ACM International Conference on Multimedia* (Santa Barbara, CA, USA) (MM '06). Association for Computing Machinery, New York, NY, USA, 470–480. <https://doi.org/10.1145/1180639.1180733>
- [11] Eamonn Keogh. 2002. Exact Indexing of Dynamic Time Warping. In *Proceedings of the 28th International Conference on Very Large Data Bases* (Hong Kong, China) (VLDB '02). VLDB Endowment, 406–417.
- [12] Celine Latulipe, Erin A. Carroll, and Danielle Lottridge. 2011. Evaluating Longitudinal Projects Combining Technology with Temporal Arts. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI '11). Association for Computing Machinery, New York, NY, USA, 1835–1844. <https://doi.org/10.1145/1978942.1979209>
- [13] Hang Li, Julien Epps, and Siyuan Chen. 2020. Think before you speak: An investigation of eye activity patterns during conversations using eyewear. *International Journal of Human-Computer Studies* 143 (2020), 102468. <https://doi.org/10.1016/j.ijhcs.2020.102468>
- [14] Gewnhi Park and Julian F Thayer. 2014. From the heart to the mind: cardiac vagal tone modulates top-down and bottom-up visual perception and attention to emotional stimuli. *Frontiers in psychology* 5 (2014), 278.
- [15] Arttu Perttilä, Pauliina Tuomi, Marke Suominen, Antti Koivisto, and Jari Multisilta. 2010. Users as sensors: creating shared experiences in co-creational spaces by collective heart rate. In *Proceedings of the 14th International Academic MindTrek Conference: Envisioning Future Media Environments*, 41–48.
- [16] Tsugunosuke Sakai, Haruya Tamaki, Yosuke Ota, Ryohji Egusa, Shigenori Inagaki, Fusako Kusunoki, Masanori Sugimoto, and H. Mizoguchi. 2017. Eda-based estimation of visual attention by observation of eye blink frequency. *International Journal on Smart Sensing and Intelligent Systems* 10 (01 2017), 296–307. <https://doi.org/10.21307/ijssis-2017-212>
- [17] Moe Sugawa, Taichi Furukawa, George Chernyshov, Danny Hynds, Jiawen Han, Marcelo Padovani, Dingding Zheng, Karola Marky, Kai Kunze, and Kouta Minamizawa. 2021. Boiling Mind: Amplifying the Audience-Performer Connection through Sonification and Visualization of Heart and Electrodermal Activities. In *Fifteenth International Conference on Tangible, Embedded, and Embodied Interaction* (Salzburg, Austria) (TEI '21). Association for Computing Machinery, New York, NY, USA, Article 34, 10 pages. <https://doi.org/10.1145/3430524.3440653>
- [18] Benjamin Tag, Andrew W. Vargo, Aman Gupta, George Chernyshov, Kai Kunze, and Tilman Dingler. 2019. Continuous Alertness Assessments: Using EOG Glasses to Unobtrusively Monitor Fatigue Levels In-The-Wild. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3290605.3300694>
- [19] Yuji Uema and Kazutaka Inoue. 2017. JINS MEME Algorithm for Estimation and Tracking of Concentration of Users. In *Proceedings of the 2017 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2017 ACM International Symposium on Wearable Computers* (Maui, Hawaii) (UbiComp '17). Association for Computing Machinery, New York, NY, USA, 297–300. <https://doi.org/10.1145/3123024.3123189>
- [20] Chen Wang, Erik N. Geelhoed, Phil P. Stanton, and Pablo Cesar. 2014. Sensing a Live Audience. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (CHI '14). Association for Computing Machinery, New York, NY, USA, 1909–1912. <https://doi.org/10.1145/2556288.2557154>