

GET /api/marques/xml/{applicationNumber}

alias de /notice pur retourner la bibliographie ST66 de la marque par son numéro de dépôt

Parameters

Try it out

Name	Description
applicationNumber * string (path)	numéro d'enregistrement/dépôt de la marque <i>Example</i> : FR4216963

Responses

Response content type

application/xml

Code Description

OK

- Example Value
- Model

200

```
<?xml version="1.0" encoding="UTF-8"?>
<TradeMarkType operationCode="string">
  <any>
  </any>
  <applicantDetails>
    <Applicant operationCode="string">
      <any>
      </any>
      <applicantAddressBook>
        <AddressLanguageCode>AA</AddressLanguageCode>
        <any>
        </any>
        <contactInformationDetails>
          <Email>string</Email>
          <Fax>string</Fax>
          <OtherElectronicAddress>string</OtherElectronicAddress>
          <Phone phoneKind="string">
            <value>string</value>
          </Phone>
          <URL>string</URL>
        </contactInformationDetails>
        <formattedNameAddress>
          <address>
            <AddressCountryCode>string</AddressCountryCode>
            <any>
            </any>
            <formattedAddress>
              <AddressBuilding>string</AddressBuilding>
              <AddressCity>string</AddressCity>
              <AddressCounty>string</AddressCounty>
              <AddressFloor>string</AddressFloor>
              <AddressLine languageCode="string" seq
                <value>string</value>
              </AddressLine>
```

Code Description

```

        <AddressMailCode>string</AddressMailCode>
        <AddressPostOfficeBox>string</AddressPostOfficeBox>
        <AddressPostcode>string</AddressPostcode>
        <AddressRoom>string</AddressRoom>
        <AddressState>string</AddressState>
        <AddressStreet>string</AddressStreet>
        <FormattedAddressCountryCode>AD</FormattedAddressCountryCode>
    </formattedAddress>
    <freeFormatAddress>
        <FreeFormatAddressLine languageCode="string" sequenceNumber="1">
            <value>string</value>
        </FreeFormatAddressLine>
    </freeFormatAddress>
</address>
<any>
</any>
<name>
    <any>
    </any>
    <formattedName>
        <FirstName>string</FirstName>
        <Gender>MALE</Gender>
        <IndividualIdentifier>string</IndividualIdentifier>
        <LastName>string</LastName>
        <MiddleName>string</MiddleName>
        <NamePrefix>string</NamePrefix>
        <NameSuffix>string</NameSuffix>
        <NameSynonym>string</NameSynonym>
        <OrganizationDepartment>string</OrganizationDepartment>
        <OrganizationName>string</OrganizationName>
        <PersonRole>string</PersonRole>
        <SecondLastName>string</SecondLastName>
    </formattedName>
    <freeFormatName>
        <any>
        </any>
        <freeFormatNameDetails>
            <FreeFormatNameLine languageCode="string" sequenceNumber="1">
                <value>string</value>
            </FreeFormatNameLine>
        </freeFormatNameDetails>
        <NameKind>string</NameKind>
    </freeFormatName>
    </name>
</formattedNameAddress>
<freeFormatAddressDetails>
    <FreeFormatNameAddressLine languageCode="string" sequenceNumber="1">
        <value>string</value>
    </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</applicantAddressBook>
<applicantEntitlement>
    <any>
    </any>
    <entitlementDomiciled>
        <entitlementDomiciledAddressBook>

```

Code Description

```
<AddressLanguageCode>AA</AddressLanguageCode>
<any>
</any>
<contactInformationDetails>
  <Email>string</Email>
  <Fax>string</Fax>
  <OtherElectronicAddress>string</OtherElectronicAddress>
  <Phone phoneKind="string">
    <value>string</value>
  </Phone>
  <URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
  <address>
    <AddressCountryCode>string</AddressCountryCode>
    <any>
    </any>
    <formattedAddress>
      <AddressBuilding>string</AddressBuilding>
      <AddressCity>string</AddressCity>
      <AddressCounty>string</AddressCounty>
      <AddressFloor>string</AddressFloor>
      <AddressLine language="string">
        <value>string</value>
      </AddressLine>
      <AddressMailCode>string</AddressMailCode>
      <AddressPostOfficeCode>string</AddressPostOfficeCode>
      <AddressPostcode>string</AddressPostcode>
      <AddressRoom>string</AddressRoom>
      <AddressState>string</AddressState>
      <AddressStreet>string</AddressStreet>
      <FormattedAddressCountryCode>string</FormattedAddressCountryCode>
    </formattedAddress>
    <freeFormatAddress>
      <FreeFormatAddressLine>string</FreeFormatAddressLine>
      <value>string</value>
    </FreeFormatAddress>
    </freeFormatAddress>
  </address>
</any>
</any>
<name>
  <any>
  </any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>MALE</Gender>
    <IndividualIdentificationNumber>string</IndividualIdentificationNumber>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSynonym>string</NameSynonym>
    <OrganizationDepartment>string</OrganizationDepartment>
    <OrganizationName>string</OrganizationName>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
```

Code Description

```
</formattedName>
<freeFormatName>
  <any>
    </any>
    <freeFormatNameDetails>
      <FreeFormatNameDetails>
        </FreeFormatNameDetails>
      </FreeFormatNameDetails>
    </freeFormatNameDetails>
    <NameKind>string</NameKind>
  </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode>
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</entitlementDomiciledAddressBook>
<EntitlementDomiciledCode>string</EntitlementDomiciledCode>
</entitlementDomiciled>
<entitlementEstablishment>
  <entitlementEstablishmentAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
      </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>string</AddressCountryCode>
        <any>
          </any>
        <formattedAddress>
          <AddressBuilding>string</AddressBuilding>
          <AddressCity>string</AddressCity>
          <AddressCounty>string</AddressCounty>
          <AddressFloor>string</AddressFloor>
          <AddressLine languageCode>
            <value>string</value>
          </AddressLine>
          <AddressMailCode>string</AddressMailCode>
          <AddressPostOffice>string</AddressPostOffice>
          <AddressPostcode>string</AddressPostcode>
          <AddressRoom>string</AddressRoom>
          <AddressState>string</AddressState>
          <AddressStreet>string</AddressStreet>
          <FormattedAddressCode>string</FormattedAddressCode>
        </formattedAddress>
      </address>
    </formattedNameAddress>
  </entitlementEstablishmentAddressBook>
</entitlementEstablishment>
</entitlementEstablishment>
```

Code Description

```
<freeFormatAddress>
  <FreeFormatAddressLine languageCode="en">
    <value>string</value>
  </FreeFormatAddressLine>
</freeFormatAddress>
</address>
<any>
</any>
<name>
  <any>
</any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>MALE</Gender>
    <IndividualIdentifier>string</IndividualIdentifier>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSynonym>string</NameSynonym>
    <OrganizationDepartment>string</OrganizationDepartment>
    <OrganizationName>string</OrganizationName>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
  </formattedName>
  <freeFormatName>
    <any>
</any>
    <freeFormatNameDetails>
      <FreeFormatNameDetailsLine languageCode="en">
        <value>string</value>
      </FreeFormatNameDetailsLine>
    </freeFormatNameDetails>
    </freeFormatName>
  </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode="en">
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</entitlementEstablishmentAddressBook>
<EntitlementEstablishmentCode>string</EntitlementEstablishmentCode>
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
  <value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</ApplicantIncorporationCountryCode>
<ApplicantIncorporationState>string</ApplicantIncorporationState>
<ApplicantLegalEntity>string</ApplicantLegalEntity>
<ApplicantNationalityCode>string</ApplicantNationalityCode>
<ApplicantSequenceNumber>0</ApplicantSequenceNumber>
<applicantVersion>
```

Code Description

```
<any>
</any>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<versionDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDateTime>
  <VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</Applicant>
</applicantDetails>
<ApplicantSideCaseKey>string</ApplicantSideCaseKey>
<applicationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
```

Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</applicationDate>
<applicationDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</applicationDateTime>
<ApplicationLanguageCode>string</ApplicationLanguageCode>
<ApplicationNumber>string</ApplicationNumber>
<ApplicationReference>string</ApplicationReference>
<AsItIsProtectionIndicator>true</AsItIsProtectionIndicator>
<associatedMarkDetails>
  <AssociatedApplicationNumber>string</AssociatedApplicationNumber>
</associatedMarkDetails>
<authorization>
  <any>
  </any>
  <authorizationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
```

Code Description

```
                <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
        </authorizationDate>
        <authorizationDocument>
            <any>
            </any>
            <comment languageCode="string" sequenceNumber="0">
                <value>string</value>
            </comment>
            <DocumentBinary>string</DocumentBinary>
            <documentDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
            </documentDate>
            <DocumentFileFormat>string</DocumentFileFormat>
            <DocumentFilename>string</DocumentFilename>
            <DocumentLanguageCode>AA</DocumentLanguageCode>
            <DocumentLocation>string</DocumentLocation>
            <DocumentMedia>string</DocumentMedia>
            <DocumentName>string</DocumentName>
            <DocumentSizeInByte>0</DocumentSizeInByte>
            <DocumentVersion>string</DocumentVersion>
        </authorizationDocument>
        <AuthorizationDocumentSupply>string</AuthorizationDocumentSupply>
        <AuthorizationIdentifier>string</AuthorizationIdentifier>
        <AuthorizationKind>string</AuthorizationKind>
        <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
        </comment>
    </authorization>
    <basicRegistrationApplicationDetails>
        <BasicRegistrationApplication>
            <any>
            </any>
            <basicApplicationDetails>
                <BasicApplication>
                    <any>
                    </any>
                    <basicApplicationDate>
                        <day>0</day>
                        <eon>0</eon>
```


Code Description

```
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</basicApplicationDate>
<BasicApplicationNumber>string</BasicApplicationNumber>
</BasicApplication>
</basicApplicationDetails>
<basicRegistrationDetails>
  <BasicRegistration>
    <any>
    </any>
    <basicRegistrationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </basicRegistrationDate>
    <BasicRegistrationNumber>string</BasicRegistrationNumber>
  </BasicRegistration>
</basicRegistrationDetails>
<RegistrationOfficeCode>AD</RegistrationOfficeCode>
</BasicRegistrationApplication>
</basicRegistrationApplicationDetails>
<Comment>string</Comment>
<correspondenceAddress>
  <any>
  </any>
  <correspondenceAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
  </correspondenceAddressBook>
  <contactInformationDetails>
```

Code Description

```
<Email>string</Email>
<Fax>string</Fax>
<OtherElectronicAddress>string</OtherElectronicAddress>
<Phone phoneKind="string">
  <value>string</value>
</Phone>
<URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
  <address>
    <AddressCountryCode>string</AddressCountryCode>
    <any>
    </any>
    <formattedAddress>
      <AddressBuilding>string</AddressBuilding>
      <AddressCity>string</AddressCity>
      <AddressCounty>string</AddressCounty>
      <AddressFloor>string</AddressFloor>
      <AddressLine languageCode="string" sequenceNumber="string">
        <value>string</value>
      </AddressLine>
      <AddressMailCode>string</AddressMailCode>
      <AddressPostOfficeBox>string</AddressPostOfficeBox>
      <AddressPostcode>string</AddressPostcode>
      <AddressRoom>string</AddressRoom>
      <AddressState>string</AddressState>
      <AddressStreet>string</AddressStreet>
      <FormattedAddressCountryCode>AD</FormattedAddressCountryCode>
    </formattedAddress>
    <freeFormatAddress>
      <FreeFormatAddressLine languageCode="string" sequenceNumber="string">
        <value>string</value>
      </FreeFormatAddressLine>
    </freeFormatAddress>
  </address>
  <any>
  </any>
  <name>
    <any>
    </any>
    <formattedName>
      <FirstName>string</FirstName>
      <Gender>MALE</Gender>
      <IndividualIdentifier>string</IndividualIdentifier>
      <LastName>string</LastName>
      <MiddleName>string</MiddleName>
      <NamePrefix>string</NamePrefix>
      <NameSuffix>string</NameSuffix>
      <NameSynonym>string</NameSynonym>
      <OrganizationDepartment>string</OrganizationDepartment>
      <OrganizationName>string</OrganizationName>
      <PersonRole>string</PersonRole>
      <SecondLastName>string</SecondLastName>
    </formattedName>
    <freeFormatName>
      <any>
      </any>
```

Code Description

```
<freeFormatNameDetails>
  <FreeFormatNameLine languageCode="string"
    <value>string</value>
  </FreeFormatNameLine>
</freeFormatNameDetails>
<NameKind>string</NameKind>
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode="string" sequenceNumber="0"
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</correspondenceAddressBook>
<CorrespondenceAddressIdentifier identifierKindCode="AD">
  <value>string</value>
</CorrespondenceAddressIdentifier>
<CorrespondenceAddressParty>string</CorrespondenceAddressParty>
</correspondenceAddress>
<correspondenceAddressKey>
  <any>
  </any>
  <correspondenceAddressIdentifier identifierKindCode="AD">
    <value>string</value>
  </correspondenceAddressIdentifier>
  <CorrespondenceAddressParty>string</CorrespondenceAddressParty>
</correspondenceAddressKey>
<CorrespondenceLanguageCode>string</CorrespondenceLanguageCode>
<designatedCountryDetails>
  <DesignatedCountryCode>string</DesignatedCountryCode>
</designatedCountryDetails>
<divisionalApplicationDetails>
  <initialApplicationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </initialApplicationDate>
  <InitialApplicationNumber>string</InitialApplicationNumber>
  <initialApplicationRegistrationDate>
    <day>0</day>
    <eon>0</eon>
```

Code Description

```
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</initialApplicationRegistrationDate>
</divisionalApplicationDetails>
<ExaminedApplicationNumber>string</ExaminedApplicationNumber>
<exhibitionPriorityDetails>
  <ExhibitionPriority>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <ExhibitionCityName>string</ExhibitionCityName>
    <ExhibitionCountryCode>AD</ExhibitionCountryCode>
    <exhibitionDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </exhibitionDate>
    <ExhibitionDocument>
      <any>
      </any>
      <comment languageCode="string" sequenceNumber="0">
        <value>string</value>
      </comment>
      <DocumentBinary>string</DocumentBinary>
      <documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
```

```
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</documentDate>
<DocumentFileFormat>string</DocumentFileFormat>
<DocumentFilename>string</DocumentFilename>
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</ExhibitionDocument>
<exhibitionFirstDisplayDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</exhibitionFirstDisplayDate>
<ExhibitionName>string</ExhibitionName>
<ExhibitionStatusCode>string</ExhibitionStatusCode>
<exhibitionStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
```

Code Description

```
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</exhibitionStatusDate>
</ExhibitionPriority>
</exhibitionPriorityDetails>
<expiryDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</expiryDate>
<FilingPlace>string</FilingPlace>
<goodsServicesDetails>
  <GoodsServices>
    <any>
    </any>
  <classDescriptionDetails>
    <ClassDescription>
      <any>
      </any>
      <ClassNumber>0</ClassNumber>
      <ClassNumberStatusCode>string</ClassNumberStatusCode>
      <classificationTermDetails>
        <ClassificationTerm operationCode="string">
          <any>
          </any>
          <ClassNumber>0</ClassNumber>
          <classificationTermEntryDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
          </classificationTermEntryDate>
        </ClassificationTerm>
      </classificationTermDetails>
    </ClassDescription>
  </classDescriptionDetails>
</goodsServicesDetails>
</FilingPlace>
</ExhibitionPriority>
</exhibitionPriorityDetails>
</expiryDate>
</FilingPlace>
</goodsServicesDetails>
```

Code Description

```

        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</classificationTermEntryDate>
<ClassificationTermEquivalentGroup>string</ClassificationTermEquivalentGroup>
<classificationTermIdentifier identifierKindCode="AD">
    <value>string</value>
</classificationTermIdentifier>
<ClassificationTermLanguageCode>AA</ClassificationTermLanguageCode>
<ClassificationTermOffice>AD</ClassificationTermOffice>
<ClassificationTermOfficeKey>string</ClassificationTermOfficeKey>
<ClassificationTermReferenceGroup>string</ClassificationTermReferenceGroup>
<ClassificationTermSource>string</ClassificationTermSource>
<classificationTermStatus officeCode="AD">
    <value>string</value>
</classificationTermStatus>
<classificationTermText languageCode="AD">
    <value>string</value>
</classificationTermText>
<ClassificationTermTranslationGroup>string</ClassificationTermTranslationGroup>
<wipobasicNumber>string</wipobasicNumber>
</ClassificationTerm>
</classificationTermDetails>
<GoodsServicesDescription languageCode="string" sequenceNumber="0">
    <value>string</value>
</GoodsServicesDescription>
<UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
</ClassDescription>
</classDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="0">
    <value>string</value>
</comment>
<ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
</GoodsServices>
<GoodsServicesSameListAs>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</GoodsServicesSameListAs>
</goodsServicesDetails>
<InternationalMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</InternationalMarkKey>
<KindMark>string</KindMark>
<MarkCurrentStatusCode>DEMANDE_DÉPOSÉE</MarkCurrentStatusCode>
<markCurrentStatusDate>
    <day>0</day>

```

Code Description

```
<eon>0</eon>
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</markCurrentStatusDate>
<markDescriptionDetails>
  <MarkDescription languageCode="string" sequenceNumber="0">
    <value>string</value>
  </MarkDescription>
</markDescriptionDetails>
<markDisclaimerDetails>
  <MarkDisclaimer languageCode="string" sequenceNumber="0">
    <value>string</value>
  </MarkDisclaimer>
</markDisclaimerDetails>
<markEventDetails>
  <MarkEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <MarkEventCode>string</MarkEventCode>
    <markEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </markEventDate>
  </MarkEvent>
</markEventDetails>
<markEventDateTime>
  <day>0</day>
  <eon>0</eon>
```


Code Description

```
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</markEventDateTime>
<markEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</markEventResponseDate>
</MarkEvent>
</markEventDetails>
<MarkFeature>string</MarkFeature>
<markImageDetails>
  <MarkImage>
    <any>
    </any>
    <MarkImageBinary>string</MarkImageBinary>
    <markImageCategory>
      <any>
      </any>
      <categoryCodeDetails>
        <CategoryCode>string</CategoryCode>
      </categoryCodeDetails>
      <CategoryKind>string</CategoryKind>
      <CategoryVersion>string</CategoryVersion>
    </markImageCategory>
    <MarkImageColourClaimedText languageCode="string" sequenceNumber="0">
      <value>string</value>
    </MarkImageColourClaimedText>
    <MarkImageColourIndicator>true</MarkImageColourIndicator>
    <MarkImageColourMode>string</MarkImageColourMode>
```

Code Description

```
<MarkImageColourPartClaimedText languageCode="string" sequenceNumber="0">
  <value>string</value>
</MarkImageColourPartClaimedText>
<MarkImageFileFormat>string</MarkImageFileFormat>
<MarkImageFilename>string</MarkImageFilename>
<MarkImageQualityIndicator>true</MarkImageQualityIndicator>
<markImageRenditionDetails>
  <MarkImageRendition>
    <any>
    </any>
    <MarkImageRenditionBinary>string</MarkImageRenditionBinary>
    <MarkImageRenditionColourMode>string</MarkImageRenditionColourMode>
    <MarkImageRenditionFileFormat>string</MarkImageRenditionFileFormat>
    <MarkImageRenditionFilename>string</MarkImageRenditionFilename>
    <MarkImageRenditionKind>string</MarkImageRenditionKind>
    <markImageRenditionRepresentationSize>
      <any>
      </any>
      <Height>0</Height>
      <Unit>CENTIMETRE</Unit>
      <Width>0</Width>
    </markImageRenditionRepresentationSize>
  </MarkImageRendition>
</markImageRenditionDetails>
<markImageRepresentationSize>
  <any>
  </any>
  <Height>0</Height>
  <Unit>CENTIMETRE</Unit>
  <Width>0</Width>
</markImageRepresentationSize>
</MarkImage>
</markImageDetails>
<markRecordDetails>
  <MarkRecord>
    <any>
    </any>
    <basicRecord>
      <any>
      </any>
      <BasicRecordKind>string</BasicRecordKind>
      <claimantDetails>
        <Claimant operationCode="string">
          <any>
          </any>
          <claimantAddressBook>
            <AddressLanguageCode>AA</AddressLanguageCode>
            <any>
            </any>
            <contactInformationDetails>
              <Email>string</Email>
              <Fax>string</Fax>
              <OtherElectronicAddress>string</OtherElectronicAddress>
              <Phone phoneKind="string">
                <value>string</value>
              </Phone>
              <URL>string</URL>
            </contactInformationDetails>
          </claimantAddressBook>
        </Claimant>
      </claimantDetails>
    </basicRecord>
  </MarkRecord>
</markRecordDetails>
</markRecord>
</mark>
```

Code Description

	<pre></contactInformationDetails> <formattedNameAddress> <address> <AddressCountryCode> <any> </any> <formattedAddress> <AddressB> <AddressC> <AddressC> <AddressF> <AddressL> </Address> <AddressM> <AddressP> <AddressP> <AddressR> <AddressS> <AddressS> <Formatte> </formattedAddress> <freeFormatAddress> <FreeForm> </FreeFor> </freeFormatAddress> </address> <any> </any> <name> <any> </any> <formattedName> <FirstNam> <Gender>M> <Individu> <LastName> <MiddleNa> <NamePref> <NameSuff> <NameSync> <Organiza> <Organiza> <PersonRo> <SecondLa> </formattedName> <freeFormatName> <any> </any> <freeForm> </freeFor> <NameKind> </freeFormatName></pre>
--	--

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddressDetails>
        <FreeFormatNameAddressLine 1>
            <value>string</value>
        </FreeFormatNameAddressLine>
    </freeFormatAddressDetails>
    <PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
    <any>
    </any>
    <entitlementDomiciled>
        <entitlementDomiciledAddress>
            <AddressLanguageCode>
            <any>
            </any>
            <contactInformation>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElement>
                <Phone number>
                </Phone>
                <URL>string</URL>
            </contactInformation>
            <formattedNameAddress>
            <address>
            </address>
            <any>
            </any>
            <name>

```

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm
        </freeFormatAddress>
    <PostalAddress>string
    </entitlementDomiciledAddress>
    <EntitlementDomiciledCode>string
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAddress>
        <AddressLanguageCode>
            <any>
        </any>
    <contactInformation>
        <Email>string
        <Fax>string
        <OtherElement>
        <Phone phone
            </Phone>
        <URL>string
    </contactInformation>
    <formattedNameAddress>
        <address>
```

Code	Description
------	-------------

Code Description

```

        </entitlementEstablishmentAd
        <EntitlementEstablishmentCod
    </entitlementEstablishment>
    <EntitlementNationalityCode>string</En
</claimantEntitlement>
<ClaimantIdentifier identifierKindCode="AD">
    <value>string</value>
</ClaimantIdentifier>
<ClaimantIncorporationCountryCode>AD</ClaimantIn
<ClaimantIncorporationState>string</ClaimantInco
<ClaimantLegalEntity>string</ClaimantLegalEntity
<ClaimantNationalityCode>string</ClaimantNationa
<ClaimantSequenceNumber>0</ClaimantSequenceNumbe
<comment languageCode="string" sequenceNumber="0"
    <value>string</value>
</comment>
</Claimant>
<ClaimantKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</ClaimantKey>
</claimantDetails>
<factDecisionText languageCode="string" sequenceNumber="0">
    <value>string</value>
</factDecisionText>
<goodsServicesLimitationDetails>
    <GoodsServicesLimitation>
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0"
            <value>string</value>
        </comment>
        <GoodsServicesLimitationCode>string</GoodsServi
    <limitationClassDescriptionDetails>
        <ClassDescription>
            <any>
            </any>
            <ClassNumber>0</ClassNumber>
            <ClassNumberStatusCode>string
            <classificationTermDetails>
                <ClassificationTerm
                <any>
                </any>
                <ClassNum
            <classifi
```

```

</classificationTermDetails>
</GoodsServicesDescription la
  <value>string</valu
</GoodsServicesDescription>
<UseNiceHeadingIndicator>tru
  </ClassDescription>
</limitationClassDescriptionDetails>
<limitationCountryDetails>
  <LimitationCountryCode>string</Limitat
</limitationCountryDetails>
</GoodsServicesLimitation>
</goodsServicesLimitationDetails>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>

```


Code Description

```
<year>0</year>
</recordCurrentStatusDate>
<recordDesignatedCountryDetails>
  <RecordDesignatedCountryCode>string</RecordDesignatedCountryCode>
</recordDesignatedCountryDetails>
<recordDocumentDetails>
  <RecordDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
  </RecordDocument>
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
```

Code Description

```
<prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <RecordEventCode>string</RecordEventCode>
    <recordEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </recordEventDate>
    <recordEventDateTime>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </recordEventDateTime>
    <recordEventResponseDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
```

Code Description

```
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEventResponseDate>
</RecordEvent>
</recordEventDetails>
<recordFilingDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordFilingDate>
<RecordIdentifier>string</RecordIdentifier>
<RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
<RecordLanguageCode>string</RecordLanguageCode>
<recordNotificationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
  <RecordPublication>
```

Code Description

```

<any>
</any>
<publicationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</publicationDate>
<PublicationIdentifier>string</PublicationIdentifier>
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<recordUseIntentDetails>
    <RecordUseIntentCountryCode>string</RecordUseIntentCountryCode>
</recordUseIntentDetails>
<representativeDetails>
    <Representative operationCode="string">
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
        </comment>
    </representativeAddressBook>
        <AddressLanguageCode>AA</AddressLanguageCode>
        <any>
        </any>
        <contactInformationDetails>
            <Email>string</Email>
            <Fax>string</Fax>
            <OtherElectronicAddress>string</OtherElectronicAddress>
            <Phone phoneKind="string">
                <value>string</value>
            </Phone>
            <URL>string</URL>
        </contactInformationDetails>
        <formattedNameAddress>
            <address>
                <AddressCountryCode>
                <any>
                </any>
            </formattedAddress>

```

Code Description

	<pre><AddressB <AddressC <AddressC <AddressP <AddressL </Address <AddressM <AddressP <AddressP <AddressR <AddressS <AddressS <AddressS <Formatte </formattedAddress> <freeFormatAddress> <FreeForm </FreeFor </freeFormatAddress> </address> <any> </any> <name> <any> </any> <formattedName> <FirstName <Gender>M <Individu <LastName <MiddleNa <NamePref <NameSuff <NameSync <Organiza <Organiza <PersonRo <SecondLa </formattedName> <freeFormatName> <any> </any> <freeForm </freeFor <NameKind </freeFormatName> </name> </formattedNameAddress> <freeFormatAddressDetails> <FreeFormatNameAddressLine 1 <value>string</valu </FreeFormatNameAddressLine> </freeFormatAddressDetails></pre>
--	--

Code Description

```
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD"
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDateTime>
  <VersionNumber>string</VersionNumber>
</representativeVersion>
```

Code Description

```
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
      <value>string</value>
    </Identifier>
  </TradeMarkKey>
</tradeMarkKeyDetails>
</basicRecord>
<recordChangeNameAddress>
  <any>
  </any>
  <claimantDetails>
    <Claimant operationCode="string">
      <any>
      </any>
      <claimantAddressBook>
        <AddressLanguageCode>AA</AddressLanguageCode>
        <any>
        </any>
        <contactInformationDetails>
          <Email>string</Email>
          <Fax>string</Fax>
          <OtherElectronicAddress>string</OtherElectronicAddress>
          <Phone phoneKind="string">
            <value>string</value>
          </Phone>
          <URL>string</URL>
        </contactInformationDetails>
        <formattedNameAddress>
          <address>
            <AddressCountryCode>
              <any>
              </any>
            </AddressCountryCode>
            <formattedAddress>
              <AddressB>
              <AddressC>
              <AddressC>
              <AddressF>
              <AddressL>
              </Address>
              <AddressM>
              <AddressP>
              <AddressP>
              <AddressR>
              <AddressS>
```

Code Description

```
<AddressS
<Formatte
</formattedAddress>
<freeFormatAddress>
<FreeForm
</FreeFor
</freeFormatAddress>
</address>
<any>
</any>
<name>
<any>
</any>
<formattedName>
<FirstNam
<Gender>M
<Individu
<LastName
<MiddleNa
<NamePref
<NameSuff
<NameSync
<Organiza
<Organiza
<PersonRo
<SecondLa
</formattedName>
<freeFormatName>
<any>
</any>
<freeForm
</freeFor
<NameKind
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
<FreeFormatNameAddressLine 1
<value>string</valu
</FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
<any>
</any>
<entitlementDomiciled>
<entitlementDomiciledAddress
<AddressLanguageCo
<any>
</any>
<contactInformation
<Email>st
```


Code	Description
------	-------------

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm
        </freeFormatAddress>
    <PostalAddress>str:
    </entitlementDomiciledAddress>
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAdd
        <AddressLanguageCode>
        <any>
        </any>
    <contactInformation>
        <Email>stri
        <Fax>stri
        <OtherEle
        <Phone ph
            </Phone>
        <URL>stri
    </contactInformation>
    <formattedNameAddress>
        <address>
```

Code Description

	<pre></address> <any> </any> <name></pre>
	<pre> </name> </formattedNameAddress> <freeFormatAddress>string <FreeFormatAddress>string </FreeFormatAddress> </freeFormatAddress> <PostalAddress>string </entitlementEstablishmentAddress> <EntitlementEstablishmentCode>string </entitlementEstablishment> <EntitlementNationalityCode>string</EntitlementNationalityCode> </claimantEntitlement> <ClaimantIdentifier identifierKindCode="AD"> <value>string</value> </ClaimantIdentifier> <ClaimantIncorporationCountryCode>AD</ClaimantIncorporationCountryCode> <ClaimantIncorporationState>string</ClaimantIncorporationState> <ClaimantLegalEntity>string</ClaimantLegalEntity> <ClaimantNationalityCode>string</ClaimantNationalityCode> <ClaimantSequenceNumber>0</ClaimantSequenceNumber> <comment languageCode="string" sequenceNumber="0"> <value>string</value> </comment> </Claimant> <ClaimantKey> <any></pre>

Code Description

```
</any>
<Identifier identifierKindCode="AD">
  <value>string</value>
</Identifier>
</ClaimantKey>
</claimantDetails>
<correspondenceAddress>
  <any>
  </any>
  <correspondenceAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherE
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>string</
        <any>
        </any>
        <formattedAddress>
          <AddressBuilding>st
          <AddressCity>string
          <AddressCounty>str:
          <AddressFloor>strin
          <AddressLine language
          <value>st
          </AddressLine>
          <AddressMailCode>st
          <AddressPostOffice
          <AddressPostcode>st
          <AddressRoom>string
          <AddressState>string
          <AddressStreet>str:
          <FormattedAddressCo
        </formattedAddress>
        <freeFormatAddress>
          <FreeFormatAddress
          <value>st
          </FreeFormatAddress
        </freeFormatAddress>
      </address>
    </any>
    </any>
    <name>
      <any>
      </any>
      <formattedName>
        <FirstName>string</
        <Gender>MALE</Gende
```

```
<IndividualIdentifier></IndividualIdentifier>  
    <LastName>string</LastName>  
    <MiddleName>string</MiddleName>  
    <NamePrefix>string</NamePrefix>  
    <NameSuffix>string</NameSuffix>  
    <NameSynonym>string</NameSynonym>  
    <OrganizationDepartment>string</OrganizationDepartment>  
    <OrganizationName>string</OrganizationName>  
    <PersonRole>string</PersonRole>  
    <SecondLastName>string</SecondLastName>  
  </formattedName>  
  <freeFormatName>  
    <any>  
  </any>  
  <freeFormatNameDetails>  
    <FreeFormatNameAddressLine languageCode="string">  
      <value>string</value>  
    </FreeFormatNameAddressLine>  
  </freeFormatNameDetails>  
  <NameKind>string</NameKind>  
</freeFormatName>  
</name>  
</formattedNameAddress>  
<freeFormatAddressDetails>  
  <FreeFormatNameAddressLine languageCode="string">  
    <value>string</value>  
  </FreeFormatNameAddressLine>  
</freeFormatAddressDetails>  
<PostalAddress>string</PostalAddress>  
</correspondenceAddressBook>  
<CorrespondenceAddressIdentifier identifierKindCode="AD">  
  <value>string</value>  
</CorrespondenceAddressIdentifier>  
<CorrespondenceAddressParty>string</CorrespondenceAddressParty>  
</correspondenceAddress>  
<holderDetails>  
  <NewHolder operationCode="string">  
    <any>  
  </any>  
  <applicantAddressBook>  
    <AddressLanguageCode>AA</AddressLanguageCode>  
    <any>  
  </any>  
  <contactInformationDetails>  
    <Email>string</Email>  
    <Fax>string</Fax>  
    <OtherElectronicAddress>string</OtherElectronicAddress>  
    <Phone phoneKind="string">  
      <value>string</value>  
    </Phone>  
    <URL>string</URL>  
  </contactInformationDetails>  
  <formattedNameAddress>  
    <address>  
      <AddressCountryCode>  
        <any>  
      </any>  
    </address>  
  </formattedNameAddress>  
</applicantAddressBook>  
</holderDetails>  
</NewHolder>  
</correspondenceAddressBook>
```

Code Description

	<pre><formattedAddress> <AddressB <AddressC <AddressC <AddressP <AddressL </Address <AddressM <AddressP <AddressP <AddressR <AddressS <AddressS <AddressS <Formatte </formattedAddress> <freeFormatAddress> <FreeForm </FreeFor </freeFormatAddress> </address> <any> </any> <name> <any> </any> <formattedName> <FirstNam <Gender>M <Individu <LastName <MiddleNa <NamePref <NameSuff <NameSync <Organiza <Organiza <PersonRo <SecondLa </formattedName> <freeFormatName> <any> </any> <freeForm </freeFor <NameKind </freeFormatName> </name> </formattedNameAddress> <freeFormatAddressDetails> <FreeFormatNameAddressLine 1 <value>string</valu </FreeFormatNameAddressLine></pre>
--	--

Code Description

```

        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
    </applicantAddressBook>
    <applicantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
            <entitlementDomiciledAddress>
                <AddressLanguageCode>
                <any>
                </any>
                <contactInformation>
                    <Email>string
                    <Fax>string
                    <OtherElement>
                    <Phone>phone
                    </Phone>
                    <URL>string
                </contactInformation>
                <formattedNameAddress>
                <address>
                    </address>
                <any>
                </any>
                <name>
```

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm
        </freeFormatAddress>
    <PostalAddress>str:
    </entitlementDomiciledAddress>
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAdd
        <AddressLanguageCo
    <any>
    </any>
    <contactInformation>
        <Email>stri
        <Fax>stri
        <OtherEle
        <Phone ph
    </Phone>
    <URL>stri
</contactInformation>
<formattedNameAddress>
    <address>
```


Code Description

```
</address>
<any>
</any>
<name>
```

```

</name>
</formattedNameAddress>
<freeFormatAddress>
<FreeForm
</FreeForm
</freeFormatAddress>
<PostalAddress>string
</entitlementEstablishmentAd
<EntitlementEstablishmentCod
</entitlementEstablishment>
<EntitlementNationalityCode>string</En
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
```

Code Description

```
<value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</ApplicantIncorporationCountryCode>
<ApplicantIncorporationState>string</ApplicantIncorporationState>
<ApplicantLegalEntity>string</ApplicantLegalEntity>
<ApplicantNationalityCode>string</ApplicantNationalityCode>
<ApplicantSequenceNumber>0</ApplicantSequenceNumber>
<applicantVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDateTime>
  <VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</NewHolder>
```

Code Description

```
<PreviousHolder operationCode="string">
  <any>
</any>
<applicantAddressBook>
  <AddressLanguageCode>AA</AddressLanguageCode>
  <any>
</any>
  <contactInformationDetails>
    <Email>string</Email>
    <Fax>string</Fax>
    <OtherElectronicAddress>string</OtherElectronicAddress>
    <Phone phoneKind="string">
      <value>string</value>
    </Phone>
    <URL>string</URL>
  </contactInformationDetails>
  <formattedNameAddress>
    <address>
      <AddressCountryCode>string</AddressCountryCode>
      <any>
      </any>
      <formattedAddress>
        <AddressB>string</AddressB>
        <AddressC>string</AddressC>
        <AddressD>string</AddressD>
        <AddressE>string</AddressE>
        <AddressF>string</AddressF>
        <AddressG>string</AddressG>
        <AddressH>string</AddressH>
        <AddressI>string</AddressI>
        <AddressJ>string</AddressJ>
        <AddressK>string</AddressK>
        <AddressL>string</AddressL>
        <AddressM>string</AddressM>
        <AddressN>string</AddressN>
        <AddressO>string</AddressO>
        <AddressP>string</AddressP>
        <AddressQ>string</AddressQ>
        <AddressR>string</AddressR>
        <AddressS>string</AddressS>
        <AddressT>string</AddressT>
        <AddressU>string</AddressU>
        <AddressV>string</AddressV>
        <AddressW>string</AddressW>
        <AddressX>string</AddressX>
        <AddressY>string</AddressY>
        <AddressZ>string</AddressZ>
        <FormattedAddress>string</FormattedAddress>
      </formattedAddress>
      <freeFormatAddress>
        <FreeFormatAddress>string</FreeFormatAddress>
      </FreeFormatAddress>
    </address>
  </formattedNameAddress>
  <name>
    <any>
    </any>
    <formattedName>
      <FirstName>string</FirstName>
      <Gender>M</Gender>
      <Individual>boolean</Individual>
      <LastName>string</LastName>
      <MiddleName>string</MiddleName>
      <NamePrefix>string</NamePrefix>
      <NameSuffix>string</NameSuffix>
      <NameSync>boolean</NameSync>
```

Code Description

```
<Organiza
<Organiza
<PersonRo
<SecondLa
</formattedName>
<freeFormatName>
<any>
</any>
<freeForm

</freeFor
<NameKind
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1
    <value>string</valu
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</applicantAddressBook>
<applicantEntitlement>
  <any>
  </any>
  <entitlementDomiciled>
    <entitlementDomiciledAddress
      <AddressLanguageCoo
    <any>
    </any>
    <contactInformation
      <Email>st
      <Fax>stri
      <OtherEle
      <Phone ph
      </Phone>
      <URL>stri
    </contactInformatio
    <formattedNameAddre
    <address>
```

Code Description

```
</address>
<any>
</any>
<name>
```

```

</name>
</formattedNameAddress>
<freeFormatAddress>
<FreeForm
</FreeForm
</freeFormatAddress>
<PostalAddress>str
</entitlementDomiciledAddress>
<EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
<entitlementEstablishmentAdd
<AddressLanguageCo
<any>
</any>
<contactInformation>
```

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Code Description

```
</name>
</formattedNameAddress>
<freeFormatAddress>string</freeFormatAddress>
<FreeFormAddress>string</FreeFormAddress>
</FreeFormAddress>
</freeFormatAddress>
<PostalAddress>string</PostalAddress>
<entitlementEstablishmentAddress>string</entitlementEstablishmentAddress>
<EntitlementEstablishmentCode>string</EntitlementEstablishmentCode>
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
  <value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</ApplicantIncorporationCountryCode>
<ApplicantIncorporationState>string</ApplicantIncorporationState>
<ApplicantLegalEntity>string</ApplicantLegalEntity>
<ApplicantNationalityCode>string</ApplicantNationalityCode>
<ApplicantSequenceNumber>0</ApplicantSequenceNumber>
<applicantVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
```

Code Description

```
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</PreviousHolder>
</holderDetails>
<RecordChangeNameAddressKind>string</RecordChangeNameAddressKind>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordCurrentStatusDate>
<recordDocumentDetails>
  <RecordDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
```


Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</documentDate>
<DocumentFileFormat>string</DocumentFileFormat>
<DocumentFilename>string</DocumentFilename>
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</RecordDocument>
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <RecordEventCode>string</RecordEventCode>
    <recordEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
```

Code Description

```
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
</recordEventDate>
<recordEventDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventDateTime>
<recordEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventResponseDate>
</RecordEvent>
</recordEventDetails>
<recordFilingDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
```

Code Description

```
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordFilingDate>
<RecordIdentifier>string</RecordIdentifier>
<RecordLanguageCode>string</RecordLanguageCode>
<recordNotificationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
  <RecordPublication>
    <any>
    </any>
    <publicationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
    </publicationDate>
  </RecordPublication>
</recordPublicationDetails>
</year>0</year>
```

Code Description

```
</publicationDate>
<PublicationIdentifier>string</PublicationIdentifier>
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<representativeDetails>
  <Representative operationCode="string">
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <representativeAddressBook>
      <AddressLanguageCode>AA</AddressLanguageCode>
      <any>
      </any>
      <contactInformationDetails>
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElectronicAddress>string</OtherElectronicAddress>
        <Phone phoneKind="string">
          <value>string</value>
        </Phone>
        <URL>string</URL>
      </contactInformationDetails>
      <formattedNameAddress>
        <address>
          <AddressCountryCode>
            <any>
            </any>
          </AddressCountryCode>
          <formattedAddress>
            <AddressB>
            <AddressC>
            <AddressC>
            <AddressF>
            <AddressL>
            </Address>
            <AddressM>
            <AddressP>
            <AddressP>
            <AddressP>
            <AddressR>
            <AddressS>
            <AddressS>
            <AddressS>
            <Formatted>
            </Formatted>
          </formattedAddress>
          <freeFormatAddress>
            <FreeForm>
            </FreeForm>
          </FreeForm>
          </freeFormatAddress>
        </address>
      </any>
    </any>
```

Code Description

```
<name>
  <any>
  </any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>M</Gender>
    <Individual>boolean</Individual>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSync>boolean</NameSync>
    <Organization>string</Organization>
    <Organization>string</Organization>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
  </formattedName>
  <freeFormatName>
    <any>
    </any>
    <freeFormatName>string</freeFormatName>
  </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1>
    <value>string</value>
  </FreeFormatNameAddressLine 1>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
```

Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
      <value>string</value>
    </Identifier>
  </TradeMarkKey>
</tradeMarkKeyDetails>
</recordChangeNameAddress>
<recordLicence>
  <any>
  </any>
</recordLicence>
<claimantDetails>
```

Code Description

```
<Claimant operationCode="string">
  <any>
  </any>
  <claimantAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>
          <any>
          </any>
          <formattedAddress>
            <AddressB>
            <AddressC>
            <AddressC>
            <AddressF>
            <AddressL>
            </Address>
            <AddressM>
            <AddressP>
            <AddressP>
            <AddressP>
            <AddressR>
            <AddressS>
            <AddressS>
            <Formatte>
            </formattedAddress>
            <freeFormatAddress>
            <FreeForm>
            </FreeFor>
            </freeFormatAddress>
          </address>
          <any>
          </any>
          <name>
            <any>
            </any>
            <formattedName>
              <FirstNam>
              <Gender>M>
              <Individu>
              <LastNam>
              <MiddleNa>
              <NamePref>
              <NameSuff>
              <NameSync>
```

Code Description

```
<Organiza
<Organiza
<PersonRo
<SecondLa
</formattedName>
<freeFormatName>
<any>
</any>
<freeForm

</freeFor
<NameKind
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1
    <value>string</valu
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
  <any>
  </any>
  <entitlementDomiciled>
    <entitlementDomiciledAddress
      <AddressLanguageCoo
    <any>
    </any>
    <contactInformation
      <Email>st
      <Fax>stri
      <OtherEle
      <Phone ph
      </Phone>
      <URL>stri
    </contactInformatio
    <formattedNameAddre
    <address>
```


Code Description

```
</address>
<any>
</any>
<name>
```

```

</name>
</formattedNameAddress>
<freeFormatAddress>
<FreeForm
</FreeForm
</freeFormatAddress>
<PostalAddress>str:
</entitlementDomiciledAddress>
<EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
<entitlementEstablishmentAdd
<AddressLanguageCode>
<any>
</any>
<contactInformation>
```

Code	Description
------	-------------

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>string</freeFormatAddress>
    <FreeFormAddress>string</FreeFormAddress>
    </FreeFormAddress>
    </freeFormatAddress>
    <PostalAddress>string</PostalAddress>
    </entitlementEstablishmentCode>
    <EntitlementEstablishmentCode>string</EntitlementEstablishmentCode>
    </entitlementEstablishmentCode>
    <EntitlementNationalityCode>string</EntitlementNationalityCode>
</claimantEntitlement>
<ClaimantIdentifier identifierKindCode="AD">
    <value>string</value>
</ClaimantIdentifier>
<ClaimantIncorporationCountryCode>AD</ClaimantIncorporationCountryCode>
<ClaimantIncorporationState>string</ClaimantIncorporationState>
<ClaimantLegalEntity>string</ClaimantLegalEntity>
<ClaimantNationalityCode>string</ClaimantNationalityCode>
<ClaimantSequenceNumber>0</ClaimantSequenceNumber>
<comment languageCode="string" sequenceNumber="0">
    <value>string</value>
</comment>
</Claimant>
<ClaimantKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</ClaimantKey>
</ClaimantDetails>
<licenceDetails>
    <Licence>
        <any>
        </any>
        <goodsServicesLimitation>
            <any>
            </any>
            <comment languageCode="string" sequenceNumber="0">
                <value>string</value>
            </comment>
            <GoodsServicesLimitationCode>string</GoodsServicesLimitationCode>
            <limitationClassDescriptionDetails>
                <ClassDescription>
                    <any>
                    </any>
                    <ClassNumber>0</ClassNumber>
                    <ClassNumberStatus>string</ClassNumberStatus>
                </ClassDescription>
            </limitationClassDescriptionDetails>
        </goodsServicesLimitation>
    </Licence>
</licenceDetails>
</ClaimantDetails>
```

Code Description

	<pre><classificationTerm> <Classifi </Classifi </classificationTerm> <GoodsServicesDescription> <value>st </GoodsServicesDescription> <UseNiceHeadingIndicator> </ClassDescription> </limitationClassDescriptionDetails> <limitationCountryDetails> <LimitationCountryCode>string </limitationCountryDetails> </goodsServicesLimitation> <GoodsServicesLimitationIndicator>true</GoodsServicesLimitationIndicator> <licenceDate> <day>0</day> <eon>0</eon></pre>
--	--

Code Description

```
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</licenceDate>
<licenceDocumentDetails>
  <LicenceDocument>
    <any>
    </any>
    <comment languageCode="string">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
  </LicenceDocument>
</licenceDocumentDetails>
<licenceEventDetails>
  <LicenceEvent>
    <any>
    </any>
```

Code Description

```
<comment languageCode="string"
  <value>string</value>
</comment>
<LicenceEventCode>string</LicenceEventCode>
<licenceEventDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>
      <namespace>
        <prefix>string
      </prefix>
    </localPart>
  </xmlschemaType>
  <year>0</year>
</licenceEventDate>
<licenceEventDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>
      <namespace>
        <prefix>string
      </prefix>
    </localPart>
  </xmlschemaType>
  <year>0</year>
</licenceEventDateTime>
<licenceEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>
      <namespace>
```

Code Description

```
<prefix>S
</xmlschemaType>
<year>0</year>
</licenceEventResponseDate>
</LicenceEvent>
</licenceEventDetails>
<LicenceIdentifier>string</LicenceIdentifier>
<LicenceKind>string</LicenceKind>
<LicenceNumber>string</LicenceNumber>
<LicenceReference>string</LicenceReference>
<LicenceStatusCode>string</LicenceStatusCode>
<licenseeDetails>
  <Licensee operationCode="string">
    <any>
    </any>
    <comment languageCode="string">
      <value>string</value>
    </comment>
    <licenseeAddressBook>
      <AddressLanguageCode>
      <any>
      </any>
      <contactInformation>
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElement>
        <Phone phoneType="string">
        </Phone>
        <URL>string</URL>
      </contactInformation>
      <formattedNameAddress>
      <address>
```

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```
</address>
<any>
</any>
<name>
```

</name>

</formattedNameAdd

```
<freeFormatAddress
```

<FreeForm

</FreeFor

</freeFormatAddress>

```
<PostalAddress>str
```

</licenseeAddressBook>

```
<licenseeEntitlement>
```

<any>

</any>

<entitlementDomici

<entitlem

[illegible]

Code	Description
------	-------------

Code	Description
------	-------------

```

        </entitlement
        <Entitlement
</entitlementDomestic
<entitlementEstablish
        <entitlement

```

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Code Description

```
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
</year>0</year>
</periodLimitationEndDate>
<PeriodLimitationIndicator>true</PeriodLimitationIndicator>
<periodLimitationStartDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
</xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
</year>0</year>
</periodLimitationStartDate>
<periodLimitationText languageCode="string" sequence="1">
  <value>string</value>
</periodLimitationText>
<RelatedLicenceIdentifier>string</RelatedLicenceIdentifier>
<representativeDetails>
  <Representative operationCode="string" sequence="1">
    <any>
    </any>
    <comment languageCode="string" sequence="1">
      <value>string</value>
    </comment>
    <representativeAddressBook>
      <AddressLanguageCode>
        <any>
        </any>
        <contactInformation>
          <Email>string</Email>
          <Fax>string</Fax>
          <OtherElement>
          <Phone phoneType="string">
            </Phone>
            <URL>string</URL>
          </contactInformation>
          <formattedNameAddress>
          <address>
```

Code	Description
------	-------------

Code Description

```
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier id="1">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporation>
<RepresentativeIncorporation>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>string</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment language="en">string</comment>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fraction>0</fraction>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
  </versionDate>
  </xmlschema>
</representativeVersion>
</xmlschema>
<year>0</year>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fraction>0</fraction>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
```

Code Description

```
        </Representative>
        <RepresentativeKey>
            <any>
            </any>
            <Identifier identifierKindCo
                <value>string</valu
            </Identifier>
        </RepresentativeKey>
    </representativeDetails>
    <SubLicenceIndicator>true</SubLicenceIndicator>
    <TerritoryLimitationIndicator>true</TerritoryLim
    <territoryLimitationText languageCode="string" s
        <value>string</value>
    </territoryLimitationText>
</Licence>
</licenceDetails>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</recordCurrentStatusDate>
<recordDesignatedCountryDetails>
    <RecordDesignatedCountryCode>string</RecordDesignatedCoun
</recordDesignatedCountryDetails>
<recordDocumentDetails>
    <RecordDocument>
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0
            <value>string</value>
        </comment>
        <DocumentBinary>string</DocumentBinary>
        <documentDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
```

Code Description

```
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</documentDate>
<DocumentFileFormat>string</DocumentFileFormat>
<DocumentFilename>string</DocumentFilename>
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</RecordDocument>
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <RecordEventCode>string</RecordEventCode>
    <recordEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
```


Code Description

```
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEventDate>
<recordEventDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventDateTime>
<recordEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventResponseDate>
</RecordEvent>
</recordEventDetails>
<recordFilingDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
```

Code Description

```
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordFilingDate>
<RecordIdentifier>string</RecordIdentifier>
<RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
<RecordLanguageCode>string</RecordLanguageCode>
<RecordLicenceKind>string</RecordLicenceKind>
<recordNotificationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
  <RecordPublication>
    <any>
    </any>
    <publicationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namesp
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </publicationDate>
    <PublicationIdentifier>string</PublicationIdentifi
```

Code Description

```
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<representativeDetails>
  <Representative operationCode="string">
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
  </representativeAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>
          <any>
          </any>
        </AddressCountryCode>
        <formattedAddress>
          <AddressB>
          <AddressC>
          <AddressC>
          <AddressF>
          <AddressL>
          </Address>
          <AddressM>
          <AddressP>
          <AddressP>
          <AddressP>
          <AddressR>
          <AddressS>
          <AddressS>
          <Formatted>
          </formattedAddress>
          <freeFormatAddress>
          <FreeForm>
          </FreeForm>
          </freeFormatAddress>
        </address>
        <any>
        </any>
        <name>
        <any>
```

Code Description

```
</any>
<formattedName>
  <FirstName>
  <Gender>M
  <Individual>
  <LastName>
  <MiddleName>
  <NamePrefix>
  <NameSuffix>
  <NameSync>
  <Organization>
  <Organization>
  <PersonRole>
  <SecondLastName>
</formattedName>
<freeFormatName>
  <any>
</any>
<freeFormatName>

</freeFormatName>
<NameKind>
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1>
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
</any>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<versionDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
```

Code Description

```
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
      <value>string</value>
    </Identifier>
  </TradeMarkKey>
</tradeMarkKeyDetails>
</recordLicence>
<recordNationalInternationalReplacement>
  <any>
  </any>
  <claimantDetails>
    <Claimant operationCode="string">
    </Claimant>
  </claimantDetails>
  <any>
```

Code Description

```
</any>
<claimantAddressBook>
  <AddressLanguageCode>AA</AddressLanguageCode>
  <any>
</any>
  <contactInformationDetails>
    <Email>string</Email>
    <Fax>string</Fax>
    <OtherElectronicAddress>string</OtherElectronicAddress>
    <Phone phoneKind="string">
      <value>string</value>
    </Phone>
    <URL>string</URL>
  </contactInformationDetails>
  <formattedNameAddress>
    <address>
      <AddressCountryCode>
        <any>
        </any>
      <formattedAddress>
        <AddressB>
        <AddressC>
        <AddressC>
        <AddressP>
        <AddressL>
        </Address>
        <AddressM>
        <AddressP>
        <AddressP>
        <AddressP>
        <AddressR>
        <AddressS>
        <AddressS>
        <AddressS>
        <Formatted>
        </formattedAddress>
        <freeFormatAddress>
        <FreeForm>
        </FreeFor>
        </freeFormatAddress>
      </address>
    <any>
    </any>
    <name>
      <any>
      </any>
      <formattedName>
        <FirstNam>
        <Gender>M>
        <Individu>
        <LastName>
        <MiddleNa>
        <NamePref>
        <NameSuff>
        <NameSync>
        <Organiza>
        <Organiza>
```

Code Description

```
<PersonRole>
  <SecondLastName>
    </formattedName>
    <freeFormatName>
      <any>
        </any>
      <freeFormatName>
        </freeFormatName>
      </freeFormatName>
    </freeFormatName>
    <NameKind>
      </freeFormatName>
    </NameKind>
  </name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1>
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</ClaimantAddressBook>
<claimantEntitlement>
  <any>
    </any>
  <entitlementDomiciled>
    <entitlementDomiciledAddress>
      <AddressLanguageCode>
        <any>
          </any>
        <contactInformation>
          <Email>string</Email>
          <Fax>string</Fax>
          <OtherElement>
            <Phone number>
              </Phone>
            <URL>string</URL>
          </contactInformation>
        <formattedNameAddress>
          <address>
```

Code Description

	<pre></address> <any> </any> <name></pre>
	<pre></name> </formattedNameAddress> <freeFormatAddress> <FreeForm</pre>
	<pre></FreeForm </freeFormatAddress> <PostalAddress>str: </entitlementDomiciledAddress> <EntitlementDomiciledCode>st </entitlementDomiciled> <entitlementEstablishment> <entitlementEstablishmentAdd <AddressLanguageCode> <any> </any> <contactInformation> <Email>stri <Fax>stri</pre>

Code	Description
<OtherEle	
<Phone ph	
</Phone>	
<URL>stri	
</contactInformati	
<formattedNameAddre	
<address>	
</address>	
<any>	
</any>	
<name>	

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

<classifi

</classif

<Classifi

<classifi

</classif

```
<Classifi
```

<Classifi

<Classifi

<Classifi

<Classifi

```
<classifi
<classifi
```

</classif

```
<classifi
```

</classif

```
<Classifi
```

```
<wipobasi
```

</ClassificationTer

</classificationTermDetails>

<GoodsServicesDescription la

```
<value>string</value>
```

</GoodsServicesDescription>

```
<UseNiceHeadingIndicator>true
```

</ClassDescription>

</limitationClassDescriptionDetails>

<limitationCountryDetails>

<LimitationCountryCode>string</Limitat

</limitationCountryDetails>

</GoodsServicesLimitation>

</goodsServicesLimitationDetails>

<nationalMarkDetails>

<NationalMark>

<any>

</any>

<nationalMarkFilingDate>

```
<day>0</day>
```

<eon>0</eon>

```
<eonAndYear>0</eonAndYear>
```

Code Description

```
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</nationalMarkFilingDate>
<nationalMarkPriorityDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</nationalMarkPriorityDate>
<nationalMarkRegistrationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</nationalMarkRegistrationDate>
<NationalMarkRegistrationNumber>string</NationalMarkRegistrationNumber>
</NationalMark>
</nationalMarkDetails>
</recordDocumentDetails>
```

Code Description

```
<RecordDocument>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <DocumentBinary>string</DocumentBinary>
  <documentDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </documentDate>
  <DocumentFileFormat>string</DocumentFileFormat>
  <DocumentFilename>string</DocumentFilename>
  <DocumentLanguageCode>AA</DocumentLanguageCode>
  <DocumentLocation>string</DocumentLocation>
  <DocumentMedia>string</DocumentMedia>
  <DocumentName>string</DocumentName>
  <DocumentSizeInByte>0</DocumentSizeInByte>
  <DocumentVersion>string</DocumentVersion>
</RecordDocument>
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
```

Code Description

```
<any>
</any>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<RecordEventCode>string</RecordEventCode>
<recordEventDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventDate>
<recordEventDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventDateTime>
<recordEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
```

Code Description

```
<localPart>string</localPart>
<namespaceURI>string</namespaceURI>
<prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEventResponseDate>
</RecordEvent>
</recordEventDetails>
<recordFilingDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordFilingDate>
<RecordIdentifier>string</RecordIdentifier>
<RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
<recordNotificationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
  <RecordPublication>
    <any>
    </any>
    <publicationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
```

Code Description

```
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</publicationDate>
<PublicationIdentifier>string</PublicationIdentifier>
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</RecordPublication>
</recordPublicationDetails>
<representativeDetails>
  <Representative operationCode="string">
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
  </Representative>
  <representativeAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>
          <any>
          </any>
        </AddressCountryCode>
        <formattedAddress>
          <AddressB>
          <AddressC>
          <AddressC>
          <AddressP>
          <AddressL>
          </Address>
          <AddressM>
          <AddressP>
          <AddressP>
          <AddressR>
```


Code Description

```
<AddressS
<AddressS
<Formatte
</formattedAddress>
<freeFormatAddress>
<FreeForm
</FreeFor
</freeFormatAddress>
</address>
<any>
</any>
<name>
<any>
</any>
<formattedName>
<FirstNam
<Gender>M
<Individu
<LastName
<MiddleNa
<NamePref
<NameSuff
<NameSync
<Organiza
<Organiza
<PersonRo
<SecondLa
</formattedName>
<freeFormatName>
<any>
</any>
<freeForm
</freeFor
<NameKind
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
<FreeFormatNameAddressLine 1
<value>string</valu
</FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD
<value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</Repr
<RepresentativeIncorporationState>string</Repres
<RepresentativeKindCode>string</RepresentativeKi
<RepresentativeLegalEntity>string</Representativ
<RepresentativeNationalityCode>string</Represent
<RepresentativeSequenceNumber>0</RepresentativeS
```

Code Description

```
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDateTime>
  <VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
```

Code Description

```
<any>
</any>
<Identifier identifierKindCode="AD">
  <value>string</value>
</Identifier>
</TradeMarkKey>
</tradeMarkKeyDetails>
</recordNationalInternationalReplacement>
<recordOppositionPeriod>
  <any>
  </any>
  <recordEffectiveDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </recordEffectiveDate>
  <recordFilingDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </recordFilingDate>
  <RecordIdentifier>string</RecordIdentifier>
  <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
  <recordNotificationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
```

Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordNotificationDate>
<recordOppositionPeriodEndDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordOppositionPeriodEndDate>
<RecordOppositionPeriodKind>string</RecordOppositionPeriodKind>
<recordOppositionPeriodStartDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordOppositionPeriodStartDate>
<recordPublicationDetails>
  <RecordPublication>
    <any>
    </any>
    <publicationDate>
```

Code Description

```
<day>0</day>
<eon>0</eon>
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</publicationDate>
<PublicationIdentifier>string</PublicationIdentifier>
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</RecordPublication>
</recordPublicationDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
      <value>string</value>
    </Identifier>
  </TradeMarkKey>
</tradeMarkKeyDetails>
</recordOppositionPeriod>
<recordShortNotation>
  <any>
  </any>
</recordShortNotation>
<claimantDetails>
  <Claimant operationCode="string">
    <any>
    </any>
  </Claimant>
  <claimantAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>
```

Code Description

	<pre><any> </any> <formattedAddress> <AddressB <AddressC <AddressC <AddressF <AddressL </Address <AddressM <AddressP <AddressP <AddressP <AddressR <AddressS <AddressS <Formatte </formattedAddress> <freeFormatAddress> <FreeForm </FreeFor </freeFormatAddress> </address> <any> </any> <name> <any> </any> <formattedName> <FirstNam <Gender>M <Individu <LastNam <MiddleNa <NamePref <NameSuff <NameSync <Organiza <Organiza <PersonRo <SecondLa </formattedName> <freeFormatName> <any> </any> <freeForm </freeFor <NameKind </freeFormatName> </name> </formattedNameAddress> <freeFormatAddressDetails> <FreeFormatNameAddressLine 1</pre>
--	--

Code Description

```

        <value>string</value>
      </FreeFormatNameAddressLine>
    </FreeFormatAddressDetails>
    <PostalAddress>string</PostalAddress>
  </claimantAddressBook>
  <claimantEntitlement>
    <any>
    </any>
    <entitlementDomiciled>
      <entitlementDomiciledAddress>
        <AddressLanguageCode>
        <any>
        </any>
        <contactInformation>
          <Email>string
          <Fax>string
          <OtherElement>
          <Phone>phone
          </Phone>
          <URL>string
        </contactInformation>
        <formattedNameAddress>
        <address>
          </address>
        <any>
        </any>
        <name>
```

Code Description

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm
        </freeFormatAddress>
    <PostalAddress>stri
    </entitlementDomiciledAddress>
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAdd
        <AddressLanguageCo
    <any>
    </any>
    <contactInformation>
        <Email>stri
        <Fax>stri
        <OtherEle
        <Phone ph
    </Phone>
    <URL>stri
</contactInformation>
<formattedNameAddress>
    <address>
```


Code	Description
------	-------------

```
</address>
<any>
</any>
<name>
```

```

        </name>
        </formattedNameAddress>
        <freeFormatAddress>string</freeFormatAddress>
        <FreeFormAddress>string</FreeFormAddress>
        </FreeFormAddress>
        </freeFormatAddress>
        <PostalAddress>string</PostalAddress>
    </entitlementEstablishmentAddress>
    <EntitlementEstablishmentCode>string</EntitlementEstablishmentCode>
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>

```

Code Description

```
</claimantEntitlement>
<ClaimantIdentifier identifierKindCode="AD">
  <value>string</value>
</ClaimantIdentifier>
<ClaimantIncorporationCountryCode>AD</ClaimantIncorporationCountryCode>
<ClaimantIncorporationState>string</ClaimantIncorporationState>
<ClaimantLegalEntity>string</ClaimantLegalEntity>
<ClaimantNationalityCode>string</ClaimantNationalityCode>
<ClaimantSequenceNumber>0</ClaimantSequenceNumber>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</Claimant>
<ClaimantKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</ClaimantKey>
</claimantDetails>
<recordDocumentDetails>
  <RecordDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
  </RecordDocument>
```

Code Description

```
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <RecordEventCode>string</RecordEventCode>
    <recordEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namesp
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </recordEventDate>
    <recordEventDateTime>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
```

Code Description

```
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEventDateTime>
<recordEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordEventResponseDate>
</RecordEvent>
</recordEventDetails>
<recordFilingDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordFilingDate>
<recordFromRegistrationDetails>
  <RecordFromRegistration>
    <any>
    </any>
    <applicantDetails>
      <Applicant operationCode="string">
      <any>
      </any>
    </applicantDetails>
  </RecordFromRegistration>
</recordFromRegistrationDetails>
```

Code Description

```
<applicantAddressBook>
  <AddressLanguageCode>
    <any>
  </any>
  <contactInformation>
    <Email>string
    <Fax>string
    <OtherElement>
    <Phone>phone
    </Phone>
    <URL>string
  </contactInformation>
  <formattedNameAddress>
    <address>
      </address>
    <any>
  </any>
  <name>
```

Code Description

```

        </name>
    </formattedNameAddress>
</freeFormatAddress>
    <FreeForm
        </FreeForm
    </freeFormatAddress>
    <PostalAddress>str
</applicantAddressBook>
<applicantEntitlement>
    <any>
    </any>
    <entitlementDomici
    <entitlem
```

Code	Description
------	-------------

```

        </entitlement
        <Entitlement
</entitlementDomestic
<entitlementEstablish
        <entitlement

```

[illegible]

Code	Description
------	-------------

Code Description

```

        </entitle
        <Entitlem
        </entitlementEstab.
        <EntitlementNationa
    </applicantEntitlement>
    <ApplicantIdentifier identif
        <value>string</valu
    </ApplicantIdentifier>
    <ApplicantIncorporationCount
    <ApplicantIncorporationState
    <ApplicantLegalEntity>string
    <ApplicantNationalityCode>st
    <ApplicantSequenceNumber>0</
    <applicantVersion>
        <any>
        </any>
        <comment languageCo
        <value>st
        </comment>
        <versionDate>
            <day>0</d
            <eon>0</e
            <eonAndYe
            <fraction
            <hour>0</
            <millisec
            <minute>0
            <month>0
            <second>0
            <timezone
            <valid>tr
            <xmlschem

    </xmlsche
    <year>0</
    </versionDate>
    <versionDateTime>
        <day>0</d
        <eon>0</e
        <eonAndYe
        <fraction
        <hour>0</
        <millisec
```

Code Description

```
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>
<valid>true</valid>
<xmlschema>

</xmlschema>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="1">
<value>string</value>
</comment>
</Applicant>
</applicantDetails>
<designatedCountryDetails>
  <DesignatedCountryCode>string</DesignatedCountryCode>
</designatedCountryDetails>
<goodsServicesLimitation>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="1">
    <value>string</value>
  </comment>
  <GoodsServicesLimitationCode>string</GoodsServicesLimitationCode>
  <limitationClassDescriptionDetails>
    <ClassDescription>
      <any>
      </any>
      <ClassNumber>0</ClassNumber>
      <ClassNumberStatus>
      <classificationTerm>
        <Classifi
```

Code Description

```

        </ClassificationTerm>
    </classificationTerms>
    <GoodsServicesDescription>
        <value>string</value>
    </GoodsServicesDescription>
    <UseNiceHeadingIndicator>
        </ClassDescription>
    </limitationClassDescriptionDetails>
    <limitationCountryDetails>
        <LimitationCountryCode>string</LimitationCountryCode>
    </limitationCountryDetails>
</goodsServicesLimitation>
<markVerbalElementText languageCode="string" section="string">
    <value>string</value>
</markVerbalElementText>
<registrationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</registrationDate>
    <RegistrationIdentifier>string</RegistrationIdentifier>
</RecordFromRegistrationDetails>
<RecordIdentifier>string</RecordIdentifier>

```

Code Description

```
<RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
<RecordLanguageCode>string</RecordLanguageCode>
<recordNotificationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
  <RecordPublication>
    <any>
    </any>
    <publicationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </publicationDate>
    <PublicationIdentifier>string</PublicationIdentifier>
    <PublicationPage>string</PublicationPage>
    <PublicationSection>string</PublicationSection>
    <PublicationSubsection>string</PublicationSubsection>
  </RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<RecordShortNotationKind>string</RecordShortNotationKind>
<recordToRegistration>
  <any>
  </any>
  <applicantDetails>
    <Applicant operationCode="string">
```

Code Description

```
<any>
</any>
<applicantAddressBook>
  <AddressLanguageCode>AA</AddressLanguageCode>
  <any>
  </any>
  <contactInformationDetails>
    <Email>string</Email>
    <Fax>string</Fax>
    <OtherElectronicAddress>string</OtherElectronicAddress>
    <Phone phoneKind="string">
      <value>string</value>
    </Phone>
    <URL>string</URL>
  </contactInformationDetails>
  <formattedNameAddress>
    <address>
      <AddressCode>string</AddressCode>
      <any>
      </any>
      <name>string</name>
    </address>
  </formattedNameAddress>
  <freeFormText>
    <freeFormText>string</freeFormText>
  </freeFormText>
</applicantAddressBook>
```

Code Description

```
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddress>
    <value>string</value>
  </FreeFormatNameAddress>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</applicantAddressBook>
<applicantEntitlement>
  <any>
  </any>
  <entitlementDomiciled>
    <entitlementDomiciled>
      <AddressLine1>
        <any>
        </any>
      </AddressLine1>
    </entitlementDomiciled>
  </any>
</applicantEntitlement>
</contactInformation>
</formattedNameAddress>
```

Code	Description
------	-------------

</format>

<freeForm

</freeFor

<PostalAd

</entitlementDomici

<EntitlementDomici]

</entitlementDomiciled>

```
<entitlementEstablishment>
```

```
<entitlementEstablishment>
```

<AddressL

<any>

</any>

<contactI

Code	Description
------	-------------

```
</contact>
<formatte
```


Code Description

```
</format>
<freeForm
  </freeForm>
  <PostalAc
    <PostalAc
      </entitlementEstab.
      <EntitlementEstabl.
        </entitlementEstablishment>
        <EntitlementNationalityCode>
      </applicantEntitlement>
    <ApplicantIdentifier identifierKindCod
      <value>string</value>
    </ApplicantIdentifier>
    <ApplicantIncorporationCountryCode>AD<
    <ApplicantIncorporationState>string</A
    <ApplicantLegalEntity>string</Applican
    <ApplicantNationalityCode>string</Appl
    <ApplicantSequenceNumber>0</ApplicantS
    <applicantVersion>
      <any>
      </any>
      <comment languageCode="string
        <value>string</valu
      </comment>
      <versionDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
          <localPar
          <namespac
          <prefix>s
        </xmlschemaType>
        <year>0</year>
      </versionDate>
      <versionDateTime>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
```

Code	Description
0000	Blank
0001	Blank
0002	Blank
0003	Blank
0004	Blank
0005	Blank
0006	Blank
0007	Blank
0008	Blank
0009	Blank
0010	Blank
0011	Blank
0012	Blank
0013	Blank
0014	Blank
0015	Blank
0016	Blank
0017	Blank
0018	Blank
0019	Blank
0020	Blank
0021	Blank
0022	Blank
0023	Blank
0024	Blank
0025	Blank
0026	Blank
0027	Blank
0028	Blank
0029	Blank
0030	Blank
0031	Blank
0032	Blank
0033	Blank
0034	Blank
0035	Blank
0036	Blank
0037	Blank
0038	Blank
0039	Blank
0040	Blank
0041	Blank
0042	Blank
0043	Blank
0044	Blank
0045	Blank
0046	Blank
0047	Blank
0048	Blank
0049	Blank
0050	Blank
0051	Blank
0052	Blank
0053	Blank
0054	Blank
0055	Blank
0056	Blank
0057	Blank
0058	Blank
0059	Blank
0060	Blank
0061	Blank
0062	Blank
0063	Blank
0064	Blank
0065	Blank
0066	Blank
0067	Blank
0068	Blank
0069	Blank
0070	Blank
0071	Blank
0072	Blank
0073	Blank
0074	Blank
0075	Blank
0076	Blank
0077	Blank
0078	Blank
0079	Blank
0080	Blank
0081	Blank
0082	Blank
0083	Blank
0084	Blank
0085	Blank
0086	Blank
0087	Blank
0088	Blank
0089	Blank
0090	Blank
0091	Blank
0092	Blank
0093	Blank
0094	Blank
0095	Blank
0096	Blank
0097	Blank
0098	Blank
0099	Blank
0100	Blank
0101	Blank
0102	Blank
0103	Blank
0104	Blank
0105	Blank
0106	Blank
0107	Blank
0108	Blank
0109	Blank
0110	Blank
0111	Blank
0112	Blank
0113	Blank
0114	Blank
0115	Blank
0116	Blank
0117	Blank
0118	Blank
0119	Blank
0120	Blank
0121	Blank
0122	Blank
0123	Blank
0124	Blank
0125	Blank
0126	Blank
0127	Blank
0128	Blank
0129	Blank
0130	Blank
0131	Blank
0132	Blank
0133	Blank
0134	Blank
0135	Blank
0136	Blank
0137	Blank
0138	Blank
0139	Blank
0140	Blank
0141	Blank
0142	Blank
0143	Blank
0144	Blank
0145	Blank
0146	Blank
0147	Blank
0148	Blank
0149	Blank
0150	Blank
0151	Blank
0152	Blank
0153	Blank
0154	Blank
0155	Blank
0156	Blank
0157	Blank
0158	Blank
0159	Blank
0160	Blank
0161	Blank
0162	Blank
0163	Blank
0164	Blank
0165	Blank
0166	Blank
0167	Blank
0168	Blank
0169	Blank
0170	Blank
0171	Blank
0172	Blank
0173	Blank
0174	Blank
0175	Blank
0176	Blank
0177	Blank
0178	Blank
0179	Blank
0180	Blank
0181	Blank
0182	Blank
0183	Blank
0184	Blank
0185	Blank
0186	Blank
0187	Blank
0188	Blank
0189	Blank
0190	Blank
0191	Blank
0192	Blank
0193</	

Code Description

```
<representativeDetails>
  <Representative operationCode="string">
    <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <representativeAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
  </any>
  <contactInformationDetails>
    <Email>string</Email>
    <Fax>string</Fax>
    <OtherElectronicAddress>string</OtherElectronicAddress>
    <Phone phoneKind="string">
      <value>string</value>
    </Phone>
    <URL>string</URL>
  </contactInformationDetails>
  <formattedNameAddress>
    <address>
      <AddressCountryCode>
        <any>
      </any>
      <formattedAddress>
        <AddressB>
          <AddressC>
            <AddressC>
              <AddressF>
                <AddressL>
                  </AddressL>
                <AddressM>
                  <AddressP>
                    <AddressP>
                      <AddressR>
                        <AddressS>
                          <AddressS>
                            <Formatted>
                              </Formatted>
                            </formattedAddress>
                          <freeFormatAddress>
                            <FreeForm>
                              </FreeForm>
                            </freeFormatAddress>
                          </freeFormatAddress>
                        </address>
                      <any>
                    </any>
                    <name>
                      <any>
                    </any>
                    <formattedName>
                      <FirstNam>
                        <Gender>M>
                      </Gender>
                      <Individu>
                        <LastNam>
```

Code Description

```
<MiddleName>  
<NamePrefix>  
<NameSuffix>  
<NameSync>  
<Organization>  
<Organization>  
<PersonRole>  
<SecondLanguage>  
</formattedName>  
<freeFormatName>  
<any>  
</any>  
<freeFormatName>  
</freeFormatName>  
</freeFormatName>  
</name>  
</formattedNameAddress>  
<freeFormatAddressDetails>  
<FreeFormatNameAddressLine 1>  
<value>string</value>  
</FreeFormatNameAddressLine>  
</freeFormatAddressDetails>  
<PostalAddress>string</PostalAddress>  
</representativeAddressBook>  
<RepresentativeIdentifier identifierKindCode="AD">  
<value>string</value>  
</RepresentativeIdentifier>  
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>  
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>  
<RepresentativeKindCode>string</RepresentativeKindCode>  
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>  
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>  
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>  
<representativeVersion>  
<any>  
</any>  
<comment languageCode="string" sequenceNumber="0">  
<value>string</value>  
</comment>  
<versionDate>  
<day>0</day>  
<eon>0</eon>  
<eonAndYear>0</eonAndYear>  
<fractionalSecond>0</fractionalSecond>  
<hour>0</hour>  
<millisecond>0</millisecond>  
<minute>0</minute>  
<month>0</month>  
<second>0</second>  
<timezone>0</timezone>  
<valid>true</valid>  
<xmlschemaType>  
<localPart>string</localPart>
```

Code Description

```
<namespaceURI>string</namespaceURI>
<prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
</xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
</recordShortNotation>
<recordTransfer>
  <any>
  </any>
<claimantDetails>
  <Claimant operationCode="string">
    <any>
    </any>
  <claimantAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
```

Code Description

```
<address>
  <AddressCountryCode>
  <any>
  </any>
  <formattedAddress>
    <AddressB>
    <AddressC>
    <AddressC>
    <AddressF>
    <AddressL>

    </Address>
    <AddressM>
    <AddressP>
    <AddressP>
    <AddressR>
    <AddressS>
    <AddressS>
    <Formatte

  </formattedAddress>
  <freeFormatAddress>
    <FreeForm

    </FreeFor

  </freeFormatAddress>
</address>
<any>
</any>
<name>
  <any>
  </any>
  <formattedName>
    <FirstNam
    <Gender>M
    <Individu
    <LastNam
    <MiddleNa
    <NamePref
    <NameSuff
    <NameSync
    <Organiza
    <Organiza
    <PersonRo
    <SecondLa

  </formattedName>
  <freeFormatName>
    <any>
    </any>
    <freeForm

    </freeFor

    <NameKind
  </freeFormatName>
</name>
</formattedNameAddress>
```

Code Description

```
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1>
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
  <any>
  </any>
  <entitlementDomiciled>
    <entitlementDomiciledAddress>
      <AddressLanguageCode>
      <any>
      </any>
      <contactInformation>
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElement>
        <Phone phone number>
        </Phone>
        <URL>string</URL>
      </contactInformation>
      <formattedNameAddress>
      <address>
      </address>
      <any>
      </any>
      <name>
```


Code Description

```

        </name>
      </formattedNameAddress>
    </freeFormatAddress>
    <FreeForm
      </FreeForm
    </freeFormatAddress>
    <PostalAddress>stri
  </entitlementDomiciledAddress>
  <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
  <entitlementEstablishmentAdd
    <AddressLanguageCo
    <any>
    </any>
    <contactInformation
      <Email>stri
      <Fax>stri
      <OtherEle
      <Phone ph
    </Phone>
    <URL>stri
  </contactInformatio
</formattedNameAddress>
<address>
```

Code	Description
------	-------------

```
</address>
<any>
</any>
<name>
```

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm>
        </freeFormatAddress>
        <PostalAddress>str
    </entitlementEstablishmentAd
    <EntitlementEstablishmentCod

```

Code Description

```
        </entitlementEstablishment>
        <EntitlementNationalityCode>string</EntitlementNationalityCode>
    </claimantEntitlement>
    <ClaimantIdentifier identifierKindCode="AD">
        <value>string</value>
    </ClaimantIdentifier>
    <ClaimantIncorporationCountryCode>AD</ClaimantIncorporationCountryCode>
    <ClaimantIncorporationState>string</ClaimantIncorporationState>
    <ClaimantLegalEntity>string</ClaimantLegalEntity>
    <ClaimantNationalityCode>string</ClaimantNationalityCode>
    <ClaimantSequenceNumber>0</ClaimantSequenceNumber>
    <comment languageCode="string" sequenceNumber="0">
        <value>string</value>
    </comment>
</Claimant>
<ClaimantKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</ClaimantKey>
</claimantDetails>
<correspondenceAddress>
    <any>
    </any>
    <correspondenceAddressBook>
        <AddressLanguageCode>AA</AddressLanguageCode>
        <any>
        </any>
        <contactInformationDetails>
            <Email>string</Email>
            <Fax>string</Fax>
            <OtherElectronicAddress>string</OtherElectronicAddress>
            <Phone phoneKind="string">
                <value>string</value>
            </Phone>
            <URL>string</URL>
        </contactInformationDetails>
        <formattedNameAddress>
            <address>
                <AddressCountryCode>string</AddressCountryCode>
                <any>
                </any>
                <formattedAddress>
                    <AddressBuilding>string</AddressBuilding>
                    <AddressCity>string</AddressCity>
                    <AddressCounty>string</AddressCounty>
                    <AddressFloor>string</AddressFloor>
                    <AddressLine languageCode="string">
                        <value>string</value>
                    </AddressLine>
                    <AddressMailCode>string</AddressMailCode>
                    <AddressPostOffice>string</AddressPostOffice>
                    <AddressPostcode>string</AddressPostcode>
                    <AddressRoom>string</AddressRoom>
                    <AddressState>string</AddressState>
```

Code Description

```
<AddressStreet>string</AddressStreet>
<FormattedAddressCode>string</FormattedAddressCode>
</formattedAddress>
<freeFormatAddress>
  <FreeFormatAddressLine languageCode="string" sequenceNumber="1">
    <value>string</value>
  </FreeFormatAddressLine>
</freeFormatAddress>
</address>
<any>
</any>
<name>
  <any>
  </any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>MALE</Gender>
    <IndividualIdentifier>string</IndividualIdentifier>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSynonym>string</NameSynonym>
    <OrganizationDepartment>string</OrganizationDepartment>
    <OrganizationName>string</OrganizationName>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
  </formattedName>
  <freeFormatName>
    <any>
    </any>
    <freeFormatNameDetails>
      <FreeFormatNameAddressLine languageCode="string" sequenceNumber="1">
        <value>string</value>
      </FreeFormatNameAddressLine>
    </freeFormatNameDetails>
    <NameKind>string</NameKind>
  </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode="string" sequenceNumber="1">
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</correspondenceAddressBook>
<CorrespondenceAddressIdentifier identifierKindCode="AD">
  <value>string</value>
</CorrespondenceAddressIdentifier>
<CorrespondenceAddressParty>string</CorrespondenceAddressParty>
</correspondenceAddress>
<goodsServicesLimitationDetails>
  <GoodsServicesLimitation>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="1">
```

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```
<value>string</value>  
</comment>  
<GoodsServicesLimitationCode>string</GoodsService  
<limitationClassDescriptionDetails>  
    <ClassDescription>  
        <any>  
        </any>  
        <ClassNumber>0</ClassNumber>  
        <ClassNumberStatusCode>string</ClassNum  
        <classificationTermDetails>  
            <ClassificationTerm>  
                <any>  
                </any>  
                <ClassNum  
                <classifi
```

Code Description

```
</limitationClassDescriptionDetails>
<limitationCountryDetails>
  <LimitationCountryCode>string</LimitationCountryCode>
</limitationCountryDetails>
</GoodsServicesLimitation>
</goodsServicesLimitationDetails>
<holderDetails>
  <NewHolder operationCode="string">
    <any>
    </any>
    <applicantAddressBook>
      <AddressLanguageCode>AA</AddressLanguageCode>
      <any>
      </any>
      <contactInformationDetails>
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElectronicAddress>string</OtherElectronicAddress>
        <Phone phoneKind="string">
          <value>string</value>
        </Phone>
        <URL>string</URL>
      </contactInformationDetails>
      <formattedNameAddress>
        <address>
          <AddressCountryCode>
            <any>
            </any>
            <formattedAddress>
              <AddressB>
              <AddressC>
              <AddressC>
              <AddressF>
              <AddressL>
              </Address>
              <AddressM>
              <AddressP>
              <AddressP>
              <AddressP>
              <AddressS>
              <AddressS>
              <Formatte>
            </formattedAddress>
            <freeFormatAddress>
              <FreeForm>
              </FreeForm>
            </freeFormatAddress>
          </address>
        <any>
        </any>
        <name>
          <any>
          </any>
          <formattedName>
            <FirstNam
```

Code Description

	<pre><Gender>M</Gender> <Individual>true</Individual> <LastName>Smith</LastName> <MiddleName></MiddleName> <NamePrefix></NamePrefix> <NameSuffix></NameSuffix> <NameSync></NameSync> <Organization></Organization> <Organization></Organization> <PersonRole></PersonRole> <SecondLastName></SecondLastName> </formattedName> <freeFormatName> <any> </any> </freeFormatName> </freeFormatName> <NameKind> </NameKind> </freeFormatName> </name> </formattedNameAddress> <freeFormatAddressDetails> <FreeFormatNameAddressLine 1> <value>string</value> </FreeFormatNameAddressLine> </freeFormatAddressDetails> <PostalAddress>string</PostalAddress> </applicantAddressBook> <applicantEntitlement> <any> </any> <entitlementDomiciled> <entitlementDomiciledAddress> <AddressLanguageCode> <any> </any> <contactInformation> <Email>string</Email> <Fax>string</Fax> <OtherElement> <Phone>phone</Phone> </Phone> <URL>string</URL> </contactInformation> <formattedNameAddress> <address></pre>
--	--

Code	Description
------	-------------

```
</address>
<any>
</any>
<name>
```

```

        </name>
    </formattedNameAddress>
    <freeFormatAddress>
        <FreeForm
            </FreeForm>
        </freeFormatAddress>
        <PostalAddress>str
    </entitlementDomiciledAddress>
    <EntitlementDomiciledCode>str

```


Code Description

	<pre></entitlementDomiciled> <entitlementEstablishment> <entitlementEstablishmentAddress> <AddressLanguageCode> <any> </any> <contactInformation> <Email>string <Fax>string <OtherElement> <Phone>phone </Phone> <URL>string </contactInformation> <formattedNameAddress> <address> <any> </any> <name></pre>
--	---

Code Description

```
</name>
</formattedNameAddress>
<freeFormatAddress>string
<FreeFormatAddress>string
</FreeFormatAddress>
</freeFormatAddress>
<PostalAddress>string
</entitlementEstablishmentAddress>
<EntitlementEstablishmentCode>string
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
  <value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</ApplicantIncorporationCountryCode>
<ApplicantIncorporationState>string</ApplicantIncorporationState>
<ApplicantLegalEntity>string</ApplicantLegalEntity>
<ApplicantNationalityCode>string</ApplicantNationalityCode>
<ApplicantSequenceNumber>0</ApplicantSequenceNumber>
<applicantVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
```

Code Description

```
</xmlschemaType>
<year>0</year>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
</xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</NewHolder>
<PreviousHolder operationCode="string">
  <any>
  </any>
  <applicantAddressBook>
    <AddressLanguageCode>AA</AddressLanguageCode>
    <any>
    </any>
    <contactInformationDetails>
      <Email>string</Email>
      <Fax>string</Fax>
      <OtherElectronicAddress>string</OtherElectronicAddress>
      <Phone phoneKind="string">
        <value>string</value>
      </Phone>
      <URL>string</URL>
    </contactInformationDetails>
    <formattedNameAddress>
      <address>
        <AddressCountryCode>
        <any>
        </any>
        <formattedAddress>
        <AddressB>
        <AddressC>
        <AddressC>
        <AddressF>
        <AddressL>
        </Address>
```

Code Description

	<pre><AddressM <AddressP <AddressP <AddressR <AddressS <AddressS <AddressS <Formatte </formattedAddress> <freeFormatAddress> <FreeForm </FreeFor </freeFormatAddress> </address> <any> </any> <name> <any> </any> <formattedName> <FirstName <Gender>M <Individu <LastName <MiddleNa <NamePref <NameSuff <NameSync <Organiza <Organiza <PersonRo <SecondLa </formattedName> <freeFormatName> <any> </any> <freeForm </freeFor <NameKind </freeFormatName> </name> </formattedNameAddress> <freeFormatAddressDetails> <FreeFormatNameAddressLine 1 <value>string</valu </FreeFormatNameAddressLine> </freeFormatAddressDetails> <PostalAddress>string</PostalAddress> </applicantAddressBook> <applicantEntitlement> <any> </any> <entitlementDomiciled> <entitlementDomiciledAddress></pre>
--	--

Code	Description
------	-------------

Code Description

```

        </name>
    </formattedNameAddress>
</freeFormatAddress>
    <FreeForm
        </FreeForm
    </freeFormatAddress>
    <PostalAddress>stri
</entitlementDomiciledAddress>
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAdd
        <AddressLanguageCo
    <any>
</any>
    <contactInformation
        <Email>stri
        <Fax>stri
        <OtherEle
        <Phone ph
    </Phone>
        <URL>stri
    </contactInformation>
</formattedNameAddress>
    <address>
```

Code Description

	<pre></address> <any> </any> <name></pre>
	<pre></name> </formattedNameAddress> <freeFormatAddress> <FreeForm</pre>
	<pre></FreeForm> </freeFormatAddress> <PostalAddress>str:</pre>
	<pre></entitlementEstablishmentAd <EntitlementEstablishmentCod </entitlementEstablishment> <EntitlementNationalityCode>string</En</pre>
	<pre></applicantEntitlement> <ApplicantIdentifier identifierKindCode="AD"> <value>string</value> </ApplicantIdentifier> <ApplicantIncorporationCountryCode>AD</ApplicantIn <ApplicantIncorporationState>string</ApplicantIn <ApplicantLegalEntity>string</ApplicantLegalEnti <ApplicantNationalityCode>string</ApplicantNatio <ApplicantSequenceNumber>0</ApplicantSequenceNum <applicantVersion></pre>

Code Description

```
<any>
</any>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<versionDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
</PreviousHolder>
</holderDetails>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
```


Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordCurrentStatusDate>
<recordDocumentDetails>
  <RecordDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
  </RecordDocument>
</recordDocumentDetails>
<recordEffectiveDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
```

Code Description

```
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</recordEffectiveDate>
<recordEventDetails>
  <RecordEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <RecordEventCode>string</RecordEventCode>
    <recordEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </recordEventDate>
    <recordEventDateTime>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
```

Code Description

```
        </recordEventDateTime>
        <recordEventResponseDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
        </recordEventResponseDate>
    </RecordEvent>
</recordEventDetails>
<recordFilingDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</recordFilingDate>
<RecordIdentifier>string</RecordIdentifier>
<RecordLanguageCode>string</RecordLanguageCode>
<recordNotificationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
```

Code Description

```

        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</recordNotificationDate>
<recordPublicationDetails>
    <RecordPublication>
        <any>
        </any>
        <publicationDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
        </publicationDate>
        <PublicationIdentifier>string</PublicationIdentifier>
        <PublicationPage>string</PublicationPage>
        <PublicationSection>string</PublicationSection>
        <PublicationSubsection>string</PublicationSubsection>
    </RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<RecordTransferKind>string</RecordTransferKind>
<representativeDetails>
    <Representative operationCode="string">
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
        </comment>
        <representativeAddressBook>
            <AddressLanguageCode>AA</AddressLanguageCode>
            <any>
            </any>
            <contactInformationDetails>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElectronicAddress>string</OtherElectronicAddress>
                <Phone phoneKind="string">
                    <value>string</value>
                </Phone>
                <URL>string</URL>
            </contactInformationDetails>
            <formattedNameAddress>

```

Code Description

```
<address>
  <AddressCountryCode>
  <any>
</any>
  <formattedAddress>
    <AddressB>
    <AddressC>
    <AddressC>
    <AddressF>
    <AddressL>

    </Address>
    <AddressM>
    <AddressP>
    <AddressP>
    <AddressR>
    <AddressS>
    <AddressS>
    <Formatte

  </formattedAddress>
  <freeFormatAddress>
    <FreeForm

    </FreeFor

  </freeFormatAddress>
</address>
<any>
</any>
<name>
  <any>
  </any>
  <formattedName>
    <FirstNam
    <Gender>M
    <Individu
    <LastNam
    <MiddleNa
    <NamePref
    <NameSuff
    <NameSync
    <Organiza
    <Organiza
    <PersonRo
    <SecondLa

  </formattedName>
  <freeFormatName>
    <any>
    </any>
    <freeForm

    </freeFor

    <NameKind
  </freeFormatName>
</name>
</formattedNameAddress>
```

Code Description

```
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine 1>
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
  </versionDateTime>
</representativeVersion>
```

Code Description

```
</xmlschemaType>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
<tradeMarkKeyDetails>
  <TradeMarkKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
      <value>string</value>
    </Identifier>
  </TradeMarkKey>
</tradeMarkKeyDetails>
</recordTransfer>
</MarkRecord>
</markRecordDetails>
<markSoundDetails>
  <markSound>
    <MarkSoundFileFormat>MP_3</MarkSoundFileFormat>
    <markSoundFilename SHA256="string">
      <content>string</content>
    </markSoundFilename>
  </markSound>
</markSoundDetails>
<markVideoDetails>
  <markVideo>
    <MarkVideoFileFormat>TIFF</MarkVideoFileFormat>
    <markVideoFilename SHA256="string">
      <content>string</content>
    </markVideoFilename>
    <videoDocument>
      <any>
      </any>
      <comment languageCode="string" sequenceNumber="0">
        <value>string</value>
      </comment>
      <DocumentBinary>string</DocumentBinary>
      <documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
      </documentDate>
    </videoDocument>
  </markVideo>
</markVideoDetails>
</markDetails>
</mark>
</markDetails>
</markDetails>
```

Code Description

```
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</documentDate>
<DocumentFileFormat>string</DocumentFileFormat>
<DocumentFilename>string</DocumentFilename>
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</videoDocument>
</markVideo>
</markVideoDetails>
<NonUseCancelledIndicator>true</NonUseCancelledIndicator>
<oppositionDetails>
  <Opposition>
    <any>
    </any>
    <earlierMarkDetails>
      <EarlierMark>
        <any>
        </any>
        <applicationDate>
          <day>0</day>
          <eon>0</eon>
          <eonAndYear>0</eonAndYear>
          <fractionalSecond>0</fractionalSecond>
          <hour>0</hour>
          <millisecond>0</millisecond>
          <minute>0</minute>
          <month>0</month>
          <second>0</second>
          <timezone>0</timezone>
          <valid>true</valid>
          <xmlschemaType>
            <localPart>string</localPart>
            <namespaceURI>string</namespaceURI>
            <prefix>string</prefix>
          </xmlschemaType>
          <year>0</year>
        </applicationDate>
        <ApplicationNumber>string</ApplicationNumber>
      </earlierMarkDetails>
    </oppositionDetails>
  </NonUseCancelledIndicator>
</baseGoodsServicesDetails>
  <GoodsServices>
    <any>
    </any>
    <classDescriptionDetails>
      <ClassDescription>
        <any>
        </any>
      </classDescriptionDetails>
    </GoodsServices>
  </baseGoodsServicesDetails>
</oppositionDetails>
</NonUseCancelledIndicator>
</markVideoDetails>
</markVideo>
</videoDocument>
```


Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```
<ClassNumber>0</ClassNumber>
<ClassNumberStatus>0</ClassNumberStatus>
<classificationTerm>0</classificationTerm>
  <ClassificationTerm>0</ClassificationTerm>
```

```
</ClassificationTerminology>
</classificationTerminology>
<GoodsServicesDescription>
  <value>string</value>
</GoodsServicesDescription>
<UseNiceHeadingIndicator>
  </ClassDescription>
</classDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="int">
  <value>string</value>
</comment>
<ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
```

Code Description

```
        </GoodsServices>
    </baseGoodsServicesDetails>
    <EarlierMarkCountryCode>AD</EarlierMarkCountryCode>
    <EarlierMarkKind>string</EarlierMarkKind>
    <MarkFeature>string</MarkFeature>
    <markImageDetails>
        <MarkImage>
            <any>
            </any>
            <MarkImageBinary>string</MarkImageBinary>
            <markImageCategory>
                <any>
                </any>
                <categoryCodeDetails>
                    <CategoryCode>string</CategoryCode>
                </categoryCodeDetails>
                <CategoryKind>string</CategoryKind>
                <CategoryVersion>string</CategoryVersion>
            </markImageCategory>
            <MarkImageColourClaimedText languageCode="en">
                <value>string</value>
            </MarkImageColourClaimedText>
            <MarkImageColourIndicator>true</MarkImageColourIndicator>
            <MarkImageColourMode>string</MarkImageColourMode>
            <MarkImageColourPartClaimedText languageCode="en">
                <value>string</value>
            </MarkImageColourPartClaimedText>
            <MarkImageFileFormat>string</MarkImageFileFormat>
            <MarkImageFilename>string</MarkImageFilename>
            <MarkImageQualityIndicator>true</MarkImageQualityIndicator>
            <markImageRenditionDetails>
                <MarkImageRendition>
                    <any>
                    </any>
                    <MarkImageRenditionType>string</MarkImageRenditionType>
                    <MarkImageRenditionOrder>int</MarkImageRenditionOrder>
                    <MarkImageRenditionWidth>int</MarkImageRenditionWidth>
                    <MarkImageRenditionHeight>int</MarkImageRenditionHeight>
                </markImageRendition>
                <any>
                </any>
                <Height>0</Height>
                <Unit>CENTIMETRE</Unit>
                <Width>0</Width>
            </markImageRenditionDetails>
            </MarkImageRendition>
        </markImageRenditionDetails>
        <markImageRepresentationSize>
            <any>
            </any>
            <Height>0</Height>
            <Unit>CENTIMETRE</Unit>
            <Width>0</Width>
        </markImageRepresentationSize>
    </MarkImage>
</markImageDetails>
```

Code Description

```
<markVideoDetails>
  <markVideo>
    <MarkVideoFileFormat>TIFF</MarkVideoFileFormat>
    <markVideoFilename SHA256="string">
      <content>string</content>
    </markVideoFilename>
    <videoDocument>
      <any>
      </any>
      <comment languageCode="string">
        <value>string</value>
      </comment>
      <DocumentBinary>string</DocumentBinary>
      <documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
          <localPart>string</localPart>
          <namespace>string</namespace>
          <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
      </documentDate>
      <DocumentFileFormat>string</DocumentFileFormat>
      <DocumentFilename>string</DocumentFilename>
      <DocumentLanguageCode>AA</DocumentLanguageCode>
      <DocumentLocation>string</DocumentLocation>
      <DocumentMedia>string</DocumentMedia>
      <DocumentName>string</DocumentName>
      <DocumentSizeInByte>0</DocumentSizeInByte>
      <DocumentVersion>string</DocumentVersion>
    </videoDocument>
  </markVideo>
</markVideoDetails>
<registrationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
```

Code Description

```
<namespaceURI>string</namespaceURI>
<prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</registrationDate>
<RegistrationNumber>string</RegistrationNumber>
<wordMarkSpecification>
  <any>
  </any>
  <MarkSignificantVerbalElement languageCode="string">
    <value>string</value>
  </MarkSignificantVerbalElement>
  <MarkStandardCharacterIndicator>true</MarkStandardCharacterIndicator>
  <MarkTranscription transcriptionKind="string">
    <value>string</value>
  </MarkTranscription>
  <MarkTranslation languageCode="string" sequenceNumber="0">
    <value>string</value>
  </MarkTranslation>
  <markTransliteration transliterationKind="string">
    <value>string</value>
  </markTransliteration>
  <MarkVerbalElementSignificantIndicator>true</MarkVerbalElementSignificantIndicator>
  <markVerbalElementText languageCode="string" sequenceNumber="0">
    <value>string</value>
  </markVerbalElementText>
</wordMarkSpecification>
</EarlierMark>
</earlierMarkDetails>
<earlierRightDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</earlierRightDate>
<EarlierRightKind>string</EarlierRightKind>
<opponentDetails>
  <Opponent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
  </Opponent>
  <opponentAddressBook>
```

Code Description

```
<AddressLanguageCode>AA</AddressLanguageCode>
<any>
</any>
<contactInformationDetails>
  <Email>string</Email>
  <Fax>string</Fax>
  <OtherElectronicAddress>string</OtherElectronicAddress>
  <Phone phoneKind="string">
    <value>string</value>
  </Phone>
  <URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
  <address>
    <AddressCountryCode>string</AddressCountryCode>
    <any>
    </any>
    <formattedAddress>
      <AddressBuilding>string</AddressBuilding>
      <AddressCity>string</AddressCity>
      <AddressCounty>string</AddressCounty>
      <AddressFloor>string</AddressFloor>
      <AddressLine language="string">
        <value>string</value>
      </AddressLine>
      <AddressMailCode>string</AddressMailCode>
      <AddressPostOfficeCode>string</AddressPostOfficeCode>
      <AddressPostcode>string</AddressPostcode>
      <AddressRoom>string</AddressRoom>
      <AddressState>string</AddressState>
      <AddressStreet>string</AddressStreet>
      <FormattedAddressCountryCode>string</FormattedAddressCountryCode>
    </formattedAddress>
    <freeFormatAddress>
      <FreeFormatAddressLine language="string">
        <value>string</value>
      </FreeFormatAddressLine>
    </freeFormatAddress>
  </address>
</any>
</any>
<name>
  <any>
  </any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>MALE</Gender>
    <IndividualIdentificationNumber>string</IndividualIdentificationNumber>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSynonym>string</NameSynonym>
    <OrganizationDepartment>string</OrganizationDepartment>
    <OrganizationName>string</OrganizationName>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
```

Code Description

```

        </formattedName>
        <freeFormatName>
            <any>
            </any>
            <freeFormatNameDetails>
                <FreeFormatNameDetails>
                    </FreeFormatNameDetails>
                </FreeFormatNameDetails>
            </freeFormatNameDetails>
            <NameKind>string</NameKind>
        </freeFormatName>
    </name>
</formattedNameAddress>
<freeFormatAddressDetails>
    <FreeFormatNameAddressLine languageCode=
        <value>string</value>
    </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</opponentAddressBook>
<opponentEntitlement>
    <any>
    </any>
    <entitlementDomiciled>
        <entitlementDomiciledAddressBook>
            <AddressLanguageCode>AA</AddressLanguageCode>
            <any>
            </any>
            <contactInformationDetails>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElectronicAddress>
                <Phone phoneKind="string">
                    <value>string</value>
                </Phone>
                <URL>string</URL>
            </contactInformationDetails>
        </formattedNameAddress>
        <address>
            <AddressCode>
            <any>
            </any>
            <formattedName>

```

Code	Description
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```

</formatte
<freeForm
</freeFor
</address>
<any>
</any>
<name>
<any>
</any>
<formatte
</formatte
<freeForm
</freeFor
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAdd
    <value>st
  </FreeFormatNameAdd
</freeFormatAddressDetails>
<PostalAddress>string</Posta
</entitlementDomiciledAddressBook>
<EntitlementDomiciledCode>string</Enti
</entitlementDomiciled>
<entitlementEstablishment>
  <entitlementEstablishmentAddressBook>
    <AddressLanguageCode>AA</Add
  <any>
</any>
<contactInformationDetails>
  <Email>string</Ema
  <Fax>string</Fax>
  <OtherElectronicAd
  <Phone phoneKind="

```

Code Description

```
<value>st
</Phone>
<URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
  <address>
    <AddressC
    <any>
    </any>
    <formatte
    </formatte
    <freeForm
    </freeFor
  </address>
  <any>
  </any>
  <name>
    <any>
    </any>
    <formatte
    </formatte
    <freeForm
```


Code Description

```
</freeFor
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddress>
    <value>string</value>
  </FreeFormatNameAddress>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</entitlementEstablishmentAddressBook>
<EntitlementEstablishmentCode>string</EntitlementEstablishmentCode>
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>
</opponentEntitlement>
<OpponentIdentifier identifierKindCode="AD">
  <value>string</value>
</OpponentIdentifier>
<OpponentIncorporationCountryCode>AD</OpponentIncorporationCountryCode>
<OpponentIncorporationState>string</OpponentIncorporationState>
<OpponentLegalEntity>string</OpponentLegalEntity>
<OpponentNationalityCode>string</OpponentNationalityCode>
</Opponent>
</opponentDetails>
<OppositionBasisCode>string</OppositionBasisCode>
<OppositionCurrentStatusCode>string</OppositionCurrentStatusCode>
<oppositionCurrentStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</oppositionCurrentStatusDate>
<oppositionDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
```

Code Description

```
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</oppositionDate>
<oppositionDocumentDetails>
  <OppositionDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
  </OppositionDocument>
</oppositionDocumentDetails>
<oppositionEventDetails>
  <OppositionEvent>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <OppositionEventCode>string</OppositionEventCode>
    <oppositionEventDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
```

Code Description

```
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</oppositionEventDate>
<oppositionEventDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</oppositionEventDateTime>
<oppositionEventResponseDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</oppositionEventResponseDate>
</OppositionEvent>
</oppositionEventDetails>
<oppositionExtentText languageCode="string" sequenceNumber="0">
  <value>string</value>
```

Code Description

```

</oppositionExtentText>
<oppositionGroundText languageCode="string" sequenceNumber="0">
    <value>string</value>
</oppositionGroundText>
<oppositionIdentifier>string</OppositionIdentifier>
<oppositionLanguageCode>AA</OppositionLanguageCode>
<oppositionReference>string</OppositionReference>
<proceedingLanguageCode>AA</ProceedingLanguageCode>
<representativeDetails>
    <Representative operationCode="string">
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
        </comment>
        <representativeAddressBook>
            <AddressLanguageCode>AA</AddressLanguageCode>
            <any>
            </any>
            <contactInformationDetails>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElectronicAddress>string</OtherElectronicAddress>
                <Phone phoneKind="string">
                    <value>string</value>
                </Phone>
                <URL>string</URL>
            </contactInformationDetails>
            <formattedNameAddress>
                <address>
                    <AddressCountryCode>string</AddressCountryCode>
                    <any>
                    </any>
                    <formattedAddress>
                        <AddressBuilding>string</AddressBuilding>
                        <AddressCity>string</AddressCity>
                        <AddressCounty>string</AddressCounty>
                        <AddressFloor>string</AddressFloor>
                        <AddressLine languageCode="string">
                            <value>string</value>
                        </AddressLine>
                        <AddressMailCode>string</AddressMailCode>
                        <AddressPostOffice>string</AddressPostOffice>
                        <AddressPostcode>string</AddressPostcode>
                        <AddressRoom>string</AddressRoom>
                        <AddressState>string</AddressState>
                        <AddressStreet>string</AddressStreet>
                        <FormattedAddressCountryCode>string</FormattedAddressCountryCode>
                    </formattedAddress>
                    <freeFormatAddress>
                        <FreeFormatAddressLine languageCode="string">
                            <value>string</value>
                        </FreeFormatAddressLine>
                    </freeFormatAddress>
                </address>
            </any>
        </any>
    </Representative>

```

Code Description

```
<name>
  <any>
  </any>
  <formattedName>
    <FirstName>string</FirstName>
    <Gender>MALE</Gender>
    <IndividualIdentifier>string</IndividualIdentifier>
    <LastName>string</LastName>
    <MiddleName>string</MiddleName>
    <NamePrefix>string</NamePrefix>
    <NameSuffix>string</NameSuffix>
    <NameSynonym>string</NameSynonym>
    <OrganizationDepartment>string</OrganizationDepartment>
    <OrganizationName>string</OrganizationName>
    <PersonRole>string</PersonRole>
    <SecondLastName>string</SecondLastName>
  </formattedName>
  <freeFormatName>
    <any>
    </any>
    <freeFormatNameDetails>
      <FreeFormatNameDetails>
        </FreeFormatNameDetails>
      </FreeFormatNameDetails>
    </freeFormatNameDetails>
    <NameKind>string</NameKind>
  </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode="string">
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
```

Code Description

```
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namesp
  <prefix>string</prefix>
</xmlschemaType>
</versionDate>
<versionDateTime>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namesp
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
  <any>
  </any>
  <Identifier identifierKindCode="AD">
    <value>string</value>
  </Identifier>
</RepresentativeKey>
</representativeDetails>
</Opposition>
</oppositionDetails>
<oppositionPeriodEndDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
```

Code Description

```
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</oppositionPeriodEndDate>
<oppositionPeriodStartDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</oppositionPeriodStartDate>
<OtherDate otherDateKind="string">
  <value>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </value>
</OtherDate>
<previousRegistrationDetails>
  <PreviousRegistration>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <PreviousRegistrationBasis>string</PreviousRegistrationBasis>
    <previousRegistrationCancellationDate>
      <day>0</day>
```

Code Description

```
<eon>0</eon>
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</previousRegistrationCancellationDate>
<previousRegistrationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</previousRegistrationDate>
<PreviousRegistrationNumber>string</PreviousRegistrationNumber>
<previousRegistrationPriorityDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</previousRegistrationPriorityDate>
<RegistrationOfficeCode>AD</RegistrationOfficeCode>
```


Code Description

```
</PreviousRegistration>
</previousRegistrationDetails>
<priorityDetails>
  <Priority>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
    <PriorityCountryCode>string</PriorityCountryCode>
    <priorityDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
      <valid>true</valid>
      <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
      </xmlschemaType>
      <year>0</year>
    </priorityDate>
    <PriorityDocument>
      <any>
      </any>
      <comment languageCode="string" sequenceNumber="0">
        <value>string</value>
      </comment>
      <DocumentBinary>string</DocumentBinary>
      <documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
          <localPart>string</localPart>
          <namespaceURI>string</namespaceURI>
          <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
      </documentDate>
      <DocumentFileFormat>string</DocumentFileFormat>
      <DocumentFilename>string</DocumentFilename>
```

Code Description

```
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</PriorityDocument>
<priorityHolderName languageCode="string" sequenceNumber="0">
  <value>string</value>
</priorityHolderName>
<PriorityNumber>string</PriorityNumber>
<priorityPartialGoodsServices>
  <any>
  </any>
  <classDescriptionDetails>
    <ClassDescription>
      <any>
      </any>
      <ClassNumber>0</ClassNumber>
      <ClassNumberStatusCode>string</ClassNumberStatus
      <classificationTermDetails>
        <ClassificationTerm operationCode="str
        <any>
        </any>
        <ClassNumber>0</ClassNumber>
        <classificationTermEntryDate
          <day>0</day>
          <eon>0</eon>
          <eonAndYear>0</eonAndYear>
          <fractionalSecond>0</fractionalSecond>
          <hour>0</hour>
          <millisecond>0</millisecond>
          <minute>0</minute>
          <month>0</month>
          <second>0</second>
          <timezone>0</timezone>
          <valid>true</valid>
          <xmlschemaType>
            <localPar
            <namespace
            <prefix>s
          </xmlschemaType>
          <year>0</year>
        </classificationTermEntryDate
        <ClassificationTermEquivalen
        <classificationTermIdentifie
          <value>string</valu
        </classificationTermIdentifi
        <ClassificationTermLanguageC
        <ClassificationTermOffice>AD
        <ClassificationTermOfficeKey
        <ClassificationTermReference
        <ClassificationTermSource>st
        <classificationTermStatus of
          <value>string</valu
        </classificationTermStatus>
        <classificationTermText lang
```

Code Description

```
<value>string</value>
</classificationTermText>
<ClassificationTermTranslati
  <wipobasicNumber>string</wip
</ClassificationTerm>
</classificationTermDetails>
<GoodsServicesDescription languageCode="string"
  <value>string</value>
</GoodsServicesDescription>
<UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
</ClassDescription>
</classDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
</priorityPartialGoodsServices>
<PriorityPartialIndicator>true</PriorityPartialIndicator>
<PriorityStatusCode>string</PriorityStatusCode>
<priorityStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</priorityStatusDate>
</Priority>
</priorityDetails>
<publicationDetails>
  <Publication>
    <any>
    </any>
    <publicationDate>
      <day>0</day>
      <eon>0</eon>
      <eonAndYear>0</eonAndYear>
      <fractionalSecond>0</fractionalSecond>
      <hour>0</hour>
      <millisecond>0</millisecond>
      <minute>0</minute>
      <month>0</month>
      <second>0</second>
      <timezone>0</timezone>
```

Code Description

```
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</publicationDate>
<PublicationIdentifier>string</PublicationIdentifier>
<PublicationPage>string</PublicationPage>
<PublicationSection>string</PublicationSection>
<PublicationSubsection>string</PublicationSubsection>
</Publication>
</publicationDetails>
<ReceivingOfficeCode>AD</ReceivingOfficeCode>
<receivingOfficeDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</receivingOfficeDate>
<registrationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</registrationDate>
<RegistrationNumber>string</RegistrationNumber>
<RegistrationOfficeCode>AD</RegistrationOfficeCode>
<representativeDetails>
  <Representative operationCode="string">
```

Code Description

```
<any>
</any>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<representativeAddressBook>
  <AddressLanguageCode>AA</AddressLanguageCode>
  <any>
  </any>
  <contactInformationDetails>
    <Email>string</Email>
    <Fax>string</Fax>
    <OtherElectronicAddress>string</OtherElectronicAddress>
    <Phone phoneKind="string">
      <value>string</value>
    </Phone>
    <URL>string</URL>
  </contactInformationDetails>
  <formattedNameAddress>
    <address>
      <AddressCountryCode>string</AddressCountryCode>
      <any>
      </any>
      <formattedAddress>
        <AddressBuilding>string</AddressBuildi
        <AddressCity>string</AddressCity>
        <AddressCounty>string</AddressCounty>
        <AddressFloor>string</AddressFloor>
        <AddressLine languageCode="string" seq
          <value>string</value>
        </AddressLine>
        <AddressMailCode>string</AddressMailCo
        <AddressPostOfficeBox>string</AddressP
        <AddressPostcode>string</AddressPostco
        <AddressRoom>string</AddressRoom>
        <AddressState>string</AddressState>
        <AddressStreet>string</AddressStreet>
        <FormattedAddressCountryCode>AD</Forma
      </formattedAddress>
      <freeFormatAddress>
        <FreeFormatAddressLine languageCode="s
          <value>string</value>
        </FreeFormatAddressLine>
      </freeFormatAddress>
    </address>
    <any>
    </any>
    <name>
      <any>
      </any>
      <formattedName>
        <FirstName>string</FirstName>
        <Gender>MALE</Gender>
        <IndividualIdentifier>string</Individu
        <LastName>string</LastName>
        <MiddleName>string</MiddleName>
        <NamePrefix>string</NamePrefix>
```

Code Description

```
<NameSuffix>string</NameSuffix>
<NameSynonym>string</NameSynonym>
<OrganizationDepartment>string</OrganizationDepartment>
<OrganizationName>string</OrganizationName>
<PersonRole>string</PersonRole>
<SecondLastName>string</SecondLastName>
</formattedName>
<freeFormatName>
  <any>
  </any>
  <freeFormatNameDetails>
    <FreeFormatNameLine languageCode="string" sequenceNumber="0">
      <value>string</value>
    </FreeFormatNameLine>
  </freeFormatNameDetails>
  <NameKind>string</NameKind>
</freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
  <FreeFormatNameAddressLine languageCode="string" sequenceNumber="0">
    <value>string</value>
  </FreeFormatNameAddressLine>
</freeFormatAddressDetails>
<PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD">
  <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountryCode>
<RepresentativeIncorporationState>string</RepresentativeIncorporationState>
<RepresentativeKindCode>string</RepresentativeKindCode>
<RepresentativeLegalEntity>string</RepresentativeLegalEntity>
<RepresentativeNationalityCode>string</RepresentativeNationalityCode>
<RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
<representativeVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
  </versionDate>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
```

```

        </xmlschemaType>
        <year>0</year>
    </versionDate>
    <versionDateTime>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
            <localPart>string</localPart>
            <namespaceURI>string</namespaceURI>
            <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
    </versionDateTime>
    <VersionNumber>string</VersionNumber>
</representativeVersion>
</Representative>
<RepresentativeKey>
    <any>
    </any>
    <Identifier identifierKindCode="AD">
        <value>string</value>
    </Identifier>
</RepresentativeKey>
</representativeDetails>
<SecondLanguageCode>string</SecondLanguageCode>
<seniorityDetails>
    <Seniority>
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
        </comment>
        <InternationalTradeMarkCode>string</InternationalTradeMarkCode>
        <seniorityApplicationDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
            </xmlschemaType>
        </seniorityApplicationDate>
    </Seniority>
</seniorityDetails>
</Trademark>

```

Code Description

```

        <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
</seniorityApplicationDate>
<SeniorityApplicationNumber>string</SeniorityApplicationNumber>
<SeniorityCountryCode>AD</SeniorityCountryCode>
<SeniorityDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
        <value>string</value>
    </comment>
    <DocumentBinary>string</DocumentBinary>
    <documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
            <localPart>string</localPart>
            <namespaceURI>string</namespaceURI>
            <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
    </documentDate>
    <DocumentFileFormat>string</DocumentFileFormat>
    <DocumentFilename>string</DocumentFilename>
    <DocumentLanguageCode>AA</DocumentLanguageCode>
    <DocumentLocation>string</DocumentLocation>
    <DocumentMedia>string</DocumentMedia>
    <DocumentName>string</DocumentName>
    <DocumentSizeInByte>0</DocumentSizeInByte>
    <DocumentVersion>string</DocumentVersion>
</SeniorityDocument>
<seniorityFilingDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
        <localPart>string</localPart>
        <namespaceURI>string</namespaceURI>
        <prefix>string</prefix>
    </xmlschemaType>

```


Code Description

```
</xmlschemaType>
<year>0</year>
</seniorityFilingDate>
<seniorityPartialGoodsServices>
  <any>
  </any>
  <classDescriptionDetails>
    <ClassDescription>
      <any>
      </any>
      <ClassNumber>0</ClassNumber>
      <ClassNumberStatusCode>string</ClassNumberStatus
      <classificationTermDetails>
        <ClassificationTerm operationCode="str
          <any>
          </any>
          <ClassNumber>0</ClassNumber>
          <classificationTermEntryDate
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonA
            <fractionalSecond>0
            <hour>0</hour>
            <millisecond>0</mi
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timez
            <valid>true</valid
            <xmlschemaType>
              <localPar
              <namespac
              <prefix>s
            </xmlschemaType>
            <year>0</year>
          </classificationTermEntryDat
          <ClassificationTermEquivalen
          <classificationTermIdentifie
            <value>string</valu
          </classificationTermIdentifi
          <ClassificationTermLanguageC
          <ClassificationTermOffice>AD
          <ClassificationTermOfficeKey
          <ClassificationTermReference
          <ClassificationTermSource>st
          <classificationTermStatus of
            <value>string</valu
          </classificationTermStatus>
          <classificationTermText lang
            <value>string</valu
          </classificationTermText>
          <ClassificationTermTranslati
          <wipobasicNumber>string</wip
        </ClassificationTerm>
      </classificationTermDetails>
    <GoodsServicesDescription languageCode="string"
      <value>string</value>
```

Code Description

```
</GoodsServicesDescription>
  <UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
</ClassDescription>
</ClassDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
  <ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
</seniorityPartialGoodsServices>
<SeniorityPartialIndicator>true</SeniorityPartialIndicator>
<seniorityPublicationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</seniorityPublicationDate>
<seniorityRegistrationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</seniorityRegistrationDate>
<SeniorityRegistrationNumber>string</SeniorityRegistrationNumber>
<SeniorityStatusCode>string</SeniorityStatusCode>
<seniorityStatusDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
```

Code Description

```
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</seniorityStatusDate>
</Seniority>
</seniorityDetails>
<SpecialCircumstanceText>string</SpecialCircumstanceText>
<staffDetails>
  <Staff>
    <any>
    </any>
    <OfficialTitle>string</OfficialTitle>
    <StaffIdentifier>string</StaffIdentifier>
    <StaffName>string</StaffName>
  </Staff>
</staffDetails>
<terminationDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</terminationDate>
<TotalMarkSeries>0</TotalMarkSeries>
<TradeDistinctivenessIndicator>true</TradeDistinctivenessIndicator>
<tradeDistinctivenessText languageCode="string" sequenceNumber="0">
  <value>string</value>
</tradeDistinctivenessText>
<tradeMarkDocumentDetails>
  <TradeMarkDocument>
    <any>
    </any>
    <comment languageCode="string" sequenceNumber="0">
      <value>string</value>
    </comment>
```

Code Description

```
<DocumentBinary>string</DocumentBinary>
<documentDate>
  <day>0</day>
  <eon>0</eon>
  <eonAndYear>0</eonAndYear>
  <fractionalSecond>0</fractionalSecond>
  <hour>0</hour>
  <millisecond>0</millisecond>
  <minute>0</minute>
  <month>0</month>
  <second>0</second>
  <timezone>0</timezone>
  <valid>true</valid>
  <xmlschemaType>
    <localPart>string</localPart>
    <namespaceURI>string</namespaceURI>
    <prefix>string</prefix>
  </xmlschemaType>
  <year>0</year>
</documentDate>
<DocumentFileFormat>string</DocumentFileFormat>
<DocumentFilename>string</DocumentFilename>
<DocumentLanguageCode>AA</DocumentLanguageCode>
<DocumentLocation>string</DocumentLocation>
<DocumentMedia>string</DocumentMedia>
<DocumentName>string</DocumentName>
<DocumentSizeInByte>0</DocumentSizeInByte>
<DocumentVersion>string</DocumentVersion>
</TradeMarkDocument>
</tradeMarkDocumentDetails>
<tradeMarkVersion>
  <any>
  </any>
  <comment languageCode="string" sequenceNumber="0">
    <value>string</value>
  </comment>
  <versionDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
    <millisecond>0</millisecond>
    <minute>0</minute>
    <month>0</month>
    <second>0</second>
    <timezone>0</timezone>
    <valid>true</valid>
    <xmlschemaType>
      <localPart>string</localPart>
      <namespaceURI>string</namespaceURI>
      <prefix>string</prefix>
    </xmlschemaType>
    <year>0</year>
  </versionDate>
  <versionDateTime>
    <day>0</day>
```

Code Description

```
<eon>0</eon>
<eonAndYear>0</eonAndYear>
<fractionalSecond>0</fractionalSecond>
<hour>0</hour>
<millisecond>0</millisecond>
<minute>0</minute>
<month>0</month>
<second>0</second>
<timezone>0</timezone>
<valid>true</valid>
<xmlschemaType>
  <localPart>string</localPart>
  <namespaceURI>string</namespaceURI>
  <prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</versionDateTime>
<VersionNumber>string</VersionNumber>
</tradeMarkVersion>
<useLimitationText languageCode="string" sequenceNumber="0">
  <value>string</value>
</useLimitationText>
<useRequirementText languageCode="string" sequenceNumber="0">
  <value>string</value>
</useRequirementText>
<useRight>
  <any>
  </any>
  <UseRightGoodsServices>
    <any>
    </any>
    <classDescriptionDetails>
      <ClassDescription>
        <any>
        </any>
        <ClassNumber>0</ClassNumber>
        <ClassNumberStatusCode>string</ClassNumberStatusCode>
        <classificationTermDetails>
          <ClassificationTerm operationCode="string">
            <any>
            </any>
            <ClassNumber>0</ClassNumber>
            <classificationTermEntryDate>
              <day>0</day>
              <eon>0</eon>
              <eonAndYear>0</eonAndYear>
              <fractionalSecond>0</fractionalSecond>
              <hour>0</hour>
              <millisecond>0</millisecond>
              <minute>0</minute>
              <month>0</month>
              <second>0</second>
              <timezone>0</timezone>
              <valid>true</valid>
              <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
```

Code Description

```
<prefix>string</prefix>
</xmlschemaType>
<year>0</year>
</classificationTermEntryDate>
<ClassificationTermEquivalentGroup>string</ClassificationTermEquivalentGroup>
<classificationTermIdentifier identifier="string">
  <value>string</value>
</classificationTermIdentifier>
<ClassificationTermLanguageCode>AA</ClassificationTermLanguageCode>
<ClassificationTermOffice>AD</ClassificationTermOffice>
<ClassificationTermOfficeKey>string</ClassificationTermOfficeKey>
<ClassificationTermReferenceGroup>string</ClassificationTermReferenceGroup>
<ClassificationTermSource>string</ClassificationTermSource>
<classificationTermStatus officeCode="string">
  <value>string</value>
</classificationTermStatus>
<classificationTermText languageCode="string">
  <value>string</value>
</classificationTermText>
<ClassificationTermTranslationGroup>string</ClassificationTermTranslationGroup>
<wipobasicNumber>string</wipobasicNumber>
</ClassificationTerm>
</classificationTermDetails>
<GoodsServicesDescription languageCode="string" sequenceNumber="0">
  <value>string</value>
</GoodsServicesDescription>
<UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
</ClassDescription>
</classDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="0">
  <value>string</value>
</comment>
<ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
</UseRightGoodsServices>
<UseRightIndicator>true</UseRightIndicator>
<useRightText languageCode="string" sequenceNumber="0">
  <value>string</value>
</useRightText>
</useRight>
<wordMarkSpecification>
  <any>
  </any>
  <MarkSignificantVerbalElement languageCode="string" sequenceNumber="0">
    <value>string</value>
  </MarkSignificantVerbalElement>
  <MarkStandardCharacterIndicator>true</MarkStandardCharacterIndicator>
  <MarkTranscription transcriptionKind="string">
    <value>string</value>
  </MarkTranscription>
  <MarkTranslation languageCode="string" sequenceNumber="0">
    <value>string</value>
  </MarkTranslation>
  <markTransliteration transliterationKind="string">
    <value>string</value>
  </markTransliteration>
</wordMarkSpecification>
```

Code Description

	<pre><MarkVerbalElementSignificantIndicator>true</MarkVerbalElementSignificantIndicator> <markVerbalElementText languageCode="string" sequenceNumber="0"> <value>string</value> </markVerbalElementText> </wordMarkSpecification> </TradeMarkType></pre>
400	aucun paramètre
401	Non autorisé
403	Interdit
404	Non trouvé
429	Dépassement de quota
500	Erreur inattendue.