Retourne la bibliographie ST66 de la marque par son numéro de dépôt

Parameters

Cancel

Name	Description
applicationNumber * **string** **(path)**	numéro d'enregistrement/dépôt de la marque

ExecuteClear

Responses

Response content type

application/xml

Curl

```
l -X 'GET' \
'https://api-gateway.inpi.fr/services/apidiffusion/api/marques/notice/FR4216963' \
-H 'accept: application/xml' \
-H 'X-XSRF-TOKEN: ac3851a3-1f68-4ae0-94de-4f36efcb2b82'
```

Request URL

```
https://api-gateway.inpi.fr/services/apidiffusion/api/marques/notice/FR4216963
```

Server response

Code	Details

Response body

| 200 | ```xml
l version="1.0" encoding="UTF-8"?>
radeMark operationCode="Update">
<RegistrationOfficeCode>FR</RegistrationOfficeCode>
<ApplicationNumber>4216963</ApplicationNumber>
<ApplicationDate>2015-10-12</ApplicationDate>
<FilingPlace>I.N.P.I. - ÎLE DE FRANCE</FilingPlace>
<ApplicationLanguageCode>fr</ApplicationLanguageCode>
<ExpiryDate>2025-10-12</ExpiryDate>
<MarkCurrentStatusCode>Marque enregistrée</MarkCurrentStatusCode>
<MarkFeature>Combined</MarkFeature>
<MarkDescriptionDetails>
  <MarkDescription>Couleurs / Références Pantone – ORANGE : PMS 1585 C – BLEU CIEL : PMS 304 C</MarkDes
</MarkDescriptionDetails>
<WordMarkSpecification>
  <MarkVerbalElementText>ALL COLORS maclevith Thermolaquage</MarkVerbalElementText>
</WordMarkSpecification>
<MarkImageDetails>
  <MarkImage>
    <MarkImageFilename>FMARK0000000004216963</MarkImageFilename>
    <MarkImageFileFormat>JPEG</MarkImageFileFormat>
    <MarkImageColourIndicator>true</MarkImageColourIndicator>
    <MarkImageCategory>
      <CategoryKind>Domestic</CategoryKind>
      <CategoryCodeDetails>
``` |

```xml
                <CategoryCode>29.02.00</CategoryCode>
                <CategoryCode>26.01.01</CategoryCode>
                <CategoryCode>26.04.06</CategoryCode>
                <CategoryCode>26.01.16</CategoryCode>
                <CategoryCode>03.13.01</CategoryCode>
                <CategoryCode>01.05.01</CategoryCode>
            </CategoryCodeDetails>
        </MarkImageCategory>
    </MarkImage>
</MarkImageDetails>
<GoodsServicesDetails>
    <GoodsServices>
        <ClassDescriptionDetails>
            <ClassDescription>
                <ClassNumber>01</ClassNumber>
                <GoodsServicesDescription languageCode="fr">Produits chimiques destinés à l'industrie du therm
            </ClassDescription>
            <ClassDescription>
                <ClassNumber>02</ClassNumber>
                <GoodsServicesDescription languageCode="fr">Peintures, vernis, laques ; produits contre la cor
            </ClassDescription>
            <ClassDescription>
                <ClassNumber>37</ClassNumber>
                <GoodsServicesDescription languageCode="fr">Services de ponçage et polissage ; services de mar
            </ClassDescription>
            <ClassDescription>
                <ClassNumber>40</ClassNumber>
                <GoodsServicesDescription languageCode="fr">Traitement de métaux, services de sablage au jet ;
            </ClassDescription>
        </ClassDescriptionDetails>
    </GoodsServices>
</GoodsServicesDetails>
<ApplicantDetails>
    <Applicant>
        <ApplicantIdentifier identifierKindCode="FR">752461707</ApplicantIdentifier>
        <ApplicantSequenceNumber>1</ApplicantSequenceNumber>
        <ApplicantAddressBook>
            <FormattedNameAddress>
                <Name>
                    <FormattedName>
                        <LastName>ALL COLORS MACLEVITH, SARL</LastName>
                        <OrganizationName>ALL COLORS MACLEVITH, SARL</OrganizationName>
                    </FormattedName>
                </Name>
                <Address>
                    <AddressCountryCode>FR</AddressCountryCode>
                    <FormattedAddress>
                        <AddressStreet>100 RUE LOUIS BLANC</AddressStreet>
                        <AddressCity>MONTATAIRE</AddressCity>
                        <AddressPostcode>60160</AddressPostcode>
                    </FormattedAddress>
                </Address>
            </FormattedNameAddress>
        </ApplicantAddressBook>
    </Applicant>
</ApplicantDetails>
```

Code Details

```xml
        <RepresentativeDetails>
          <Representative>
            <RepresentativeIdentifier/>
            <RepresentativeSequenceNumber>1</RepresentativeSequenceNumber>
            <RepresentativeAddressBook>
              <FormattedNameAddress>
                <Name>
                  <FormattedName>
                    <LastName>THIEFFRY VINCENT, ALL COLORS MACLEVITH</LastName>
                    <OrganizationName>THIEFFRY VINCENT, ALL COLORS MACLEVITH</OrganizationName>
                  </FormattedName>
                </Name>
                <Address>
                  <AddressCountryCode>FR</AddressCountryCode>
                  <FormattedAddress>
                    <AddressStreet>100 RUE LOUIS BLANC</AddressStreet>
                    <AddressCity>MONTATAIRE</AddressCity>
                    <AddressPostcode>60160</AddressPostcode>
                  </FormattedAddress>
                </Address>
              </FormattedNameAddress>
            </RepresentativeAddressBook>
          </Representative>
        </RepresentativeDetails>
        <MarkRecordDetails>
          <MarkRecord>
            <BasicRecord>
              <BasicRecordKind>Publication</BasicRecordKind>
              <RecordPublicationDetails>
                <RecordPublication>
                  <PublicationIdentifier>2015-45</PublicationIdentifier>
                  <PublicationDate>2015-11-06</PublicationDate>
                </RecordPublication>
              </RecordPublicationDetails>
            </BasicRecord>
          </MarkRecord>
          <MarkRecord>
            <BasicRecord>
              <BasicRecordKind>Enregistrement avec modification</BasicRecordKind>
              <RecordPublicationDetails>
                <RecordPublication>
                  <PublicationIdentifier>2016-17</PublicationIdentifier>
                  <PublicationDate>2016-04-29</PublicationDate>
                </RecordPublication>
              </RecordPublicationDetails>
            </BasicRecord>
          </MarkRecord>
        </MarkRecordDetails>
      </TradeMark>
```

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate   connection: Keep-Alive   content-encodi
'none'; camera 'none'; magnetometer 'none'; gyroscope 'none'; speaker 'none'; fullscreen 'self'; pa
```

Responses

Code	Description
	OK

- **Example Value**
- Model

```xml
<?xml version="1.0" encoding="UTF-8"?>
<TradeMarkType operationCode="string">
        <any>
        </any>
        <applicantDetails>
                <Applicant operationCode="string">
                        <any>
                        </any>
                        <applicantAddressBook>
                                <AddressLanguageCode>AA</AddressLanguageCode>
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>string</OtherElectronicAddress>
                                        <Phone phoneKind="string">
                                                <value>string</value>
                                        </Phone>
                                        <URL>string</URL>
                                </contactInformationDetails>
                                <formattedNameAddress>
                                        <address>
                                                <AddressCountryCode>string</AddressCountryCode>
                                                <any>
                                                </any>
                                                <formattedAddress>
                                                        <AddressBuilding>string</AddressBuildi
                                                        <AddressCity>string</AddressCity>
                                                        <AddressCounty>string</AddressCounty>
                                                        <AddressFloor>string</AddressFloor>
                                                        <AddressLine languageCode="string" seq
                                                                <value>string</value>
                                                        </AddressLine>
                                                        <AddressMailCode>string</AddressMailCo
                                                        <AddressPostOfficeBox>string</AddressP
                                                        <AddressPostcode>string</AddressPostco
                                                        <AddressRoom>string</AddressRoom>
                                                        <AddressState>string</AddressState>
                                                        <AddressStreet>string</AddressStreet>
                                                        <FormattedAddressCountryCode>AD</Forma
                                                </formattedAddress>
                                                <freeFormatAddress>
                                                        <FreeFormatAddressLine languageCode="s
                                                                <value>string</value>
                                                        </FreeFormatAddressLine>
                                                </freeFormatAddress>
                                        </address>
                                        <any>
                                        </any>
                                        <name>
                                                <any>
```

```xml
                </any>
                <formattedName>
                        <FirstName>string</FirstName>
                        <Gender>MALE</Gender>
                        <IndividualIdentifier>string</Individu
                        <LastName>string</LastName>
                        <MiddleName>string</MiddleName>
                        <NamePrefix>string</NamePrefix>
                        <NameSuffix>string</NameSuffix>
                        <NameSynonym>string</NameSynonym>
                        <OrganizationDepartment>string</Organi
                        <OrganizationName>string</Organization
                        <PersonRole>string</PersonRole>
                        <SecondLastName>string</SecondLastName
                </formattedName>
                <freeFormatName>
                        <any>
                        </any>
                        <freeFormatNameDetails>
                                <FreeFormatNameLine language
                                        <value>string</valu
                                </FreeFormatNameLine>
                        </freeFormatNameDetails>
                        <NameKind>string</NameKind>
                </freeFormatName>
        </name>
    </formattedNameAddress>
    <freeFormatAddressDetails>
            <FreeFormatNameAddressLine languageCode="string" sequence
                    <value>string</value>
            </FreeFormatNameAddressLine>
    </freeFormatAddressDetails>
    <PostalAddress>string</PostalAddress>
</applicantAddressBook>
<applicantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
                <entitlementDomiciledAddressBook>
                        <AddressLanguageCode>AA</AddressLanguageCode>
                        <any>
                        </any>
                        <contactInformationDetails>
                                <Email>string</Email>
                                <Fax>string</Fax>
                                <OtherElectronicAddress>string</OtherE
                                <Phone phoneKind="string">
                                        <value>string</value>
                                </Phone>
                                <URL>string</URL>
                        </contactInformationDetails>
                        <formattedNameAddress>
                                <address>
                                        <AddressCountryCode>string</
                                        <any>
                                        </any>
                                        <formattedAddress>
```

Code	Description

```xml
                                    <AddressBuilding>st
                                    <AddressCity>string
                                    <AddressCounty>stri
                                    <AddressFloor>strin
                                    <AddressLine langua
                                            <value>st
                                    </AddressLine>
                                    <AddressMailCode>st
                                    <AddressPostOfficeE
                                    <AddressPostcode>st
                                    <AddressRoom>string
                                    <AddressState>strin
                                    <AddressStreet>stri
                                    <FormattedAddressCo
                            </formattedAddress>
                            <freeFormatAddress>
                                    <FreeFormatAddressE
                                            <value>st
                                    </FreeFormatAddress
                            </freeFormatAddress>
                    </address>
                    <any>
                    </any>
                    <name>
                            <any>
                            </any>
                            <formattedName>
                                    <FirstName>string</
                                    <Gender>MALE</Gende
                                    <IndividualIdentifi
                                    <LastName>string</L
                                    <MiddleName>string<
                                    <NamePrefix>string<
                                    <NameSuffix>string<
                                    <NameSynonym>string
                                    <OrganizationDepart
                                    <OrganizationName>s
                                    <PersonRole>string<
                                    <SecondLastName>str
                            </formattedName>
                            <freeFormatName>
                                    <any>
                                    </any>
                                    <freeFormatNameDeta
                                            <FreeForm

                                            </FreeFor
                                    </freeFormatNameDet
                                    <NameKind>string</N
                            </freeFormatName>
                    </name>
            </formattedNameAddress>
            <freeFormatAddressDetails>
                    <FreeFormatNameAddressLine languageCod
                            <value>string</value>
                    </FreeFormatNameAddressLine>
            </freeFormatAddressDetails>
```

```xml
                    <PostalAddress>string</PostalAddress>
                </entitlementDomiciledAddressBook>
                <EntitlementDomiciledCode>string</EntitlementDomiciledCode>
            </entitlementDomiciled>
            <entitlementEstablishment>
                <entitlementEstablishmentAddressBook>
                    <AddressLanguageCode>AA</AddressLanguageCode>
                    <any>
                    </any>
                    <contactInformationDetails>
                        <Email>string</Email>
                        <Fax>string</Fax>
                        <OtherElectronicAddress>string</OtherE
                        <Phone phoneKind="string">
                            <value>string</value>
                        </Phone>
                        <URL>string</URL>
                    </contactInformationDetails>
                    <formattedNameAddress>
                        <address>
                            <AddressCountryCode>string</
                            <any>
                            </any>
                            <formattedAddress>
                                <AddressBuilding>st
                                <AddressCity>string
                                <AddressCounty>stri
                                <AddressFloor>strin
                                <AddressLine langua
                                    <value>st
                                </AddressLine>
                                <AddressMailCode>st
                                <AddressPostOfficeE
                                <AddressPostcode>st
                                <AddressRoom>string
                                <AddressState>strin
                                <AddressStreet>stri
                                <FormattedAddressC
                            </formattedAddress>
                            <freeFormatAddress>
                                <FreeFormatAddress
                                    <value>st
                                </FreeFormatAddress
                            </freeFormatAddress>
                        </address>
                        <any>
                        </any>
                        <name>
                            <any>
                            </any>
                            <formattedName>
                                <FirstName>string</
                                <Gender>MALE</Gende
                                <IndividualIdentifi
                                <LastName>string</L
                                <MiddleName>string<
                                <NamePrefix>string<
```

```
                                        <NameSuffix>string<
                                        <NameSynonym>string
                                        <OrganizationDepar
                                        <OrganizationName>
                                        <PersonRole>string<
                                        <SecondLastName>st
                                </formattedName>
                                <freeFormatName>
                                        <any>
                                        </any>
                                        <freeFormatNameDet
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatNameDe
                                        <NameKind>string</
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine languageCod
                                <value>string</value>
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </entitlementEstablishmentAddressBook>
        <EntitlementEstablishmentCode>string</EntitlementEstablish
</entitlementEstablishment>
<EntitlementNationalityCode>string</EntitlementNationalityCode>
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
        <value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</ApplicantIncorporationCountryCode>
<ApplicantIncorporationState>string</ApplicantIncorporationState>
<ApplicantLegalEntity>string</ApplicantLegalEntity>
<ApplicantNationalityCode>string</ApplicantNationalityCode>
<ApplicantSequenceNumber>0</ApplicantSequenceNumber>
<applicantVersion>
        <any>
        </any>
        <comment languageCode="string" sequenceNumber="0">
                <value>string</value>
        </comment>
        <versionDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
```

```xml
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </versionDate>
                        <versionDateTime>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </versionDateTime>
                        <VersionNumber>string</VersionNumber>
                </applicantVersion>
                <comment languageCode="string" sequenceNumber="0">
                        <value>string</value>
                </comment>
        </Applicant>
</applicantDetails>
<ApplicantSideCaseKey>string</ApplicantSideCaseKey>
<applicationDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
</applicationDate>
<applicationDateTime>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
```

```xml
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </applicationDateTime>
    <ApplicationLanguageCode>string</ApplicationLanguageCode>
    <ApplicationNumber>string</ApplicationNumber>
    <ApplicationReference>string</ApplicationReference>
    <AsItIsProtectionIndicator>true</AsItIsProtectionIndicator>
    <associatedMarkDetails>
            <AssociatedApplicationNumber>string</AssociatedApplicationNumber>
    </associatedMarkDetails>
    <authorization>
            <any>
            </any>
            <authorizationDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </authorizationDate>
            <authorizationDocument>
                    <any>
                    </any>
                    <comment languageCode="string" sequenceNumber="0">
                            <value>string</value>
                    </comment>
                    <DocumentBinary>string</DocumentBinary>
                    <documentDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
```

```xml
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </documentDate>
                                <DocumentFileFormat>string</DocumentFileFormat>
                                <DocumentFilename>string</DocumentFilename>
                                <DocumentLanguageCode>AA</DocumentLanguageCode>
                                <DocumentLocation>string</DocumentLocation>
                                <DocumentMedia>string</DocumentMedia>
                                <DocumentName>string</DocumentName>
                                <DocumentSizeInByte>0</DocumentSizeInByte>
                                <DocumentVersion>string</DocumentVersion>
                        </authorizationDocument>
                        <AuthorizationDocumentSupply>string</AuthorizationDocumentSupply>
                        <AuthorizationIdentifier>string</AuthorizationIdentifier>
                        <AuthorizationKind>string</AuthorizationKind>
                        <comment languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </comment>
                </authorization>
                <basicRegistrationApplicationDetails>
                        <BasicRegistrationApplication>
                                <any>
                                </any>
                                <basicApplicationDetails>
                                        <BasicApplication>
                                                <any>
                                                </any>
                                                <basicApplicationDate>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
                                                        <second>0</second>
                                                        <timezone>0</timezone>
                                                        <valid>true</valid>
                                                        <xmlschemaType>
                                                                <localPart>string</localPart>
                                                                <namespaceURI>string</namespaceURI>
                                                                <prefix>string</prefix>
                                                        </xmlschemaType>
                                                        <year>0</year>
                                                </basicApplicationDate>
                                                <BasicApplicationNumber>string</BasicApplicationNumber>
                                        </BasicApplication>
```

```xml
            </basicApplicationDetails>
            <basicRegistrationDetails>
                <BasicRegistration>
                    <any>
                    </any>
                    <basicRegistrationDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                    </basicRegistrationDate>
                    <BasicRegistrationNumber>string</BasicRegistrationNumber>
                </BasicRegistration>
            </basicRegistrationDetails>
            <RegistrationOfficeCode>AD</RegistrationOfficeCode>
        </BasicRegistrationApplication>
    </basicRegistrationApplicationDetails>
    <Comment>string</Comment>
    <correspondenceAddress>
        <any>
        </any>
        <correspondenceAddressBook>
            <AddressLanguageCode>AA</AddressLanguageCode>
            <any>
            </any>
            <contactInformationDetails>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElectronicAddress>string</OtherElectronicAddress>
                <Phone phoneKind="string">
                    <value>string</value>
                </Phone>
                <URL>string</URL>
            </contactInformationDetails>
            <formattedNameAddress>
                <address>
                    <AddressCountryCode>string</AddressCountryCode>
                    <any>
                    </any>
                    <formattedAddress>
                        <AddressBuilding>string</AddressBuilding>
                        <AddressCity>string</AddressCity>
                        <AddressCounty>string</AddressCounty>
                        <AddressFloor>string</AddressFloor>
```

```xml
                                        <AddressLine languageCode="string" sequenceNumbe
                                                <value>string</value>
                                        </AddressLine>
                                        <AddressMailCode>string</AddressMailCode>
                                        <AddressPostOfficeBox>string</AddressPostOfficeE
                                        <AddressPostcode>string</AddressPostcode>
                                        <AddressRoom>string</AddressRoom>
                                        <AddressState>string</AddressState>
                                        <AddressStreet>string</AddressStreet>
                                        <FormattedAddressCountryCode>AD</FormattedAddres
                                </formattedAddress>
                                <freeFormatAddress>
                                        <FreeFormatAddressLine languageCode="string" sec
                                                <value>string</value>
                                        </FreeFormatAddressLine>
                                </freeFormatAddress>
                        </address>
                        <any>
                        </any>
                        <name>
                                <any>
                                </any>
                                <formattedName>
                                        <FirstName>string</FirstName>
                                        <Gender>MALE</Gender>
                                        <IndividualIdentifier>string</IndividualIdentifi
                                        <LastName>string</LastName>
                                        <MiddleName>string</MiddleName>
                                        <NamePrefix>string</NamePrefix>
                                        <NameSuffix>string</NameSuffix>
                                        <NameSynonym>string</NameSynonym>
                                        <OrganizationDepartment>string</OrganizationDepa
                                        <OrganizationName>string</OrganizationName>
                                        <PersonRole>string</PersonRole>
                                        <SecondLastName>string</SecondLastName>
                                </formattedName>
                                <freeFormatName>
                                        <any>
                                        </any>
                                        <freeFormatNameDetails>
                                                <FreeFormatNameLine languageCode="stri
                                                        <value>string</value>
                                                </FreeFormatNameLine>
                                        </freeFormatNameDetails>
                                        <NameKind>string</NameKind>
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine languageCode="string" sequenceNumber="0"
                                <value>string</value>
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </correspondenceAddressBook>
        <CorrespondenceAddressIdentifier identifierKindCode="AD">
                <value>string</value>
```

```xml
        </CorrespondenceAddressIdentifier>
        <CorrespondenceAddressParty>string</CorrespondenceAddressParty>
</correspondenceAddress>
<correspondenceAddressKey>
        <any>
        </any>
        <correspondenceAddressIdentifier identifierKindCode="AD">
                <value>string</value>
        </correspondenceAddressIdentifier>
        <CorrespondenceAddressParty>string</CorrespondenceAddressParty>
</correspondenceAddressKey>
<CorrespondenceLanguageCode>string</CorrespondenceLanguageCode>
<designatedCountryDetails>
        <DesignatedCountryCode>string</DesignatedCountryCode>
</designatedCountryDetails>
<divisionalApplicationDetails>
        <initialApplicationDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </initialApplicationDate>
        <InitialApplicationNumber>string</InitialApplicationNumber>
        <initialApplicationRegistrationDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </initialApplicationRegistrationDate>
</divisionalApplicationDetails>
<ExaminedApplicationNumber>string</ExaminedApplicationNumber>
```

Code	Description

```xml
<exhibitionPriorityDetails>
        <ExhibitionPriority>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0">
                        <value>string</value>
                </comment>
                <ExhibitionCityName>string</ExhibitionCityName>
                <ExhibitionCountryCode>AD</ExhibitionCountryCode>
                <exhibitionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </exhibitionDate>
                <ExhibitionDocument>
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </comment>
                        <DocumentBinary>string</DocumentBinary>
                        <documentDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </documentDate>
                        <DocumentFileFormat>string</DocumentFileFormat>
                        <DocumentFilename>string</DocumentFilename>
                        <DocumentLanguageCode>AA</DocumentLanguageCode>
```

```
                              <DocumentLocation>string</DocumentLocation>
                              <DocumentMedia>string</DocumentMedia>
                              <DocumentName>string</DocumentName>
                              <DocumentSizeInByte>0</DocumentSizeInByte>
                              <DocumentVersion>string</DocumentVersion>
                      </ExhibitionDocument>
                      <exhibitionFirstDisplayDate>
                              <day>0</day>
                              <eon>0</eon>
                              <eonAndYear>0</eonAndYear>
                              <fractionalSecond>0</fractionalSecond>
                              <hour>0</hour>
                              <millisecond>0</millisecond>
                              <minute>0</minute>
                              <month>0</month>
                              <second>0</second>
                              <timezone>0</timezone>
                              <valid>true</valid>
                              <xmlschemaType>
                                      <localPart>string</localPart>
                                      <namespaceURI>string</namespaceURI>
                                      <prefix>string</prefix>
                              </xmlschemaType>
                              <year>0</year>
                      </exhibitionFirstDisplayDate>
                      <ExhibitionName>string</ExhibitionName>
                      <ExhibitionStatusCode>string</ExhibitionStatusCode>
                      <exhibitionStatusDate>
                              <day>0</day>
                              <eon>0</eon>
                              <eonAndYear>0</eonAndYear>
                              <fractionalSecond>0</fractionalSecond>
                              <hour>0</hour>
                              <millisecond>0</millisecond>
                              <minute>0</minute>
                              <month>0</month>
                              <second>0</second>
                              <timezone>0</timezone>
                              <valid>true</valid>
                              <xmlschemaType>
                                      <localPart>string</localPart>
                                      <namespaceURI>string</namespaceURI>
                                      <prefix>string</prefix>
                              </xmlschemaType>
                              <year>0</year>
                      </exhibitionStatusDate>
              </ExhibitionPriority>
      </exhibitionPriorityDetails>
      <expiryDate>
              <day>0</day>
              <eon>0</eon>
              <eonAndYear>0</eonAndYear>
              <fractionalSecond>0</fractionalSecond>
              <hour>0</hour>
              <millisecond>0</millisecond>
              <minute>0</minute>
              <month>0</month>
```

```xml
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </expiryDate>
            <FilingPlace>string</FilingPlace>
            <goodsServicesDetails>
                    <GoodsServices>
                            <any>
                            </any>
                            <classDescriptionDetails>
                                    <ClassDescription>
                                            <any>
                                            </any>
                                            <ClassNumber>0</ClassNumber>
                                            <ClassNumberStatusCode>string</ClassNumberStatusCode>
                                            <classificationTermDetails>
                                                    <ClassificationTerm operationCode="string">
                                                            <any>
                                                            </any>
                                                            <ClassNumber>0</ClassNumber>
                                                            <classificationTermEntryDate>
                                                                    <day>0</day>
                                                                    <eon>0</eon>
                                                                    <eonAndYear>0</eonAndYear>
                                                                    <fractionalSecond>0</fractio
                                                                    <hour>0</hour>
                                                                    <millisecond>0</millisecond>
                                                                    <minute>0</minute>
                                                                    <month>0</month>
                                                                    <second>0</second>
                                                                    <timezone>0</timezone>
                                                                    <valid>true</valid>
                                                                    <xmlschemaType>
                                                                            <localPart>string</
                                                                            <namespaceURI>strir
                                                                            <prefix>string</pre
                                                                    </xmlschemaType>
                                                                    <year>0</year>
                                                            </classificationTermEntryDate>
                                                            <ClassificationTermEquivalentGroup>str
                                                            <classificationTermIdentifier identifi
                                                                    <value>string</value>
                                                            </classificationTermIdentifier>
                                                            <ClassificationTermLanguageCode>AA</Cl
                                                            <ClassificationTermOffice>AD</Classifi
                                                            <ClassificationTermOfficeKey>string</C
                                                            <ClassificationTermReferenceGroup>stri
                                                            <ClassificationTermSource>string</Clas
                                                            <classificationTermStatus officeCode="
                                                                    <value>string</value>
                                                            </classificationTermStatus>
```

```
                                                    <classificationTermText languageCode="
                                                        <value>string</value>
                                                    </classificationTermText>
                                                    <ClassificationTermTranslationGroup>st
                                                    <wipobasicNumber>string</wipobasicNumb
                                                </ClassificationTerm>
                                            </classificationTermDetails>
                                            <GoodsServicesDescription languageCode="string" sequenceN
                                                    <value>string</value>
                                            </GoodsServicesDescription>
                                            <UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
                                        </ClassDescription>
                                </classDescriptionDetails>
                                <ClassificationKindCode>string</ClassificationKindCode>
                                <ClassificationVersion>string</ClassificationVersion>
                                <comment languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </comment>
                                <ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
                        </GoodsServices>
                        <GoodsServicesSameListAs>
                                <any>
                                </any>
                                <Identifier identifierKindCode="AD">
                                        <value>string</value>
                                </Identifier>
                        </GoodsServicesSameListAs>
                </goodsServicesDetails>
                <InternationalMarkKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </InternationalMarkKey>
                <KindMark>string</KindMark>
                <MarkCurrentStatusCode>DEMANDE_DÉPOSÉE</MarkCurrentStatusCode>
                <markCurrentStatusDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </markCurrentStatusDate>
                <markDescriptionDetails>
```

```xml
                  <MarkDescription languageCode="string" sequenceNumber="0">
                          <value>string</value>
                  </MarkDescription>
          </markDescriptionDetails>
          <markDisclaimerDetails>
                  <MarkDisclaimer languageCode="string" sequenceNumber="0">
                          <value>string</value>
                  </MarkDisclaimer>
          </markDisclaimerDetails>
          <markEventDetails>
                  <MarkEvent>
                          <any>
                          </any>
                          <comment languageCode="string" sequenceNumber="0">
                                  <value>string</value>
                          </comment>
                          <MarkEventCode>string</MarkEventCode>
                          <markEventDate>
                                  <day>0</day>
                                  <eon>0</eon>
                                  <eonAndYear>0</eonAndYear>
                                  <fractionalSecond>0</fractionalSecond>
                                  <hour>0</hour>
                                  <millisecond>0</millisecond>
                                  <minute>0</minute>
                                  <month>0</month>
                                  <second>0</second>
                                  <timezone>0</timezone>
                                  <valid>true</valid>
                                  <xmlschemaType>
                                          <localPart>string</localPart>
                                          <namespaceURI>string</namespaceURI>
                                          <prefix>string</prefix>
                                  </xmlschemaType>
                                  <year>0</year>
                          </markEventDate>
                          <markEventDateTime>
                                  <day>0</day>
                                  <eon>0</eon>
                                  <eonAndYear>0</eonAndYear>
                                  <fractionalSecond>0</fractionalSecond>
                                  <hour>0</hour>
                                  <millisecond>0</millisecond>
                                  <minute>0</minute>
                                  <month>0</month>
                                  <second>0</second>
                                  <timezone>0</timezone>
                                  <valid>true</valid>
                                  <xmlschemaType>
                                          <localPart>string</localPart>
                                          <namespaceURI>string</namespaceURI>
                                          <prefix>string</prefix>
                                  </xmlschemaType>
                                  <year>0</year>
                          </markEventDateTime>
                          <markEventResponseDate>
                                  <day>0</day>
```

```xml
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </markEventResponseDate>
                        </MarkEvent>
                </markEventDetails>
                <MarkFeature>string</MarkFeature>
                <markImageDetails>
                        <MarkImage>
                                <any>
                                </any>
                                <MarkImageBinary>string</MarkImageBinary>
                                <markImageCategory>
                                        <any>
                                        </any>
                                        <categoryCodeDetails>
                                                <CategoryCode>string</CategoryCode>
                                        </categoryCodeDetails>
                                        <CategoryKind>string</CategoryKind>
                                        <CategoryVersion>string</CategoryVersion>
                                </markImageCategory>
                                <MarkImageColourClaimedText languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </MarkImageColourClaimedText>
                                <MarkImageColourIndicator>true</MarkImageColourIndicator>
                                <MarkImageColourMode>string</MarkImageColourMode>
                                <MarkImageColourPartClaimedText languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </MarkImageColourPartClaimedText>
                                <MarkImageFileFormat>string</MarkImageFileFormat>
                                <MarkImageFilename>string</MarkImageFilename>
                                <MarkImageQualityIndicator>true</MarkImageQualityIndicator>
                                <markImageRenditionDetails>
                                        <MarkImageRendition>
                                                <any>
                                                </any>
                                                <MarkImageRenditionBinary>string</MarkImageRenditionBinary
                                                <MarkImageRenditionColourMode>string</MarkImageRenditionC
                                                <MarkImageRenditionFileFormat>string</MarkImageRenditionF
                                                <MarkImageRenditionFilename>string</MarkImageRenditionFil
                                                <MarkImageRenditionKind>string</MarkImageRenditionKind>
                                                <markImageRenditionRepresentationSize>
                                                        <any>
                                                        </any>
```

```xml
                                                <Height>0</Height>
                                                <Unit>CENTIMETRE</Unit>
                                                <Width>0</Width>
                                        </markImageRenditionRepresentationSize>
                                </MarkImageRendition>
                        </markImageRenditionDetails>
                        <markImageRepresentationSize>
                                <any>
                                </any>
                                <Height>0</Height>
                                <Unit>CENTIMETRE</Unit>
                                <Width>0</Width>
                        </markImageRepresentationSize>
                </MarkImage>
        </markImageDetails>
        <markRecordDetails>
                <MarkRecord>
                        <any>
                        </any>
                        <basicRecord>
                                <any>
                                </any>
                                <BasicRecordKind>string</BasicRecordKind>
                                <claimantDetails>
                                        <Claimant operationCode="string">
                                                <any>
                                                </any>
                                                <claimantAddressBook>
                                                        <AddressLanguageCode>AA</AddressLangua
                                                        <any>
                                                        </any>
                                                        <contactInformationDetails>
                                                                <Email>string</Email>
                                                                <Fax>string</Fax>
                                                                <OtherElectronicAddress>stri
                                                                <Phone phoneKind="string">
                                                                        <value>string</valu
                                                                </Phone>
                                                                <URL>string</URL>
                                                        </contactInformationDetails>
                                                        <formattedNameAddress>
                                                                <address>
                                                                        <AddressCountryCod
                                                                        <any>
                                                                        </any>
                                                                        <formattedAddress>
                                                                                <AddressE
                                                                                <AddressC
                                                                                <AddressC
                                                                                <AddressF
                                                                                <AddressL

                                                                                </Address
                                                                                <AddressM
                                                                                <AddressF
                                                                                <AddressF
                                                                                <AddressR
```

```
                                              <AddressS
                                              <AddressS
                                              <Formatte
                        </formattedAddress
                        <freeFormatAddress
                                <FreeForm

                                </FreeFor
                        </freeFormatAddress
                </address>
                <any>
                </any>
                <name>
                        <any>
                        </any>
                        <formattedName>
                                <FirstNam
                                <Gender>M
                                <Individu
                                <LastName
                                <MiddleNa
                                <NamePref
                                <NameSuff
                                <NameSync
                                <Organiza
                                <Organiza
                                <PersonRo
                                <SecondLa
                        </formattedName>
                        <freeFormatName>
                                <any>
                                </any>
                                <freeForm

                                </freeFor
                                <NameKind
                        </freeFormatName>
                </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                <FreeFormatNameAddressLine l
                        <value>string</val
                </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
                <entitlementDomiciledAddress
                        <AddressLanguageCo
                        <any>
                        </any>
                        <contactInformatio
```

Code	Description

```
                                      <Email>st
                                      <Fax>stri
                                      <OtherEle
                                      <Phone ph

                                      </Phone>
                                      <URL>stri
                   </contactInformatio
                   <formattedNameAddre
                                <address>

                                </address
                                <any>
                                </any>
                                <name>
```

Code	Description

```xml
                </name>
            </formattedNameAddr
            <freeFormatAddress
                <FreeForm

                </FreeFor
            </freeFormatAddress
            <PostalAddress>str
        </entitlementDomiciledAddres
        <EntitlementDomiciledCode>st
    </entitlementDomiciled>
    <entitlementEstablishment>
        <entitlementEstablishmentAdd
            <AddressLanguageCo
            <any>
            </any>
            <contactInformatio
                <Email>st
                <Fax>stri
                <OtherEle
                <Phone ph

                </Phone>
                <URL>stri
            </contactInformatio
            <formattedNameAddr
                <address>
```

Code	Description

```xml
            </address
            <any>
            </any>
            <name>



                                                    </name>
                                        </formattedNameAddr
                                        <freeFormatAddressD
                                            <FreeForm

                                            </FreeFor
                                        </freeFormatAddress
                                        <PostalAddress>str
                                    </entitlementEstablishmentAd
                                    <EntitlementEstablishmentCod
                            </entitlementEstablishment>
                            <EntitlementNationalityCode>string</En
                    </claimantEntitlement>
                    <ClaimantIdentifier identifierKindCode="AD">
                            <value>string</value>
                    </ClaimantIdentifier>
                    <ClaimantIncorporationCountryCode>AD</ClaimantIn
                    <ClaimantIncorporationState>string</ClaimantInco
                    <ClaimantLegalEntity>string</ClaimantLegalEntity
                    <ClaimantNationalityCode>string</ClaimantNationa
                    <ClaimantSequenceNumber>0</ClaimantSequenceNumbe
                    <comment languageCode="string" sequenceNumber="0
                            <value>string</value>
                    </comment>
            </Claimant>
            <ClaimantKey>
```

```xml
                                    <any>
                                    </any>
                                    <Identifier identifierKindCode="AD">
                                            <value>string</value>
                                    </Identifier>
                            </ClaimantKey>
                    </claimantDetails>
                    <factDecisionText languageCode="string" sequenceNumber="0">
                            <value>string</value>
                    </factDecisionText>
                    <goodsServicesLimitationDetails>
                            <GoodsServicesLimitation>
                                    <any>
                                    </any>
                                    <comment languageCode="string" sequenceNumber="0
                                            <value>string</value>
                                    </comment>
                                    <GoodsServicesLimitationCode>string</GoodsServic
                                    <limitationClassDescriptionDetails>
                                            <ClassDescription>
                                                    <any>
                                                    </any>
                                                    <ClassNumber>0</ClassNumber>
                                                    <ClassNumberStatusCode>strin
                                                    <classificationTermDetails>
                                                            <ClassificationTerm
                                                                    <any>
                                                                    </any>
                                                                    <ClassNum
                                                                    <classifi




                                                            </classif
                                                            <Classifi
                                                            <classifi

                                                            </classif
                                                            <Classifi
                                                            <Classifi
                                                            <Classifi
                                                            <Classifi
                                                            <Classifi
```

```
                                                    <classifi
                                                    </classif
                                                    <classifi

                                                    </classif
                                                    <Classifi
                                                    <wipobasi
                                        </ClassificationTer
                                    </classificationTermDetails>
                                    <GoodsServicesDescription la
                                            <value>string</valu
                                    </GoodsServicesDescription>
                                    <UseNiceHeadingIndicator>tru
                            </ClassDescription>
                        </limitationClassDescriptionDetails>
                        <limitationCountryDetails>
                                <LimitationCountryCode>string</Limitat
                        </limitationCountryDetails>
                </GoodsServicesLimitation>
        </goodsServicesLimitationDetails>
        <RecordCurrentStatusCode>string</RecordCurrentStatusCode>
        <recordCurrentStatusDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </recordCurrentStatusDate>
        <recordDesignatedCountryDetails>
                <RecordDesignatedCountryCode>string</RecordDesignatedCoun
        </recordDesignatedCountryDetails>
        <recordDocumentDetails>
                <RecordDocument>
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="0
                                <value>string</value>
                        </comment>
                        <DocumentBinary>string</DocumentBinary>
                        <documentDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
```

```xml
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart
                                                        <namespaceURI>string</namesp
                                                        <prefix>string</prefix>
                                                </xmlschemaType>
                                                <year>0</year>
                                        </documentDate>
                                        <DocumentFileFormat>string</DocumentFileFormat>
                                        <DocumentFilename>string</DocumentFilename>
                                        <DocumentLanguageCode>AA</DocumentLanguageCode>
                                        <DocumentLocation>string</DocumentLocation>
                                        <DocumentMedia>string</DocumentMedia>
                                        <DocumentName>string</DocumentName>
                                        <DocumentSizeInByte>0</DocumentSizeInByte>
                                        <DocumentVersion>string</DocumentVersion>
                                </RecordDocument>
                        </recordDocumentDetails>
                        <recordEffectiveDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </recordEffectiveDate>
                        <recordEventDetails>
                                <RecordEvent>
                                        <any>
                                        </any>
                                        <comment languageCode="string" sequenceNumber="0
                                                <value>string</value>
                                        </comment>
                                        <RecordEventCode>string</RecordEventCode>
                                        <recordEventDate>
                                                <day>0</day>
                                                <eon>0</eon>
                                                <eonAndYear>0</eonAndYear>
                                                <fractionalSecond>0</fractionalSecond>
                                                <hour>0</hour>
```

```
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventDate>
                                <recordEventDateTime>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventDateTime>
                                <recordEventResponseDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventResponseDate>
                        </RecordEvent>
                </recordEventDetails>
                <recordFilingDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
```

```
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </recordFilingDate>
                        <RecordIdentifier>string</RecordIdentifier>
                        <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
                        <RecordLanguageCode>string</RecordLanguageCode>
                        <recordNotificationDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </recordNotificationDate>
                        <recordPublicationDetails>
                                <RecordPublication>
                                        <any>
                                        </any>
                                        <publicationDate>
                                                <day>0</day>
                                                <eon>0</eon>
                                                <eonAndYear>0</eonAndYear>
                                                <fractionalSecond>0</fractionalSecond>
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart
                                                        <namespaceURI>string</namesp
                                                        <prefix>string</prefix>
```

```xml
                                                    </xmlschemaType>
                                                    <year>0</year>
                                            </publicationDate>
                                            <PublicationIdentifier>string</PublicationIdenti
                                            <PublicationPage>string</PublicationPage>
                                            <PublicationSection>string</PublicationSection>
                                            <PublicationSubsection>string</PublicationSubsec
                                    </RecordPublication>
                            </recordPublicationDetails>
                            <RecordReference>string</RecordReference>
                            <recordUseIntentDetails>
                                    <RecordUseIntentCountryCode>string</RecordUseIntentCountr
                            </recordUseIntentDetails>
                            <representativeDetails>
                                    <Representative operationCode="string">
                                            <any>
                                            </any>
                                            <comment languageCode="string" sequenceNumber="0
                                                    <value>string</value>
                                            </comment>
                                            <representativeAddressBook>
                                                    <AddressLanguageCode>AA</AddressLangua
                                                    <any>
                                                    </any>
                                                    <contactInformationDetails>
                                                            <Email>string</Email>
                                                            <Fax>string</Fax>
                                                            <OtherElectronicAddress>stri
                                                            <Phone phoneKind="string">
                                                                    <value>string</valu
                                                            </Phone>
                                                            <URL>string</URL>
                                                    </contactInformationDetails>
                                                    <formattedNameAddress>
                                                            <address>
                                                                    <AddressCountryCode
                                                                    <any>
                                                                    </any>
                                                                    <formattedAddress>
                                                                            <AddressB
                                                                            <AddressC
                                                                            <AddressC
                                                                            <AddressP
                                                                            <AddressL

                                                                            </Address
                                                                            <AddressM
                                                                            <AddressP
                                                                            <AddressP
                                                                            <AddressR
                                                                            <AddressS
                                                                            <AddressS
                                                                            <Formatte
                                                                    </formattedAddress>
                                                                    <freeFormatAddress>
                                                                            <FreeForm
```

```xml
                                    </FreeFor
                              </freeFormatAddress
                        </address>
                        <any>
                        </any>
                        <name>
                              <any>
                              </any>
                              <formattedName>
                                    <FirstNam
                                    <Gender>M
                                    <Individu
                                    <LastName
                                    <MiddleNa
                                    <NamePref
                                    <NameSuff
                                    <NameSyno
                                    <Organiza
                                    <Organiza
                                    <PersonRo
                                    <SecondLa
                              </formattedName>
                              <freeFormatName>
                                    <any>
                                    </any>
                                    <freeForm


                                    </freeFor
                                    <NameKind
                              </freeFormatName>
                        </name>
                  </formattedNameAddress>
                  <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine l
                              <value>string</val
                        </FreeFormatNameAddressLine>
                  </freeFormatAddressDetails>
                  <PostalAddress>string</PostalAddress>
            </representativeAddressBook>
            <RepresentativeIdentifier identifierKindCode="AD
                  <value>string</value>
            </RepresentativeIdentifier>
            <RepresentativeIncorporationCountryCode>AD</Repr
            <RepresentativeIncorporationState>string</Repres
            <RepresentativeKindCode>string</RepresentativeKi
            <RepresentativeLegalEntity>string</Representativ
            <RepresentativeNationalityCode>string</Represent
            <RepresentativeSequenceNumber>0</RepresentativeS
            <representativeVersion>
                  <any>
                  </any>
                  <comment languageCode="string" sequenc
                        <value>string</value>
                  </comment>
                  <versionDate>
```

```xml
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractio
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</
                                                <namespaceURI>stri
                                                <prefix>string</pre
                                        </xmlschemaType>
                                        <year>0</year>
                                </versionDate>
                                <versionDateTime>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractio
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</
                                                <namespaceURI>stri
                                                <prefix>string</pre
                                        </xmlschemaType>
                                        <year>0</year>
                                </versionDateTime>
                                <VersionNumber>string</VersionNumber>
                        </representativeVersion>
                </Representative>
                <RepresentativeKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </RepresentativeKey>
        </representativeDetails>
        <tradeMarkKeyDetails>
                <TradeMarkKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </TradeMarkKey>
        </tradeMarkKeyDetails>
```

```
                    </basicRecord>
                    <recordChangeNameAddress>
                            <any>
                            </any>
                            <claimantDetails>
                                    <Claimant operationCode="string">
                                            <any>
                                            </any>
                                            <claimantAddressBook>
                                                    <AddressLanguageCode>AA</AddressLangua
                                                    <any>
                                                    </any>
                                                    <contactInformationDetails>
                                                            <Email>string</Email>
                                                            <Fax>string</Fax>
                                                            <OtherElectronicAddress>stri
                                                            <Phone phoneKind="string">
                                                                    <value>string</valu
                                                            </Phone>
                                                            <URL>string</URL>
                                                    </contactInformationDetails>
                                                    <formattedNameAddress>
                                                            <address>
                                                                    <AddressCountryCod
                                                                    <any>
                                                                    </any>
                                                                    <formattedAddress>
                                                                            <AddressE
                                                                            <AddressC
                                                                            <AddressC
                                                                            <AddressF
                                                                            <AddressL

                                                                            </Address
                                                                            <AddressM
                                                                            <AddressP
                                                                            <AddressP
                                                                            <AddressR
                                                                            <AddressS
                                                                            <AddressS
                                                                            <Formatte
                                                                    </formattedAddress
                                                                    <freeFormatAddress
                                                                            <FreeForm

                                                                            </FreeFor
                                                                    </freeFormatAddress
                                                            </address>
                                                            <any>
                                                            </any>
                                                            <name>
                                                                    <any>
                                                                    </any>
                                                                    <formattedName>
                                                                            <FirstNam
                                                                            <Gender>M
                                                                            <Individu
```

```
                              <LastName
                              <MiddleNa
                              <NamePref
                              <NameSuff
                              <NameSync
                              <Organiza
                              <Organiza
                              <PersonRo
                              <SecondLa
                      </formattedName>
                      <freeFormatName>
                              <any>
                              </any>
                              <freeForm


                              </freeFor
                              <NameKinc
                      </freeFormatName>
              </name>
      </formattedNameAddress>
      <freeFormatAddressDetails>
              <FreeFormatNameAddressLine l
                      <value>string</valu
              </FreeFormatNameAddressLine>
      </freeFormatAddressDetails>
      <PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
      <any>
      </any>
      <entitlementDomiciled>
              <entitlementDomiciledAddress
                      <AddressLanguageCoc
                      <any>
                      </any>
                      <contactInformation
                              <Email>st
                              <Fax>stri
                              <OtherEle
                              <Phone ph


                              </Phone>
                              <URL>stri
                      </contactInformatic
                      <formattedNameAddre
                              <address>
```

```
                                                                    </address
                                                                    <any>
                                                                    </any>
                                                                    <name>
```

```
                                                            </name>
                                                        </formattedNameAddr
                                                        <freeFormatAddress
                                                            <FreeForm

                                                            </FreeFor
                                                        </freeFormatAddress
                                                        <PostalAddress>str
                                                    </entitlementDomiciledAddres
                                                    <EntitlementDomiciledCode>st
                                            </entitlementDomiciled>
                                            <entitlementEstablishment>
```

Code	Description

```xml
<entitlementEstablishmentAdd
    <AddressLanguageCo
    <any>
    </any>
    <contactInformatio
            <Email>st
            <Fax>stri
            <OtherEle
            <Phone ph

            </Phone>
            <URL>stri
    </contactInformati
    <formattedNameAddr
            <address>

            </address
            <any>
            </any>
            <name>
```

```
                                                            </name>
                                                    </formattedNameAddr
                                            <freeFormatAddress
                                                    <FreeForm

                                                    </FreeFor
                                            </freeFormatAddress
                                            <PostalAddress>str
                                    </entitlementEstablishmentAd
                                    <EntitlementEstablishmentCod
                            </entitlementEstablishment>
                            <EntitlementNationalityCode>string</En
                    </claimantEntitlement>
                    <ClaimantIdentifier identifierKindCode="AD">
                            <value>string</value>
                    </ClaimantIdentifier>
                    <ClaimantIncorporationCountryCode>AD</ClaimantIr
                    <ClaimantIncorporationState>string</ClaimantInc
                    <ClaimantLegalEntity>string</ClaimantLegalEntity
                    <ClaimantNationalityCode>string</ClaimantNationa
                    <ClaimantSequenceNumber>0</ClaimantSequenceNumbe
                    <comment languageCode="string" sequenceNumber="0
                            <value>string</value>
                    </comment>
            </Claimant>
            <ClaimantKey>
                    <any>
                    </any>
                    <Identifier identifierKindCode="AD">
                            <value>string</value>
                    </Identifier>
            </ClaimantKey>
    </claimantDetails>
    <correspondenceAddress>
            <any>
            </any>
            <correspondenceAddressBook>
                    <AddressLanguageCode>AA</AddressLanguageCode>
                    <any>
                    </any>
                    <contactInformationDetails>
                            <Email>string</Email>
                            <Fax>string</Fax>
                            <OtherElectronicAddress>string</OtherE
                            <Phone phoneKind="string">
```

```
                                        <value>string</value>
                            </Phone>
                            <URL>string</URL>
                </contactInformationDetails>
                <formattedNameAddress>
                            <address>
                                        <AddressCountryCode>string</
                                        <any>
                                        </any>
                                        <formattedAddress>
                                                    <AddressBuilding>st
                                                    <AddressCity>string
                                                    <AddressCounty>stri
                                                    <AddressFloor>strir
                                                    <AddressLine langua
                                                                <value>st
                                                    </AddressLine>
                                                    <AddressMailCode>st
                                                    <AddressPostOfficeB
                                                    <AddressPostcode>st
                                                    <AddressRoom>string
                                                    <AddressState>strir
                                                    <AddressStreet>stri
                                                    <FormattedAddressCo
                                        </formattedAddress>
                                        <freeFormatAddress>
                                                    <FreeFormatAddressI
                                                                <value>st
                                                    </FreeFormatAddress
                                        </freeFormatAddress>
                            </address>
                            <any>
                            </any>
                            <name>
                                        <any>
                                        </any>
                                        <formattedName>
                                                    <FirstName>string</
                                                    <Gender>MALE</Gende
                                                    <IndividualIdentifi
                                                    <LastName>string</L
                                                    <MiddleName>string<
                                                    <NamePrefix>string<
                                                    <NameSuffix>string<
                                                    <NameSynonym>string
                                                    <OrganizationDepart
                                                    <OrganizationName>s
                                                    <PersonRole>string<
                                                    <SecondLastName>st
                                        </formattedName>
                                        <freeFormatName>
                                                    <any>
                                                    </any>
                                                    <freeFormatNameDeta
                                                                <FreeForm

                                                                </FreeFor
```

```
                                                            </freeFormatNameDe
                                                        <NameKind>string</N
                                                    </freeFormatName>
                                            </name>
                                    </formattedNameAddress>
                                    <freeFormatAddressDetails>
                                            <FreeFormatNameAddressLine languageCod
                                                    <value>string</value>
                                            </FreeFormatNameAddressLine>
                                    </freeFormatAddressDetails>
                                    <PostalAddress>string</PostalAddress>
                            </correspondenceAddressBook>
                            <CorrespondenceAddressIdentifier identifierKindCode="AD">
                                    <value>string</value>
                            </CorrespondenceAddressIdentifier>
                            <CorrespondenceAddressParty>string</CorrespondenceAddress
                    </correspondenceAddress>
                    <holderDetails>
                            <NewHolder operationCode="string">
                                    <any>
                                    </any>
                                    <applicantAddressBook>
                                            <AddressLanguageCode>AA</AddressLangua
                                            <any>
                                            </any>
                                            <contactInformationDetails>
                                                    <Email>string</Email>
                                                    <Fax>string</Fax>
                                                    <OtherElectronicAddress>stri
                                                    <Phone phoneKind="string">
                                                            <value>string</valu
                                                    </Phone>
                                                    <URL>string</URL>
                                            </contactInformationDetails>
                                            <formattedNameAddress>
                                                    <address>
                                                            <AddressCountryCod
                                                            <any>
                                                            </any>
                                                            <formattedAddress>
                                                                    <AddressE
                                                                    <AddressC
                                                                    <AddressC
                                                                    <AddressP
                                                                    <AddressL

                                                                    </Address
                                                                    <AddressM
                                                                    <AddressP
                                                                    <AddressP
                                                                    <AddressR
                                                                    <AddressS
                                                                    <AddressS
                                                                    <Formatte
                                                            </formattedAddress
                                                            <freeFormatAddress
                                                                    <FreeForm
```

```xml
                                </FreeFor
                        </freeFormatAddress
                </address>
                <any>
                </any>
                <name>
                        <any>
                        </any>
                        <formattedName>
                                <FirstNam
                                <Gender>M
                                <Individu
                                <LastName
                                <MiddleNa
                                <NamePref
                                <NameSuff
                                <NameSync
                                <Organiza
                                <Organiza
                                <PersonRo
                                <SecondLa
                        </formattedName>
                        <freeFormatName>
                                <any>
                                </any>
                                <freeForm


                                </freeFor
                                <NameKind
                        </freeFormatName>
                </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                <FreeFormatNameAddressLine l
                        <value>string</valu
                </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
</applicantAddressBook>
<applicantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
                <entitlementDomiciledAddress
                        <AddressLanguageCod
                        <any>
                        </any>
                        <contactInformatior
                                <Email>st
                                <Fax>stri
                                <OtherEle
                                <Phone ph

                                </Phone>
```

Code	Description

```
            <URL>stri
        </contactInformatio
        <formattedNameAddre
            <address>
            </address
            <any>
            </any>
            <name>
```

```
                                    </name>
                                </formattedNameAddr
                                <freeFormatAddressE
                                    <FreeForm

                                    </FreeFor
                                </freeFormatAddress
                                <PostalAddress>str
                            </entitlementDomiciledAddres
                            <EntitlementDomiciledCode>st
                        </entitlementDomiciled>
                        <entitlementEstablishment>
                            <entitlementEstablishmentAdd
                                <AddressLanguageCo
                                <any>
                                </any>
                                <contactInformatio
                                    <Email>st
                                    <Fax>stri
                                    <OtherEle
                                    <Phone ph

                                    </Phone>
                                    <URL>stri
                                </contactInformatio
                                <formattedNameAddre
                                    <address>

                                    </address
                                <any>
                                </any>
                                <name>
```

```
                            </name>
                        </formattedNameAddr
                    <freeFormatAddressD
                        <FreeForm

                        </FreeFor
                    </freeFormatAddress
                    <PostalAddress>str
                </entitlementEstablishmentAd
                <EntitlementEstablishmentCod
            </entitlementEstablishment>
            <EntitlementNationalityCode>string</En
        </applicantEntitlement>
        <ApplicantIdentifier identifierKindCode="AD">
                <value>string</value>
        </ApplicantIdentifier>
        <ApplicantIncorporationCountryCode>AD</Applicant
        <ApplicantIncorporationState>string</ApplicantI
        <ApplicantLegalEntity>string</ApplicantLegalEnti
        <ApplicantNationalityCode>string</ApplicantNatio
        <ApplicantSequenceNumber>0</ApplicantSequenceNum
        <applicantVersion>
                <any>
                </any>
                <comment languageCode="string" sequenc
                        <value>string</value>
                </comment>
                <versionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractio
```

```xml
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</
                        <namespaceURI>stri
                        <prefix>string</pre
                </xmlschemaType>
                <year>0</year>
        </versionDate>
        <versionDateTime>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractio
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</
                        <namespaceURI>stri
                        <prefix>string</pre
                </xmlschemaType>
                <year>0</year>
        </versionDateTime>
        <VersionNumber>string</VersionNumber>
</applicantVersion>
<comment languageCode="string" sequenceNumber="0
        <value>string</value>
</comment>
</NewHolder>
<PreviousHolder operationCode="string">
        <any>
        </any>
        <applicantAddressBook>
                <AddressLanguageCode>AA</AddressLangua
                <any>
                </any>
                <contactInformationDetails>
                        <Email>string</Email>
                        <Fax>string</Fax>
                        <OtherElectronicAddress>stri
                        <Phone phoneKind="string">
                                <value>string</valu
                        </Phone>
                        <URL>string</URL>
                </contactInformationDetails>
                <formattedNameAddress>
                        <address>
```

```xml
<AddressCountryCode
<any>
</any>
<formattedAddress>
        <AddressE
        <AddressC
        <AddressC
        <AddressF
        <AddressL

        </Address
        <AddressM
        <AddressP
        <AddressP
        <AddressR
        <AddressS
        <AddressS
        <Formatte
</formattedAddress>
<freeFormatAddress
        <FreeForm

        </FreeFor
</freeFormatAddress
</address>
<any>
</any>
<name>
        <any>
        </any>
        <formattedName>
                <FirstNam
                <Gender>M
                <Individu
                <LastName
                <MiddleNa
                <NamePref
                <NameSuff
                <NameSync
                <Organiza
                <Organiza
                <PersonRc
                <SecondLa
        </formattedName>
        <freeFormatName>
                <any>
                </any>
                <freeForm

                </freeFor
                <NameKinc
        </freeFormatName>
</name>
</formattedNameAddress>
<freeFormatAddressDetails>
```

```xml
                    <FreeFormatNameAddressLine l
                        <value>string</val
                    </FreeFormatNameAddressLine>
            </freeFormatAddressDetails>
            <PostalAddress>string</PostalAddress>
    </applicantAddressBook>
    <applicantEntitlement>
            <any>
            </any>
            <entitlementDomiciled>
                    <entitlementDomiciledAddress
                        <AddressLanguageCo
                        <any>
                        </any>
                        <contactInformation
                            <Email>st
                            <Fax>stri
                            <OtherEle
                            <Phone ph

                            </Phone>
                            <URL>stri
                        </contactInformatic
                        <formattedNameAddr
                            <address>

                            </address
                            <any>
                            </any>
                            <name>
```

```
                </name>
            </formattedNameAddr
        <freeFormatAddressD
                <FreeForm

                </FreeFor
            </freeFormatAddress
            <PostalAddress>str
        </entitlementDomiciledAddres
        <EntitlementDomiciledCode>st
    </entitlementDomiciled>
    <entitlementEstablishment>
        <entitlementEstablishmentAdd
                <AddressLanguageCod
                <any>
                </any>
                <contactInformatio
                    <Email>st
                    <Fax>stri
                    <OtherEle
                    <Phone ph

                    </Phone>
                    <URL>stri
                </contactInformatic
            <formattedNameAddr
                    <address>
```

```
				</address
			<any>
			</any>
			<name>
```

```
				</name>
			</formattedNameAddr
			<freeFormatAddress[
					<FreeForm

				</FreeFor
			</freeFormatAddress
			<PostalAddress>str
		</entitlementEstablishmentAd
		<EntitlementEstablishmentCod
	</entitlementEstablishment>
```

```xml
            <EntitlementNationalityCode>string</En
    </applicantEntitlement>
    <ApplicantIdentifier identifierKindCode="AD">
            <value>string</value>
    </ApplicantIdentifier>
    <ApplicantIncorporationCountryCode>AD</Applicant
    <ApplicantIncorporationState>string</ApplicantIr
    <ApplicantLegalEntity>string</ApplicantLegalEnti
    <ApplicantNationalityCode>string</ApplicantNatic
    <ApplicantSequenceNumber>0</ApplicantSequenceNum
    <applicantVersion>
            <any>
            </any>
            <comment languageCode="string" sequenc
                    <value>string</value>
            </comment>
            <versionDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractio
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</
                            <namespaceURI>strir
                            <prefix>string</pre
                    </xmlschemaType>
                    <year>0</year>
            </versionDate>
            <versionDateTime>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractio
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</
                            <namespaceURI>strir
                            <prefix>string</pre
                    </xmlschemaType>
                    <year>0</year>
            </versionDateTime>
            <VersionNumber>string</VersionNumber>
    </applicantVersion>
    <comment languageCode="string" sequenceNumber="6
```

```xml
                                <value>string</value>
                        </comment>
                    </PreviousHolder>
            </holderDetails>
            <RecordChangeNameAddressKind>string</RecordChangeNameAddressKind>
            <RecordCurrentStatusCode>string</RecordCurrentStatusCode>
            <recordCurrentStatusDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </recordCurrentStatusDate>
            <recordDocumentDetails>
                    <RecordDocument>
                            <any>
                            </any>
                            <comment languageCode="string" sequenceNumber="0
                                    <value>string</value>
                            </comment>
                            <DocumentBinary>string</DocumentBinary>
                            <documentDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </documentDate>
                            <DocumentFileFormat>string</DocumentFileFormat>
                            <DocumentFilename>string</DocumentFilename>
                            <DocumentLanguageCode>AA</DocumentLanguageCode>
                            <DocumentLocation>string</DocumentLocation>
                            <DocumentMedia>string</DocumentMedia>
```

```xml
                                                <DocumentName>string</DocumentName>
                                                <DocumentSizeInByte>0</DocumentSizeInByte>
                                                <DocumentVersion>string</DocumentVersion>
                                </RecordDocument>
                </recordDocumentDetails>
                <recordEffectiveDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordEffectiveDate>
                <recordEventDetails>
                        <RecordEvent>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
                                </comment>
                                <RecordEventCode>string</RecordEventCode>
                                <recordEventDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventDate>
                                <recordEventDateTime>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
```

```xml
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </recordEventDateTime>
                            <recordEventResponseDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </recordEventResponseDate>
                    </RecordEvent>
            </recordEventDetails>
            <recordFilingDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </recordFilingDate>
            <RecordIdentifier>string</RecordIdentifier>
            <RecordLanguageCode>string</RecordLanguageCode>
            <recordNotificationDate>
                    <day>0</day>
```

```
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart>
                                            <namespaceURI>string</namespaceURI>
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                        </recordNotificationDate>
                        <recordPublicationDetails>
                                <RecordPublication>
                                        <any>
                                        </any>
                                        <publicationDate>
                                                <day>0</day>
                                                <eon>0</eon>
                                                <eonAndYear>0</eonAndYear>
                                                <fractionalSecond>0</fractionalSecond>
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart>
                                                        <namespaceURI>string</namesp
                                                        <prefix>string</prefix>
                                                </xmlschemaType>
                                                <year>0</year>
                                        </publicationDate>
                                        <PublicationIdentifier>string</PublicationIdenti
                                        <PublicationPage>string</PublicationPage>
                                        <PublicationSection>string</PublicationSection>
                                        <PublicationSubsection>string</PublicationSubsec
                                </RecordPublication>
                        </recordPublicationDetails>
                        <RecordReference>string</RecordReference>
                        <representativeDetails>
                                <Representative operationCode="string">
                                        <any>
                                        </any>
                                        <comment languageCode="string" sequenceNumber="
                                                <value>string</value>
                                        </comment>
                                        <representativeAddressBook>
                                                <AddressLanguageCode>AA</AddressLangua
                                                <any>
```

```xml
          </any>
          <contactInformationDetails>
                  <Email>string</Email>
                  <Fax>string</Fax>
                  <OtherElectronicAddress>stri
                  <Phone phoneKind="string">
                          <value>string</valu
                  </Phone>
                  <URL>string</URL>
          </contactInformationDetails>
          <formattedNameAddress>
                  <address>
                          <AddressCountryCod
                          <any>
                          </any>
                          <formattedAddress>
                                  <AddressB
                                  <AddressC
                                  <AddressC
                                  <AddressF
                                  <AddressL

                                  </Address
                                  <AddressM
                                  <AddressP
                                  <AddressP
                                  <AddressR
                                  <AddressS
                                  <AddressS
                                  <Formatte
                          </formattedAddress
                          <freeFormatAddress
                                  <FreeForm

                                  </FreeFor
                          </freeFormatAddress
                  </address>
                  <any>
                  </any>
                  <name>
                          <any>
                          </any>
                          <formattedName>
                                  <FirstNam
                                  <Gender>M
                                  <Individu
                                  <LastName
                                  <MiddleNa
                                  <NamePref
                                  <NameSuff
                                  <NameSync
                                  <Organiza
                                  <Organiza
                                  <PersonRo
                                  <SecondLa
                          </formattedName>
                          <freeFormatName>
```

```
                                        <any>
                                        </any>
                                        <freeForm
                                        
                                        
                                        </freeFor
                                        <NameKind
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine 1
                                <value>string</valu
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </representativeAddressBook>
        <RepresentativeIdentifier identifierKindCode="AD
                <value>string</value>
        </RepresentativeIdentifier>
        <RepresentativeIncorporationCountryCode>AD</Repr
        <RepresentativeIncorporationState>string</Repres
        <RepresentativeKindCode>string</RepresentativeKi
        <RepresentativeLegalEntity>string</Representativ
        <RepresentativeNationalityCode>string</Represent
        <RepresentativeSequenceNumber>0</RepresentativeS
        <representativeVersion>
                <any>
                </any>
                <comment languageCode="string" sequenc
                        <value>string</value>
                </comment>
                <versionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractio
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</
                                <namespaceURI>strin
                                <prefix>string</pre
                        </xmlschemaType>
                        <year>0</year>
                </versionDate>
                <versionDateTime>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractio
```

```xml
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</
                                                <namespaceURI>strin
                                                <prefix>string</pre
                                        </xmlschemaType>
                                        <year>0</year>
                                </versionDateTime>
                                <VersionNumber>string</VersionNumber>
                        </representativeVersion>
                </Representative>
                <RepresentativeKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </RepresentativeKey>
        </representativeDetails>
        <tradeMarkKeyDetails>
                <TradeMarkKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </TradeMarkKey>
        </tradeMarkKeyDetails>
</recordChangeNameAddress>
<recordLicence>
        <any>
        </any>
        <claimantDetails>
                <Claimant operationCode="string">
                        <any>
                        </any>
                        <claimantAddressBook>
                                <AddressLanguageCode>AA</AddressLangua
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>stri
                                        <Phone phoneKind="string">
                                                <value>string</valu
                                        </Phone>
                                        <URL>string</URL>
                                </contactInformationDetails>
                                <formattedNameAddress>
                                        <address>
```

```
                                        <AddressCountryCode
                                        <any>
                                        </any>
                                        <formattedAddress>
                                                <AddressE
                                                <AddressC
                                                <AddressC
                                                <AddressF
                                                <AddressL

                                                </Address
                                                <AddressM
                                                <AddressP
                                                <AddressP
                                                <AddressR
                                                <AddressS
                                                <AddressS
                                                <Formatte
                                        </formattedAddress
                                        <freeFormatAddress
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatAddress
                                </address>
                                <any>
                                </any>
                                <name>
                                        <any>
                                        </any>
                                        <formattedName>
                                                <FirstNam
                                                <Gender>M
                                                <Individu
                                                <LastName
                                                <MiddleNa
                                                <NamePref
                                                <NameSuff
                                                <NameSync
                                                <Organiza
                                                <Organiza
                                                <PersonRo
                                                <SecondLa
                                        </formattedName>
                                        <freeFormatName>
                                                <any>
                                                </any>
                                                <freeForm

                                                </freeFor
                                                <NameKind
                                        </freeFormatName>
                                </name>
                        </formattedNameAddress>
                        <freeFormatAddressDetails>
```

```xml
                    <FreeFormatNameAddressLine l
                        <value>string</val
                    </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
            </claimantAddressBook>
            <claimantEntitlement>
                <any>
                </any>
                <entitlementDomiciled>
                    <entitlementDomiciledAddress
                        <AddressLanguageCo
                        <any>
                        </any>
                        <contactInformation
                            <Email>st
                            <Fax>stri
                            <OtherEle
                            <Phone ph

                            </Phone>
                            <URL>stri
                        </contactInformatic
                        <formattedNameAddr
                            <address>




                            </address
                            <any>
                            </any>
                            <name>
```

```
                </name>
            </formattedNameAddr
        <freeFormatAddress
                <FreeForm

                </FreeFor
        </freeFormatAddress
        <PostalAddress>str
    </entitlementDomiciledAddres
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
        <entitlementEstablishmentAdd
                <AddressLanguageCo
                <any>
                </any>
                <contactInformatio
                        <Email>st
                        <Fax>stri
                        <OtherEle
                        <Phone ph

                        </Phone>
                        <URL>stri
                </contactInformatio
        <formattedNameAddr
                <address>
```

Code	Description

```
                                                                    </address
                                                         <any>
                                                         </any>
                                                         <name>




                                                   </name>
                                            </formattedNameAddr
                                            <freeFormatAddress[
                                                   <FreeForm

                                                   </FreeFor
                                            </freeFormatAddress
                                            <PostalAddress>str
                                     </entitlementEstablishmentAd
                                     <EntitlementEstablishmentCod
                              </entitlementEstablishment>
```

```xml
                                        <EntitlementNationalityCode>string</En
                                </claimantEntitlement>
                                <ClaimantIdentifier identifierKindCode="AD">
                                        <value>string</value>
                                </ClaimantIdentifier>
                                <ClaimantIncorporationCountryCode>AD</ClaimantIn
                                <ClaimantIncorporationState>string</ClaimantInco
                                <ClaimantLegalEntity>string</ClaimantLegalEntity
                                <ClaimantNationalityCode>string</ClaimantNationa
                                <ClaimantSequenceNumber>0</ClaimantSequenceNumbe
                                <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
                                </comment>
                        </Claimant>
                        <ClaimantKey>
                                <any>
                                </any>
                                <Identifier identifierKindCode="AD">
                                        <value>string</value>
                                </Identifier>
                        </ClaimantKey>
                </claimantDetails>
                <licenceDetails>
                        <Licence>
                                <any>
                                </any>
                                <goodsServicesLimitation>
                                        <any>
                                        </any>
                                        <comment languageCode="string" sequenc
                                                <value>string</value>
                                        </comment>
                                        <GoodsServicesLimitationCode>string</G
                                        <limitationClassDescriptionDetails>
                                                <ClassDescription>
                                                        <any>
                                                        </any>
                                                        <ClassNumber>0</Cla
                                                        <ClassNumberStatus
                                                        <classificationTer
                                                                <Classifi
```

Code	Description

```xml
                    </Classif
                </classificationTe
                <GoodsServicesDescr
                        <value>st
                </GoodsServicesDes
                <UseNiceHeadingInd
            </ClassDescription>
        </limitationClassDescriptionDetails>
        <limitationCountryDetails>
                <LimitationCountryCode>strin
        </limitationCountryDetails>
    </goodsServicesLimitation>
    <GoodsServicesLimitationIndicator>true</GoodsSer
    <licenceDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart
                    <namespaceURI>string</namesp
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </licenceDate>
    <licenceDocumentDetails>
            <LicenceDocument>
```

```
<any>
</any>
<comment languageCode="strin
        <value>string</valu
</comment>
<DocumentBinary>string</Docu
<documentDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonA
        <fractionalSecond>0
        <hour>0</hour>
        <millisecond>0</mil
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezo
        <valid>true</valid
        <xmlschemaType>
                <localPar
                <namespac
                <prefix>s
        </xmlschemaType>
        <year>0</year>
</documentDate>
<DocumentFileFormat>string</
<DocumentFilename>string</Do
<DocumentLanguageCode>AA</Do
<DocumentLocation>string</Do
<DocumentMedia>string</Docum
<DocumentName>string</Docume
<DocumentSizeInByte>0</Docum
<DocumentVersion>string</Doc
        </LicenceDocument>
</licenceDocumentDetails>
<licenceEventDetails>
        <LicenceEvent>
                <any>
                </any>
                <comment languageCode="strin
                        <value>string</valu
                </comment>
                <LicenceEventCode>string</Li
                <licenceEventDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonA
                        <fractionalSecond>0
                        <hour>0</hour>
                        <millisecond>0</mil
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezo
                        <valid>true</valid
                        <xmlschemaType>
                                <localPar
```

```xml
                            <namespac
                            <prefix>s
                    </xmlschemaType>
                    <year>0</year>
                </licenceEventDate>
                <licenceEventDateTime>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonA
                    <fractionalSecond>0
                    <hour>0</hour>
                    <millisecond>0</mil
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezo
                    <valid>true</valid
                    <xmlschemaType>
                            <localPar
                            <namespac
                            <prefix>s
                    </xmlschemaType>
                    <year>0</year>
                </licenceEventDateTime>
                <licenceEventResponseDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonA
                    <fractionalSecond>0
                    <hour>0</hour>
                    <millisecond>0</mil
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezo
                    <valid>true</valid
                    <xmlschemaType>
                            <localPar
                            <namespac
                            <prefix>s
                    </xmlschemaType>
                    <year>0</year>
                </licenceEventResponseDate>
            </LicenceEvent>
        </licenceEventDetails>
        <LicenceIdentifier>string</LicenceIdentifier>
        <LicenceKind>string</LicenceKind>
        <LicenceNumber>string</LicenceNumber>
        <LicenceReference>string</LicenceReference>
        <LicenceStatusCode>string</LicenceStatusCode>
        <licenseeDetails>
            <Licensee operationCode="string">
                <any>
                </any>
                <comment languageCode="strin
                    <value>string</valu
                </comment>
```

Code	Description

```
<licenseeAddressBook>
    <AddressLanguageCod
    <any>
    </any>
    <contactInformation
        <Email>st
        <Fax>stri
        <OtherEle
        <Phone ph

        </Phone>
        <URL>stri
    </contactInformatio
    <formattedNameAddre
        <address>




                                    </address
        <any>
        </any>
        <name>
```

```
                        </name>
            </formattedNameAddr
        <freeFormatAddressD
                <FreeForm

                </FreeFo
            </freeFormatAddress
        <PostalAddress>str
    </licenseeAddressBook>
    <licenseeEntitlement>
            <any>
            </any>
            <entitlementDomicil
                    <entitlem
```

Code **Description**

```
                                                            </entitle
                                                           <Entitlem
                                                    </entitlementDomic:
                                              <entitlementEstabl:
                                                      <entitlem
```

Code   **Description**

```xml
                                        </entitle
                                <Entitlem
                        </entitlementEstabl
                        <EntitlementNationa
                </licenseeEntitlement>
                <LicenseeIdentifier identifi
                        <value>string</valu
                </LicenseeIdentifier>
                <LicenseeIncorporationCountr
                <LicenseeIncorporationState>
                <LicenseeLegalEntity>string<
                <LicenseeNationalityCode>str
                <LicenseeSequenceNumber>0</L
        </Licensee>
    </licenseeDetails>
    <periodLimitationEndDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart
                    <namespaceURI>string</namesp
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </periodLimitationEndDate>
    <PeriodLimitationIndicator>true</PeriodLimitatio
    <periodLimitationStartDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
```

```xml
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart
                        <namespaceURI>string</namesp
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </periodLimitationStartDate>
        <periodLimitationText languageCode="string" sequ
                <value>string</value>
        </periodLimitationText>
        <RelatedLicenceIdentifier>string</RelatedLicence
        <representativeDetails>
                <Representative operationCode="string"
                        <any>
                        </any>
                        <comment languageCode="strin
                                <value>string</valu
                        </comment>
                        <representativeAddressBook>
                                <AddressLanguageCod
                                <any>
                                </any>
                                <contactInformation
                                        <Email>st
                                        <Fax>stri
                                        <OtherEle
                                        <Phone ph

                                        </Phone>
                                        <URL>stri
                                </contactInformatio
                                <formattedNameAddre
                                        <address>
```

```
                                                          </address
                                                <any>
                                                </any>
                                                <name>




                                                </name>
                                        </formattedNameAddr
                                        <freeFormatAddress[
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatAddress
                                        <PostalAddress>str
                                </representativeAddressBook>
                                <RepresentativeIdentifier id
                                        <value>string</val
                                </RepresentativeIdentifier>
                                <RepresentativeIncorporation
                                <RepresentativeIncorporation
                                <RepresentativeKindCode>str
                                <RepresentativeLegalEntity>s
                                <RepresentativeNationalityCo
                                <RepresentativeSequenceNumbe
                                <representativeVersion>
                                        <any>
                                        </any>
                                        <comment languageCo
                                                <value>st
                                        </comment>
                                        <versionDate>
```

```xml
                                        <day>0</d
                                        <eon>0</e
                                        <eonAndYe
                                        <fraction
                                        <hour>0</
                                        <millisec
                                        <minute>0
                                        <month>0<
                                        <second>0
                                        <timezone
                                        <valid>tr
                                        <xmlschem


                                        </xmlsche
                                        <year>0</
                                </versionDate>
                                <versionDateTime>
                                        <day>0</d
                                        <eon>0</e
                                        <eonAndYe
                                        <fraction
                                        <hour>0</
                                        <millisec
                                        <minute>0
                                        <month>0<
                                        <second>0
                                        <timezone
                                        <valid>tr
                                        <xmlschem


                                        </xmlsche
                                        <year>0</
                                </versionDateTime>
                                <VersionNumber>str
                        </representativeVersion>
                </Representative>
                <RepresentativeKey>
                        <any>
                        </any>
                        <Identifier identifierKindCo
                                <value>string</valu
                        </Identifier>
                </RepresentativeKey>
        </representativeDetails>
        <SubLicenceIndicator>true</SubLicenceIndicator>
        <TerritoryLimitationIndicator>true</TerritoryLim
        <territoryLimitationText languageCode="string" s
                <value>string</value>
        </territoryLimitationText>
</Licence>
</licenceDetails>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
```

```xml
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordCurrentStatusDate>
                                <recordDesignatedCountryDetails>
                                        <RecordDesignatedCountryCode>string</RecordDesignatedCoun
                                </recordDesignatedCountryDetails>
                                <recordDocumentDetails>
                                        <RecordDocument>
                                                <any>
                                                </any>
                                                <comment languageCode="string" sequenceNumber="0
                                                        <value>string</value>
                                                </comment>
                                                <DocumentBinary>string</DocumentBinary>
                                                <documentDate>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
                                                        <second>0</second>
                                                        <timezone>0</timezone>
                                                        <valid>true</valid>
                                                        <xmlschemaType>
                                                                <localPart>string</localPart
                                                                <namespaceURI>string</namesp
                                                                <prefix>string</prefix>
                                                        </xmlschemaType>
                                                        <year>0</year>
                                                </documentDate>
                                                <DocumentFileFormat>string</DocumentFileFormat>
                                                <DocumentFilename>string</DocumentFilename>
                                                <DocumentLanguageCode>AA</DocumentLanguageCode>
                                                <DocumentLocation>string</DocumentLocation>
                                                <DocumentMedia>string</DocumentMedia>
                                                <DocumentName>string</DocumentName>
                                                <DocumentSizeInByte>0</DocumentSizeInByte>
                                                <DocumentVersion>string</DocumentVersion>
                                        </RecordDocument>
```

```
                </recordDocumentDetails>
                <recordEffectiveDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordEffectiveDate>
                <recordEventDetails>
                        <RecordEvent>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
                                </comment>
                                <RecordEventCode>string</RecordEventCode>
                                <recordEventDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventDate>
                                <recordEventDateTime>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
```

```xml
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventDateTime>
                                <recordEventResponseDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventResponseDate>
                        </RecordEvent>
                </recordEventDetails>
                <recordFilingDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordFilingDate>
                <RecordIdentifier>string</RecordIdentifier>
                <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
                <RecordLanguageCode>string</RecordLanguageCode>
                <RecordLicenceKind>string</RecordLicenceKind>
                <recordNotificationDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
```

```xml
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordNotificationDate>
                                <recordPublicationDetails>
                                        <RecordPublication>
                                                <any>
                                                </any>
                                                <publicationDate>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
                                                        <second>0</second>
                                                        <timezone>0</timezone>
                                                        <valid>true</valid>
                                                        <xmlschemaType>
                                                                <localPart>string</localPart
                                                                <namespaceURI>string</namesp
                                                                <prefix>string</prefix>
                                                        </xmlschemaType>
                                                        <year>0</year>
                                                </publicationDate>
                                                <PublicationIdentifier>string</PublicationIdenti
                                                <PublicationPage>string</PublicationPage>
                                                <PublicationSection>string</PublicationSection>
                                                <PublicationSubsection>string</PublicationSubsec
                                        </RecordPublication>
                                </recordPublicationDetails>
                                <RecordReference>string</RecordReference>
                                <representativeDetails>
                                        <Representative operationCode="string">
                                                <any>
                                                </any>
                                                <comment languageCode="string" sequenceNumber="0
                                                        <value>string</value>
                                                </comment>
                                                <representativeAddressBook>
                                                        <AddressLanguageCode>AA</AddressLangua
                                                        <any>
                                                        </any>
                                                        <contactInformationDetails>
```

```
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElectronicAddress>stri
        <Phone phoneKind="string">
                <value>string</valu
        </Phone>
        <URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
        <address>
                <AddressCountryCode
                <any>
                </any>
                <formattedAddress>
                        <AddressB
                        <AddressC
                        <AddressC
                        <AddressP
                        <AddressL

                        </Address
                        <AddressM
                        <AddressP
                        <AddressP
                        <AddressR
                        <AddressS
                        <AddressS
                        <Formatte
                </formattedAddress
                <freeFormatAddress
                        <FreeForm

                        </FreeFor
                </freeFormatAddress
        </address>
        <any>
        </any>
        <name>
                <any>
                </any>
                <formattedName>
                        <FirstNam
                        <Gender>M
                        <Individu
                        <LastName
                        <MiddleNa
                        <NamePref
                        <NameSuff
                        <NameSync
                        <Organiza
                        <Organiza
                        <PersonRo
                        <SecondLa
                </formattedName>
                <freeFormatName>
                        <any>
                        </any>
```

```xml
                                <freeForm
                                
                                
                                </freeFor
                                <NameKind
                        </freeFormatName>
                </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                <FreeFormatNameAddressLine l
                        <value>string</val
                </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
</representativeAddressBook>
<RepresentativeIdentifier identifierKindCode="AD
        <value>string</value>
</RepresentativeIdentifier>
<RepresentativeIncorporationCountryCode>AD</Repr
<RepresentativeIncorporationState>string</Repres
<RepresentativeKindCode>string</RepresentativeKi
<RepresentativeLegalEntity>string</Representativ
<RepresentativeNationalityCode>string</Represent
<RepresentativeSequenceNumber>0</RepresentativeS
<representativeVersion>
        <any>
        </any>
        <comment languageCode="string" sequenc
                <value>string</value>
        </comment>
        <versionDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractio
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</
                        <namespaceURI>strin
                        <prefix>string</pre
                </xmlschemaType>
                <year>0</year>
        </versionDate>
        <versionDateTime>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractio
                <hour>0</hour>
                <millisecond>0</millisecond>
```

```
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</
                                                <namespaceURI>strir
                                                <prefix>string</pre
                                        </xmlschemaType>
                                        <year>0</year>
                                </versionDateTime>
                                <VersionNumber>string</VersionNumber>
                        </representativeVersion>
                </Representative>
                <RepresentativeKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </RepresentativeKey>
        </representativeDetails>
        <tradeMarkKeyDetails>
                <TradeMarkKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </TradeMarkKey>
        </tradeMarkKeyDetails>
</recordLicence>
<recordNationalInternationalReplacement>
        <any>
        </any>
        <claimantDetails>
                <Claimant operationCode="string">
                        <any>
                        </any>
                        <claimantAddressBook>
                                <AddressLanguageCode>AA</AddressLangua
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>stri
                                        <Phone phoneKind="string">
                                                <value>string</valu
                                        </Phone>
                                        <URL>string</URL>
                                </contactInformationDetails>
                                <formattedNameAddress>
                                        <address>
                                                <AddressCountryCode
                                                <any>
```

```
                                        </any>
                                        <formattedAddress>
                                                <AddressE
                                                <AddressC
                                                <AddressC
                                                <AddressF
                                                <AddressL

                                                </Address
                                                <AddressM
                                                <AddressF
                                                <AddressF
                                                <AddressR
                                                <AddressS
                                                <AddressS
                                                <Formatte
                                        </formattedAddress
                                        <freeFormatAddress
                                                <FreeForm

                                                </FreeFo
                                        </freeFormatAddress
                                </address>
                                <any>
                                </any>
                                <name>
                                        <any>
                                        </any>
                                        <formattedName>
                                                <FirstNam
                                                <Gender>M
                                                <Individu
                                                <LastName
                                                <MiddleNa
                                                <NamePref
                                                <NameSuff
                                                <NameSync
                                                <Organiza
                                                <Organiza
                                                <PersonRc
                                                <SecondLa
                                        </formattedName>
                                        <freeFormatName>
                                                <any>
                                                </any>
                                                <freeForm

                                                </freeFo
                                                <NameKind
                                        </freeFormatName>
                                </name>
                        </formattedNameAddress>
                        <freeFormatAddressDetails>
                                <FreeFormatNameAddressLine 1
                                        <value>string</valu
```

```xml
                </FreeFormatNameAddressLine>
            </freeFormatAddressDetails>
            <PostalAddress>string</PostalAddress>
    </claimantAddressBook>
    <claimantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
            <entitlementDomiciledAddress
                <AddressLanguageCod
                <any>
                </any>
                <contactInformatio
                    <Email>st
                    <Fax>stri
                    <OtherEle
                    <Phone ph

                    </Phone>
                    <URL>stri
                </contactInformatio
                <formattedNameAddr
                    <address>




















                    </address
                    <any>
                    </any>
                    <name>
```

```xml
        </name>
    </formattedNameAddr
    <freeFormatAddress[
        <FreeForm

        </FreeFor
    </freeFormatAddres:
    <PostalAddress>str
</entitlementDomiciledAddres:
<EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
    <entitlementEstablishmentAdd
        <AddressLanguageCoc
        <contactInformation
            <Email>st
            <Fax>stri
            <OtherEle
            <Phone ph

            </Phone>
            <URL>stri
        </contactInformatic
        <formattedNameAddre
            <address>
```

```
                                                    </address
                                                    <any>
                                                    </any>
                                                    <name>

                                                    </name>
                                                </formattedNameAddr
                                                <freeFormatAddressD
                                                    <FreeForm

                                                    </FreeFor
                                                </freeFormatAddress
                                                <PostalAddress>str
                                            </entitlementEstablishmentAd
                                            <EntitlementEstablishmentCod
                                        </entitlementEstablishment>
                                        <EntitlementNationalityCode>string</En
                                    </claimantEntitlement>
```

Code | Description

```xml
                              <ClaimantIdentifier identifierKindCode="AD">
                                      <value>string</value>
                              </ClaimantIdentifier>
                              <ClaimantIncorporationCountryCode>AD</ClaimantIn
                              <ClaimantIncorporationState>string</ClaimantInco
                              <ClaimantLegalEntity>string</ClaimantLegalEntity
                              <ClaimantNationalityCode>string</ClaimantNationa
                              <ClaimantSequenceNumber>0</ClaimantSequenceNumbe
                              <comment languageCode="string" sequenceNumber="0
                                      <value>string</value>
                              </comment>
                      </Claimant>
                      <ClaimantKey>
                              <any>
                              </any>
                              <Identifier identifierKindCode="AD">
                                      <value>string</value>
                              </Identifier>
                      </ClaimantKey>
              </claimantDetails>
              <goodsServicesLimitationDetails>
                      <GoodsServicesLimitation>
                              <any>
                              </any>
                              <comment languageCode="string" sequenceNumber="0
                                      <value>string</value>
                              </comment>
                              <GoodsServicesLimitationCode>string</GoodsServic
                              <limitationClassDescriptionDetails>
                                      <ClassDescription>
                                              <any>
                                              </any>
                                              <ClassNumber>0</ClassNumber>
                                              <ClassNumberStatusCode>strin
                                              <classificationTermDetails>
                                                      <ClassificationTer
                                                              <any>
                                                              </any>
                                                              <ClassNum
                                                              <classifi
```

```
                                              </classif
                                          <Classifi
                                          <classifi

                                          </classif
                                          <Classifi
                                          <Classifi
                                          <Classifi
                                          <Classifi
                                          <Classifi
                                          <classifi

                                          </classif
                                          <classifi

                                          </classif
                                          <Classifi
                                          <wipobasi
                                  </ClassificationTer
                              </classificationTermDetails>
                              <GoodsServicesDescription la
                                      <value>string</valu
                              </GoodsServicesDescription>
                              <UseNiceHeadingIndicator>tru
                          </ClassDescription>
                      </limitationClassDescriptionDetails>
                      <limitationCountryDetails>
                              <LimitationCountryCode>string</Limitat
                      </limitationCountryDetails>
                  </GoodsServicesLimitation>
              </goodsServicesLimitationDetails>
              <nationalMarkDetails>
                      <NationalMark>
                              <any>
                              </any>
                              <nationalMarkFilingDate>
                                      <day>0</day>
                                      <eon>0</eon>
                                      <eonAndYear>0</eonAndYear>
                                      <fractionalSecond>0</fractionalSecond>
                                      <hour>0</hour>
                                      <millisecond>0</millisecond>
                                      <minute>0</minute>
                                      <month>0</month>
                                      <second>0</second>
                                      <timezone>0</timezone>
                                      <valid>true</valid>
                                      <xmlschemaType>
                                              <localPart>string</localPart
                                              <namespaceURI>string</namesp
                                              <prefix>string</prefix>
                                      </xmlschemaType>
                                      <year>0</year>
                              </nationalMarkFilingDate>
                              <nationalMarkPriorityDate>
                                      <day>0</day>
                                      <eon>0</eon>
```

```xml
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </nationalMarkPriorityDate>
                                <nationalMarkRegistrationDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </nationalMarkRegistrationDate>
                                <NationalMarkRegistrationNumber>string</National
                        </NationalMark>
                </nationalMarkDetails>
                <recordDocumentDetails>
                        <RecordDocument>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
                                </comment>
                                <DocumentBinary>string</DocumentBinary>
                                <documentDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
```

```
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </documentDate>
                                <DocumentFileFormat>string</DocumentFileFormat>
                                <DocumentFilename>string</DocumentFilename>
                                <DocumentLanguageCode>AA</DocumentLanguageCode>
                                <DocumentLocation>string</DocumentLocation>
                                <DocumentMedia>string</DocumentMedia>
                                <DocumentName>string</DocumentName>
                                <DocumentSizeInByte>0</DocumentSizeInByte>
                                <DocumentVersion>string</DocumentVersion>
                        </RecordDocument>
                </recordDocumentDetails>
                <recordEffectiveDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordEffectiveDate>
                <recordEventDetails>
                        <RecordEvent>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
                                </comment>
                                <RecordEventCode>string</RecordEventCode>
                                <recordEventDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
```

```
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </recordEventDate>
                            <recordEventDateTime>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </recordEventDateTime>
                            <recordEventResponseDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </recordEventResponseDate>
                    </RecordEvent>
            </recordEventDetails>
            <recordFilingDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
```

```
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </recordFilingDate>
        <RecordIdentifier>string</RecordIdentifier>
        <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
        <recordNotificationDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </recordNotificationDate>
        <recordPublicationDetails>
                <RecordPublication>
                        <any>
                        </any>
                        <publicationDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart
                                        <namespaceURI>string</namesp
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </publicationDate>
                        <PublicationIdentifier>string</PublicationIdenti
                        <PublicationPage>string</PublicationPage>
                        <PublicationSection>string</PublicationSection>
                        <PublicationSubsection>string</PublicationSubsec
```

```xml
                </RecordPublication>
        </recordPublicationDetails>
        <representativeDetails>
                <Representative operationCode="string">
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="
                                <value>string</value>
                        </comment>
                        <representativeAddressBook>
                                <AddressLanguageCode>AA</AddressLangua
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>stri
                                        <Phone phoneKind="string">
                                                <value>string</val
                                        </Phone>
                                        <URL>string</URL>
                                </contactInformationDetails>
                                <formattedNameAddress>
                                        <address>
                                                <AddressCountryCode
                                                <any>
                                                </any>
                                                <formattedAddress>
                                                        <AddressE
                                                        <AddressC
                                                        <AddressC
                                                        <AddressP
                                                        <AddressL

                                                        </Address
                                                        <AddressM
                                                        <AddressP
                                                        <AddressP
                                                        <AddressR
                                                        <AddressS
                                                        <AddressS
                                                        <Formatte
                                                </formattedAddress
                                                <freeFormatAddress
                                                        <FreeForm

                                                        </FreeFor
                                                </freeFormatAddress
                                        </address>
                                        <any>
                                        </any>
                                        <name>
                                                <any>
                                                </any>
                                                <formattedName>
                                                        <FirstNam
                                                        <Gender>M
```

```xml
                                    <Individu
                                    <LastName
                                    <MiddleNa
                                    <NamePref
                                    <NameSuff
                                    <NameSync
                                    <Organiza
                                    <Organiza
                                    <PersonRo
                                    <SecondLa
                        </formattedName>
                        <freeFormatName>
                                    <any>
                                    </any>
                                    <freeForm


                                    </freeFor
                                    <NameKind
                        </freeFormatName>
            </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                    <FreeFormatNameAddressLine l
                                <value>string</val
                    </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
    </representativeAddressBook>
    <RepresentativeIdentifier identifierKindCode="AD
                <value>string</value>
    </RepresentativeIdentifier>
    <RepresentativeIncorporationCountryCode>AD</Repr
    <RepresentativeIncorporationState>string</Repres
    <RepresentativeKindCode>string</RepresentativeKi
    <RepresentativeLegalEntity>string</Representativ
    <RepresentativeNationalityCode>string</Represent
    <RepresentativeSequenceNumber>0</RepresentativeS
    <representativeVersion>
                <any>
                </any>
                <comment languageCode="string" sequenc
                            <value>string</value>
                </comment>
                <versionDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractio
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
```

```xml
                                    <xmlschemaType>
                                            <localPart>string</
                                            <namespaceURI>strir
                                            <prefix>string</pre
                                    </xmlschemaType>
                                    <year>0</year>
                            </versionDate>
                            <versionDateTime>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractio
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</
                                            <namespaceURI>strir
                                            <prefix>string</pre
                                    </xmlschemaType>
                                    <year>0</year>
                            </versionDateTime>
                            <VersionNumber>string</VersionNumber>
                    </representativeVersion>
            </Representative>
            <RepresentativeKey>
                    <any>
                    </any>
                    <Identifier identifierKindCode="AD">
                            <value>string</value>
                    </Identifier>
            </RepresentativeKey>
        </representativeDetails>
        <tradeMarkKeyDetails>
            <TradeMarkKey>
                    <any>
                    </any>
                    <Identifier identifierKindCode="AD">
                            <value>string</value>
                    </Identifier>
            </TradeMarkKey>
        </tradeMarkKeyDetails>
    </recordNationalInternationalReplacement>
    <recordOppositionPeriod>
            <any>
            </any>
            <recordEffectiveDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
```

```xml
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </recordEffectiveDate>
    <recordFilingDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </recordFilingDate>
    <RecordIdentifier>string</RecordIdentifier>
    <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
    <recordNotificationDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </recordNotificationDate>
    <recordOppositionPeriodEndDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
```

```
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
                            <year>0</year>
                    </recordOppositionPeriodEndDate>
                    <RecordOppositionPeriodKind>string</RecordOppositionPeriodKind>
                    <recordOppositionPeriodStartDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
                            <year>0</year>
                    </recordOppositionPeriodStartDate>
                    <recordPublicationDetails>
                            <RecordPublication>
                                    <any>
                                    </any>
                                    <publicationDate>
                                            <day>0</day>
                                            <eon>0</eon>
                                            <eonAndYear>0</eonAndYear>
                                            <fractionalSecond>0</fractionalSecond>
                                            <hour>0</hour>
                                            <millisecond>0</millisecond>
                                            <minute>0</minute>
                                            <month>0</month>
                                            <second>0</second>
                                            <timezone>0</timezone>
                                            <valid>true</valid>
                                            <xmlschemaType>
                                                    <localPart>string</localPart
                                                    <namespaceURI>string</namesp
                                                    <prefix>string</prefix>
                                            </xmlschemaType>
                                            <year>0</year>
                                    </publicationDate>
```

```
                                                            <PublicationIdentifier>string</PublicationIdenti
                                                            <PublicationPage>string</PublicationPage>
                                                            <PublicationSection>string</PublicationSection>
                                                            <PublicationSubsection>string</PublicationSubsec
                                        </RecordPublication>
                                </recordPublicationDetails>
                                <tradeMarkKeyDetails>
                                        <TradeMarkKey>
                                                <any>
                                                </any>
                                                <Identifier identifierKindCode="AD">
                                                        <value>string</value>
                                                </Identifier>
                                        </TradeMarkKey>
                                </tradeMarkKeyDetails>
                        </recordOppositionPeriod>
                        <recordShortNotation>
                                <any>
                                </any>
                                <claimantDetails>
                                        <Claimant operationCode="string">
                                                <any>
                                                </any>
                                                <claimantAddressBook>
                                                        <AddressLanguageCode>AA</AddressLangua
                                                        <any>
                                                        </any>
                                                        <contactInformationDetails>
                                                                <Email>string</Email>
                                                                <Fax>string</Fax>
                                                                <OtherElectronicAddress>stri
                                                                <Phone phoneKind="string">
                                                                        <value>string</valu
                                                                </Phone>
                                                                <URL>string</URL>
                                                        </contactInformationDetails>
                                                        <formattedNameAddress>
                                                                <address>
                                                                        <AddressCountryCode
                                                                        <any>
                                                                        </any>
                                                                        <formattedAddress>
                                                                                <AddressB
                                                                                <AddressC
                                                                                <AddressC
                                                                                <AddressF
                                                                                <AddressL

                                                                                </Address
                                                                                <AddressM
                                                                                <AddressP
                                                                                <AddressP
                                                                                <AddressR
                                                                                <AddressS
                                                                                <AddressS
                                                                                <Formatte
                                                                        </formattedAddress
```

```xml
                    <freeFormatAddress
                        <FreeForm

                        </FreeFor
                    </freeFormatAddress
            </address>
            <any>
            </any>
            <name>
                    <any>
                    </any>
                    <formattedName>
                            <FirstNam
                            <Gender>M
                            <Individu
                            <LastName
                            <MiddleNa
                            <NamePref
                            <NameSuff
                            <NameSync
                            <Organiza
                            <Organiza
                            <PersonRo
                            <SecondLa
                    </formattedName>
                    <freeFormatName>
                            <any>
                            </any>
                            <freeForm


                            </freeFor
                            <NameKind
                    </freeFormatName>
            </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                <FreeFormatNameAddressLine l
                        <value>string</valu
                </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
        <PostalAddress>string</PostalAddress>
    </claimantAddressBook>
    <claimantEntitlement>
            <any>
            </any>
            <entitlementDomiciled>
                    <entitlementDomiciledAddress
                            <AddressLanguageCod
                            <any>
                            </any>
                            <contactInformation
                                    <Email>st
                                    <Fax>stri
                                    <OtherEle
                                    <Phone ph
```

```
        </Phone>
        <URL>stri
</contactInformati
<formattedNameAddr
        <address>






</address
<any>
</any>
<name>
```

```
                                </name>
                            </formattedNameAddr
                        <freeFormatAddress
                            <FreeForm

                            </FreeFor
                        </freeFormatAddress
                        <PostalAddress>str
                    </entitlementDomiciledAddres
                    <EntitlementDomiciledCode>st
                </entitlementDomiciled>
                <entitlementEstablishment>
                    <entitlementEstablishmentAdd
                        <AddressLanguageCod
                        <any>
                        </any>
                        <contactInformation
                            <Email>st
                            <Fax>stri
                            <OtherEle
                            <Phone ph

                            </Phone>
                            <URL>stri
                        </contactInformatio
                        <formattedNameAddr
                            <address>

                            </address
                        <any>
                        </any>
```

```xml
								<name>


								</name>
						</formattedNameAddr
					<freeFormatAddress
						<FreeForm

						</FreeFor
					</freeFormatAddress
					<PostalAddress>str
				</entitlementEstablishmentAd
				<EntitlementEstablishmentCod
			</entitlementEstablishment>
			<EntitlementNationalityCode>string</En
		</claimantEntitlement>
		<ClaimantIdentifier identifierKindCode="AD">
			<value>string</value>
		</ClaimantIdentifier>
		<ClaimantIncorporationCountryCode>AD</ClaimantIn
		<ClaimantIncorporationState>string</ClaimantInco
		<ClaimantLegalEntity>string</ClaimantLegalEntity
		<ClaimantNationalityCode>string</ClaimantNationa
		<ClaimantSequenceNumber>0</ClaimantSequenceNumbe
		<comment languageCode="string" sequenceNumber="0
			<value>string</value>
		</comment>
	</Claimant>
	<ClaimantKey>
		<any>
		</any>
		<Identifier identifierKindCode="AD">
			<value>string</value>
```

```xml
                </Identifier>
            </ClaimantKey>
        </claimantDetails>
        <recordDocumentDetails>
            <RecordDocument>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0
                    <value>string</value>
                </comment>
                <DocumentBinary>string</DocumentBinary>
                <documentDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                        <localPart>string</localPart
                        <namespaceURI>string</namesp
                        <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
                </documentDate>
                <DocumentFileFormat>string</DocumentFileFormat>
                <DocumentFilename>string</DocumentFilename>
                <DocumentLanguageCode>AA</DocumentLanguageCode>
                <DocumentLocation>string</DocumentLocation>
                <DocumentMedia>string</DocumentMedia>
                <DocumentName>string</DocumentName>
                <DocumentSizeInByte>0</DocumentSizeInByte>
                <DocumentVersion>string</DocumentVersion>
            </RecordDocument>
        </recordDocumentDetails>
        <recordEffectiveDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
            </xmlschemaType>
```

```
                                        <year>0</year>
                                </recordEffectiveDate>
                                <recordEventDetails>
                                        <RecordEvent>
                                                <any>
                                                </any>
                                                <comment languageCode="string" sequenceNumber="6
                                                        <value>string</value>
                                                </comment>
                                                <RecordEventCode>string</RecordEventCode>
                                                <recordEventDate>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
                                                        <second>0</second>
                                                        <timezone>0</timezone>
                                                        <valid>true</valid>
                                                        <xmlschemaType>
                                                                <localPart>string</localPart
                                                                <namespaceURI>string</namesp
                                                                <prefix>string</prefix>
                                                        </xmlschemaType>
                                                        <year>0</year>
                                                </recordEventDate>
                                                <recordEventDateTime>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
                                                        <second>0</second>
                                                        <timezone>0</timezone>
                                                        <valid>true</valid>
                                                        <xmlschemaType>
                                                                <localPart>string</localPart
                                                                <namespaceURI>string</namesp
                                                                <prefix>string</prefix>
                                                        </xmlschemaType>
                                                        <year>0</year>
                                                </recordEventDateTime>
                                                <recordEventResponseDate>
                                                        <day>0</day>
                                                        <eon>0</eon>
                                                        <eonAndYear>0</eonAndYear>
                                                        <fractionalSecond>0</fractionalSecond>
                                                        <hour>0</hour>
                                                        <millisecond>0</millisecond>
                                                        <minute>0</minute>
                                                        <month>0</month>
```

```
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart
                                                <namespaceURI>string</namesp
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </recordEventResponseDate>
                        </RecordEvent>
                </recordEventDetails>
                <recordFilingDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordFilingDate>
                <recordFromRegistrationDetails>
                        <RecordFromRegistration>
                                <any>
                                </any>
                                <applicantDetails>
                                        <Applicant operationCode="string">
                                                <any>
                                                </any>
                                                <applicantAddressBook>
                                                        <AddressLanguageCo
                                                        <any>
                                                        </any>
                                                        <contactInformatio
                                                                <Email>st
                                                                <Fax>stri
                                                                <OtherEle
                                                                <Phone ph

                                                                </Phone>
                                                                <URL>stri
                                                        </contactInformatio
                                                        <formattedNameAddre
                                                                <address>
```

```
                                              </address
                                     <any>
                                     </any>
                                     <name>




                                              </name>
                          </formattedNameAddr
                          <freeFormatAddressD
                                   <FreeForm

                                      </FreeFor
```

```
                                              </freeFormatAddres
                                              <PostalAddress>str
                              </applicantAddressBook>
                              <applicantEntitlement>
                                      <any>
                                      </any>
                                      <entitlementDomicil
                                              <entitlem
```

Code Description

```
                </entitle
            <Entitlem
    </entitlementDomic:
<entitlementEstabl:
            <entitlem
```

Code	Description

```
                                                    </entitle
                                                <Entitlem
                                        </entitlementEstab]
                                        <EntitlementNationa
                            </applicantEntitlement>
                            <ApplicantIdentifier identif
```

```xml
            <value>string</val
</ApplicantIdentifier>
<ApplicantIncorporationCount
<ApplicantIncorporationState
<ApplicantLegalEntity>string
<ApplicantNationalityCode>st
<ApplicantSequenceNumber>0</
<applicantVersion>
        <any>
        </any>
        <comment languageCo
                <value>st
        </comment>
        <versionDate>
                <day>0</
                <eon>0</e
                <eonAndYe
                <fraction
                <hour>0</
                <millisec
                <minute>0
                <month>0<
                <second>0
                <timezone
                <valid>tr
                <xmlschem


                </xmlsche
                <year>0</
        </versionDate>
        <versionDateTime>
                <day>0</
                <eon>0</e
                <eonAndYe
                <fraction
                <hour>0</
                <millisec
                <minute>0
                <month>0<
                <second>0
                <timezone
                <valid>tr
                <xmlschem


                </xmlsche
                <year>0</
        </versionDateTime>
        <VersionNumber>str
</applicantVersion>
<comment languageCode="strin
        <value>string</val
</comment>
        </Applicant>
```

Code Description

Code	Description

```xml
        </applicantDetails>
        <designatedCountryDetails>
                <DesignatedCountryCode>string</Designa
        </designatedCountryDetails>
        <goodsServicesLimitation>
                <any>
                </any>
                <comment languageCode="string" sequenc
                        <value>string</value>
                </comment>
                <GoodsServicesLimitationCode>string</G
                <limitationClassDescriptionDetails>
                        <ClassDescription>
                                <any>
                                </any>
                                <ClassNumber>0</Cla
                                <ClassNumberStatus
                                <classificationTer
                                        <Classifi
```

```
                                          </Classif
                              </classificationTer
                              <GoodsServicesDescr
                                  <value>st
                              </GoodsServicesDes
                              <UseNiceHeadingIndi
                      </ClassDescription>
                  </limitationClassDescriptionDetails>
                  <limitationCountryDetails>
                          <LimitationCountryCode>strin
                  </limitationCountryDetails>
              </goodsServicesLimitation>
              <markVerbalElementText languageCode="string" se
                      <value>string</value>
              </markVerbalElementText>
              <registrationDate>
                      <day>0</day>
                      <eon>0</eon>
                      <eonAndYear>0</eonAndYear>
                      <fractionalSecond>0</fractionalSecond>
                      <hour>0</hour>
                      <millisecond>0</millisecond>
                      <minute>0</minute>
                      <month>0</month>
                      <second>0</second>
                      <timezone>0</timezone>
                      <valid>true</valid>
                      <xmlschemaType>
                              <localPart>string</localPart
                              <namespaceURI>string</namesp
                              <prefix>string</prefix>
                      </xmlschemaType>
                      <year>0</year>
              </registrationDate>
              <RegistrationIdentifier>string</RegistrationIder
          </RecordFromRegistration>
      </recordFromRegistrationDetails>
      <RecordIdentifier>string</RecordIdentifier>
      <RecordInterestedOfficeCode>string</RecordInterestedOfficeCode>
      <RecordLanguageCode>string</RecordLanguageCode>
      <recordNotificationDate>
              <day>0</day>
              <eon>0</eon>
              <eonAndYear>0</eonAndYear>
              <fractionalSecond>0</fractionalSecond>
              <hour>0</hour>
              <millisecond>0</millisecond>
              <minute>0</minute>
              <month>0</month>
              <second>0</second>
              <timezone>0</timezone>
              <valid>true</valid>
              <xmlschemaType>
                      <localPart>string</localPart>
                      <namespaceURI>string</namespaceURI>
                      <prefix>string</prefix>
```

```xml
                </xmlschemaType>
                <year>0</year>
        </recordNotificationDate>
        <recordPublicationDetails>
                <RecordPublication>
                        <any>
                        </any>
                        <publicationDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart
                                        <namespaceURI>string</namesp
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </publicationDate>
                        <PublicationIdentifier>string</PublicationIdenti
                        <PublicationPage>string</PublicationPage>
                        <PublicationSection>string</PublicationSection>
                        <PublicationSubsection>string</PublicationSubsec
                </RecordPublication>
        </recordPublicationDetails>
        <RecordReference>string</RecordReference>
        <RecordShortNotationKind>string</RecordShortNotationKind>
        <recordToRegistration>
                <any>
                </any>
                <applicantDetails>
                        <Applicant operationCode="string">
                                <any>
                                </any>
                                <applicantAddressBook>
                                        <AddressLanguageCode>AA</Add
                                        <any>
                                        </any>
                                        <contactInformationDetails>
                                                <Email>string</Emai
                                                <Fax>string</Fax>
                                                <OtherElectronicAd
                                                <Phone phoneKind="s
                                                        <value>st
                                                </Phone>
                                                <URL>string</URL>
                                        </contactInformationDetails>
                                        <formattedNameAddress>
                                                <address>
                                                        <AddressC
```

Code	Description

```
                                        <any>
                                        </any>
                                        <formatte
```

```
                                        </formatt
                                        <freeForm
```

```
                                        </freeFor
        </address>
        <any>
        </any>
        <name>
                                        <any>
                                        </any>
                                        <formatte
```

```
                                        </formatt
                                        <freeForm
```

```
                                        </freeFor
        </name>
    </formattedNameAddress>
    <freeFormatAddressDetails>
        <FreeFormatNameAddr
```

```xml
                                <value>st
                        </FreeFormatNameAd
                </freeFormatAddressDetails>
                <PostalAddress>string</Posta
        </applicantAddressBook>
        <applicantEntitlement>
                <any>
                </any>
                <entitlementDomiciled>
                        <entitlementDomicil
                                <AddressL
                                <any>
                                </any>
                                <contactI



                                </contact
                                <formatte
```

```
                                                    </formatt
                                                    <freeForm




                                                    </freeFor
                                                    <PostalAd
                                        </entitlementDomic:
                                        <EntitlementDomicil
                        </entitlementDomiciled>
                        <entitlementEstablishment>
                                        <entitlementEstabli
                                                    <AddressL
                                                    <any>
                                                    </any>
                                                    <contactI




                                                    </contact
                                                    <formatte
```

```
                                                        </formatt
                                                        <freeForm



                                                        </freeFor
                                                        <PostalAd
                                                   </entitlementEstabl
                                                   <EntitlementEstabli
                                              </entitlementEstablishment>
                                              <EntitlementNationalityCode>
```

```xml
        </applicantEntitlement>
        <ApplicantIdentifier identifierKindCod
                <value>string</value>
        </ApplicantIdentifier>
        <ApplicantIncorporationCountryCode>AD<
        <ApplicantIncorporationState>string</A
        <ApplicantLegalEntity>string</Applican
        <ApplicantNationalityCode>string</Appl
        <ApplicantSequenceNumber>0</ApplicantS
        <applicantVersion>
                <any>
                </any>
                <comment languageCode="strin
                        <value>string</valu
                </comment>
                <versionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eon
                        <fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</mil
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timez
                        <valid>true</valid
                        <xmlschemaType>
                                <localPar
                                <namespac
                                <prefix>s
                        </xmlschemaType>
                        <year>0</year>
                </versionDate>
                <versionDateTime>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eon
                        <fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</mil
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timez
                        <valid>true</valid
                        <xmlschemaType>
                                <localPar
                                <namespac
                                <prefix>s
                        </xmlschemaType>
                        <year>0</year>
                </versionDateTime>
                <VersionNumber>string</Versi
        </applicantVersion>
        <comment languageCode="string" sequenc
                <value>string</value>
```

```xml
                        </comment>
                    </Applicant>
            </applicantDetails>
            <designatedCountryDetails>
                    <DesignatedCountryCode>string</DesignatedCountry
            </designatedCountryDetails>
            <goodsServicesLimitation>
                    <any>
                    </any>
                    <comment languageCode="string" sequenceNumber="6
                            <value>string</value>
                    </comment>
                    <GoodsServicesLimitationCode>string</GoodsServic
                    <limitationClassDescriptionDetails>
                            <ClassDescription>
                                    <any>
                                    </any>
                                    <ClassNumber>0</ClassNumber>
                                    <ClassNumberStatusCode>strin
                                    <classificationTermDetails>
                                            <ClassificationTerr
                                                    <any>
                                                    </any>
                                                    <ClassNum
                                                    <classifi










                                            </classif
                                            <Classifi
                                            <classifi

                                            </classif
                                            <Classifi
                                            <Classifi
                                            <Classifi
                                            <Classifi
                                            <Classifi
                                            <classifi

                                            </classif
                                            <classifi
```

Code   Description

```xml
                                                        </classif
                                                        <Classifi
                                                        <wipobasi
                                                </ClassificationTer
                                        </classificationTermDetails>
                                        <GoodsServicesDescription la
                                                <value>string</valu
                                        </GoodsServicesDescription>
                                        <UseNiceHeadingIndicator>tru
                                </ClassDescription>
                        </limitationClassDescriptionDetails>
                        <limitationCountryDetails>
                                <LimitationCountryCode>string</Limitat
                        </limitationCountryDetails>
                </goodsServicesLimitation>
                <markVerbalElementText languageCode="string" sequenceNumb
                        <value>string</value>
                </markVerbalElementText>
                <registrationDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </registrationDate>
                <RegistrationIdentifier>string</RegistrationIdentifier>
        </recordToRegistration>
        <representativeDetails>
                <Representative operationCode="string">
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="0
                                <value>string</value>
                        </comment>
                        <representativeAddressBook>
                                <AddressLanguageCode>AA</AddressLangua
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>stri
                                        <Phone phoneKind="string">
                                                <value>string</valu
                                        </Phone>
```

```xml
				<URL>string</URL>
		</contactInformationDetails>
		<formattedNameAddress>
				<address>
						<AddressCountryCod
						<any>
						</any>
						<formattedAddress>
								<AddressE
								<AddressC
								<AddressC
								<AddressF
								<AddressL

								</Address
								<AddressM
								<AddressF
								<AddressF
								<AddressR
								<AddressS
								<AddressS
								<Formatte
						</formattedAddress
						<freeFormatAddress
								<FreeForm

								</FreeFor
						</freeFormatAddress
				</address>
				<any>
				</any>
				<name>
						<any>
						</any>
						<formattedName>
								<FirstNam
								<Gender>M
								<Individu
								<LastName
								<MiddleNa
								<NamePref
								<NameSuff
								<NameSync
								<Organiza
								<Organiza
								<PersonRo
								<SecondLa
						</formattedName>
						<freeFormatName>
								<any>
								</any>
								<freeForm

								</freeFor
								<NameKind
```

```xml
                                    </freeFormatName>
                    </name>
            </formattedNameAddress>
            <freeFormatAddressDetails>
                    <FreeFormatNameAddressLine l
                            <value>string</valu
                    </FreeFormatNameAddressLine>
            </freeFormatAddressDetails>
            <PostalAddress>string</PostalAddress>
    </representativeAddressBook>
    <RepresentativeIdentifier identifierKindCode="AD
            <value>string</value>
    </RepresentativeIdentifier>
    <RepresentativeIncorporationCountryCode>AD</Repr
    <RepresentativeIncorporationState>string</Repres
    <RepresentativeKindCode>string</RepresentativeKi
    <RepresentativeLegalEntity>string</Representativ
    <RepresentativeNationalityCode>string</Represent
    <RepresentativeSequenceNumber>0</RepresentativeS
    <representativeVersion>
            <any>
            </any>
            <comment languageCode="string" sequenc
                    <value>string</value>
            </comment>
            <versionDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractio
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</
                            <namespaceURI>strir
                            <prefix>string</pre
                    </xmlschemaType>
                    <year>0</year>
            </versionDate>
            <versionDateTime>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractio
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
```

```xml
                                                        <localPart>string</
                                                        <namespaceURI>strir
                                                        <prefix>string</pre
                                    </xmlschemaType>
                                    <year>0</year>
                                </versionDateTime>
                                <VersionNumber>string</VersionNumber>
                            </representativeVersion>
                        </Representative>
                        <RepresentativeKey>
                            <any>
                            </any>
                            <Identifier identifierKindCode="AD">
                                    <value>string</value>
                            </Identifier>
                        </RepresentativeKey>
                    </representativeDetails>
            </recordShortNotation>
            <recordTransfer>
                    <any>
                    </any>
                    <claimantDetails>
                            <Claimant operationCode="string">
                                    <any>
                                    </any>
                                    <claimantAddressBook>
                                            <AddressLanguageCode>AA</AddressLangua
                                            <any>
                                            </any>
                                            <contactInformationDetails>
                                                    <Email>string</Email>
                                                    <Fax>string</Fax>
                                                    <OtherElectronicAddress>stri
                                                    <Phone phoneKind="string">
                                                            <value>string</valu
                                                    </Phone>
                                                    <URL>string</URL>
                                            </contactInformationDetails>
                                            <formattedNameAddress>
                                                    <address>
                                                            <AddressCountryCode
                                                            <any>
                                                            </any>
                                                            <formattedAddress>
                                                                    <AddressB
                                                                    <AddressC
                                                                    <AddressC
                                                                    <AddressF
                                                                    <AddressL

                                                                    </Address
                                                                    <AddressM
                                                                    <AddressF
                                                                    <AddressF
                                                                    <AddressR
                                                                    <AddressS
                                                                    <AddressS
```

```
                    <Formatte
        </formattedAddress
        <freeFormatAddress
                <FreeForm

                </FreeFor
        </freeFormatAddress
    </address>
    <any>
    </any>
    <name>
            <any>
            </any>
            <formattedName>
                    <FirstNam
                    <Gender>M
                    <Individu
                    <LastName
                    <MiddleNa
                    <NamePref
                    <NameSuff
                    <NameSync
                    <Organiza
                    <Organiza
                    <PersonRc
                    <SecondLa
            </formattedName>
            <freeFormatName>
                    <any>
                    </any>
                    <freeForm

                    </freeFor
                    <NameKinc
            </freeFormatName>
        </name>
    </formattedNameAddress>
    <freeFormatAddressDetails>
            <FreeFormatNameAddressLine l
                    <value>string</valu
            </FreeFormatNameAddressLine>
    </freeFormatAddressDetails>
    <PostalAddress>string</PostalAddress>
</claimantAddressBook>
<claimantEntitlement>
        <any>
        </any>
        <entitlementDomiciled>
                <entitlementDomiciledAddress
                    <AddressLanguageCoc
                    <any>
                    </any>
                    <contactInformatio
                            <Email>st
                            <Fax>stri
```

```
<OtherEle
<Phone ph

</Phone>
<URL>stri
</contactInformatic
<formattedNameAddre
<address>




</address
<any>
</any>
<name>
```

```
                </name>
            </formattedNameAddr
        <freeFormatAddressD
            <FreeForm

            </FreeFor
        </freeFormatAddress
        <PostalAddress>str
    </entitlementDomiciledAddres
    <EntitlementDomiciledCode>st
</entitlementDomiciled>
<entitlementEstablishment>
        <entitlementEstablishmentAdd
            <AddressLanguageCoo
            <any>
            </any>
            <contactInformatio
                <Email>st
                <Fax>stri
                <OtherEle
                <Phone ph

                </Phone>
                <URL>stri
            </contactInformatic
            <formattedNameAddro
                <address>

                </address
```

```
                                                            <any>
                                                            </any>
                                                            <name>




                                                            </name>
                                                        </formattedNameAddr
                                                    <freeFormatAddress[
                                                        <FreeForm

                                                        </FreeFor
                                                    </freeFormatAddress
                                                    <PostalAddress>str
                                                </entitlementEstablishmentAd
                                                <EntitlementEstablishmentCod
                                            </entitlementEstablishment>
                                            <EntitlementNationalityCode>string</En
                                        </claimantEntitlement>
                                        <ClaimantIdentifier identifierKindCode="AD">
                                            <value>string</value>
                                        </ClaimantIdentifier>
                                        <ClaimantIncorporationCountryCode>AD</ClaimantIn
                                        <ClaimantIncorporationState>string</ClaimantInc
                                        <ClaimantLegalEntity>string</ClaimantLegalEntity
                                        <ClaimantNationalityCode>string</ClaimantNationa
                                        <ClaimantSequenceNumber>0</ClaimantSequenceNumbe
                                        <comment languageCode="string" sequenceNumber="0
                                            <value>string</value>
                                        </comment>
                                    </Claimant>
                                    <ClaimantKey>
                                        <any>
                                        </any>
```

```xml
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </ClaimantKey>
        </claimantDetails>
        <correspondenceAddress>
                <any>
                </any>
                <correspondenceAddressBook>
                        <AddressLanguageCode>AA</AddressLanguageCode>
                        <any>
                        </any>
                        <contactInformationDetails>
                                <Email>string</Email>
                                <Fax>string</Fax>
                                <OtherElectronicAddress>string</OtherE
                                <Phone phoneKind="string">
                                        <value>string</value>
                                </Phone>
                                <URL>string</URL>
                        </contactInformationDetails>
                        <formattedNameAddress>
                                <address>
                                        <AddressCountryCode>string</
                                        <any>
                                        </any>
                                        <formattedAddress>
                                                <AddressBuilding>st
                                                <AddressCity>string
                                                <AddressCounty>str
                                                <AddressFloor>strin
                                                <AddressLine langua
                                                        <value>st
                                                </AddressLine>
                                                <AddressMailCode>st
                                                <AddressPostOfficeE
                                                <AddressPostcode>st
                                                <AddressRoom>string
                                                <AddressState>strin
                                                <AddressStreet>stri
                                                <FormattedAddressCo
                                        </formattedAddress>
                                        <freeFormatAddress>
                                                <FreeFormatAddressI
                                                        <value>st
                                                </FreeFormatAddress
                                        </freeFormatAddress>
                                </address>
                                <any>
                                </any>
                                <name>
                                        <any>
                                        </any>
                                        <formattedName>
                                                <FirstName>string</
                                                <Gender>MALE</Gende
                                                <IndividualIdentifi
```

```
                                        <LastName>string</L
                                        <MiddleName>string
                                        <NamePrefix>string
                                        <NameSuffix>string
                                        <NameSynonym>strin
                                        <OrganizationDepar
                                        <OrganizationName>
                                        <PersonRole>string
                                        <SecondLastName>st
                                </formattedName>
                                <freeFormatName>
                                        <any>
                                        </any>
                                        <freeFormatNameDet
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatNameDe
                                        <NameKind>string</
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine languageCod
                                <value>string</value>
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </correspondenceAddressBook>
        <CorrespondenceAddressIdentifier identifierKindCode="AD">
                <value>string</value>
        </CorrespondenceAddressIdentifier>
        <CorrespondenceAddressParty>string</CorrespondenceAddress
</correspondenceAddress>
<goodsServicesLimitationDetails>
        <GoodsServicesLimitation>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0
                        <value>string</value>
                </comment>
                <GoodsServicesLimitationCode>string</GoodsServic
                <limitationClassDescriptionDetails>
                        <ClassDescription>
                                <any>
                                </any>
                                <ClassNumber>0</ClassNumber>
                                <ClassNumberStatusCode>strin
                                <classificationTermDetails>
                                        <ClassificationTerm
                                                <any>
                                                </any>
                                                <ClassNum
                                                <classifi
```

```xml
                                        </classif
                                        <Classifi
                                        <classifi

                                        </classif
                                        <Classifi
                                        <Classifi
                                        <Classifi
                                        <Classifi
                                        <Classifi
                                        <classifi

                                        </classif
                                        <classifi

                                        </classif
                                        <Classifi
                                        <wipobasi
                                    </ClassificationTer
                                </classificationTermDetails>
                                <GoodsServicesDescription la
                                        <value>string</valu
                                </GoodsServicesDescription>
                                <UseNiceHeadingIndicator>tru
                            </ClassDescription>
                        </limitationClassDescriptionDetails>
                        <limitationCountryDetails>
                                <LimitationCountryCode>string</Limitat
                        </limitationCountryDetails>
                    </GoodsServicesLimitation>
                </goodsServicesLimitationDetails>
                <holderDetails>
                        <NewHolder operationCode="string">
                                <any>
                                </any>
                                <applicantAddressBook>
                                        <AddressLanguageCode>AA</AddressLangua
                                        <any>
                                        </any>
                                        <contactInformationDetails>
                                                <Email>string</Email>
                                                <Fax>string</Fax>
                                                <OtherElectronicAddress>stri
```

```xml
        <Phone phoneKind="string">
                <value>string</valu
        </Phone>
        <URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
        <address>
                <AddressCountryCod
                <any>
                </any>
                <formattedAddress>
                        <AddressE
                        <AddressC
                        <AddressC
                        <AddressF
                        <AddressL

                        </Address
                        <AddressM
                        <AddressF
                        <AddressF
                        <AddressR
                        <AddressS
                        <AddressS
                        <Formatte
                </formattedAddress
                <freeFormatAddress
                        <FreeForm

                        </FreeFor
                </freeFormatAddress
        </address>
        <any>
        </any>
        <name>
                <any>
                </any>
                <formattedName>
                        <FirstNam
                        <Gender>M
                        <Individu
                        <LastName
                        <MiddleNa
                        <NamePref
                        <NameSuff
                        <NameSync
                        <Organiza
                        <Organiza
                        <PersonRc
                        <SecondLa
                </formattedName>
                <freeFormatName>
                        <any>
                        </any>
                        <freeForm
```

```xml
                                        </freeFor
                                        <NameKind
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine l
                                <value>string</val
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </applicantAddressBook>
        <applicantEntitlement>
                <any>
                </any>
                <entitlementDomiciled>
                        <entitlementDomiciledAddress
                                <AddressLanguageCo
                                <any>
                                </any>
                                <contactInformatio
                                        <Email>st
                                        <Fax>stri
                                        <OtherEle
                                        <Phone ph

                                        </Phone>
                                        <URL>stri
                                </contactInformatio
                                <formattedNameAddr
                                        <address>

                                        </address
```

```
                                        <any>
                                        </any>
                                        <name>
```

```
                                        </name>
                                    </formattedNameAddr
                                <freeFormatAddressI
                                        <FreeForm

                                        </FreeFor
                                </freeFormatAddress
                                <PostalAddress>str
                            </entitlementDomiciledAddres
                            <EntitlementDomiciledCode>st
                        </entitlementDomiciled>
                        <entitlementEstablishment>
                                <entitlementEstablishmentAdd
                                        <AddressLanguageCod
                                        <any>
                                        </any>
                                        <contactInformation
                                                <Email>st
                                                <Fax>stri
                                                <OtherEle
                                                <Phone ph

                                                </Phone>
                                                <URL>stri
                                        </contactInformatic
                                        <formattedNameAddre
                                                <address>
```

```
                                                              </address
                                                              <any>
                                                              </any>
                                                              <name>




                                                              </name>
                                                         </formattedNameAddr
                                                        <freeFormatAddressD
                                                           <FreeForm
```

```
                                </FreeFor
                        </freeFormatAddress
                        <PostalAddress>str
                </entitlementEstablishmentAd
                <EntitlementEstablishmentCod
        </entitlementEstablishment>
        <EntitlementNationalityCode>string</En
</applicantEntitlement>
<ApplicantIdentifier identifierKindCode="AD">
        <value>string</value>
</ApplicantIdentifier>
<ApplicantIncorporationCountryCode>AD</Applicant
<ApplicantIncorporationState>string</ApplicantIr
<ApplicantLegalEntity>string</ApplicantLegalEnti
<ApplicantNationalityCode>string</ApplicantNatio
<ApplicantSequenceNumber>0</ApplicantSequenceNum
<applicantVersion>
        <any>
        </any>
        <comment languageCode="string" sequenc
                <value>string</value>
        </comment>
        <versionDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractio
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</
                        <namespaceURI>strir
                        <prefix>string</pre
                </xmlschemaType>
                <year>0</year>
        </versionDate>
        <versionDateTime>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractio
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</
                        <namespaceURI>strir
```

```xml
                    <prefix>string</pre
            </xmlschemaType>
            <year>0</year>
        </versionDateTime>
        <VersionNumber>string</VersionNumber>
    </applicantVersion>
    <comment languageCode="string" sequenceNumber="
        <value>string</value>
    </comment>
</NewHolder>
<PreviousHolder operationCode="string">
    <any>
    </any>
    <applicantAddressBook>
            <AddressLanguageCode>AA</AddressLangua
            <any>
            </any>
            <contactInformationDetails>
                <Email>string</Email>
                <Fax>string</Fax>
                <OtherElectronicAddress>stri
                <Phone phoneKind="string">
                        <value>string</val
                </Phone>
                <URL>string</URL>
            </contactInformationDetails>
            <formattedNameAddress>
                <address>
                        <AddressCountryCod
                        <any>
                        </any>
                        <formattedAddress>
                                <AddressB
                                <AddressC
                                <AddressC
                                <AddressF
                                <AddressL

                                </Address
                                <AddressM
                                <AddressP
                                <AddressP
                                <AddressR
                                <AddressS
                                <AddressS
                                <Formatte
                        </formattedAddress
                        <freeFormatAddress
                                <FreeForm

                                </FreeFor
                        </freeFormatAddress
                </address>
                <any>
                </any>
                <name>
                        <any>
```

```
                                            </any>
                                            <formattedName>
                                                    <FirstNam
                                                    <Gender>M
                                                    <Individu
                                                    <LastName
                                                    <MiddleNa
                                                    <NamePref
                                                    <NameSuff
                                                    <NameSync
                                                    <Organiza
                                                    <Organiza
                                                    <PersonRc
                                                    <SecondLa
                                            </formattedName>
                                            <freeFormatName>
                                                    <any>
                                                    </any>
                                                    <freeForm


                                                    </freeFor
                                                    <NameKinc
                                            </freeFormatName>
                                    </name>
                            </formattedNameAddress>
                            <freeFormatAddressDetails>
                                    <FreeFormatNameAddressLine l
                                            <value>string</valu
                                    </FreeFormatNameAddressLine>
                            </freeFormatAddressDetails>
                            <PostalAddress>string</PostalAddress>
                    </applicantAddressBook>
                    <applicantEntitlement>
                            <any>
                            </any>
                            <entitlementDomiciled>
                                    <entitlementDomiciledAddress
                                            <AddressLanguageCoc
                                            <any>
                                            </any>
                                            <contactInformatior
                                                    <Email>st
                                                    <Fax>stri
                                                    <OtherEle
                                                    <Phone ph

                                                    </Phone>
                                                    <URL>stri
                                            </contactInformatic
                                            <formattedNameAddre
                                                    <address>
```

```
                                          </address
                              <any>
                              </any>
                              <name>




                              </name>
                  </formattedNameAddr
                  <freeFormatAddress
                        <FreeForm

                        </FreeFor
                  </freeFormatAddress
```

```
                    <PostalAddress>str
        </entitlementDomiciledAddres
        <EntitlementDomiciledCode>st
    </entitlementDomiciled>
    <entitlementEstablishment>
        <entitlementEstablishmentAdd
            <AddressLanguageCoc
            <any>
            </any>
            <contactInformation
                    <Email>st
                    <Fax>stri
                    <OtherEle
                    <Phone ph

                    </Phone>
                    <URL>stri
            </contactInformatic
            <formattedNameAddre
                    <address>

                    </address
            <any>
            </any>
            <name>
```

```
                                                    </name>
                                            </formattedNameAddr
                                        <freeFormatAddress
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatAddress
                                        <PostalAddress>str
                                </entitlementEstablishmentA
                                <EntitlementEstablishmentCod
                        </entitlementEstablishment>
                        <EntitlementNationalityCode>string</En
                </applicantEntitlement>
                <ApplicantIdentifier identifierKindCode="AD">
                        <value>string</value>
                </ApplicantIdentifier>
                <ApplicantIncorporationCountryCode>AD</Applicant
                <ApplicantIncorporationState>string</ApplicantIn
                <ApplicantLegalEntity>string</ApplicantLegalEnti
                <ApplicantNationalityCode>string</ApplicantNatio
                <ApplicantSequenceNumber>0</ApplicantSequenceNum
                <applicantVersion>
                        <any>
                        </any>
                        <comment languageCode="string" sequenc
                                <value>string</value>
                        </comment>
                        <versionDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractio
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
```

```xml
                                <localPart>string</
                                <namespaceURI>strir
                                <prefix>string</pre
                        </xmlschemaType>
                        <year>0</year>
                </versionDate>
                <versionDateTime>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractio
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</
                                <namespaceURI>strir
                                <prefix>string</pre
                        </xmlschemaType>
                        <year>0</year>
                </versionDateTime>
                <VersionNumber>string</VersionNumber>
        </applicantVersion>
        <comment languageCode="string" sequenceNumber="(
                <value>string</value>
        </comment>
    </PreviousHolder>
</holderDetails>
<RecordCurrentStatusCode>string</RecordCurrentStatusCode>
<recordCurrentStatusDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
</recordCurrentStatusDate>
<recordDocumentDetails>
        <RecordDocument>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="(
```

```xml
                                        <value>string</value>
                                    </comment>
                                    <DocumentBinary>string</DocumentBinary>
                                    <documentDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                            <localPart>string</localPart>
                                            <namespaceURI>string</namesp
                                            <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                    </documentDate>
                                    <DocumentFileFormat>string</DocumentFileFormat>
                                    <DocumentFilename>string</DocumentFilename>
                                    <DocumentLanguageCode>AA</DocumentLanguageCode>
                                    <DocumentLocation>string</DocumentLocation>
                                    <DocumentMedia>string</DocumentMedia>
                                    <DocumentName>string</DocumentName>
                                    <DocumentSizeInByte>0</DocumentSizeInByte>
                                    <DocumentVersion>string</DocumentVersion>
                                </RecordDocument>
                            </recordDocumentDetails>
                            <recordEffectiveDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                            </recordEffectiveDate>
                            <recordEventDetails>
                                <RecordEvent>
                                    <any>
                                    </any>
                                    <comment languageCode="string" sequenceNumber="0
                                        <value>string</value>
```

```xml
        </comment>
        <RecordEventCode>string</RecordEventCode>
        <recordEventDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namesp
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </recordEventDate>
        <recordEventDateTime>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namesp
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </recordEventDateTime>
        <recordEventResponseDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namesp
                        <prefix>string</prefix>
                </xmlschemaType>
        </comment>
        <RecordEventCode>string</RecordEventCode>
```

```
                                        <year>0</year>
                                </recordEventResponseDate>
                        </RecordEvent>
                </recordEventDetails>
                <recordFilingDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordFilingDate>
                <RecordIdentifier>string</RecordIdentifier>
                <RecordLanguageCode>string</RecordLanguageCode>
                <recordNotificationDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </recordNotificationDate>
                <recordPublicationDetails>
                        <RecordPublication>
                                <any>
                                </any>
                                <publicationDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
```

```xml
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart
                                <namespaceURI>string</namesp
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </publicationDate>
                <PublicationIdentifier>string</PublicationIdenti
                <PublicationPage>string</PublicationPage>
                <PublicationSection>string</PublicationSection>
                <PublicationSubsection>string</PublicationSubsec
        </RecordPublication>
</recordPublicationDetails>
<RecordReference>string</RecordReference>
<RecordTransferKind>string</RecordTransferKind>
<representativeDetails>
        <Representative operationCode="string">
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0
                        <value>string</value>
                </comment>
                <representativeAddressBook>
                        <AddressLanguageCode>AA</AddressLangua
                        <any>
                        </any>
                        <contactInformationDetails>
                                <Email>string</Email>
                                <Fax>string</Fax>
                                <OtherElectronicAddress>stri
                                <Phone phoneKind="string">
                                        <value>string</valu
                                </Phone>
                                <URL>string</URL>
                        </contactInformationDetails>
                        <formattedNameAddress>
                                <address>
                                        <AddressCountryCode
                                        <any>
                                        </any>
                                        <formattedAddress>
                                                <AddressE
                                                <AddressC
                                                <AddressC
                                                <AddressP
                                                <AddressL

                                                </Address
                                                <AddressM
                                                <AddressP
                                                <AddressP
                                                <AddressR
                                                <AddressS
                                                <AddressS
```

```
                                                <Formatte
                                        </formattedAddress:
                                        <freeFormatAddress:
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatAddress
                                </address>
                                <any>
                                </any>
                                <name>
                                        <any>
                                        </any>
                                        <formattedName>
                                                <FirstNam
                                                <Gender>M
                                                <Individu
                                                <LastName
                                                <MiddleNa
                                                <NamePref
                                                <NameSuff
                                                <NameSync
                                                <Organiza
                                                <Organiza
                                                <PersonRc
                                                <SecondLa
                                        </formattedName>
                                        <freeFormatName>
                                                <any>
                                                </any>
                                                <freeForm


                                                </freeFor
                                                <NameKinc
                                        </freeFormatName>
                                </name>
                        </formattedNameAddress>
                        <freeFormatAddressDetails>
                                <FreeFormatNameAddressLine l
                                        <value>string</valu
                                </FreeFormatNameAddressLine>
                        </freeFormatAddressDetails>
                        <PostalAddress>string</PostalAddress>
                </representativeAddressBook>
                <RepresentativeIdentifier identifierKindCode="AD
                        <value>string</value>
                </RepresentativeIdentifier>
                <RepresentativeIncorporationCountryCode>AD</Repr
                <RepresentativeIncorporationState>string</Repres
                <RepresentativeKindCode>string</RepresentativeKi
                <RepresentativeLegalEntity>string</Representativ
                <RepresentativeNationalityCode>string</Represent
                <RepresentativeSequenceNumber>0</RepresentativeS
                <representativeVersion>
                        <any>
```

```
                    </any>
                    <comment languageCode="string" sequenc
                            <value>string</value>
                    </comment>
                    <versionDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractio
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</
                                    <namespaceURI>strir
                                    <prefix>string</pre
                            </xmlschemaType>
                            <year>0</year>
                    </versionDate>
                    <versionDateTime>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractio
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</
                                    <namespaceURI>strir
                                    <prefix>string</pre
                            </xmlschemaType>
                            <year>0</year>
                    </versionDateTime>
                    <VersionNumber>string</VersionNumber>
            </representativeVersion>
        </Representative>
        <RepresentativeKey>
                <any>
                </any>
                <Identifier identifierKindCode="AD">
                        <value>string</value>
                </Identifier>
        </RepresentativeKey>
    </representativeDetails>
    <tradeMarkKeyDetails>
            <TradeMarkKey>
                <any>
                </any>
```

```xml
                                            <Identifier identifierKindCode="AD">
                                                    <value>string</value>
                                            </Identifier>
                                    </TradeMarkKey>
                            </tradeMarkKeyDetails>
                    </recordTransfer>
            </MarkRecord>
    </markRecordDetails>
    <markSoundDetails>
            <markSound>
                    <MarkSoundFileFormat>MP_3</MarkSoundFileFormat>
                    <markSoundFilename SHA256="string">
                            <content>string</content>
                    </markSoundFilename>
            </markSound>
    </markSoundDetails>
    <markVideoDetails>
            <markVideo>
                    <MarkVideoFileFormat>TIFF</MarkVideoFileFormat>
                    <markVideoFilename SHA256="string">
                            <content>string</content>
                    </markVideoFilename>
                    <videoDocument>
                            <any>
                            </any>
                            <comment languageCode="string" sequenceNumber="0">
                                    <value>string</value>
                            </comment>
                            <DocumentBinary>string</DocumentBinary>
                            <documentDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart>
                                            <namespaceURI>string</namespaceURI>
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </documentDate>
                            <DocumentFileFormat>string</DocumentFileFormat>
                            <DocumentFilename>string</DocumentFilename>
                            <DocumentLanguageCode>AA</DocumentLanguageCode>
                            <DocumentLocation>string</DocumentLocation>
                            <DocumentMedia>string</DocumentMedia>
                            <DocumentName>string</DocumentName>
                            <DocumentSizeInByte>0</DocumentSizeInByte>
                            <DocumentVersion>string</DocumentVersion>
                    </videoDocument>
```

```
            </markVideo>
    </markVideoDetails>
    <NonUseCancelledIndicator>true</NonUseCancelledIndicator>
    <oppositionDetails>
            <Opposition>
                    <any>
                    </any>
                    <earlierMarkDetails>
                            <EarlierMark>
                                    <any>
                                    </any>
                                    <applicationDate>
                                            <day>0</day>
                                            <eon>0</eon>
                                            <eonAndYear>0</eonAndYear>
                                            <fractionalSecond>0</fractionalSecond>
                                            <hour>0</hour>
                                            <millisecond>0</millisecond>
                                            <minute>0</minute>
                                            <month>0</month>
                                            <second>0</second>
                                            <timezone>0</timezone>
                                            <valid>true</valid>
                                            <xmlschemaType>
                                                    <localPart>string</localPart>
                                                    <namespaceURI>string</namespaceURI>
                                                    <prefix>string</prefix>
                                            </xmlschemaType>
                                            <year>0</year>
                                    </applicationDate>
                                    <ApplicationNumber>string</ApplicationNumber>
                                    <baseGoodsServicesDetails>
                                            <GoodsServices>
                                                    <any>
                                                    </any>
                                                    <classDescriptionDetails>
                                                            <ClassDescription>
                                                                    <any>
                                                                    </any>
                                                                    <ClassNumber>0</Cla
                                                                    <ClassNumberStatus
                                                                    <classificationTer
                                                                            <Classifi
```

```xml
                                    </Classif
                            </classificationTe
                            <GoodsServicesDescr
                                    <value>st
                            </GoodsServicesDesc
                            <UseNiceHeadingIndi
                    </ClassDescription>
            </classDescriptionDetails>
            <ClassificationKindCode>string</Classi
            <ClassificationVersion>string</Classif
            <comment languageCode="string" sequenc
                    <value>string</value>
            </comment>
            <ProposedLeadingClassNumber>0</Propose
        </GoodsServices>
</baseGoodsServicesDetails>
<EarlierMarkCountryCode>AD</EarlierMarkCountryCode>
<EarlierMarkKind>string</EarlierMarkKind>
<MarkFeature>string</MarkFeature>
<markImageDetails>
        <MarkImage>
                <any>
                </any>
                <MarkImageBinary>string</MarkImageBina
                <markImageCategory>
                        <any>
                        </any>
                        <categoryCodeDetails>
                                <CategoryCode>strin
                        </categoryCodeDetails>
                        <CategoryKind>string</Catego
                        <CategoryVersion>string</Cat
```

```xml
            </markImageCategory>
<MarkImageColourClaimedText languageCo
        <value>string</value>
</MarkImageColourClaimedText>
<MarkImageColourIndicator>true</MarkIm
<MarkImageColourMode>string</MarkImage
<MarkImageColourPartClaimedText langua
        <value>string</value>
</MarkImageColourPartClaimedText>
<MarkImageFileFormat>string</MarkImage
<MarkImageFilename>string</MarkImageFi
<MarkImageQualityIndicator>true</MarkI
<markImageRenditionDetails>
        <MarkImageRendition>
                <any>
                </any>
                <MarkImageRendition
                <MarkImageRendition
                <MarkImageRendition
                <MarkImageRendition
                <MarkImageRendition
                <markImageRendition
                        <any>
                        </any>
                        <Height>0
                        <Unit>CEN
                        <Width>0<
                </markImageRenditio
        </MarkImageRendition>
</markImageRenditionDetails>
<markImageRepresentationSize>
        <any>
        </any>
        <Height>0</Height>
        <Unit>CENTIMETRE</Unit>
        <Width>0</Width>
</markImageRepresentationSize>
        </MarkImage>
</markImageDetails>
<markVideoDetails>
        <markVideo>
<MarkVideoFileFormat>TIFF</MarkVideoFi
<markVideoFilename SHA256="string">
        <content>string</content>
</markVideoFilename>
<videoDocument>
        <any>
        </any>
        <comment languageCode="strin
                <value>string</valu
        </comment>
        <DocumentBinary>string</Docu
        <documentDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonA
                <fractionalSecond>0
```

```xml
                                        <hour>0</hour>
                                        <millisecond>0</mil
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezo
                                        <valid>true</valid
                                        <xmlschemaType>
                                                <localPar
                                                <namespac
                                                <prefix>s
                                        </xmlschemaType>
                                        <year>0</year>
                                </documentDate>
                                <DocumentFileFormat>string</
                                <DocumentFilename>string</Do
                                <DocumentLanguageCode>AA</Do
                                <DocumentLocation>string</Do
                                <DocumentMedia>string</Docum
                                <DocumentName>string</Docume
                                <DocumentSizeInByte>0</Docum
                                <DocumentVersion>string</Doc
                        </videoDocument>
                </markVideo>
        </markVideoDetails>
        <registrationDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </registrationDate>
        <RegistrationNumber>string</RegistrationNumber>
        <wordMarkSpecification>
                <any>
                </any>
                <MarkSignificantVerbalElement languageCode="stri
                        <value>string</value>
                </MarkSignificantVerbalElement>
                <MarkStandardCharacterIndicator>true</MarkStanda
                <MarkTranscription transcriptionKind="string">
                        <value>string</value>
                </MarkTranscription>
                <MarkTranslation languageCode="string" sequenceN
                        <value>string</value>
```

```xml
                        </MarkTranslation>
                        <markTransliteration transliterationKind="string
                                <value>string</value>
                        </markTransliteration>
                        <MarkVerbalElementSignificantIndicator>true</Mar
                        <markVerbalElementText languageCode="string" sec
                                <value>string</value>
                        </markVerbalElementText>
                    </wordMarkSpecification>
                </EarlierMark>
        </earlierMarkDetails>
        <earlierRightDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </earlierRightDate>
        <EarlierRightKind>string</EarlierRightKind>
        <opponentDetails>
                <Opponent>
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </comment>
                        <opponentAddressBook>
                                <AddressLanguageCode>AA</AddressLanguageCode>
                                <any>
                                </any>
                                <contactInformationDetails>
                                        <Email>string</Email>
                                        <Fax>string</Fax>
                                        <OtherElectronicAddress>string</OtherE
                                        <Phone phoneKind="string">
                                                <value>string</value>
                                        </Phone>
                                        <URL>string</URL>
                                </contactInformationDetails>
                                <formattedNameAddress>
                                        <address>
                                                <AddressCountryCode>string</
                                                <any>
                                                </any>
                                                <formattedAddress>
```

```xml
                                    <AddressBuilding>st
                                    <AddressCity>string
                                    <AddressCounty>stri
                                    <AddressFloor>strin
                                    <AddressLine langua
                                            <value>st
                                    </AddressLine>
                                    <AddressMailCode>st
                                    <AddressPostOfficeE
                                    <AddressPostcode>st
                                    <AddressRoom>string
                                    <AddressState>strin
                                    <AddressStreet>stri
                                    <FormattedAddressCo
                        </formattedAddress>
                        <freeFormatAddress>
                                    <FreeFormatAddressI
                                            <value>st
                                    </FreeFormatAddress
                        </freeFormatAddress>
                </address>
                <any>
                </any>
                <name>
                        <any>
                        </any>
                        <formattedName>
                                    <FirstName>string</
                                    <Gender>MALE</Gende
                                    <IndividualIdentifi
                                    <LastName>string</L
                                    <MiddleName>string<
                                    <NamePrefix>string<
                                    <NameSuffix>string<
                                    <NameSynonym>string
                                    <OrganizationDepart
                                    <OrganizationName>s
                                    <PersonRole>string<
                                    <SecondLastName>str
                        </formattedName>
                        <freeFormatName>
                                    <any>
                                    </any>
                                    <freeFormatNameDeta
                                            <FreeForm

                                            </FreeFor
                                    </freeFormatNameDet
                                    <NameKind>string</N
                        </freeFormatName>
                </name>
        </formattedNameAddress>
        <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine languageCod
                                    <value>string</value>
                        </FreeFormatNameAddressLine>
        </freeFormatAddressDetails>
```

```
                                              <PostalAddress>string</PostalAddress>
                        </opponentAddressBook>
                        <opponentEntitlement>
                                <any>
                                </any>
                                <entitlementDomiciled>
                                        <entitlementDomiciledAddressBook>
                                                <AddressLanguageCode>AA</Add
                                                <any>
                                                </any>
                                                <contactInformationDetails>
                                                        <Email>string</Ema
                                                        <Fax>string</Fax>
                                                        <OtherElectronicAd
                                                        <Phone phoneKind="
                                                                <value>st
                                                        </Phone>
                                                        <URL>string</URL>
                                                </contactInformationDetails>
                                                <formattedNameAddress>
                                                        <address>
                                                                <AddressC
                                                                <any>
                                                                </any>
                                                                <formatte




                                                                </formatt
                                                                <freeForm




                                                                </freeFor
                                                        </address>
                                                        <any>
                                                        </any>
                                                        <name>
                                                                <any>
                                                                </any>
                                                                <formatte
```

```xml
                                                                </formatt
                                                                <freeForm



                                                                </freeFor
                                                </name>
                                        </formattedNameAddress>
                                        <freeFormatAddressDetails>
                                                <FreeFormatNameAddr
                                                        <value>st
                                                </FreeFormatNameAdd
                                        </freeFormatAddressDetails>
                                        <PostalAddress>string</Posta
                                </entitlementDomiciledAddressBook>
                                <EntitlementDomiciledCode>string</Enti
                        </entitlementDomiciled>
                        <entitlementEstablishment>
                                <entitlementEstablishmentAddressBook>
                                        <AddressLanguageCode>AA</Add
                                        <any>
                                        </any>
                                        <contactInformationDetails>
                                                <Email>string</Emai
                                                <Fax>string</Fax>
                                                <OtherElectronicAd
                                                <Phone phoneKind="
                                                        <value>st
                                                </Phone>
                                                <URL>string</URL>
                                        </contactInformationDetails>
                                        <formattedNameAddress>
                                                <address>
                                                        <AddressC
                                                        <any>
                                                        </any>
                                                        <formatte
```

```
                                  </formatt
                                  <freeForm


                                  </freeFor
                    </address>
                    <any>
                    </any>
                    <name>
                              <any>
                              </any>
                              <formatte




                                  </formatt
                                  <freeForm




                                  </freeFor
                          </name>
                    </formattedNameAddress>
                    <freeFormatAddressDetails>
                              <FreeFormatNameAddr
                                    <value>st
                              </FreeFormatNameAdd
                    </freeFormatAddressDetails>
                    <PostalAddress>string</Posta
          </entitlementEstablishmentAddressBook>
          <EntitlementEstablishmentCode>string</
          </entitlementEstablishment>
          <EntitlementNationalityCode>string</EntitlementN
    </opponentEntitlement>
    <OpponentIdentifier identifierKindCode="AD">
              <value>string</value>
```

```
                                            </OpponentIdentifier>
                                            <OpponentIncorporationCountryCode>AD</OpponentIncorporati
                                            <OpponentIncorporationState>string</OpponentIncorporation
                                            <OpponentLegalEntity>string</OpponentLegalEntity>
                                            <OpponentNationalityCode>string</OpponentNationalityCode>
                                    </Opponent>
                            </opponentDetails>
                            <OppositionBasisCode>string</OppositionBasisCode>
                            <OppositionCurrentStatusCode>string</OppositionCurrentStatusCode>
                            <oppositionCurrentStatusDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart>
                                            <namespaceURI>string</namespaceURI>
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </oppositionCurrentStatusDate>
                            <oppositionDate>
                                    <day>0</day>
                                    <eon>0</eon>
                                    <eonAndYear>0</eonAndYear>
                                    <fractionalSecond>0</fractionalSecond>
                                    <hour>0</hour>
                                    <millisecond>0</millisecond>
                                    <minute>0</minute>
                                    <month>0</month>
                                    <second>0</second>
                                    <timezone>0</timezone>
                                    <valid>true</valid>
                                    <xmlschemaType>
                                            <localPart>string</localPart>
                                            <namespaceURI>string</namespaceURI>
                                            <prefix>string</prefix>
                                    </xmlschemaType>
                                    <year>0</year>
                            </oppositionDate>
                            <oppositionDocumentDetails>
                                    <OppositionDocument>
                                            <any>
                                            </any>
                                            <comment languageCode="string" sequenceNumber="0">
                                                    <value>string</value>
                                            </comment>
                                            <DocumentBinary>string</DocumentBinary>
                                            <documentDate>
                                                    <day>0</day>
```

```xml
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </documentDate>
                                <DocumentFileFormat>string</DocumentFileFormat>
                                <DocumentFilename>string</DocumentFilename>
                                <DocumentLanguageCode>AA</DocumentLanguageCode>
                                <DocumentLocation>string</DocumentLocation>
                                <DocumentMedia>string</DocumentMedia>
                                <DocumentName>string</DocumentName>
                                <DocumentSizeInByte>0</DocumentSizeInByte>
                                <DocumentVersion>string</DocumentVersion>
                        </OppositionDocument>
                </oppositionDocumentDetails>
                <oppositionEventDetails>
                        <OppositionEvent>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </comment>
                                <OppositionEventCode>string</OppositionEventCode>
                                <oppositionEventDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </oppositionEventDate>
                                <oppositionEventDateTime>
                                        <day>0</day>
                                        <eon>0</eon>
```

```
                                                <eonAndYear>0</eonAndYear>
                                                <fractionalSecond>0</fractionalSecond>
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart>
                                                        <namespaceURI>string</namespaceURI>
                                                        <prefix>string</prefix>
                                                </xmlschemaType>
                                                <year>0</year>
                                        </oppositionEventDateTime>
                                        <oppositionEventResponseDate>
                                                <day>0</day>
                                                <eon>0</eon>
                                                <eonAndYear>0</eonAndYear>
                                                <fractionalSecond>0</fractionalSecond>
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart>
                                                        <namespaceURI>string</namespaceURI>
                                                        <prefix>string</prefix>
                                                </xmlschemaType>
                                                <year>0</year>
                                        </oppositionEventResponseDate>
                                </OppositionEvent>
                        </oppositionEventDetails>
                        <oppositionExtentText languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </oppositionExtentText>
                        <oppositionGroundText languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </oppositionGroundText>
                        <OppositionIdentifier>string</OppositionIdentifier>
                        <OppositionLanguageCode>AA</OppositionLanguageCode>
                        <OppositionReference>string</OppositionReference>
                        <ProceedingLanguageCode>AA</ProceedingLanguageCode>
                        <representativeDetails>
                                <Representative operationCode="string">
                                        <any>
                                        </any>
                                        <comment languageCode="string" sequenceNumber="0">
                                                <value>string</value>
                                        </comment>
                                        <representativeAddressBook>
                                                <AddressLanguageCode>AA</AddressLanguageCode>
                                                <any>
```

```
</any>
<contactInformationDetails>
        <Email>string</Email>
        <Fax>string</Fax>
        <OtherElectronicAddress>string</OtherE
        <Phone phoneKind="string">
                <value>string</value>
        </Phone>
        <URL>string</URL>
</contactInformationDetails>
<formattedNameAddress>
        <address>
                <AddressCountryCode>string</
                <any>
                </any>
                <formattedAddress>
                        <AddressBuilding>st
                        <AddressCity>string
                        <AddressCounty>stri
                        <AddressFloor>strir
                        <AddressLine langua
                                <value>st
                        </AddressLine>
                        <AddressMailCode>st
                        <AddressPostOfficeE
                        <AddressPostcode>st
                        <AddressRoom>string
                        <AddressState>strir
                        <AddressStreet>stri
                        <FormattedAddressCo
                </formattedAddress>
                <freeFormatAddress>
                        <FreeFormatAddressE
                                <value>st
                        </FreeFormatAddress
                </freeFormatAddress>
        </address>
        <any>
        </any>
        <name>
                <any>
                </any>
                <formattedName>
                        <FirstName>string</
                        <Gender>MALE</Gende
                        <IndividualIdentifi
                        <LastName>string</I
                        <MiddleName>string
                        <NamePrefix>string
                        <NameSuffix>string
                        <NameSynonym>string
                        <OrganizationDepart
                        <OrganizationName>s
                        <PersonRole>string
                        <SecondLastName>str
                </formattedName>
                <freeFormatName>
```

```
                                        <any>
                                        </any>
                                        <freeFormatNameDet
                                                <FreeForm

                                                </FreeFor
                                        </freeFormatNameDe
                                        <NameKind>string</N
                                </freeFormatName>
                        </name>
                </formattedNameAddress>
                <freeFormatAddressDetails>
                        <FreeFormatNameAddressLine languageCod
                                <value>string</value>
                        </FreeFormatNameAddressLine>
                </freeFormatAddressDetails>
                <PostalAddress>string</PostalAddress>
        </representativeAddressBook>
        <RepresentativeIdentifier identifierKindCode="AD">
                <value>string</value>
        </RepresentativeIdentifier>
        <RepresentativeIncorporationCountryCode>AD</Representativ
        <RepresentativeIncorporationState>string</RepresentativeI
        <RepresentativeKindCode>string</RepresentativeKindCode>
        <RepresentativeLegalEntity>string</RepresentativeLegalEnt
        <RepresentativeNationalityCode>string</RepresentativeNati
        <RepresentativeSequenceNumber>0</RepresentativeSequenceNu
        <representativeVersion>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0
                        <value>string</value>
                </comment>
                <versionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart
                                <namespaceURI>string</namesp
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </versionDate>
                <versionDateTime>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
```

```xml
                                                <hour>0</hour>
                                                <millisecond>0</millisecond>
                                                <minute>0</minute>
                                                <month>0</month>
                                                <second>0</second>
                                                <timezone>0</timezone>
                                                <valid>true</valid>
                                                <xmlschemaType>
                                                        <localPart>string</localPart
                                                        <namespaceURI>string</namesp
                                                        <prefix>string</prefix>
                                                </xmlschemaType>
                                                <year>0</year>
                                        </versionDateTime>
                                        <VersionNumber>string</VersionNumber>
                                </representativeVersion>
                        </Representative>
                        <RepresentativeKey>
                                <any>
                                </any>
                                <Identifier identifierKindCode="AD">
                                        <value>string</value>
                                </Identifier>
                        </RepresentativeKey>
                </representativeDetails>
        </Opposition>
</oppositionDetails>
<oppositionPeriodEndDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
        <valid>true</valid>
        <xmlschemaType>
                <localPart>string</localPart>
                <namespaceURI>string</namespaceURI>
                <prefix>string</prefix>
        </xmlschemaType>
        <year>0</year>
</oppositionPeriodEndDate>
<oppositionPeriodStartDate>
        <day>0</day>
        <eon>0</eon>
        <eonAndYear>0</eonAndYear>
        <fractionalSecond>0</fractionalSecond>
        <hour>0</hour>
        <millisecond>0</millisecond>
        <minute>0</minute>
        <month>0</month>
        <second>0</second>
        <timezone>0</timezone>
```

```xml
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </oppositionPeriodStartDate>
    <OtherDate otherDateKind="string">
            <value>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </value>
    </OtherDate>
    <previousRegistrationDetails>
            <PreviousRegistration>
                    <any>
                    </any>
                    <comment languageCode="string" sequenceNumber="0">
                            <value>string</value>
                    </comment>
                    <PreviousRegistrationBasis>string</PreviousRegistrationBasis>
                    <previousRegistrationCancellationDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
                            <year>0</year>
                    </previousRegistrationCancellationDate>
                    <previousRegistrationDate>
```

```xml
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </previousRegistrationDate>
                                <PreviousRegistrationNumber>string</PreviousRegistrationNumber>
                                <previousRegistrationPriorityDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
                                        <month>0</month>
                                        <second>0</second>
                                        <timezone>0</timezone>
                                        <valid>true</valid>
                                        <xmlschemaType>
                                                <localPart>string</localPart>
                                                <namespaceURI>string</namespaceURI>
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </previousRegistrationPriorityDate>
                                <RegistrationOfficeCode>AD</RegistrationOfficeCode>
                        </PreviousRegistration>
                </previousRegistrationDetails>
                <priorityDetails>
                        <Priority>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </comment>
                                <PriorityCountryCode>string</PriorityCountryCode>
                                <priorityDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
                                        <hour>0</hour>
                                        <millisecond>0</millisecond>
                                        <minute>0</minute>
```

```xml
                              <month>0</month>
                              <second>0</second>
                              <timezone>0</timezone>
                              <valid>true</valid>
                              <xmlschemaType>
                                      <localPart>string</localPart>
                                      <namespaceURI>string</namespaceURI>
                                      <prefix>string</prefix>
                              </xmlschemaType>
                              <year>0</year>
                      </priorityDate>
                      <PriorityDocument>
                              <any>
                              </any>
                              <comment languageCode="string" sequenceNumber="0">
                                      <value>string</value>
                              </comment>
                              <DocumentBinary>string</DocumentBinary>
                              <documentDate>
                                      <day>0</day>
                                      <eon>0</eon>
                                      <eonAndYear>0</eonAndYear>
                                      <fractionalSecond>0</fractionalSecond>
                                      <hour>0</hour>
                                      <millisecond>0</millisecond>
                                      <minute>0</minute>
                                      <month>0</month>
                                      <second>0</second>
                                      <timezone>0</timezone>
                                      <valid>true</valid>
                                      <xmlschemaType>
                                              <localPart>string</localPart>
                                              <namespaceURI>string</namespaceURI>
                                              <prefix>string</prefix>
                                      </xmlschemaType>
                                      <year>0</year>
                              </documentDate>
                              <DocumentFileFormat>string</DocumentFileFormat>
                              <DocumentFilename>string</DocumentFilename>
                              <DocumentLanguageCode>AA</DocumentLanguageCode>
                              <DocumentLocation>string</DocumentLocation>
                              <DocumentMedia>string</DocumentMedia>
                              <DocumentName>string</DocumentName>
                              <DocumentSizeInByte>0</DocumentSizeInByte>
                              <DocumentVersion>string</DocumentVersion>
                      </PriorityDocument>
                      <priorityHolderName languageCode="string" sequenceNumber="0">
                              <value>string</value>
                      </priorityHolderName>
                      <PriorityNumber>string</PriorityNumber>
                      <priorityPartialGoodsServices>
                              <any>
                              </any>
                              <classDescriptionDetails>
                                      <ClassDescription>
                                              <any>
                                              </any>
```

```xml
<ClassNumber>0</ClassNumber>
<ClassNumberStatusCode>string</ClassNumberStatus
<classificationTermDetails>
        <ClassificationTerm operationCode="str
                <any>
                </any>
                <ClassNumber>0</ClassNumber>
                <classificationTermEntryDate
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonA
                        <fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</mil
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timez
                        <valid>true</valid
                        <xmlschemaType>
                                <localPar
                                <namespac
                                <prefix>s
                        </xmlschemaType>
                        <year>0</year>
                </classificationTermEntryDat
                <ClassificationTermEquivalen
                <classificationTermIdentifie
                        <value>string</valu
                </classificationTermIdentifi
                <ClassificationTermLanguageC
                <ClassificationTermOffice>AD
                <ClassificationTermOfficeKey
                <ClassificationTermReference
                <ClassificationTermSource>st
                <classificationTermStatus of
                        <value>string</valu
                </classificationTermStatus>
                <classificationTermText lang
                        <value>string</valu
                </classificationTermText>
                <ClassificationTermTranslati
                <wipobasicNumber>string</wip
        </ClassificationTerm>
</classificationTermDetails>
<GoodsServicesDescription languageCode="string"
        <value>string</value>
</GoodsServicesDescription>
<UseNiceHeadingIndicator>true</UseNiceHeadingInd
        </ClassDescription>
</classDescriptionDetails>
<ClassificationKindCode>string</ClassificationKindCode>
<ClassificationVersion>string</ClassificationVersion>
<comment languageCode="string" sequenceNumber="0">
        <value>string</value>
</comment>
<ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
```

```
                    </priorityPartialGoodsServices>
                    <PriorityPartialIndicator>true</PriorityPartialIndicator>
                    <PriorityStatusCode>string</PriorityStatusCode>
                    <priorityStatusDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
                            <year>0</year>
                    </priorityStatusDate>
            </Priority>
    </priorityDetails>
    <publicationDetails>
            <Publication>
                    <any>
                    </any>
                    <publicationDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
                            <year>0</year>
                    </publicationDate>
                    <PublicationIdentifier>string</PublicationIdentifier>
                    <PublicationPage>string</PublicationPage>
                    <PublicationSection>string</PublicationSection>
                    <PublicationSubsection>string</PublicationSubsection>
            </Publication>
    </publicationDetails>
    <ReceivingOfficeCode>AD</ReceivingOfficeCode>
    <receivingOfficeDate>
            <day>0</day>
            <eon>0</eon>
```

```xml
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </receivingOfficeDate>
    <registrationDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </registrationDate>
    <RegistrationNumber>string</RegistrationNumber>
    <RegistrationOfficeCode>AD</RegistrationOfficeCode>
    <representativeDetails>
            <Representative operationCode="string">
                    <any>
                    </any>
                    <comment languageCode="string" sequenceNumber="0">
                            <value>string</value>
                    </comment>
                    <representativeAddressBook>
                            <AddressLanguageCode>AA</AddressLanguageCode>
                            <any>
                            </any>
                            <contactInformationDetails>
                                    <Email>string</Email>
                                    <Fax>string</Fax>
                                    <OtherElectronicAddress>string</OtherElectronicAddress>
                                    <Phone phoneKind="string">
                                            <value>string</value>
                                    </Phone>
                                    <URL>string</URL>
                            </contactInformationDetails>
```

```xml
<formattedNameAddress>
	<address>
		<AddressCountryCode>string</AddressCountryCode>
		<any>
		</any>
		<formattedAddress>
			<AddressBuilding>string</AddressBuildi
			<AddressCity>string</AddressCity>
			<AddressCounty>string</AddressCounty>
			<AddressFloor>string</AddressFloor>
			<AddressLine languageCode="string" seq
				<value>string</value>
			</AddressLine>
			<AddressMailCode>string</AddressMailCo
			<AddressPostOfficeBox>string</AddressP
			<AddressPostcode>string</AddressPostco
			<AddressRoom>string</AddressRoom>
			<AddressState>string</AddressState>
			<AddressStreet>string</AddressStreet>
			<FormattedAddressCountryCode>AD</Forma
		</formattedAddress>
		<freeFormatAddress>
			<FreeFormatAddressLine languageCode="s
				<value>string</value>
			</FreeFormatAddressLine>
		</freeFormatAddress>
	</address>
	<any>
	</any>
	<name>
		<any>
		</any>
		<formattedName>
			<FirstName>string</FirstName>
			<Gender>MALE</Gender>
			<IndividualIdentifier>string</Individu
			<LastName>string</LastName>
			<MiddleName>string</MiddleName>
			<NamePrefix>string</NamePrefix>
			<NameSuffix>string</NameSuffix>
			<NameSynonym>string</NameSynonym>
			<OrganizationDepartment>string</Organi
			<OrganizationName>string</Organization
			<PersonRole>string</PersonRole>
			<SecondLastName>string</SecondLastName
		</formattedName>
		<freeFormatName>
			<any>
			</any>
			<freeFormatNameDetails>
				<FreeFormatNameLine language
					<value>string</valu
				</FreeFormatNameLine>
			</freeFormatNameDetails>
			<NameKind>string</NameKind>
		</freeFormatName>
	</name>
```

```xml
            </formattedNameAddress>
            <freeFormatAddressDetails>
                    <FreeFormatNameAddressLine languageCode="string" sequence
                            <value>string</value>
                    </FreeFormatNameAddressLine>
            </freeFormatAddressDetails>
            <PostalAddress>string</PostalAddress>
        </representativeAddressBook>
        <RepresentativeIdentifier identifierKindCode="AD">
            <value>string</value>
        </RepresentativeIdentifier>
        <RepresentativeIncorporationCountryCode>AD</RepresentativeIncorporationCountr
        <RepresentativeIncorporationState>string</RepresentativeIncorporationState>
        <RepresentativeKindCode>string</RepresentativeKindCode>
        <RepresentativeLegalEntity>string</RepresentativeLegalEntity>
        <RepresentativeNationalityCode>string</RepresentativeNationalityCode>
        <RepresentativeSequenceNumber>0</RepresentativeSequenceNumber>
        <representativeVersion>
            <any>
            </any>
            <comment languageCode="string" sequenceNumber="0">
                    <value>string</value>
            </comment>
            <versionDate>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
                            <prefix>string</prefix>
                    </xmlschemaType>
                    <year>0</year>
            </versionDate>
            <versionDateTime>
                    <day>0</day>
                    <eon>0</eon>
                    <eonAndYear>0</eonAndYear>
                    <fractionalSecond>0</fractionalSecond>
                    <hour>0</hour>
                    <millisecond>0</millisecond>
                    <minute>0</minute>
                    <month>0</month>
                    <second>0</second>
                    <timezone>0</timezone>
                    <valid>true</valid>
                    <xmlschemaType>
                            <localPart>string</localPart>
                            <namespaceURI>string</namespaceURI>
```

```xml
                                                <prefix>string</prefix>
                                        </xmlschemaType>
                                        <year>0</year>
                                </versionDateTime>
                                <VersionNumber>string</VersionNumber>
                        </representativeVersion>
                </Representative>
                <RepresentativeKey>
                        <any>
                        </any>
                        <Identifier identifierKindCode="AD">
                                <value>string</value>
                        </Identifier>
                </RepresentativeKey>
        </representativeDetails>
        <SecondLanguageCode>string</SecondLanguageCode>
        <seniorityDetails>
                <Seniority>
                        <any>
                        </any>
                        <comment languageCode="string" sequenceNumber="0">
                                <value>string</value>
                        </comment>
                        <InternationalTradeMarkCode>string</InternationalTradeMarkCode>
                        <seniorityApplicationDate>
                                <day>0</day>
                                <eon>0</eon>
                                <eonAndYear>0</eonAndYear>
                                <fractionalSecond>0</fractionalSecond>
                                <hour>0</hour>
                                <millisecond>0</millisecond>
                                <minute>0</minute>
                                <month>0</month>
                                <second>0</second>
                                <timezone>0</timezone>
                                <valid>true</valid>
                                <xmlschemaType>
                                        <localPart>string</localPart>
                                        <namespaceURI>string</namespaceURI>
                                        <prefix>string</prefix>
                                </xmlschemaType>
                                <year>0</year>
                        </seniorityApplicationDate>
                        <SeniorityApplicationNumber>string</SeniorityApplicationNumber>
                        <SeniorityCountryCode>AD</SeniorityCountryCode>
                        <SeniorityDocument>
                                <any>
                                </any>
                                <comment languageCode="string" sequenceNumber="0">
                                        <value>string</value>
                                </comment>
                                <DocumentBinary>string</DocumentBinary>
                                <documentDate>
                                        <day>0</day>
                                        <eon>0</eon>
                                        <eonAndYear>0</eonAndYear>
                                        <fractionalSecond>0</fractionalSecond>
```

```xml
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </documentDate>
                <DocumentFileFormat>string</DocumentFileFormat>
                <DocumentFilename>string</DocumentFilename>
                <DocumentLanguageCode>AA</DocumentLanguageCode>
                <DocumentLocation>string</DocumentLocation>
                <DocumentMedia>string</DocumentMedia>
                <DocumentName>string</DocumentName>
                <DocumentSizeInByte>0</DocumentSizeInByte>
                <DocumentVersion>string</DocumentVersion>
        </SeniorityDocument>
        <seniorityFilingDate>
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonAndYear>
                <fractionalSecond>0</fractionalSecond>
                <hour>0</hour>
                <millisecond>0</millisecond>
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezone>
                <valid>true</valid>
                <xmlschemaType>
                        <localPart>string</localPart>
                        <namespaceURI>string</namespaceURI>
                        <prefix>string</prefix>
                </xmlschemaType>
                <year>0</year>
        </seniorityFilingDate>
        <seniorityPartialGoodsServices>
                <any>
                </any>
                <classDescriptionDetails>
                        <ClassDescription>
                                <any>
                                </any>
                                <ClassNumber>0</ClassNumber>
                                <ClassNumberStatusCode>string</ClassNumberStatus
                                <classificationTermDetails>
                                        <ClassificationTerm operationCode="str
                                                <any>
                                                </any>
                                                <ClassNumber>0</ClassNumber>
                                                <classificationTermEntryDate
```

```xml
                <day>0</day>
                <eon>0</eon>
                <eonAndYear>0</eonA
                <fractionalSecond>0
                <hour>0</hour>
                <millisecond>0</mil
                <minute>0</minute>
                <month>0</month>
                <second>0</second>
                <timezone>0</timezo
                <valid>true</valid
                <xmlschemaType>
                        <localPar
                        <namespac
                        <prefix>s
                </xmlschemaType>
                <year>0</year>
        </classificationTermEntryDat
        <ClassificationTermEquivalen
        <classificationTermIdentifie
                <value>string</valu
        </classificationTermIdentifi
        <ClassificationTermLanguageC
        <ClassificationTermOffice>AD
        <ClassificationTermOfficeKey
        <ClassificationTermReference
        <ClassificationTermSource>st
        <classificationTermStatus of
                <value>string</valu
        </classificationTermStatus>
        <classificationTermText lang
                <value>string</valu
        </classificationTermText>
        <ClassificationTermTranslati
        <wipobasicNumber>string</wip
    </ClassificationTerm>
    </classificationTermDetails>
    <GoodsServicesDescription languageCode="string"
            <value>string</value>
    </GoodsServicesDescription>
    <UseNiceHeadingIndicator>true</UseNiceHeadingInd
    </ClassDescription>
    </classDescriptionDetails>
    <ClassificationKindCode>string</ClassificationKindCode>
    <ClassificationVersion>string</ClassificationVersion>
    <comment languageCode="string" sequenceNumber="0">
            <value>string</value>
    </comment>
    <ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
</seniorityPartialGoodsServices>
<SeniorityPartialIndicator>true</SeniorityPartialIndicator>
<seniorityPublicationDate>
    <day>0</day>
    <eon>0</eon>
    <eonAndYear>0</eonAndYear>
    <fractionalSecond>0</fractionalSecond>
    <hour>0</hour>
```

```xml
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </seniorityPublicationDate>
                <seniorityRegistrationDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </seniorityRegistrationDate>
                <SeniorityRegistrationNumber>string</SeniorityRegistrationNumber>
                <SeniorityStatusCode>string</SeniorityStatusCode>
                <seniorityStatusDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </seniorityStatusDate>
            </Seniority>
        </seniorityDetails>
        <SpecialCircumstanceText>string</SpecialCircumstanceText>
        <staffDetails>
```

```xml
            <Staff>
                    <any>
                    </any>
                    <OfficialTitle>string</OfficialTitle>
                    <StaffIdentifier>string</StaffIdentifier>
                    <StaffName>string</StaffName>
            </Staff>
    </staffDetails>
    <terminationDate>
            <day>0</day>
            <eon>0</eon>
            <eonAndYear>0</eonAndYear>
            <fractionalSecond>0</fractionalSecond>
            <hour>0</hour>
            <millisecond>0</millisecond>
            <minute>0</minute>
            <month>0</month>
            <second>0</second>
            <timezone>0</timezone>
            <valid>true</valid>
            <xmlschemaType>
                    <localPart>string</localPart>
                    <namespaceURI>string</namespaceURI>
                    <prefix>string</prefix>
            </xmlschemaType>
            <year>0</year>
    </terminationDate>
    <TotalMarkSeries>0</TotalMarkSeries>
    <TradeDistinctivenessIndicator>true</TradeDistinctivenessIndicator>
    <tradeDistinctivenessText languageCode="string" sequenceNumber="0">
            <value>string</value>
    </tradeDistinctivenessText>
    <tradeMarkDocumentDetails>
            <TradeMarkDocument>
                    <any>
                    </any>
                    <comment languageCode="string" sequenceNumber="0">
                            <value>string</value>
                    </comment>
                    <DocumentBinary>string</DocumentBinary>
                    <documentDate>
                            <day>0</day>
                            <eon>0</eon>
                            <eonAndYear>0</eonAndYear>
                            <fractionalSecond>0</fractionalSecond>
                            <hour>0</hour>
                            <millisecond>0</millisecond>
                            <minute>0</minute>
                            <month>0</month>
                            <second>0</second>
                            <timezone>0</timezone>
                            <valid>true</valid>
                            <xmlschemaType>
                                    <localPart>string</localPart>
                                    <namespaceURI>string</namespaceURI>
                                    <prefix>string</prefix>
                            </xmlschemaType>
```

```xml
                                <year>0</year>
                        </documentDate>
                        <DocumentFileFormat>string</DocumentFileFormat>
                        <DocumentFilename>string</DocumentFilename>
                        <DocumentLanguageCode>AA</DocumentLanguageCode>
                        <DocumentLocation>string</DocumentLocation>
                        <DocumentMedia>string</DocumentMedia>
                        <DocumentName>string</DocumentName>
                        <DocumentSizeInByte>0</DocumentSizeInByte>
                        <DocumentVersion>string</DocumentVersion>
                </TradeMarkDocument>
        </tradeMarkDocumentDetails>
        <tradeMarkVersion>
                <any>
                </any>
                <comment languageCode="string" sequenceNumber="0">
                        <value>string</value>
                </comment>
                <versionDate>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </versionDate>
                <versionDateTime>
                        <day>0</day>
                        <eon>0</eon>
                        <eonAndYear>0</eonAndYear>
                        <fractionalSecond>0</fractionalSecond>
                        <hour>0</hour>
                        <millisecond>0</millisecond>
                        <minute>0</minute>
                        <month>0</month>
                        <second>0</second>
                        <timezone>0</timezone>
                        <valid>true</valid>
                        <xmlschemaType>
                                <localPart>string</localPart>
                                <namespaceURI>string</namespaceURI>
                                <prefix>string</prefix>
                        </xmlschemaType>
                        <year>0</year>
                </versionDateTime>
                <VersionNumber>string</VersionNumber>
```

```xml
        </tradeMarkVersion>
        <useLimitationText languageCode="string" sequenceNumber="0">
                <value>string</value>
        </useLimitationText>
        <useRequirementText languageCode="string" sequenceNumber="0">
                <value>string</value>
        </useRequirementText>
        <useRight>
                <any>
                </any>
                <UseRightGoodsServices>
                        <any>
                        </any>
                        <classDescriptionDetails>
                                <ClassDescription>
                                        <any>
                                        </any>
                                        <ClassNumber>0</ClassNumber>
                                        <ClassNumberStatusCode>string</ClassNumberStatusCode>
                                        <classificationTermDetails>
                                                <ClassificationTerm operationCode="string">
                                                        <any>
                                                        </any>
                                                        <ClassNumber>0</ClassNumber>
                                                        <classificationTermEntryDate>
                                                                <day>0</day>
                                                                <eon>0</eon>
                                                                <eonAndYear>0</eonAndYear>
                                                                <fractionalSecond>0</fractio
                                                                <hour>0</hour>
                                                                <millisecond>0</millisecond>
                                                                <minute>0</minute>
                                                                <month>0</month>
                                                                <second>0</second>
                                                                <timezone>0</timezone>
                                                                <valid>true</valid>
                                                                <xmlschemaType>
                                                                        <localPart>string</
                                                                        <namespaceURI>strin
                                                                        <prefix>string</pre
                                                                </xmlschemaType>
                                                                <year>0</year>
                                                        </classificationTermEntryDate>
                                                        <ClassificationTermEquivalentGroup>str
                                                        <classificationTermIdentifier identifi
                                                                <value>string</value>
                                                        </classificationTermIdentifier>
                                                        <ClassificationTermLanguageCode>AA</Cl
                                                        <ClassificationTermOffice>AD</Classifi
                                                        <ClassificationTermOfficeKey>string</C
                                                        <ClassificationTermReferenceGroup>stri
                                                        <ClassificationTermSource>string</Clas
                                                        <classificationTermStatus officeCode="
                                                                <value>string</value>
                                                        </classificationTermStatus>
                                                        <classificationTermText languageCode="
                                                                <value>string</value>
```

```
                                                        </classificationTermText>
                                                        <ClassificationTermTranslationGroup>st
                                                        <wipobasicNumber>string</wipobasicNumb
                                                    </ClassificationTerm>
                                                </classificationTermDetails>
                                                <GoodsServicesDescription languageCode="string" sequenceN
                                                        <value>string</value>
                                                </GoodsServicesDescription>
                                                <UseNiceHeadingIndicator>true</UseNiceHeadingIndicator>
                                        </ClassDescription>
                                    </classDescriptionDetails>
                                    <ClassificationKindCode>string</ClassificationKindCode>
                                    <ClassificationVersion>string</ClassificationVersion>
                                    <comment languageCode="string" sequenceNumber="0">
                                            <value>string</value>
                                    </comment>
                                    <ProposedLeadingClassNumber>0</ProposedLeadingClassNumber>
                            </UseRightGoodsServices>
                            <UseRightIndicator>true</UseRightIndicator>
                            <useRightText languageCode="string" sequenceNumber="0">
                                    <value>string</value>
                            </useRightText>
                    </useRight>
                    <wordMarkSpecification>
                            <any>
                            </any>
                            <MarkSignificantVerbalElement languageCode="string" sequenceNumber="0">
                                    <value>string</value>
                            </MarkSignificantVerbalElement>
                            <MarkStandardCharacterIndicator>true</MarkStandardCharacterIndicator>
                            <MarkTranscription transcriptionKind="string">
                                    <value>string</value>
                            </MarkTranscription>
                            <MarkTranslation languageCode="string" sequenceNumber="0">
                                    <value>string</value>
                            </MarkTranslation>
                            <markTransliteration transliterationKind="string">
                                    <value>string</value>
                            </markTransliteration>
                            <MarkVerbalElementSignificantIndicator>true</MarkVerbalElementSignificantIndicator>
                            <markVerbalElementText languageCode="string" sequenceNumber="0">
                                    <value>string</value>
                            </markVerbalElementText>
                    </wordMarkSpecification>
            </TradeMarkType>
```

Code	Description
400	aucun paramètre
401	Non authorisé
403	Interdit
404	Non trouvé
429	Dépassement de quota

Code	Description
500	Erreur inattendue.