Introduction to the Model Scenarios

National Workshops

June 2019

Maria Wind, Kristofer Hasel

Regional climate models „EURO-CORDEX"

WCRP CORDEX

Coordinated Regional Climate Downscaling Experiment
*www.cordex.org*

- Defined model regions
  www.euro-cordex.net

- Standardized spatial resolution 12 km and 50 km forced by the newest generation of global circulation models (CMIP 5)

- All RCP emission scenarios (2.6, 4.5, 8.5)

Quelle: Euro-Cordex

AUSTRIAN DEVELOPMENT AGENCY

BOKU

UN environment

# CORDEX Domains

Europe
(EURO)

Mediterranean
(MED)

Middle East North Africa
(MENA)

Source: Cordex

EURO-CORDEX Model Range

Model range of yearly mean temperature
South

Model range of yearly Precipitation
South

# Climate Models

Differences in the results of climate models can be caused by:

- Emission scenario (RCP)

- Combinations of driving global circulation model (GCM) and regional climate model (RCM)

- Parameterization schemes of unresolved processes

- Domain (MED vs. EURO-CORDEX)

- Runs are transient and are not linked to observations

Climate Models

Small errors can result in large differences

# Climate Models in mountainous areas

- Western Balkan Region: highly complex terrain

- Spatial resolution of regional climate models (RCMs) not sufficient

- Influence of mountains on climate not well represented

- Additional bias correction and localization is needed to make the climate scenarios suitable for impact modelling or assessments

Mapdata: © OpenStreetMap, SRTM
© OpenTopoMap (CC-BY-SA)

Ensemble of bias-corrected climate scenarios

An ensemble of **44 bias corrected climate model scenarios** is produced in the ClimaProof project.

Temporal resolution	Daily
Spatial resolution	0.1° (~ 11 km) (WSG 1984)
Temporal extent	1981 - 2100
Geographic extent	Western Balkan Region
Data format	netCDF
Variables	maximum/minimum temperature precipitation global radiation 10m wind speed relative humidity

AUSTRIAN DEVELOPMENT AGENCY

BOKU

UN environment

Ensemble of bias-corrected climate scenarios

Meteorological parameters that will be available:

Variable	Unit	Description
tasmax	°C	daily maximum near-surface air temperature
tasmin	°C	daily minimum near-surface air temperature
pr	mm	total daily precipitation amount
rsds	W/m²	surface downwelling shortwave radiation
sfcWind	m/s	daily mean near-surface wind speed
hurs	%	near-surface relative humidity

Additionally relevant indices will be calculated (eg. heavy precipiation days, consecutive heat days,…)