

ESTIMATE

PROJECT

RESIDENTIAL BUNGALOW

IN

SHOP NO. 07, 08 & 09, GROUND FLOOR, KHANDERAO COMPLEX, PLOT
NO. 3 TO 4, GUT NO. 173/2, MUMBAI AGRA HIGHWAY, OZAR, AT. POST -
OZAR, TAL. NIPHAD & DIST NASHIK

OF

SACHIN JADHAV

SAGAR VIJAYRAO KATORE

**CONSULTING ENGINEER, STRUCTURAL DESIGNER
& GOVT. REGISTERED VALUER**

At : Nimgaon Korhale, Post : Laxmiwadi, Tal : Rahata,
Ahmednagar - 423 109

+91- 9960 867 555, 9859 121 121



VKON CONSULTANTS

Nagar Manmad Highway, Nimgaon Korhale, Shirdi,
Ahmednagar - 423109



+91 - 9960 867 555, 9859 121 121



sagarvk90@gmail.com

ESTIMATE SUMMARY

Name of Work	PROPOSED RESIDENTIAL BUNGALOW IN SHOP NO. 07, 08 & 09, GROUND FLOOR, KHANDERAO COMPLEX, PLOT NO. 3 TO 4, GUT NO. 173/2, MUMBAI AGRA HIGHWAY, OZAR, AT. POST - OZAR, TAL. NIPHAD & DIST NASHIK
Name of Client	SACHIN JADHAV

Estimate Value	Rs.12,18,873.50/-
Add 2.50% for Contingencies	Rs.30,471.84/-
Add 2.50% for Electrification	Rs.30,471.84/-
Total Estimate Value	Rs.12,79,817.00/-
In Words	Rupees Twelve Lakh Seventy Nine Thousand Eight Hundred And Seventeen Only

s, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules included		
mortar 1:6 using second class burnt bricks in superstructure including striking joints, raking out joints, watering and scaffolding complete.		
in single coat in cement mortar 1:4 without neeru finish to concrete or brick surfaces, in all positions including scaffolding and curing compound		
finishing compound at 1kg.per cement bag, curing the same for not less than 3 days and keeping the surface of the base coat rough to receive		
1:3 and mixed with approved water proofing compound and finally top finishing with average 20 mm thick layer of same mortar including		
10mm thick for flooring in required position laid on a bed of 1:4 cement mortar, including cement float, filling joints with white/ coloured cement		
Toilet - Flooring		
10mm thick for Skirting / Dado in required position laid on a bed of 1:4 cement mortar, including cement float, filling joints with white/ coloured cement		
DATE _____		
T.W. Doors Frames (BTC)		
1mm thick laminated sheet on both faces in the positions shown on the drawing or as directed, all necessary beads, mouldings and linings		
weighing 0.838 kg. per running metre with shutter or sections made of 19 mm x 40 mm size having average weight of 0.6 kg. per running metre		
windows, ventilators etc. as per drawing including fixtures, necessary welding & painting with one coat of anti corrosive paint & two coats of enamel		
sealed cover. Diameter will be of 50 mm diameter and 16 gauge pipe having 12 mm diameter rods passing through 16 mm diameter bus bars		
Painting		
oil-bound distemper of approved colour and shade to old & new Surfaces in two coats including scaffolding, preparing the surfaces.		
plastered surfaces including scaffolding if necessary, cleaning and preparing the surface (excluding primer coat) complete. (Sample and specification to be submitted)		
Kitchen Platforms (Granite+Trolleys)		
Plumbing		
A) C.F. Pipe		
i) 75 mm		
ii) 100 mm		
B) C.F. Pipe		
i) 15 mm		
ii) 25 mm		
iii) 32 mm		
C) Rainwater Downtake Pipe		
D) Orissa Pan		
E) European Commode		
F) Wash Hand Basins		
G) Bib Cock		
H) Nahani Trap		
I) C.P. Tube		
J) Flushcock		
K) M. S. Pipes		
i) 15 mm		
ii) 25 mm		
iii) 32 mm		
L) Gulley Trap		
M) Inspection Chamber		
U. G. Tank (With Tank for Rain-Water Harvesting)		
Total		
Add 2.50% for Contingencies		
Add 2.50% for Electrification		
Total		
Total		