

Hotcakes Commerce REST API Reference

Base URL: {baseWebSiteUri}/DesktopModules/Hotcakes/API/rest/v1/

Authentication: All requests require an ?key= query parameter with your API key.

Table of Contents

- [Search Manager](#)
 - [Utilities](#)
 - [Categories](#)
 - [Price Groups](#)
 - [Customer Accounts](#)
 - [Affiliates](#)
 - [Affiliate Referrals](#)
 - [Tax Schedules](#)
 - [Taxes](#)
 - [Vendors](#)
 - [Manufacturers](#)
 - [Product Types](#)
 - [Product Properties](#)
 - [Product Options](#)
 - [Product Variants](#)
 - [Products](#)
 - [Product Relationships](#)
 - [Image Upload Helpers](#)
 - [Product Files](#)
 - [Product Inventory](#)
 - [Product Images](#)
 - [Product Volume Discounts](#)
 - [Product Reviews](#)
 - [Category Product Associations](#)
 - [Orders](#)
 - [Order Transactions](#)
 - [Wish List Items](#)
 - [Catalog Roles](#)
 - [Gift Cards](#)
-

Search Manager

Method	HTTP	Description	Returns
SearchManagerIndexProduct(productBvin)	POST	Manually executes indexing of a product. Useful after updating a product.	bool

Utilities

Method	HTTP	Description	Returns
UtilitiesSlugify(input)	POST	Parses a string and returns a URL-safe slug. No uniqueness guarantee.	string

Categories

Method	HTTP	Description	Returns
CategoriesFindAll()	GET	Returns all categories sorted as configured in the store admin area.	List<CategorySnapshotDTO>
CategoriesFindForProduct(productBvin)	GET	Returns all categories that the specified product belongs to.	List<CategorySnapshotDTO>
CategoriesFind(bvin)	GET	Returns a single category matching the given ID.	CategoryDTO
CategoriesFindBySlug(slug)	GET	Returns the category matching the given URL slug.	CategoryDTO
CategoriesCreate(item)	POST	Creates a new category and returns the saved object.	CategoryDTO
CategoriesUpdate(item)	POST	Updates an existing category and returns the updated object.	CategoryDTO
CategoriesDelete(bvin)	DELETE	Permanently deletes the specified category.	bool
CategoriesClearAll()	DELETE	Deletes all categories in the store. Requires additional API permissions.	bool

Price Groups

Method	HTTP	Description	Returns
PriceGroupsFindAll()	GET	Returns all price groups in the store.	List<PriceGroupDTO>
PriceGroupsFind	GET	Returns a specific price group	PriceGroupDTO

Method	HTTP	Description	Returns
(bvin)		by ID.	
PriceGroupsCreate(item)	POST	Creates a new price group and returns it.	PriceGroupDTO
PriceGroupsUpdate(item)	POST	Updates an existing price group and returns it.	PriceGroupDTO
PriceGroupsDelete(bvin)	DELETE	Permanently deletes the specified price group.	bool

Customer Accounts

Method	HTTP	Description	Returns
CustomerAccountsFindAll()	GET	Returns all customer accounts in the store.	List<CustomerAccountDTO>
CustomerAccountsCountOfAll()	GET	Returns the total count of all customer accounts (website users).	long
CustomerAccountsFindAllByPage(pageNumber, pageSize)	GET	Returns a paged listing of customer accounts.	List<CustomerAccountDTO>
CustomerAccountsFind(bvin)	GET	Returns a specific customer account by unique ID.	CustomerAccountDTO
CustomerAccountsFindByEmail(email)	GET	Returns a customer account by email. Returns the first match if multiple exist.	CustomerAccountDTO
CustomerAccountsCreate(item)	POST	Creates a new customer account.	CustomerAccountDTO
CustomerAccountsUpdate(item)	POST	Updates an existing customer account matched by ID.	CustomerAccountDTO
CustomerAccountsCreateWithPassword(item, clearpassword)	POST	Creates a customer account with a specified password. Password is sent in the URL — use with caution.	CustomerAccountDTO
CustomerAccountsDelete(bvin)	DELETE	Permanently deletes the customer account and related data (e.g. wish lists). Soft-delete in the CMS.	bool
CustomerAccountsClearAll()	DELETE	Deletes all customer accounts. Requires additional API permissions.	bool

Affiliates

Method	HTTP	Description	Returns
AffiliatesFindAll()	GET	Returns all affiliates in the store.	List<AffiliateDTO>
AffiliatesFind(id)	GET	Returns a specific affiliate by ID.	AffiliateDTO
AffiliatesCreate(item)	POST	Creates a new affiliate and returns the saved object.	AffiliateDTO
AffiliatesUpdate(item)	POST	Updates an existing affiliate record.	AffiliateDTO
AffiliatesDelete(id)	DELETE	Permanently deletes the specified affiliate.	bool

Affiliate Referrals

Method	HTTP	Description	Returns
AffiliateReferralsFindForAffiliate(id)	GET	Returns all referrals for a specific affiliate.	List<AffiliateReferralDTO>
AffiliateReferralsCreate(item)	POST	Creates a new referral for the specified affiliate.	AffiliateReferralDTO

Tax Schedules

Method	HTTP	Description	Returns
TaxSchedulesFindAll()	GET	Returns all tax schedules in the store.	List<TaxScheduleDTO>
TaxSchedulesFind(id)	GET	Returns a specific tax schedule by ID.	TaxScheduleDTO
TaxSchedulesCreate(item)	POST	Creates a new tax schedule.	TaxScheduleDTO
TaxSchedulesUpdate(item)	POST	Updates an existing tax schedule.	TaxScheduleDTO
TaxSchedulesDelete(id)	DELETE	Permanently deletes the specified tax schedule.	bool

Taxes

Method	HTTP	Description	Returns
TaxesFindAll()	GET	Returns all tax zones/records across all tax schedules.	List<TaxDTO>
TaxesFind(id)	GET	Returns a specific tax zone by	TaxDTO

Method	HTTP	Description	Returns
		ID.	
TaxesCreate(item)	POST	Creates a new tax zone for use in a tax schedule.	TaxDTO
TaxesUpdate(item)	POST	Updates an existing tax record.	TaxDTO
TaxesDelete(id)	DELETE	Permanently deletes the specified tax zone.	bool

Vendors

Method	HTTP	Description	Returns
VendorFindAll()	GET	Returns all vendors in the store.	List<VendorManufacturerDTO>
VendorFind(bvin)	GET	Returns a specific vendor by ID.	VendorManufacturerDTO
VendorCreate(item)	POST	Creates a new vendor to assign to catalog products.	VendorManufacturerDTO
VendorUpdate(item)	POST	Updates an existing vendor record.	VendorManufacturerDTO
VendorDelete(bvin)	DELETE	Permanently deletes the specified vendor.	bool

Manufacturers

Method	HTTP	Description	Returns
ManufacturerFindAll()	GET	Returns all manufacturers in the store.	List<VendorManufacturerDTO>
ManufacturerFind(bvin)	GET	Returns a specific manufacturer by ID.	VendorManufacturerDTO
ManufacturerCreate(item)	POST	Creates a new manufacturer to assign to catalog products.	VendorManufacturerDTO
ManufacturerUpdate(item)	POST	Updates an existing manufacturer record.	VendorManufacturerDTO
ManufacturerDelete(bvin)	DELETE	Permanently deletes the specified manufacturer.	bool

Product Types

Method	HTTP	Description	Returns
ProductTypesFindAll()	GET	Returns all product types in the store.	List<ProductTypeDTO>

Method	HTTP	Description	Returns
ProductTypesFind(bvin)	GET	Returns a single product type by ID.	ProductTypeDTO
ProductTypesCreate(item)	POST	Creates a new product type.	ProductTypeDTO
ProductTypesUpdate(item)	POST	Updates an existing product type.	ProductTypeDTO
ProductTypesDelete(bvin)	DELETE	Permanently deletes the specified product type.	bool
ProductTypesAddProperty(typeBvin, propertyId, sortOrder)	POST	Associates a product property with a product type at the given sort position.	bool
ProductTypesRemoveProperty(typeBvin, propertyId)	DELETE	Removes the association between a product property and a product type.	bool

Product Properties

Method	HTTP	Description	Returns
ProductPropertiesFindAll()	GET	Returns all product properties in the store.	List<ProductPropertyDTO>
ProductPropertiesFind(id)	GET	Returns a single product property by ID.	ProductPropertyDTO
ProductPropertiesForProduct(productBvin)	GET	Returns all product properties for the specified product.	List<ProductPropertyDTO>
ProductPropertiesCreate(item)	POST	Creates a new product property for use with product types.	ProductPropertyDTO
ProductPropertiesUpdate(item)	POST	Updates an existing product property.	ProductPropertyDTO
ProductPropertiesDelete(id)	DELETE	Permanently deletes the specified product property.	bool
ProductPropertiesSetValueForProduct(id, productBvin, propertyValue, choiceId)	POST	Sets the value of a product property for a specific product.	bool

Product Options

Method	HTTP	Description	Returns
ProductOptionsFindAll()	GET	Returns all product options across the entire store.	List<OptionDTO>
ProductOptionsFindAllByProductId(productBvin)	GET	Returns all product options for the specified product.	List<OptionDTO>
ProductOptionsFind(bvin)	GET	Returns a specific product option by ID.	OptionDTO
ProductOptionsCreate(item)	POST	Creates a new product option in the store.	OptionDTO
ProductOptionsUpdate(item)	POST	Updates an existing product option.	OptionDTO
ProductOptionsDelete(bvin)	DELETE	Permanently deletes the specified product option.	bool
ProductOptionsAssignToProduct(newOptionBvin, productBvin, generateVariants)	POST	Assigns a product option to a product. Optionally generates all possible variants. It is recommended to set generateVariants=false and call ProductOptionsGenerateAllVariants after all options have been added.	bool
ProductOptionsUnassignFromProduct(optionBvin, productBvin)	POST	Removes a product option assignment from a product.	bool
ProductOptionsGenerateAllVariants(productBvin)	POST	Generates all possible variants for the specified product based on its options.	bool

Product Variants

Method	HTTP	Description	Returns
ProductVariantUpdateSku(data)	POST	Updates the SKU of an existing product variant.	bool
ProductVariantsFindByProductId(productId)	GET	Returns all variants for the specified product.	List<VariantDTO>

Products

Method	HTTP	Description	Returns
ProductsFindAll()	GET	Returns all products in the catalog.	List<ProductDTO>
ProductsFindForCategory(categoryBvin, pageNumber, pageSize)	GET	Returns a paged list of products assigned to the specified category.	PageOfProducts
ProductsFindPage(pageNumber, pageSize)	GET	Returns a specific page of all products in the store.	PageOfProducts
ProductsCountOfAll()	GET	Returns the total number of products in the catalog.	long
ProductsFind(bvin)	GET	Returns a specific product by ID.	ProductDTO
ProductsFindBySKU(sku)	GET	Returns a specific product by its SKU.	ProductDTO
ProductsBySlug(slug)	GET	Returns a specific product by its URL slug.	ProductDTO
ProductsCreate(item, imageData)	POST	Creates a new product and optionally uploads its main image.	ProductDTO
ProductsUpdate(item)	POST	Updates an existing product in the catalog.	ProductDTO
ProductsDelete(bvin)	DELETE	Permanently deletes the specified product from the catalog.	bool
ProductsClearAll(howMany)	DELETE	Permanently deletes all products (up to howMany at once). ☐ Requires additional API permissions.	ClearProductsData

Product Relationships

Method	HTTP	Description	Returns
ProductRelationshipsFind(id)	GET	Returns a specific product relationship by ID.	ProductRelationshipDTO
ProductRelationshipsForProduct(productBvin)	GET	Returns all relationships for the specified product.	List<ProductRelationshipDTO>
ProductRelationshipsCreate(item)	POST	Creates a new product	ProductRelationshipDTO

Method	HTTP	Description	Returns
m)		relationship.	
ProductRelationshipsQuickCreate(productBvin, otherProductBvin, isSubstitute)	POST	Shortcut for creating a product relationship using just product IDs.	bool
ProductRelationshipsUpdate(item)	POST	Updates an existing product relationship.	ProductRelationshippDTO
ProductRelationshipsUnrelate(productBvin, otherProductBvin)	DELETE	Removes the relationship between two products.	bool

Image Upload Helpers

Method	HTTP	Description	Returns
ProductsMainImageUpload(productBvin, fileName, imageData)	POST	Uploads the main image for a product.	bool
CategoriesImagesIconUpload(categoryBvin, fileName, imageData)	POST	Uploads the icon image for a category.	bool
CategoriesImagesBannerUpload(categoryBvin, fileName, imageData)	POST	Uploads the banner image for a category.	bool

Product Files

Method	HTTP	Description	Returns
ProductFilesFindForProduct(bvin)	GET	Returns all downloadable files associated with a product.	List<ProductFileDTO>
ProductFilesFind(bvin)	GET	Returns a specific product file by ID.	ProductFileDTO
ProductFilesCreate(item)	POST	Creates a new product file	ProductFileDTO

Method	HTTP	Description	Returns
		record.	
ProductFilesUpdate(item)	POST	Updates an existing product file record.	ProductFileDTO
ProductFilesDelete(bvin)	DELETE	Permanently deletes the specified product file.	bool
ProductFilesAddToProduct(productBvin, fileBvin, availableMinutes, maxDownloads)	POST	Associates a file with a product, setting download limits.	bool
ProductFilesRemoveFromProduct(productBvin, fileBvin)	DELETE	Removes a file association from a product.	bool
ProductFilesDataUploadFirstPart(fileBvin, fileName, description, data)	POST	Uploads the first (or only) chunk of a product file's binary data.	bool
ProductFilesDataUploadAdditionalPart(fileBvin, fileName, moreData)	POST	Uploads an additional chunk of a product file's binary data.	bool

Product Inventory

Method	HTTP	Description	Returns
ProductInventoryFind(bvin)	GET	Returns the inventory record for a specific product or variant.	ProductInventoryDTO
ProductInventoryCreate(item)	POST	Creates a new inventory record for a product or variant.	ProductInventoryDTO
ProductInventoryUpdate(item)	POST	Updates the inventory levels for a product or variant.	ProductInventoryDTO
ProductInventoryDelete(bvin)	DELETE	Permanently deletes the inventory record for a product.	bool
ProductInventoryFindAll()	GET	Returns all inventory records in the store.	List<ProductInventoryDTO>
ProductInventory	GET	Returns all inventory records	List<ProductInventory

Method	HTTP	Description	Returns
ProductImageDTO> yFindForProduct (productBvin)		for the specified product.	

Product Images

Method	HTTP	Description	Returns
ProductImagesFindAll()	GET	Returns all product images in the store.	List<ProductImageDTO>
ProductImagesFindAllByProduct(productBvin)	GET	Returns all images for the specified product.	List<ProductImageDTO>
ProductImagesFind(bvin)	GET	Returns a specific product image by ID.	ProductImageDTO
ProductImagesCreate(item, data)	POST	Creates a new product image record and optionally uploads the image data.	ProductImageDTO
ProductImagesUpdate(item)	POST	Updates an existing product image record.	ProductImageDTO
ProductImagesDelete(bvin)	DELETE	Permanently deletes the specified product image.	bool
ProductImagesUpload(productBvin, imageBvin, fileName, imageData)	POST	Uploads binary image data for an existing product image record.	bool

Product Volume Discounts

Method	HTTP	Description	Returns
ProductVolumeDiscountsFind(bvin)	GET	Returns a specific product volume discount by ID.	ProductVolumeDiscountDTO
ProductVolumeDiscountsCreate(item)	POST	Creates a new product volume discount.	ProductVolumeDiscountDTO
ProductVolumeDiscountsUpdate(item)	POST	Updates an existing product volume discount.	ProductVolumeDiscountDTO
ProductVolumeDiscountsDelete(bvin)	DELETE	Permanently deletes the specified product volume discount.	bool

Product Reviews

Method	HTTP	Description	Returns
ProductReviewsFindAll()	GET	Returns all product reviews in the store.	List<ProductReviewDTO>
ProductReviewsByProduct(productBvin)	GET	Returns all reviews for the specified product.	List<ProductReviewDTO>
ProductReviewsFind(bvin)	GET	Returns a specific product review by ID.	ProductReviewDTO
ProductReviewsCreate(item)	POST	Creates a new product review.	ProductReviewDTO
ProductReviewsUpdate(item)	POST	Updates an existing product review.	ProductReviewDTO
ProductReviewsDelete(bvin)	DELETE	Permanently deletes the specified product review.	bool

Category Product Associations

Method	HTTP	Description	Returns
CategoryProductAssociationsFind(id)	GET	Returns a specific category/product association by ID.	CategoryProductAssociationDTO
CategoryProductAssociationsCreate(item)	POST	Creates a new category/product association.	CategoryProductAssociationDTO
CategoryProductAssociationsQuickCreate(productBvin, categoryBvin)	POST	Shortcut to associate a product with a category using just their IDs.	bool
CategoryProductAssociationsUpdate(item)	POST	Updates an existing category/product association.	CategoryProductAssociationDTO
CategoryProductAssociationsUnrelate(productBvin, categoryBvin)	DELETE	Permanently removes the association between a product and a category.	bool

Orders

Method	HTTP	Description	Returns
OrdersFindAll()	GET	Returns all orders in the store.	List<OrderSnapshotDTO>

Method	HTTP	Description	Returns
OrdersFind(bvin)	GET	Returns a specific order by ID.	OrderDTO
OrdersCreate(item, recalculateOrder)	POST	Creates a new order. Optionally recalculates totals.	OrderDTO
OrdersUpdate(item, recalculateOrder)	POST	Updates an existing order. Optionally recalculates totals.	OrderDTO
OrdersDelete(bvin)	DELETE	Permanently deletes the specified order.	bool

Order Transactions

Method	HTTP	Description	Returns
OrderTransactionsFindForOrder(bvin)	GET	Returns all transactions for a specific order.	List<OrderTransactionDTO>
OrderTransactionsFind(id)	GET	Returns a specific transaction by its GUID.	OrderTransactionDTO
OrderTransactionsCreate(item)	POST	Creates a new transaction for an order.	OrderTransactionDTO
OrderTransactionsUpdate(item)	POST	Updates an existing order transaction.	OrderTransactionDTO
OrderTransactionsDelete(id)	DELETE	Permanently deletes the specified transaction.	bool

Wish List Items

Method	HTTP	Description	Returns
WishListItemsFind(id)	GET	Returns a specific wish list item by ID.	WishListItemDTO
WishListItemsFindForCustomer(customerId)	GET	Returns all wish list items for the specified customer.	List<WishListItemDTO>
WishListItemsFindAll()	GET	Returns all wish list items in the store.	List<WishListItemDTO>
WishListItemsCreate(item)	POST	Creates a new wish list item.	WishListItemDTO
WishListItemsUpdate(item)	POST	Updates an existing wish list item.	WishListItemDTO

Method	HTTP	Description	Returns
WishListItemsDelete(id)	DELETE	Permanently deletes the specified wish list item.	bool

Catalog Roles

Method	HTTP	Description	Returns
CatalogRoleFindByProduct(id)	GET	Returns all catalog roles assigned to the specified product.	List<CatalogRoleDTO>
CatalogRoleFindByCategory(id)	GET	Returns all catalog roles assigned to the specified category.	List<CatalogRoleDTO>
CatalogRoleFindByProductType(id)	GET	Returns all catalog roles assigned to the specified product type.	List<CatalogRoleDTO>
CatalogRoleCreate(item)	POST	Creates a new catalog role assignment.	CatalogRoleDTO
CatalogRoleDelete(id)	DELETE	Permanently deletes the specified catalog role.	bool

Gift Cards

Method	HTTP	Description	Returns
GiftCardFindAll()	GET	Returns all gift cards in the store.	List<GiftCardDTO>
GiftCardFindAllByPage(pageNumber, pageSize)	GET	Returns a paged list of gift cards.	List<GiftCardDTO>
GiftCardFind(id)	GET	Returns a specific gift card by its unique ID (not the card number).	GiftCardDTO
GiftCardCreate(item)	POST	Creates a new gift card in the store.	GiftCardDTO
GiftCardUpdate(item)	POST	Updates an existing gift card.	GiftCardDTO
GiftCardDelete(id)	DELETE	Permanently deletes the specified gift card.	bool
GiftCardCountOfAll()	GET	Returns the total count of gift cards in the store.	long