

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_08.py
question_07.py x question_08.py - session-03 x
di=float(input("mojodi hesab ra vared
sht=float(input("mablagh bardasht ra
dasht<=0:
rint("mablagh na moatabar ast")
ardasht>mojoodi:
rint("mojoodi kafi nist")

mojoodi_jadid=mojoodi-bardasht
rint("amaliyât movafagh")
rint(mojoodi_jadid)

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
mablagh bardasht ra vared konid:600
mojoodi kafi nist

In [25]: runfile('C:/Users/Computer Jahesh/Documents/GitH
exercise-fateme-bolhasni/session-03/question_08.py', wdir
Computer Jahesh/Documents/GitHub/python-exercise-fateme-b
session-03')
mojodi hesab ra vared konid:200
mablagh bardasht ra vared konid:-100
mablagh na moatabar ast

In [26]: runfile('C:/Users/Computer Jahesh/Documents/GitH
exercise-fateme-bolhasni/session-03/question_08.py', wdir
Computer Jahesh/Documents/GitHub/python-exercise-fateme-b
session-03')
mojodi hesab ra vared konid:|

IPython Console History
conda (Python 3.12.7) Completions: conda LSP: Python Line 11, Col 6 UTF-
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_07.py
question_02.py x question_03.py - session-03 x question_07.py x
1=input("rang aval vared konid:")
2=input("rang dovom vared konid:")
3=input("rang sevom vared konid:")
nge1==range2 and range2==range3:
rint("har se rang barabar ast")
range1==range2:
rint("do rang barabar ast")
range1==range3:
rint("do rang barabar ast")
range2==range3:
rint("do rang barabar ast")

rint("rang ha yeksan nistand")

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
session-03')
rang aval vared konid:قرمز
rang dovom vared konid:قرمز
rang sevom vared konid:مشکی
do rang barabar ast

In [22]: runfile('C:/Users/Computer Jahesh/Documents/GitH
exercise-fateme-bolhasni/session-03/question_07.py', wdir
Computer Jahesh/Documents/GitHub/python-exercise-fateme-b
session-03')
rang aval vared konid:قرمز
rang dovom vared konid:مشکی
rang sevom vared konid:سفید
rang ha yeksan nistand

In [23]: |

IPython Console History
conda (Python 3.12.7) Completions: conda LSP: Python Line 13, Col 38 UTF-
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_09.py
question_07.py x question_08.py - session-03 x question_09.py x
3,8,-1,0,-7)
in a:
i < 0:
print(i)

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
In [27]: runfile('C:/Users/Computer Jahesh/Documents/GitH
exercise-fateme-bolhasni/session-03/question_09.py', wdir
Computer Jahesh/Documents/GitHub/python-exercise-fateme-b
session-03')
-3
-1
-7

In [28]: |

IPython Console History
conda (Python 3.12.7) Completions: conda LSP: Python Line 4, Col 17 UTF-
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_06.py
question_05.py - session-03 x question_06.py - session-03 x
=0
in range(10):
nt(input("yek add vared konid:"))
moo=majmoo+n

n=majmoo/10
niangin)

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
exercise-fateme-bolhasni/session-03/question_06.py', wdir
Computer Jahesh/Documents/GitHub/python-exercise-fateme-b
session-03')
yek add vared konid:2
yek add vared konid:3
yek add vared konid:5
yek add vared konid:8
yek add vared konid:9
yek add vared konid:7
yek add vared konid:36
yek add vared konid:9
yek add vared konid:4
yek add vared konid:11
9.4

In [20]:

IPython Console History
conda (Python 3.12.7) Completions: conda LSP: Python Line 1, Col 1 ASCII
```



```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_04.py
question_02.py - session-03 x question_04.py - session-03 x
c("yek matn vared konid:")
(a) % 2==0:
int(a[:len(a)//2])

int(a[len(a)//2:])

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
In [15]: runfile('C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03/question_04.py', wdir='C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03')
yek matn vared konid:salam azizam
salam

In [16]: runfile('C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03/question_04.py', wdir='C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03')
yek matn vared konid:ali
li

In [17]:
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_03.py
untitled0.py x untitled2.py x question_03.py - session-03 x
0
n range(1,11):
i % 2==0:
natije=i+5
majmoo=majmoo+natije
e:
natije=i*5
majmoo=majmoo+natije
nt(majmoo)

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
In [14]: runfile('C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03/question_03.py', wdir='C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03')
5
12
27
36
61
72
107
120
165
180

In [15]:
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_05.py
question_04.py - session-03 x question_05.py - session-03 x
(input('add aval ra vared konid:'))
(input('add dovom ra vared konid:'))
ut('amalgar ra vared konid(/,*,-,+):')
="+":
atije = a + b
rint(natije)
c=="-":
atije = a - b
rint(natije)
c=="*":
atije= a * b
rint(natije)
c=="/":
atije= a / b
rint(natije)

rint("amalgar na moatabar ast")

Usage
Here you can get help of any object by pressing Ctrl+H in
Help Variable Explorer Plots Files Find

Console 1/A x
session-03')
add aval ra vared konid:2
add dovom ra vared konid:8
amalgar ra vared konid(/,*,-,+):+
10

In [18]: runfile('C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03/question_05.py', wdir='C:/Users/Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03')
add aval ra vared konid:78
add dovom ra vared konid:4
amalgar ra vared konid(/,*,-,+):.
amalgar na moatabar ast

In [19]:
```

```
Run Debug Consoles Projects Tools View Help
...er Jahesh\Documents\GitHub\python-exercise-fateme-bolhasni\se
documents\GitHub\python-exercise-fateme-bolhasni\session-03\question_02.py
9.py x question_01.py x question_02.py - session-03* x
in=0
n range(10):
float(input('ارتفاع پرتی را وارد کنید:'))
a>bishtarin:
bishtarin=a
print('بیشترین پرتی ثبت شده')
e:
print("قبلا رکورد بهتری ثبت شده")

Usage
Here you can get help of any object by pressing Ctrl+H in front of it, either on the Editor or the Console.
Help can also be shown automatically after writing a left parenthesis next to an object. You can activate this behavior in Preferences > Help.
New to Spyder? Read our tutorial

Help Variable Explorer Plots Files Find

Console 1/A x
Computer Jahesh/Documents/GitHub/python-exercise-fateme-bolhasni/session-03')
را وارد کنید:2
ثبت شده
را وارد کنید:5
ثبت شده
را وارد کنید:1
بهتری ثبت شده
را وارد کنید:
```

