|~°•°~°•°~°•°~°•°~°•°~°•°~°•°~°•°~°•°~°•°~|
~GABRIEL FLOODER

Comandos básicos de Termux:

Comando; apt update
Comando; apt upgrade
Comando; termux-setup-storage
Comando; cd (storage)
Comando; ls
Comando; cd /sdcard/Download/
*(Mover arquivo para o Termux)
Comando; cd /sdcard/Download/(arquivo) $HOME
Comando; pwd (indicar a pasta atual)
Comando; cd /data/data/com.termux/files/home/
Comando; unzip (arquivo)
*(Copiar e mandar)
Comando; cp (arquivo) /data/data/com.termux/usr/bin/
Comando; cd /data/data/com.termux/usr/bin/
Comando; cd /data/data/com.termux/files/home/
*(Remover arquivos)
Comando; rm -r (arquivo)
Comando; cd .. (retroceder pasta)
*(Regressar a pasta home Termux)
Comando; cd /data/data/com.termux/files/home/
*(Abrir sessão nova)
Comando; [CTRL e ALT+c]
Comando; exit ou [CTRL+d] e enter pra ambos (eliminar sessão)
*(Instalar pacotes)
Comando; apt install (pacote)
Comando; apt list (listar pacotes)
*(abrir pagina com termux)
Comando; termux-open (site)
Comando; dpkg --print-architecture (Arquitetura)
Comando; ifconfig (informações)
python3 --version

_____

Pacote de Ferramentas:

apt install git
apt update
apt upgrade
git clone https://github.com/3xploit666/packtermux

```
cd packtermux
chmod 755 * scriptpack.sh
sh scriptpack.sh
```

_____

Lazymux:

```
apt install python2
apt install git
apt update
git clone https://github.com/Gameye98/Lazymux
ls
cd lazymux
ls
python2 lazymux.py
```

_____

Tool-X:

```
apt update
apt install git
git clone https://github.com/Rajkumrdusad/Tool-X
cd Tool-X
chmod +x install.aex
sh install.aex (if not work than type) ./install.aex
(y)
Enter
Clear
Tool-X
```

_____

Setoolkit(pishing):

```
pkg update
pkg upgrade
pkg install python
pkg install python2
git clone https://github.com/trustedsec/social-engineer-toolkit && cd social-engineer-toolkit

python setup.py instala o
setoolkit
```

Atualização:
mestre de origem git pull

sudo ./setup.py instala

setoolkit

———————————————————————

Brutal:

apt update
apt install git
git clone http://github.com/Screetsec/Brutal
ls
cd Brutal
ls
chmod +x Brutal.sh
./Brutal.sh

———————————————————————

RED HAWK:

pkg install git
pkg install php
pkg update
git clone https://github.com/Tuhinshubhra/RED_HAWK
cd RED_HAWK
chmod +x rhawk.php
php rhawk.php
Rhawk: (site)
Rhawk: 1

———————————————————————

NMap:

pkg install nmap
pkg update
nmap
nmap -v -A (IP da rede,site)
2° ping (site) = (IP da rede)

———————————————————————

Xshell:

pkg install python
pkg install php
pkg install Git
pkg update
pkg upgrade
git clone https://github.com/Ubaii/Xshell

cd Xshell
python xshell.py

_____

Routersploit:

-apt install python2
-apt install git
-python3 --version
-apt update
-apt upgrade
-git clone https://github.com/threat9/routersploit.git
-cd routersploit
-pip3 install -r requirements.txt
-pip3 install -r requirements-dev.txt
-pip3 install requests
-pip3 install future
-python3 rsf.py
rsf> show all
rsf> use (module/module/module_mod)
rsf> back (sair do módulo)

_____

Airgeddon:

-cd termux-ubuntu
-./start-ubuntu.sh
apt-get update
apt-get install git
git clone https://github.com/v1s1t0r1sh3r3/airgeddon
ls
cd airgeddon
ls
chmod +x airgeddon.sh
Enter
Enter
apt-get install net-tools
./airgeddon.sh
apt-get install aircrack-ng

_____

Torshammer:

apt install python2
apt install tor
apt install git

apt update
apt upgrade
git clone https://github.com/dotfighter/torshammer
cd torshammer
python2 torshammer.py
Torshammer: python2 torshammer.py -t (target site) -r 256 -p (port)

―――――――――――――――――――――――――――

Hunner:

-pkg install python
-pkg install git
-pkg update
-git clone https://github.com/b3-v3r/Hunner
-ls
-cd Hunner
-chmod 777 hunner.py
-python hunner.py

―――――――――――――――――――――――――――

IPGeoLocation:

1- pkg install python
2- pkg install git
3- pkg update
4- git clone https://github.com/maldevel/IPGeolocation
5- cd IPGeoLocation
6- pip2 install -r requirements.txt
7- easy_install-3.6 termcolor
8- ./ipgeolocation.py -t (IP)
9- dar enter

―――――――――――――――――――――――――――

Planetwork-DDOS:

apt install git python2
apt update
(Lazymux)
cd Planetwork-DDOS
python2 pntddos.py
pntddos.py <ip> <port> <packet>

―――――――――――――――――――――――――――

Hydra:

-apt install hydra

-hydra

Black Hydra:

```
apt update
apt upgrade
apt install python
apt install python2
apt install git
git clone https://github.com/Gameye98/Black-Hydra
cd Black-Hydra
chmod +x blackhydra.py
python2 blackhydra.py
```

—————————————————————

Facebook Brute Force:

```
apt update
ls
cd Lazymux
ls
python2 lazymux.py
04
02
ls
cd facebook-brute
ls
pwd (mais pra frente copia e cola em PASSWORD) + (/password.txt)
python2 facebook.py
id da pessoa
copia o diretorio
/password.txt
```

—————————————————————

Blackbox:

```
pkg install python2 wget
wget https://raw.githubusercontent.com/jothatron/blackbox/master/blackbox.py
pip2 install requests pexpect passlib python2 blackbox.py -h
```

—————————————————————

Netaattack:

```
-cd termux-ubuntu
-./start-ubuntu.sh
# apt install python
```

```
# apt install git
# git clone https://github.com/chrizator/netattack
# cd netattack
# apt-get install python-nmap python-argparse python-scapy iw
# chmod +x netattack.py
# ./netattack.py
```

_____

Metasploit:

(Metasploit-Framework) 1°
$termux-setup-storage
$apt update
$apt upgrade
$apt install curl then type command $curl -LO
https://raw.githubusercontent.com/Hax4us/Metasploit_termux/master/metasploit.sh
$ls
$chmod 777 metasploit.sh
$sh metasploit.sh
$cd metasploit-framework
$./msfconsole

(Metasploit.sh) 2°
1° termux-setup-storage
2° apt install update e upgrade
3° apt install curl
4° curl -LO
https://raw.githubusercontent.com/Hax4us/Metasploit_termux/master/metasploit.sh
5° chmod +x metasploit.sh
6° ./metasploit.sh (instalação)
7°msfconsole

pkg install wget
wget https://Auxilus.github.io/metasploit.sh
bash metasploit.sh

_____

SCANNER-INURL:

pkg install git
$ pkg install php
$ git clone https://github.com/googleinurl/SCANNER-INURLBR
$ cd SCANNER-INURLBR
$ ls
$ chmod +x inurlbr.php
clear
```

```
$ php inurlbr.php
$ php inurlbr.php --help
```

─────────────────────────────────

SQLscan:

```
pkg install php
pkg install git
pkg install update
git clone https://github.com/Cvar1984/sqlscan
cd sqlscan
chmod +x sqlscan.php
php sqlscan.php
```

─────────────────────────────────

BruteXSS:

```
apt upgrade
apt update
apt install python2
apt install git
git clone https://github.com/shawarkhanethicalhacker/BruteXSS
cd BruteXSS && ls
python2 brutexss.py
```

─────────────────────────────────

Termux-sudo:

```
apt instalar git
git clone https://github.com/Bhai4You/Termux-Sudo
cd Termux-Sudo
chmod +x sudo.sh
bash sudo.sh
```

─────────────────────────────────

A-Rat:

```
pkg install python2
pkg install git
pkg install update
pkg install upgrade
git clone https://github.com/Xi4u7/A-Rat
cd A-Rat
Python2 A-Rat.py
help
```

─────────────────────────────────

Weeman (pishing):

apt update
apt install git
apt install python2
git clone https://github.com/evait-security/weeman
cd weeman
python2 weeman.py
show
set url (link do site que deseja clonar)
set action_url (ex:http://facebook.com/login)
Run
2° terminal:
./ngrok http 8080

——————————————————————————

SqlMap:

git clone https://github.com/sqlmapproject/sqlmap
cd sqlmap
ls
chmod +x sqlmap.py
ls
chmod +x sqlmapapi.py
python2 sqlmap.py

——————————————————————————

Recon Dog:

-apt install git
-apt install python2
-apt update
-git clone https://github.com/s0md3v/ReconDog
-cd ReconDog
-chmod +x dog.py
-python2 dog.py

——————————————————————————

Hakku Framework:

apt-get upgrade
3.apt install python
4.apt install python2
5.apt install git
6 github link

git clone https://github.com/4shadoww/hakkuframework
7.ls
8.cd hakkuframework
9.ls
10.python hakku
Hakku: show modules
Hakku: use mtm

———————————————————————

wifi-hacker:

pkg install git
pkg update
pkg upgrade
git clone https://github.com/esc0rtd3w/wifi-hacker
cd wifi-hacker
chmod +x wifi-hacker.sh
./wifi-hacker.sh

———————————————————————

wifite:

pkg install python2
pkg install git
pkg install update
pkg install upgrade
git clone https://github.com/derv82/wifite
cd wifite
python2 wifite.py

———————————————————————

Arch Linux: 3°

-apt install proot
-apt install wget
-apt update
-git clone https://github.com/sdrausty/termux-archlinux
-cd termux-archlinux
-chmod +x setupTermuxArch.sh
-sh setupTermuxArch.sh

———————————————————————

Tor:

-apt install tor
-tor

————————————————————————

Ngrok:

-cd /sdcard/download
-unzip ngrok-stable-linux-arm.zip
-mv ngrok /$HOME
-cd
-ls
-chmod +x ngrok
-ls
-mv ngrok ../usr/bin

(./ngrok authtoken 7RRhX9hin9LZgkL1xffYk_6anhAxfDtBpyquG4LZrKW) - Fezex

-./ngrok http 8080

————————————————————————

Xerxes:

apt update
apt install git
apt install clang
git clone https://github.com/zanyarjamal/xerxes
ls
cd xerxes
ls
clang xerxes.c -o xerxes
ls
./xerxes (Nome do site do atk) 80aval

————————————————————————

Ubuntu: 2°

$ apt install git
$ apt install proot
$ apt install wget
$apt update
$ git clone https://github.com/Neo-Oli/termux-ubuntu
$ cd termux-ubuntu
$ ls
$ chmod +x ubuntu.sh
$ sh ubuntu.sh
$ ./start-ubuntu.sh

————————————————————————

Nano editor:

-apt install nano

_____

Clang:

Apt ou pkg install clang

_____

PHP:

$ apt update
$ apt upgrade
$ apt install php
$ apt install nano
$ nano hello.php
# To Run PHP script Type :-
<?php
echo "Hello World!";
echo "\n PHP in Android...\n";
?>
CTRL+O (salvar)enter
CTRL+X (sair)
$ php hello.php

_____

termux-lazysqlmap:

apt install python2
apt install git
apt update
git clone https://github.com/verluchie/termux-lazysqlmap
ls
cd termux-lazysqlmap
unzip lazysqlmap.zip
chmod 777 install.sh
./install.sh

_____

Termux-Fedora: 1°

-apt install proot
-apt install wget
-apt update
-git clone https://github.com/nmilosev/termux-fedora

-cd termux-fedora
-chmod 777 termux-fedora.sh
-sh termux-fedora.sh f26_arm
-startfedora
Fedora@$ dnf update

————————————————————————

Ruby(gem): 3°

-apt install ruby

————————————————————————

Nokogiri, bundle, bundler, gemfile: 4°

-cd metasploit.sh
-gem install bundle
-gem install bundler
-pip2 install bundler
-bundle install -j5
-bundle update
-bundle update nokogiri
-./msfconsole
-gem install nokogiri -- --use-system-libraries
-error nokogiri version 1.8.2 :
-gem install nokogiri -v'1.8.2' -- --use-system-libraries

————————————————————————

Beef:

apt update
apt install nano
cd $PREFIX/etc/apt
mkdir -p sources.list.d
cd sources.list.d
touch hax4us.list
nano hax4us.list
architecture arm deb [trusted=yes arch=all,arm] https://hax4us.github.io/termux-tools/ termux
extras
apt install beef-xss
beef

————————————————————————

Cupp Wordlist:

apt update
apt install python2

```
apt install git
git clone https://github.com/Mebus/cupp
cd cupp
python2 cupp.py -i
```

_____

Admin painel finger:

```
$apt upgrade
$apt update
$apt install git
$apt install python2
$git clone https://github.com/bdblackhat/admin-panel-finder
$ls
$cd admin-panel-finder
$ls
$python2 admin_panel_finder.py
```

_____

Websploit: (MITM)

```
-apt update
-apt install git
-apt install python2
-git clone https://github.com/websploit/websploit
-cd websploit
-chmod +x websploit wsf-update.py
-pip2 install scapy
-python2 websploit
wsf > show modules ou help
```

_____

D-tech:

```
apt update
apt install python2
apt install git
git clone https://github.com/shawarkhanethicalhacker/D-TECT
ls
cd D-TECH
pip2 install beaultifulSoup
pip2 instal colorama
python2 d-tech.py
```

_____

Recon-NG:

-apt install git
-apt install python2
-apt update
-apt upgrade
-git clone https://github.com/Techzindia/recon-ng_termux_by_viral
-cd recon-ng_termux_by_viral
-unzip recon-ng.zip
-cd recon-ng
-chmod +x recon-ng
-python2 recon-ng
-python2 recon-ng --no-check
> help
> show modules
> use (modules)
> show options
> set SOURCE (site)
> run

_____

Kali-Nethunter:

-apt install git
-apt update
-git clone https://github.com/Hax4us/Nethunter-In-Termux
-cd Nethunter-In-Termux
-chmod +x kalinethunter
-./kalinethunter

_____

Bull-attack:

apt install python
apt install python2
apt install git
git clone https://github.com/Bhai4You/Bull-Attack
ls
cd Bull-Attack
ls
chmod +x B-attack.py
ls
python2 B-attack.py

_____

Ip-attack:

```
apt update
apt upgrade
apt install git
apt install python
apt install python2
cd $HOME
git clone https://github.com/Bhai4You/Ip-Attack
cd Ip-Attack
chmod +x requirement.sh ip-attack.py bash requirement.sh
python2 ip-attack.py
```

_____

Devploit:

```
apt update
apt install git
apt install python2
git clone https://github.com/joker25000/Devploit
cd Devploit
chmod 777 Devploit.py
python2 Devploit.py
```

_____

Botnet:

```
pkg install git
pkg install php
git clone https://github.com/cvar1984/Kawai-Botnet
cd Kawai-Botnet
php kawai.php
```

_____

Weevely(Backdoor):

```
apt update
apt install python2
apt install git
git clone https://github.com/glides/Weevely
cd Weevely
python2 weevely.py
```

_____

Tmux-Bunch (Backdoor apk):

```
git clone https://github.com/Hax4us/Tmux-Bunch
cd Tmux-Bunch
```

```
chmod +x setup
chmod +x tmuxbunch
sh setup.sh
sh tmuxbunch.sh
```

_____

Shelpy(Backdoor):

```
git clone https://github.com/yurijuliano11tx/shelpy
python3 --version
cd shelpy
python3 shelpy
```

_____

Social Fish:

```
pkg install python2 php curl git
pip2 install wget
git clone https://github.com/Lexiie/SocialFish cd SocialFish
chmod +x *
pkg install grep
python2 SocialFish.py
```

_____

Nikto:

```
git clone https://github.com/sullo/nikto
ls
cd nikto
ls
cd program
ls
pkg install perl
perl nikto.pl
```

_____

Shodan:

```
apt update && apt upgrade
python3 --version
easy_install shodan
pip3 install shodan request
shodan init (SUA KEY DE ATIVAÇÃO) shodan -h
```

_____

Linu-packs:

```
git clone https://github.com/Tioolive/Linu-packs
cd Linu-packs
./linu.py
```

_____

Breacher (painel de acesso qqr site):

```
apt update && apt upgrade
apt install git
apt install python2
git clone https://github.com/s0md3v/Breacher
cd Breacher
python2 breacher.py
-u site.com --type php --fast
```

_____

TxTool:

```
git clone https://github.com/kuburan/txtool
cd txtool
./install.py
txtool
```

_____

A2sv(vulnerabilidade SSL):

```
git clone https://github.com/hahwul/a2sv
cd a2sv
pip2 install -r requirements.txt
python2 a2sv.py
```

_____

Heartbleed(SSL):

```
git clone https://github.com/TechnicalMujeeb/HeartBleed
cd HeartBleed
chmod +x*
./install.sh
./hbleed
```

_____

Perpext

```
git clone https://github.com/pexpect/pexpect.git
2>cd pexpect
```

3>python setup.py install

_____

Darksploit: (vírus)

pkg update
pkg install python2
pkg install git
git clone https://github.com/LOoLzeC/DarkSploit cd DarkSploit
cd Install
sh installtermux.sh
pip install -r requirements.txt
python2 DrXp.py

_____

Ghostdroid: (spyware)

apt install git
git clone https://github.com/GhosTmaNHarsh/Ghost-Droid
cd Ghost-Droid
chmod 777 setup.sh
./setup.sh
./ghost-droid

_____

Zarp: (Scan, Dos attack, sniffers)

git clone https://github.com/hatRiot/zarp
cd zarp
pip2 install -r requirements.txt
pkg install tcpdump
sudo python2 zarp.py....

_____