

Case Investigation Form Coronavirus Disease (COVID-19)



Version 9

- 1) The Case Investigation Form (CIF) is meant to be administered as an interview by a health care worker or any personnel of the DRU. This is not a self-administered questionnaire.
- 2) Please be advised that DRUs are only allowed to obtain **1 copy of accomplished CIF** from a patient.
- 3) Please fill out all blanks and put a check mark on the appropriate box. Never leave an item blank (write N/A). Items with * are required fields. All dates must be in MM/DD/YYYY format.

Disease Reporting Unit*					DRU Region and Province					PhilHealth No.*						
testing					adas					asdas						
Name of Interviewer			Contact Number of Interviewer						Date of Interview (MM/DD/YYYY)*							
te	23			1213123												
Name of Informant (if a				Relation	nship				Contact Number of Informant							
			1,		asdd			242324								
If ovicting case			able (New ca	,			date case class				Update disposit		histor.			
If existing case (check all that apply)*		Update sy	able (Unkno mntoms	VII)				late vaccination late lab result			Update exposure / travel history Others, specify:					
(check an that apply)			alth status /	outcome	_		date chest ima			_	adsaa					
Type of Client*			Case (Suspe		, or Confirm		Close Co		☐ For RT-PCR Testing (Not a Case of Close Contact)							
Testing Category/Subgr	roup* (Check all that	apply, refer	o Appendix	2) I A		в 🗆 С	□ D	□ E	■ F	□ G □	н 🗆	I 🗆 J			
Part 1. Patient Information																
1.1. Patient Pro	file			First Na	First Name (and Coffee)					Middle Name*						
Last Name* Salcedo				FIRST IN	First Name (and Suffix)* Baldwin					Middle Name* Eugenio						
Birthday (MM/DD/YYYY	')* 08/0	5/1996		Age* 25	;				Sex*							
Civil Status Married				Nationa	Nationality*											
Occupation adadds				Works i	Works in a closed setting? ☐ Yes					No □ Unknown						
1.2. Current Address in the Philippines and Contact Information* (Provide address of institution if patient lives in closed settings, see 1.5)																
House No./Lot/Bldg.*			Street/Pur	k/Sitio*			Barangay*				Municipality/City*					
335				Mago	alo		Potol				Kawit					
Province*			Home Pho	Home Phone No. (& Area Code)				Cellphone No.*			Email Address					
Cavite	e			asadas	d 505		919999			asdasds@asddas.com						
1.3. Permanent		s and Conta				rrent ac	ldress)	0.0000			4544545					
House No./Lot/Bldg.	Street/Pur		,		Barangay				Municipality/City							
335		Magdalo			Potol				Kawit							
					e No. (& Area Code)			Cellphone No.			Email Address					
Cavite	!			asadaso	asadasd 505 919999						asdasds@asddas.com					
1.4. Current Workplace Address and Contact Information																
Lot/Bldg. Street							Barangay				Municipality/City					
asddasda				asdas			Potol				Kawit					
Province Name of Wo							Phone No./	Phone No./Cellphone No.			Email Address					
Cavite		<i>.</i>		ada				asdasdads			asdaso	ls@asdda	s.com			
1.5. Special Pop	ulation						y in Part 3)									
Health Care Worker*			th facility: asdasdadad and location: add									No				
Returning Overseas Filip	• Yes,	country of o N:	gin: ph and Passport number: 1231: OFW Non-OFW						23312			No				
Foreign National Travel	Yes,	country of o	rigin: <u>us</u>	gin: us and Passport number					213			No				
Locally Stranded Individual / Yes, City, Municipa					ality, & Province of origin asdadadsd								No			
, , , , , , , , , , , , , , , , , , , ,					anded Individual • Authorized Pers					son Outside Residence / Local Traveler						
Lives in Closed Settings* Yes, institution ty					pe: <u>qweqwqe</u> and name: <u>adasd</u>											
Lives in Closed Settings* (e.g. prisons, residential facilities, retirement communities, care homes, camps, etc.)																
Part 2. Case Investigation	on Deta	nils														
2.1. Consultatio																
Have previous COVID-19	d consultati	on?	Yes, D	Yes, Date of First Consult (MM/DD/YYYY)* 12/03/2021 No								No				
Name of facility where	first cor	sult was do	ne a	asdadadas												
2.2. Disposition at Time of Report* (Provide name of hospital/isolation/quarantine facility)																
□ Admitted in hospital <u>asdaddsa</u> Date and Time admitted in hospital <u>12/03/2021 11:49</u> am																
Admitted in isolation/quarantine facility asdadsd Date and Time isolated/quarantined in facility 12/03/2021 11:49 am																
□ In home isolation/quarantine Date and Time isolated/quarantined at home 12/03/2021 11:49 am																
☐ Discharged to home If discharged: Date of Discharge (MM/DD/YYYY)* 12/03/2021 ☐ Others: addaasda																
2.3. Health State							☐ Mild		loderate		☐ Severe	a '	Critical			
			• • • • • • • • • • • • • • • • • • • •	(3) <u>a</u>	Suspect	ulic	Probable				Non-COVID-1		JI ILICAI			
2.4. Case Classification* (Refer to Appendix 1) Suspect • Probable Confirmed Non-COVID-19 Case 2.5. Vaccination information*																
Date of vaccination*		me of Vacci	ne* D	ose numbe	r (e.g. 1st 2nd))*	Vaccination	center/facility		Region	f health facility	Adver	rse event/s?			
12/03/2021 asdad				Dose number (e.g. 1 st , 2 nd)*			Vaccination center/facility asddas				dadadas	Yes				
				2nd						as						
12/03/2021		tyuit		1st			ghkgjkg				ghkkj	☐ Yes	No			

2.6. Clinical Information																	
Date of Onset	of Illness	(MM/	DD/YYY	γ)* 12/03/2021													
Signs and Symptoms (Check all that apply)								Comorbidities (Check all that apply if present)									
Asympto				spnea	■ None ■ Gastrointestinal												
■ Fever <u>1456</u> °C □ Anorexia							■ Hypertension □ Genito-urinary										
☐ Cough								☐ Diabetes ■ Neurological Disea						ase			
☐ General	☐ Heart Disease ☐ Cancer ☐ Lung Disease ☐ Others adds																
☐ Fatigue ☐ Diarrhea ☐ Headache ☐ Altered Mental Status							☐ Lung Disease ☐ Others addds										
☐ Myalgia ☐ Anosmia (loss of smell, w/o any identified cause)							Pregnant? Yes, LMP (MM/DD/YYYY) 12/03/202						03/2021		□ No		
☐ Sore throat ☐ Ageusia (loss of taste, w/o any identified cause)						ied cause)	High-risk pregnancy?							[□ No		
☐ Coryza	☐ Coryza ☐ Others, specify <u>asddasd</u>							Was diagnosed to have Severe Acute Respiratory Illness?							⊙ No		
			ggestive of COVID-19														
		naging done Results st radiography															
O Chest CT Pending Chest CT: Multiple bilateral ground glass opacities, often rounded in morphology, w/ peripheral & lower lun												lung dist					
12/03/2021 Dung ultrasound Lung ultrasound Lun											-						
□ None □ Other findings, specify asddasdas																	
2.7. Laboratory Information																	
Have tested positive using ☐ Yes, date of specimen Collection (MM/DD/YYYY)* 12/03/2021																	
RT-PCR before? * Laboratory* adaasd No. of previous RT-PCR swabs done 3																	
Date collected	* Date re	eleased	l Lal	ooratory*	Тур	e of test*						Res	ults*				
				asdasda	٥	RT-PCR (OP	,			rtwerrew	rtr	_ a	Pending	•	Negative		
12/03/2021	12/0	3/2021		doddodd	0	RT-PCR (NP		of kit asc dy Test	kit asddasda			Positive		Equivocal			
12/00/2021	. ,	0, 202	2021			RT-PCR (OP Others: <u>er</u> y	•				Others: asdadsd						
			_		Ω	RT-PCR (OP		O Antige	n: reason			_ 0	Pending	0	Negative		
				0 0 0			'S)	of kit	; reason f kit			Positive	D	Equivocal			
							S and NPS)	☐ Antibo									
					Others:												
2.8. Ou	itcome/Co	onditio	n at Ti	me of Report*													
Active (curr	rently adn	nitted/i	isolatio	n/quarantine) 🔘 Red	overed, da	te of recovery	y (MM/DD/YYYY)	* <u>12/03/202</u>	21	🗆 Died, da	ate of o	death (MI	м/DD/YYYY)* <u>1</u>	2/03/2	2021		
Immedia				ause: adadas		Antecede	nt Cause	·oiiili									
cause of death*																	
cause of death		Under	rlying C	ause: opupoipo				Contribut	ory Cond	itions: oilih	ilolio						
DART 3 Contac	ct Tracing	· Evno	cura a	nd Travel History													
		-		e and/or confirmed CO	/ID 10 caso	14 days hofo	ro the enset	① Yes		last santa	at /0.40	4/00/00/0	V/* 4.0 /0.0 /0.0	204			
				comatic, 14 days before				□ No		iast contac		Unknow	Y)* <u>12/03/20</u> ''	121	-		
				known COVID-19 trans						tional		Yes, Loc					
				natic, 14 days before sw													
If International				_		e travel dates											
I international riavel, Indeed						going COVID	D-19 community transmission? Yes No										
Airline/Sea vessel Flight/Vessel Number												ival in PH (MM/DD/YYYY)					
asdadas asdads								•	12/03/2021				12/03/2021				
			2005 (C	heck all that apply, prov		f facility, add	ross and inclu			414/DD/VV	VVI		12/00/20				
	specify ti	avei pi	aces (C	7, 7, 7	iue nume o	j jucinty, uuu	Address	isive truver		Inclusive T		Dates	With or	ngoing	COVID-19		
Place Visited				Name of Place					1:	To:	2000	_	-	nsmission?			
■ Health Facility			asdad			asdadad 12/					03/2021	☐ Yes		■ No			
Closed Settings			asdad			asdadad						☐ Yes		■ No			
☐ School				asuau			asuauau	12/	2/03/2021 12/03/2021			☐ Yes		□ No			
									\perp								
Workplace											☐ Yes		□ No				
■ Market				asdad			asdadad 12/03					03/2021	☐ Yes		□ No		
☐ Social Gathering													■ No				
□ Others													☐ Yes		□ No		
■ Transpor	rt Service,	specify	the fo	llowing:													
Airline / Sea vessel / Bus line / Train Flight / Vessel / Bus No. Place of Orig						of Origin	in Departure Date (MM/DD/YYYY) Desti					nation Date of Arrival (MM/DD/YYYY)					
asdsad							twtwe 12/03/2021				erww	/rwe	12	2/03/20)21		
asuauau ewtertwiwe						12/03/2021 aswerw					12.33,202.						
- If symptomatic, provide names and contact numbers of persons who					e the back page if needed)					Contact Number							
were with the patient two days prior to onset of illness until this date					asdadds				asdsdsads								
- If asymptomatic, provide names and contact numbers of persons who					ryrtty				fgghhfdfh								
were with the patient on the day specimen was submitted for testing																	
until this date																	

SUSPECT

A) A person who meets the clinical AND epidemiological criteria

Clinical criteria:

- 1) Acute onset of fever AND cough OR
- Acute onset of ANY THREE OR MORE of the following signs or symptoms; fever, cough, general weakness/fatigue, headache, myalgia, sore throat, coryza, dyspnea, anorexia / nausea/ vomiting, diarrhea, altered mental status. AND

- Epidemiological criteria

- Residing/working in an area with high risk of transmission of the virus (e.g closed residential settings and humanitarian settings, such as camp and camp-like setting for displaced persons), any time w/in the 14 days prior to symptoms onset OR
- 2) Residing in or travel to an area with community transmission anytime w/in the 14 days prior to symptoms onset; OR
- Working in health setting, including w/in the health facilities and w/in households, anytime w/in the 14 days prior to symptom onset;

 OR
- B) A patient with severe acute respiratory illness (SARI: acute respiratory infection with history of fever or measured fever of ≥ 38°C; cough with onset w/in the last 10 days; and who requires hospitalization)

PROBABLE

- A) A patient who meets the clinical criteria (on the left) AND is contact of a probable or confirmed case, or epidemiologically linked to a cluster of cases which had had at least one confirmed identified within that cluster
- B) A suspect case (on the left) with chest imaging showing findings suggestive of COVID-19 disease. Typical chest imaging findings include (Manna, 2020):
 - Chest radiography: hazy opacities, often rounded in morphology, with peripheral and lower lung distribution
 - Chest CT: multiple bilateral ground glass opacities, often rounded in morphology, with peripheral and lower lung distribution
 - Lung ultrasound: thickened pleural lines, B lines (multifocal, discrete, or confluent), consolidative
 patterns with or without air bronchograms
- C) A person with recent onset of anosmia (loss of smell), ageusia (loss of taste) in the absence of any other identified cause
- D) Death, not otherwise explained, in an adult with respiratory distress preceding death AND who was a contact of a probable or confirmed case or epidemiologically linked to a cluster which has had at least one confirmed case identified with that cluster

CONFIRMED

A person with laboratory confirmation of COVID-19 infection,

irrespective of clinical signs and symptoms.

Appendix 2. Testing Category / Subgroup

- A Individuals with severe/critical symptoms and relevant history of travel/contact
- Individuals with mild symptoms, relevant history of travel/contact, and considered vulnerable; vulnerable populations include those elderly and with preexisting medical conditions that predispose them to severe presentation and complications of COVID-19
- C Individuals with mild symptoms, and relevant history of travel and/or contact
 - Individuals with **no symptoms** but with **relevant history** of travel and/or contact or high risk of exposure. These include:
- D1 Contact-traced individuals

D

- D2 Healthcare workers, who shall be prioritized for regular testing in order to ensure the stability of our healthcare system
- D3 Returning Overseas Filipino (ROF) workers, who shall immediately be tested at port of entry
- Filipino citizens in a specific locality within the Philippines who have expressed intention to
 return to their place of residence/home origin (Locally Stranded Individuals) may be tested subject to the existing protocols of the IATF
- E Frontliners indirectly involved in health care provision in the response against COVID-19 may be tested as follows:
- E1 Those with high or direct exposure to COVID-19 regardless of location may be tested up to once a week. These include: (1) Personnel manning the Temporary Treatment and Quarantine Facilities (LGU and Nationally-managed); (2) Personnel serving at the COVID-19 swabbing center; (3) Contact tracing personnel; and (4) Any personnel conducting swabbing for COVID-19 testing
- Those who do not have high or direct exposure to COVID-19 but who live or work in Special Concern Areas may be tested up to every two to four weeks. These include the following: (1) Personnel manning Quarantine Control Points, including those from Armed Forces of the Philippines, Bureau of Fire Protection; (2) National / Regional / Local Risk Reduction and Management Teams; (3) Officials from any local government / city / municipality health office (CEDSU, CESU, etc.); (4) Barangay Health Emergency Response Teams and barangay officials providing barangay border control and performing COVID-19-related tasks; (5) Personnel of Bureau of Corrections and Bureau of Jail Penology & Management; (6) Personnel manning the One-Stop-Shop in the Management of ROFs; (7) Border control or patrol officers, such as immigration officers and the Philippine Coast Guard; and (8) Social workers providing amelioration and relief assistance to communities and performing COVID-19-related tasks
- Other vulnerable patients and those living in confined spaces. These include but are not limited to: (1) Pregnant patients who shall be tested during the peripartum period; (2) Dialysis patients; (3) Patients who are immunocompromised, such as those who have HIV/AIDS, inherited diseases that affect the immune system; (4) Patients undergoing chemotherapy or radiotherapy; (5) Patients who will undergo elective surgical procedures with high risk for transmission; (6) Any person who have had organ transplants, or have had bone marrow or stem cell transplant in the past 6 months; (7) Any person who is about to be admitted in enclosed institutions such as jails, penitentiaries, and mental institutions.

- Residents, occupants or workers in a localized area with an active COVID-19 cluster, as identified and declared by the local chief executive in accordance with existing DOH Guidelines and consistent with the National Task Force Memorandum Circular No. 02 s.2020 or the Operational Guidelines on the Application of the Zoning Containment Strategy in the Localization of the National Action Plan Against COVID-19 Response. The local chief executive shall conduct the necessary testing in order to protect the broader community and critical economic activities and to avoid a declaration of a wider community quarantine.
- Frontliners in Tourist Zones:
- H1 All workers and employees in the hospitality and tourism sectors in El Nido, Boracay, Coron, Panglao, Siargao and other tourist zones, as identified and declared by the Department of Tourism. These workers and employees may be tested once every four (4) weeks.
- H2 All travelers, whether of domestic or foreign origin, may be tested at least once, at their own expense, prior to entry into any designated tourist zone, as identified and declared by the Department of Tourism.
- All workers and employees of manufacturing companies and public service providers registered in economic zones located in Special Concern Areas may be tested regularly.
- J Economy Workers
- J1 Frontline and Economic Priority Workers, defined as those 1) who work in high priority sectors, both public and private, 2) have high interaction with and exposure to the public, and 3) who live or work in Special Concerns Areas, may be tested every three (3) months. These include but not limited to:
 - **Transport and Logistics**: drivers of taxis, ride hailing services, buses, public transport vehicle, conductors, pilots, flight attendants, flight engineers, rail operators, mechanics, servicemen, delivery staff, water transport workers (ferries, inter-island shipping, ports)
 - Food Retails: waiters, waitress, bar attendants, baristas, chefs, cooks, restaurant managers
 - Education: teachers at all levels of education and other school frontliners such as guidance counselors, librarians, cashiers
 - Financial Services: bank tellers
 - Non-Food Retails: cashiers, stock clerks, retail salespersons
 - **Services**: hairdressers, barbers, manicurists, pedicurists, massage therapists, embalmers, morticians, undertakers, funeral directors, parking lot attendants, security guards, messengers
 - Construction: construction workers including carpenters, stonemasons, electricians, painters, foremen, supervisors, civil engineers, structural engineers, construction managers, crane/tower operators, elevator installers, repairmen
 - Water Supply, Sewerage, Waster Management: plumbers, recycling/ reclamation workers, garbage collectors, water/wastewater engineers, janitors, cleaners
 - **Public Sector**: judges, courtroom clerks, staff and security, all national and local government employees rendering frontline services in special concern areas
 - Mass Media: field reporters, photographers, cameramen
- All employees **not covered above are not required to undergo testing but are encouraged to be**12 **tested every quarter.** Private sector employers are highly encouraged to send their employees for regular testing at the employers' expense
 - in order to avoid lockdowns that may do more damage to their companies

Appendix 3. Severity of the Disease

MILD

Symptomatic patients presenting with fever, cough, fatigue, anorexia, myalgias; other non-specific symptoms such as sore throat, nasal congestion, headache, diarrhea, nausea and vomiting; loss of smell (anosmia) or loss of taste (ageusia) preceding the onset of respiratory symptoms with NO signs of pneumonia or hypoxia

MODERATE

- Adolescent or adult with clinical signs of non-severe pneumonia (e.g. fever, cough, dyspnea, respiratory rate (RR) = 21-30 breaths/minute, peripheral capillary oxygen saturation (SpO2) >92% on room air)
- Child with clinical signs of non-severe pneumonia (cough or difficulty of breathing and fast breathing [< 2 months: > 60; 2-11 months: > 50; 1-5 years: > 40] and/or chest indrawing)

SEVERE

- Adolescent or adult with clinical signs of severe pneumonia or severe acute respiratory infection as follows: fever, cough, dyspnea, RR>30 breaths/minute, severe respiratory distress or SpO2 < 92% on room air
- 2. Child with clinical signs of pneumonia (cough or difficulty in breathing) plus at least one of the following:
 - a. Central cyanosis or SpO2 < 90%; severe respiratory distress (e.g. fast breathing, grunting, very severe chest indrawing); general danger sign: inability to breastfeed or drink, lethargy or unconsciousness, or convulsions.
 - b. Fast breathing (in breaths/min): < 2 months: > 60; 2-11 months: > 50; 1-5 years: > 40.

CRITICAL

Patients manifesting with acute respiratory distress syndrome, sepsis and/or septic shock:

- 1. Acute Respiratory Distress Syndrome (ARDS)
 - a. Patients with onset within 1 week of known clinical insult (pneumonia) or new or worsening respiratory symptoms, progressing infiltrates on chest X-ray or chest CT scan, with respiratory failure not fully explained by cardiac failure or fluid overload

2. Sepsis

- a. Adults with life-threatening organ dysfunction caused by a dysregulated host response to suspected or proven infection. Signs of organ dysfunction include altered mental status, difficult or fast breathing, low oxygen saturation, reduced urine output, fast heart rate, weak pulse, cold extremities or low blood pressure, skin mottling, or laboratory evidence of coagulopathy, thrombocytopenia, acidosis, high lactate or hyperbilirubinemia
- b. Children with suspected or proven infection and > 2 age-based systemic inflammatory response syndrome criteria (abnormal temperature [> 38.5 °C or < 36 °C); tachycardia for age or bradycardia for age if < 1year; tachypnea for age or need for mechanical ventilation; abnormal white blood cell count for age or > 10% bands), of which one must be abnormal temperature or white blood cell count.

3. Septic Shock

- a. Adults with persistent hypotension despite volume resuscitation, requiring vasopressors to maintain MAP > 65 mmHg and serum lactate level >2mmol/L
- o. Children with any hypotension (SBP < Sth centile or > 2 SD below normal for age) or two or three of the following: altered mental status; bradycardia or tachycardia (HR < 90 bpm or > 160 bpm in infants and heart rate < 70 bpm or > 150 bpm in children); prolonged capillary refill (> 2 sec) or weak pulse; fast breathing; mottled or cool skin or petechial or purpuric rash; high lactate; reduced urine output; hyperthermia or hypothermia.