




US 20170339471A1

(19) **United States**(12) **Patent Application Publication**
Fisher et al.(10) **Pub. No.: US 2017/0339471 A1**(43) **Pub. Date: Nov. 23, 2017**(54) **DISCOVERING AND DISPLAYING MEDIA
CONTENT RELATED TO AN ELECTRONIC
DOCUMENT***H04N 21/436* (2011.01)*H04N 21/482* (2011.01)*H04N 21/41* (2011.01)(71) Applicant: **GOOGLE INC.**, MOUNTAIN VIEW,
CA (US)(52) **U.S. Cl.**CPC *H04N 21/6581* (2013.01); *H04N 21/482*
(2013.01); *H04N 21/4104* (2013.01); *H04N*
21/43615 (2013.01); *H04N 21/4782* (2013.01)(72) Inventors: **Dave Scott Fisher**, Mountain View, CA
(US); **Vincent Dureau**, Palo Alto, CA
(US); **William Noah Schilit**, Mountain
View, CA (US)

(57)

ABSTRACT

Systems, computer-readable storage mediums, and methods for discovering and displaying media content related to an electronic document. At a first computing device, document identifying information—which is one of: at least a portion of a network identifier or source code for the electronic document—for the electronic document is obtained. One or more media entities associated with the electronic document are then obtained from a server. The media entities correspond to media content including scheduled TV programming, streaming media or locally stored media. A representation of a subset of the media entities is displayed, and a user selection from the representation of a respective media entity from the subset is obtained. In response, selection information identifying the respective media entity is sent to a second computing device, which is configured to access and display respective media content corresponding to the respective media entity based on the selection information.

(21) Appl. No.: **15/614,449**(22) Filed: **Jun. 5, 2017****Related U.S. Application Data**(63) Continuation of application No. 13/728,985, filed on
Dec. 27, 2012, now Pat. No. 9,674,583.(60) Provisional application No. 61/665,259, filed on Jun.
27, 2012.**Publication Classification**(51) **Int. Cl.***H04N 21/658* (2011.01)*H04N 21/4782* (2011.01)




Figure 1




Figure 2A

Media entities
216


Content title	Type	Year	Rating	Thumbnail (or link)	Description
Dictator	Movie	2012	5	www.imdb.com/dictator.jpg	Most recent release, HD version
Fox News (Live)	TV programming	2012	9	www.foxnews.com	Live news from Fox. No spin zone.
Air Force One	Movie	2005	2	movie.com/airforceone	Thriller. Oscar nominated
Trip to Washington DC	Local media content	2002	6	[]	2001 trip to DC with Liu family
State of the Union speech	Streaming media	2002	8	www.youtube.com/Rtf12S	10,100 views. 200 comments
2012 Election Watch (Live)	TV programming	2012	9	cspan.org/election.html	Live coverage of vote counting (CA)

Figure 2B

Backend System 110




Figure 3




Figure 4





Figure 5A

550**Figure 5B**




Figure 6



Figure 7A




Figure 7B




Figure 7C




Figure 7E




Figure 7D

DISCOVERING AND DISPLAYING MEDIA CONTENT RELATED TO AN ELECTRONIC DOCUMENT

RELATED APPLICATIONS

[0001] This application is a continuation of U.S. patent application Ser. No. 13/728,985, titled “Discovering and Displaying Media Content Related to an Electronic Document,” filed Dec. 27, 2012, which claims priority to U.S. Provisional Patent Application No. 61/665,259, filed Jun. 27, 2012, entitled “Discovering and Displaying Media Content Related to an Electronic Document,” which are incorporated by reference herein in their entirety.

TECHNICAL FIELD

[0002] The disclosed implementations relate generally to discovering and displaying media content related to an electronic document.

BACKGROUND

[0003] While viewing an electronic document, such as a web site, a user often becomes interested in searching and viewing other information related to the electronic document. For example, when browsing a movie rating website, a user might want to watch movies or TV programs mentioned by the website on his or her TV. Typically, however, to view on a TV media content related to a document displayed by a computer, a user would need to first suspend their browsing activity on the computer, and then search for the related media content on the TV. During this process, users are inconvenienced because they are required to take actions outside the browsing experience. Furthermore, users may also become frustrated by the additional TV search process and abandon their effort to view the TV content altogether.

SUMMARY

[0004] Systems, methods, and non-transitory computer readable storage medium (server side and client side) for discovering and displaying media content related to an electronic document are hereby disclosed.

[0005] In one aspect, a method for discovering and displaying media content related to an electronic document comprises: at a first computing device (e.g., a client device) having one or more processors and memory storing one or more programs for execution by the one or more processors: obtaining document identifying information for an electronic document, wherein the document identifying information is one of: at least a portion of a network identifier or source code for the electronic document; obtaining from a server one or more media entities associated with the electronic document, wherein the media entities correspond to media content including scheduled TV programming, streaming media or locally stored media; displaying, on the first computing device, a representation of at least a subset of the one or more media entities; obtaining a user selection from the representation of a respective media entity from the at least a subset of the one or more media entities; and in response to the user selection, sending selection information identifying the respective media entity to a second computing device, the second computing device being configured to access and display respective media content corresponding to the respective media entity based on the selection infor-

mation. In some implementations, the above-described steps are performed by a browser plug-in.

[0006] In some implementations, the electronic document is an electronic document opened in a document application on the first computing device. In some implementations, the document application is a web browser and the electronic document is a web page.

[0007] In some implementations, the method further includes: when the document identifying information includes at least a portion of a media content link that is readily identifiable by the first computing device, directly obtaining at the first computing device media entity associated with the at least a portion of the media content link, without involvement of the server.

[0008] In some implementations, when the document identifying information is the at least a portion of a network identifier, the one or more obtained media entities include media entities recognized by a search engine while previously indexing the web page.

[0009] In some implementations, when the document identifying information is the source code of the electronic document, the one or more obtained media entities include entities obtained by parsing the source code of the electronic document.

[0010] In some implementations, the one or more media entities are obtained based at least in part on one or more filtering criteria.

[0011] In some implementations, the method also includes: obtaining a media entity that is related to the one or more media entities; and displaying, on the first computing device, a representation of the related media entity.

[0012] In some implementations, the sending of the selection information is done via a local connection, from the first computing device, to the second computing device.

[0013] In some implementations, the method further includes: during a display of the respective media content on the second computing device: receiving, at the first computing device, a second user selection, and sending a remote control command modifying the display of the respective media content, in accordance with the second user selection, to the second computing device.

[0014] In some implementations, obtaining one or more media entities associated with the electronic document includes: sending a request to the server for media entities associated with the electronic document, the request including the document identifying information; and receiving the one or more media entities from the server.

[0015] In addition, a client system and a non-transitory computer readable storage medium storing one or more programs, which when executed by a computer, cause the computer to perform one or more steps of the above-described methods are also disclosed.

[0016] In another aspect, a method for discovering and displaying media content related to an electronic document comprises: at a server system (e.g., a server) having one or more processors and memory storing one or more programs for execution by the one or more processors: receiving, from a first computing device, document identifying information for an electronic document, wherein the document identifying information is one of: at least a portion of a network identifier, or source code for the electronic document; in response to receiving the document identifying information: identifying one or more media entities associated with the electronic document, wherein the media entities correspond

to media content including scheduled TV programming, streaming media or locally stored media; and sending at least a subset of the one or more entities to the first computing device for displaying a presentation thereof.

[0017] In some implementations, the electronic document is an electronic document opened in a document application on the first computing device. In some implementations, the document application is a web browser and the electronic document is a web page.

[0018] In some implementations, when the document identifying information is the at least a portion of a network identifier, the one or more identified media entities include media entities recognized by a search engine while previously indexing the web page.

[0019] In some implementations, when the document identifying information is the source code of the electronic document, the one or more identified media entities include entities obtained by parsing the source code of the electronic document.

[0020] In some implementations, the one or more media entities are identified based at least in part on one or more filtering criteria.

[0021] In some implementations, the method also includes: identifying a media entity that is related to the one or more media entities; and sending the related media entity to the first computing device for displaying a presentation thereof.

[0022] In addition, a server system and a non-transitory computer readable storage medium storing one or more programs, which when executed by a computer, cause the computer to perform one or more steps of the above-described methods are also disclosed.

BRIEF DESCRIPTION OF THE DRAWINGS

[0023] The implementations disclosed herein are illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings. Like reference numerals refer to corresponding parts throughout the drawings.

[0024] FIG. 1 is a block diagram illustrating a distributed client-server system, in accordance with some implementations.

[0025] FIG. 2A is a block diagram illustrating a client, in accordance with some implementations.

[0026] FIG. 2B is a block diagram illustrating an example of media entities, in accordance with some implementations.

[0027] FIG. 3 is a block diagram illustrating a server (or a backend), in accordance with some implementations.

[0028] FIG. 4 is a flow diagram illustrating a method of discovering and displaying media content related to an electronic document in a client-server system, in accordance with some implementations.

[0029] FIG. 5A is a flow chart illustrating a method of discovering and displaying media content related to an electronic document at a client, in accordance with some implementations.

[0030] FIG. 5B is a flow chart illustrating a method of discovering and displaying media content related to an electronic document at a server, in accordance with some implementations.

[0031] FIG. 6 is a block diagram illustrating an example of filtering media content related to an electronic document, in accordance with some implementations.

[0032] FIGS. 7A-7E are screen images illustrating example portions of a user interface for discovering and displaying media content related to an electronic document, in accordance with some implementations.

DETAILED DESCRIPTION

[0033] The implementations described herein provide techniques for discovering, using a first device media content related to an electronic document, such as a web page, text file or word processor document, and then playing selected items of the discovered media content on a different device, such as an Internet-connected TV or set-top box.

[0034] In some implementations, a client module obtains document identifying information for an electronic document that is being displayed on a first computing device. For example, the first computing device might be a laptop or tablet computer, and the electronic document might be a web page about a subject that is associated with one or more items of media content. For example, the web page might relate to a historical figure, such as Abraham Lincoln. In some implementations, the document identifying information is at least a portion of a network identifier (such as a web page URL) or source code for the electronic document (e.g., the HTML code for a web page).

[0035] The first computing device interacts with a server/backend system to obtain one or more media entities associated with the electronic document. In some implementations, the first computing device initiates the process of obtaining the media entities by sending (either automatically, without user interaction, or upon user request) the server/backend system the document identifying information. The server/backend system then identifies the media entities by processing the electronic document identified by the document identifying information. In some implementations, the media entities correspond to media content, including scheduled TV programming, streaming media or locally stored media. For example, in the case of a web page about Abraham Lincoln, each of the media entities would relate to TV programs or movies (including movies that are streamed from Internet sites) about Abraham Lincoln, or subjects related to Abraham Lincoln discussed on the same web page.

[0036] Next, in some implementations, a representation of at least a subset of the one or more media entities is displayed by a program module executing on the first computing device. For example, referring again to the web page about Abraham Lincoln, the program module would display a list of media items corresponding to one or more of the media entities about Abraham Lincoln returned by the server/backend system. The program module would then enable a user to select a particular media entity from the representation/list for playback on a TV or second computing device different from the first computing device. In some implementations, the second computing device might be an Internet-connected TV, set-top box or a media player device with associated software that enables playback of network or Internet-based media content. In some implementations, the first and second computing devices are connected to the same local area network, over which they exchange information, such as information on selected TV content. In response to the user selection, a program module on the first computing device sends selection information identifying the particular media entity selected by the user to the second computing device that is configured to access and display

the particular media content. In this way, a user is able to seamlessly identify, from a first computing device, media content associated with a web page or other electronic document being accessed from that device and then play that content on a second computing device, such as a connected TV, or set top box that outputs content to a local TV or display. Additional details of implementations are now described in relation to the Figures.

[0037] FIG. 1 is a block diagram illustrating a distributed client-server system **100** for discovering and displaying media content related to an electronic document. In some implementations, the distributed client-server system **100** includes the client system **102** (referred to herein as “client **102**”), the cloud **104**, the connected TV and/or Set-top box **106** (referred to herein as “TV and/or STB **106**”), the local connection **108**, the backend systems **110** (referred to herein as “backend **110**”), and, optionally, other local media content (NAS/DVR) **170**.

[0038] In some implementations, the client **102** includes a document application **150** (e.g., a web browser), which opens and displays an electronic document for a user to view, or loads the electronic document in the background. In some implementations, the document application **150** is a general purpose Internet browser (sometimes called a Web browser) having a browser window used for viewing web pages, and a representation of media entities associated with the web pages. In some implementations, the document application **150** is a document editor or viewer (e.g., Microsoft Word, or Google Docs). In some implementations, the client **102** sends information identifying the electronic document (e.g., the document identifier **141**, such as, at least a portion of a network identifier or source code of the electronic document) to the backend **110**, via the cloud **104**, and receives one or more media entities **143** associated with the electronic document. In some implementations, the client **102** also displays a representation of the received media entities.

[0039] In some implementations, the document application **150** also includes a TV remote control module **152**. In some implementations, after displaying the representation of media entities, the client **102**, through the TV remote control module **152**, receives a user selection of a respective entity (e.g., the selected media entity **145**), and sends selection information to the TV and/or STB **106**, where media content (e.g., the media content **149**) corresponding to the selected respective media entity is displayed. In some implementations, the TV remote control module **152** also sends user selection information that modifies the display of media content on the TV and/or STB **106**. In some implementations, the client **102** is also connected to a display **154**, which displays the electronic document (e.g., a web page) for a user to view. In some embodiment, the display **154** is a computer monitor or display.

[0040] In some implementations, the TV and/or STB **106** includes a TV and/or a set-top box connected thereto. In some implementations, the TV and/or STB **106** is a Google TV. In some implementations, the TV and/or STB **106** includes a TV control module **160** and, optionally, local media content **162**. In some implementations, the TV control module **160** receives user selection of a respective media entity, or control command (e.g., remote control command) from the client **102**, via local connection **108**, and retrieves and displays media content in accordance therewith. In some implementations, the TV control module **160** retrieves

media content (e.g., using the remote content request **147**) from the backend **110** via the cloud **104** (e.g., the Internet).

[0041] In some implementations, the TV control module **160** also retrieves media content locally from local media content **162**, e.g., when the TV and/or STB **106** is not connected to the cloud **104**, or when the media content selected by the user is stored locally. In some implementations, the local media content **162** includes media content stored locally. In some implementations, the local media content **162** includes streaming media previously downloaded, TV programming previously recorded on a local DVR, or media content created and saved locally by a user (e.g., home-made audio and/or video clips). In some implementations, the TV control module **160** also access other local media content (NAS/DVR) **170**, which is not included in the TV and/or STB **106**. For example, in some implementations, the other local media content (NAS/DVR) **170** includes home-made audio and/or video clips saved on a plug-and-play storage medium. In some implementations, the TV and/or STB **106** is also connected to a display **164**, which displays media content, in accordance with user selection. In some embodiment, the display **154** is a TV monitor or display.

[0042] In some implementations, the backend **110** includes a content identification module **130**, an entity database **132** (optionally), an entity retriever (or WebRef) **134**, a content filter **136**, and filtering criteria **138**. In some implementations, the content identification module **130** receives document identifying information (which identifies an electronic document e.g., the document identifier **141**), and identifies entities—media entities **143** and/or non-media entities—associated with the electronic document. In some implementations, the entity database **132** stores entities (media entities and/or non-media entities) associated with electronic documents. In some implementations, the entity database **132** is local to the backend **110**. In other implementations, the Entity database **132** is remote from, but accessible to, the backend **110**. In some implementations, in accordance with information received from the content identification module **130**, the entity retriever (or WebRef) **134** retrieves entities from the entity database **132**. In some implementations, entities retrieved by the entity retriever (or WebRef) **134** are filtered by the content filter **136**, for example, to filter out non-media entities, or to produce a certain category of media entities (e.g., media entities other than TV programming). In some embodiment, the content filter **136** filters entities by first retrieving one or more filters from the filtering criteria **138**, and then selectively identifying one or more entities from all the retrieved entities in accordance with the filters.

[0043] In some implementations, the cloud **104** optionally includes the Internet, one or more local area networks (LANs), one or more wide area networks (WANs), other types of networks, or a combination of such networks. In some implementations, Local connection **108** optionally includes connections by infrared signals, radio frequency signals, local area networks (LANs), Bluetooth, serial or parallel cable, or a combination of thereof.

[0044] FIG. 2A is a block diagram illustrating a client system **102** in accordance with some implementations. The client **102** typically includes one or more processing units CPU(s) **202** (also herein referred to as processors), one or more network or other Communication Interfaces **204**, memory **206**, an user interface **205** comprising a display

device and a keyboard, mouse, touchpad, touchscreen or other input device, and one or more communication Buses **208** for interconnecting these components. The communication buses **208** optionally include circuitry (sometimes called a chipset) that interconnects and controls communications between system components. The memory **206** typically includes high-speed random access memory, such as DRAM, SRAM, DDR RAM or other random access solid state memory devices; and optionally includes non-volatile memory, such as one or more magnetic disk storage devices, optical disk storage devices, flash memory devices, or other non-volatile solid state storage devices. The memory **206** optionally includes one or more storage devices remotely located from the CPU(s) **202**. The memory **206**, or alternatively the non-volatile memory device(s) within the memory **206**, comprises a non-transitory computer readable storage medium. In some implementations, the memory **206** or alternatively the non-transitory computer readable storage medium stores the following programs, modules and data structures, or a subset thereof:

[0045] an operating system **210**, which includes procedures for handling various basic system services and for performing hardware dependent tasks;

[0046] a network communication module (or instructions) **212** for connecting client **102** with other devices (e.g., backend **110** or TV and/or STB **106**) via one or more network interfaces **204** (wired or wireless), the local connection **108** (FIG. 1), and the cloud **104** (FIG. 1);

[0047] a document application **150** for loading, opening or displaying electronic documents—e.g., web pages, Word documents or Google documents—on the client **102**, including in some implementations:

[0048] a TV remote control module **152**—optionally implemented as an extension to document application **150**, such as a browser plug-in—for sending document identifying information to backend **110**, and receiving associated media entities therefrom. In some implementations, TV remote control module **152** also receives a user selection of a respective media entity, and sends user selection information to TV and/or STB **106**;

[0049] data **214** stored on the client **102**, which includes:

[0050] media entities **216** for including media entity information retrieved from the entity database **132** (returned by the backend **110**) or media entities identified by the client **102**, including:

[0051] media entities *i* (e.g., media entities **218-1** through **218-*n***) for including information concerning media content corresponding to one or more media entities, each including one or more of the following media characteristics (this information being used by the TV remote control module **152** to populate a displayed list of media entities associated with an electronic document opened in the document application **150**):

[0052] a content title **220-*i*** for including title of the media content corresponding to the media entity **1**;

[0053] a type **222-*i*** for including information indicating one or more category to which the corresponding media content belongs;

[0054] a year **224-*i*** for identifying a year in which the corresponding media content was published, created or broadcasted;

[0055] a rating **226-*i*** for identifying a rating associated with the corresponding media content;

[0056] a thumbnail (or link) **228-*i*** corresponding to a thumbnail (e.g., a logo or an audio/video preview) of the corresponding media content, or a link thereto.

[0057] a description **229-*i*** for including a description of (e.g., a synopsis, a condensed or full review) the corresponding media content, or a link thereto.

[0058] a selected media entity identifier **232** for uniquely identifying an media entity selected by a user associated with the client **102** (the corresponding data for the selected media entity being transmitted to the connected TV **106**, enabling the TV control module **160** to identify and initiate playback of the media content corresponding to selected media entity); and

[0059] related media entities for including media entities related to the media entities **216**.

[0060] In some implementations, one or more of the above identified elements are stored in one or more of the previously mentioned memory devices, and correspond to a set of instructions for performing a function described above. The above identified modules or programs (e.g., sets of instructions) need not be implemented as separate software programs, procedures or modules, and thus various subsets of these modules may be combined or otherwise re-arranged in various implementations. In some implementations, the memory **206** optionally stores a subset of the modules and data structures identified above. Furthermore, the memory **206** may store additional modules and data structures not described above.

[0061] FIG. 2B is a block diagram illustrating an example of media entities (e.g., the media entities **216** in FIG. 2A), in accordance with some implementations. In some implementations, media entities includes data returned from the server/backend system **110** following discovery by the server of media entities related to a web page being displayed at the client system **102**. In some implementations, media entities include data formatted consistently with the JSON object model. In some implementations, media entities include content title, type, year, rating, thumbnail (or link), and description. In some implementations, the content title includes title information of a media entity, such as “Dictator” for the movie entity **252**. In some implementations, the type identifies a category to which a media entity belongs, such as movie, TV programming, local media content. In some implementations, the year identifies a year in which the media content corresponding to a media entity is broadcasted or created, and the rating includes a rating associated with a media entity. In some implementations, thumbnail (or link) includes information for displaying a thumbnail (e.g., a logo or an audio/video preview) of the media content corresponding to a media entity, or a link to the thumbnail, and Description includes a synopsis of the corresponding media content. Generally, this information is used to populate a list of media entities associated with a particular electronic document opened in the document application **150** (the list being displayed by the remote

control module 152), from which list a particular associated media entity can be selected for transmission to the connected TV. This media entity information is used by the connected TV or set-top box (including a Google TV device) to identify instances of media content 149 (FIG. 1) corresponding to the transmitted selected media entity information 145 (FIG. 1) to be displayed at the display 164.

[0062] FIG. 3 is a block diagram illustrating the backend system 110 (“backend 110,” also called a server), in accordance with some implementations. Backend 110 typically includes one or more processing units CPU(s) 302 (also herein referred to as processors), one or more network or other communications interfaces 308, the memory 306, and one or more communication buses 308 for interconnecting these components. The communication buses 308 optionally include circuitry (sometimes called a chipset) that interconnects and controls communications between system components. The memory 306 includes high-speed random access memory, such as DRAM, SRAM, DDR RAM or other random access solid state memory devices; and optionally includes non-volatile memory, such as one or more magnetic disk storage devices, optical disk storage devices, flash memory devices, or other non-volatile solid state storage devices. The memory 306 optionally includes one or more storage devices remotely located from CPU(s) 302. The memory 306, or alternatively the non-volatile memory device(s) within the memory 306, comprises a non-transitory computer readable storage medium. In some implementations, the memory 306 or alternatively the non-transitory computer readable storage medium stores the following programs, modules and data structures, or a subset thereof:

[0063] data 315 stored on the backend 110, which includes:

[0064] media entities 316 for including media entity information retrieved from the entity database 132, including:

[0065] media entities *i* (e.g., media entities 318-1 through 318-*n*) for including information concerning media content corresponding to one or more media entities, each including one or more of the following media characteristics (this information being used by the TV remote control module 152 to populate a displayed list of media entities associated with an electronic document opened in the document application 150):

[0066] a content title 320-*i* for including title of the media content corresponding to the media entity 1;

[0067] a type 322-*i* for including information indicating one or more category to which the corresponding media content belongs;

[0068] a year 324-*i* for identifying a year in which the corresponding media content was published, created or broadcasted;

[0069] a rating 326-*i* for identifying a rating associated with the corresponding media content;

[0070] a thumbnail (or link) 328-*i* corresponding to a thumbnail (e.g., a logo or an audio/video preview) of the corresponding media content, or a link thereto.

[0071] a description 329-*i* for including a description of (e.g., a synopsis, a condensed or full review) the corresponding media content, or a link thereto.

[0072] the selected media entity identifier 232 for uniquely identifying an media entity selected by a user associated with the client 102 (the corresponding data for the selected media entity being transmitted to the connected TV 106, enabling the TV control module 160 to identify and initiate playback of the media content corresponding to selected media entity); and

[0073] the related media entities for including media entities related to the media entities 216.

[0074] In some implementations, data 315 further includes entities other than media entities 316. For example, data 315, in some implementations, includes both media entities and non-media entities (FIG. 6). In some implementations, entities—media entities and/or non-media entities—returned from the entity database 132 is a superset of media entities sent to the client 102 (e.g., the media entities 143), because entities returned from the entity database 132, in some situations includes non-media entities, or entities that do not meet filtering criteria applied by the content filter 136.

[0075] In some implementations, one or more of the above identified elements are stored in one or more of the previously mentioned memory devices, and corresponds to a set of instructions for performing a function described above. The above identified modules or programs (e.g., sets of instructions) need not be implemented as separate software programs, procedures or modules, and thus various subsets of these modules may be combined or otherwise re-arranged in various implementations. In some implementations, the memory 306 optionally stores a subset of the modules and data structures identified above. Furthermore, Memory 306 optionally stores additional modules and data structures not described above.

[0076] Although FIG. 3 shows a “backend 110,” also referred to as a server, FIG. 3 is intended more as functional description of the various features which may be present in backend system than as a structural schematic of the implementations described herein. In practice, and as recognized by those of ordinary skill in the art, items shown separately could be combined and some items could be separated.

[0077] FIG. 4 includes a flowchart illustrating a method for discovering and displaying media content related to an electronic document, in accordance with some implementations.

[0078] In some implementations, the client 102 first connects (402) to TV and/or STB 106, by sending log-in information (e.g., 702 in FIG. 7A) to TV and/or STB 106. After the log-in information is verified, TV and/or STB 106 is connected (404) to the client 102 through a communication session.

[0079] In some implementations, after the client 102 and the TV and/or STB 106 are connected, an electronic document is opened (406) or loaded on the client 102. In some implementations, the electronic document is displayed in foreground on the client 102 (e.g., visible to a user). In other implementations, the electronic document is loaded or opened in background (e.g., not visible to the user). In other implementations, the electronic document was opened or loaded on the client 102 before connection between the client 102 and the TV and/or STB 106 was established.

[0080] In some implementations, after the electronic document is opened, the client **102** sends **(408)** document identifying information that identifies the electronic document to Backend **110**. In some implementations, document identifying information is one of: at least a portion of a network identifier (e.g., a portion of a URL) or source code for the electronic document (e.g., web page source code). In some implementations, a portion of a network identifier is sent to Backend **110**, when the electronic document is also accessible to Backend **110**, e.g., a public web page. In other implementations, source code for the electronic document is sent to Backend **110**, when the electronic document is not accessible to Backend **110**, e.g., a password protected web page, or an encrypted document.

[0081] After receiving **(410)** document identifying information from the client **102**, the backend **110** identifies **(412)** a plurality of entities—media entities and/or non-media entities—associated with the electronic document (e.g., a movie, a person or a place mentioned in the web page displayed on the client **102**). In some implementations, the backend **110** optionally applies **(412)** one or more filtering criteria (e.g., data from the filtering criteria **138**) to the plurality of entities, e.g., to identify **(416)** one or more media entities from the plurality of entities. After one or more media entities are identified, the backend **110** sends **(418)** at least a subset of the one or more media entities along with presentation information, to the client **102**, where a presentation of the subset of media entities are displayed **(420)**. In some implementations, an media entity include information identifying the media entity, such as, a network address at which media content corresponding to the entity can be retrieved, or a channel on which media content is being broadcasted (e.g., the channel information **324** in FIG. 2).

[0082] In some implementations, the client **102** obtains **(422)** a user selection of a respective entity from the subset of media entities, and sends **(424)** selection information identifying the respective entity to the TV and/or STB **106**. Based on the selection information, the TV and/or STB **106** accesses and displays **(426)** respective media content corresponding to the respective media entity.

[0083] FIG. 5A is a flow chart illustrating a method of discovering and displaying media content related to an electronic document at a client, in accordance with some implementations. In some implementations, at a first computing device (e.g., the client **102**), document identifying information for an electronic document is obtained **(502)**. In some implementations, the document identifying information is **(504)** one of: at least a portion of a network identifier or source code for the electronic document. In some implementations, the electronic document is an electronic document opened in a document application on the first computing device. In some implementations, the document application is a web browser and the electronic document is a web page.

[0084] In some implementations, in accordance with the document identifying information, one or more media entities associated with the electronic document are obtained **(506)** from a server (e.g., the backend **110**). In some implementations, the media entities correspond to media content include **(508)** scheduled TV programming, streaming media or locally stored media. In some implementations, the first computing device (e.g., the client **102**) obtains the one or more media entities by first sending a request to the server for media entities associated with the electronic document,

the request including the document identifying information; and then receiving the one or more media entities from the server.

[0085] In some implementations, when the document identifying information is the at least a portion of a network identifier (e.g., a portion of a URL), the one or more obtained media entities include media entities recognized by a search engine while previously indexing the web page. For example, when the electronic document is also accessible to the server (e.g., a public web page accessible to the backend **110**), and the electronic document (e.g., the public web page) has previously been indexed by a search engine (e.g., Google search engine), entities associated with the electronic document have already been identified and stored in the entity database **132**. As such, after a portion of a URL is sent to the server, the server identifies one or more entities based on the portion of the URL by using the entity retriever (WebRef) **134** to retrieve entities associated with the electronic document from Entity database **132**.

[0086] In other implementations, when the document identifying information is the source code of the electronic document, the one or more obtained media entities include entities obtained by parsing the source code of the electronic document. For example, when the electronic document is not accessible to the server by URL (e.g., a password protected document or web page), the source code of the electronic document (e.g., web page or document source code) is sent to the server, which identifies entities by first parsing the source code, using the content parser **314**, and then retrieving entities from the entity database **132**.

[0087] In still other implementations, when the document identifying information includes at least a portion of a media content link that is readily identifiable by the first computing device (e.g., a YouTube that is readily identifiable by the client **102**), the first computing device directly obtains media entity associated with the at least a portion of the media content link, without involvement of the server. For example, when the a web page being viewed by a user includes YouTube links, because the syntax of these links are generally known or readily identifiable by the client **102**, the client **102** identifies media entities (e.g., YouTube clip) on the web page, without sending the YouTube link to the server.

[0088] In some implementations, the first computing device then obtains **(506)** one or more media entities associated with the electronic document, for example, from the backend **110**. In some implementations, the one or more media entities are obtained based at least in part on one or more filtering criteria. For example, in some situations, entities—both media entities and non-media entities—are first obtained, non-media entities are then filtered out, and media entities are sent to the client **102**. In other situations, filters, such as top-ten viewed media content, are applied to filter out media entities that do not meet filtering criteria. Filters are applied so that the entities are selectively presented to the client **102**, by type or by rating, so as to reduce burdens on a user when selecting media content she desires.

[0089] In some implementations, a representation of at least a subset of the one or more media entities is displayed **(510)** on the first computing device (e.g., **708**, **710**, and **712** in FIGS. 7D-7E).

[0090] In some implementations, a presentation of media entity related to the one or more media entities and also displayed on the first computing device. For example, in

some situations, entities related to media entities associated with the electronic document are also displayed. For example, when a user is viewing a web page on a thriller movie, in addition to media entity corresponding to the thriller movie, media entity corresponding to a love movie that shares the same director with the thriller movie is also identified and presented for display on the client 102. This approach allows related content to be automatically displayed to a user, thus reducing burden on the user to search for the related content.

[0091] In some implementations, the first computing device then obtains (512) a user selection from the representation of a respective media entity from the at least a subset of the one or more media entities. For example, a user associated with the client 102 selects a movie entity (712 in FIG. 7) from the one or more media entities.

[0092] In some implementations, in response to the user selection, the first computing device (e.g., the client 102) sends (512) selection information identifying the respective media entity to a second computing device (e.g., the TV and/or STB 106). In some implementations, the selection information is sent via a local connection (e.g., the local connection 108), from the first computing device, to the second computing device. The second computing device is (516) configured to access and display respective media content corresponding to the respective media entity based on the selection information.

[0093] In some implementations, respective media content corresponding is then displayed on the second computing device. For example, after a user selects a YouTube clip (710 in FIG. 7D), the YouTube clip is then displayed on the TV and/or STB 106. In some implementations, during the display of the respective media content on the second computing device, the first computing device receives a second user selection, and sends a remote control command modifying the display of the respective media content, in accordance with the second user selection, to the second computing device. For example, during the display of the YouTube clip, a user presses a fast-forward button on a control panel (e.g., 704 and 706 in FIGS. 7B-7C) displayed on the client 102, and a fast-forward command is then sent to the TV and/or STB 106, which fast-forwards the YouTube clip. This approach provides to user control over the media content being displayed on the TV and/or STB 160, in addition to the initial user selection of media entity.

[0094] In some implementations, the method describe above is performed at the first computing device, by a plug-in (e.g., a browser plug-in, such as the TV remote control module 152 in FIG. 1).

[0095] FIG. 5B is a flow chart illustrating a method of discovering and displaying media content related to an electronic document at a server, in accordance with some implementations. In some implementations, at a server, document identifying information for an electronic document is received (552) from a first computing device. The document identifying information is (554) one of: at least a portion of a network identifier, or source code for the electronic document.

[0096] In some implementations, in response (556) to receiving the document identifying information: the server identifies (558) one or more media entities associated with the electronic document, and sends at least a subset of the one or more entities to the first computing device for displaying a presentation thereof. The media entities corre-

spond (560) to media content including scheduled TV programming, streaming media or locally stored media.

[0097] In some implementations, the electronic document is an electronic document opened in a document application on the first computing device. In some implementations, the document application is a web browser and the electronic document is a web page.

[0098] In some implementations, when the document identifying information is the source code of the electronic document, the one or more identified media entities include entities obtained by parsing the source code of the electronic document. In other implementations, when the document identifying information is the at least a portion of a network identifier, the one or more identified media entities include media entities recognized by a search engine while previously indexing the web page.

[0099] In some implementations, the one or more media entities are identified based at least in part on one or more filtering criteria.

[0100] In some implementations, after one or more media entities associated with the electronic document are identified, the server (e.g., the backend 110) sends (562) at least a subset of the one or more media entities to the first computing device (e.g., the client 102) for displaying a presentation of the subset of the one or more media entities.

[0101] In some implementations, the server additionally identifies a media entity that is related to the one or more media entities; and sends the related media entity to the first computing device for displaying a presentation thereof.

[0102] FIG. 6 is a block diagram illustrating an example of filtering media content related to an electronic document, in accordance with some implementations.

[0103] As shown in FIG. 6, after receiving the document identifying information 602 (e.g., a portion of a network identifier or source code), which identifies an electronic document, the entity retriever (WebRef) 134 retrieves A plurality of entities 604 associated with the electronic document, from the entity database 132.

[0104] In some implementations, entities retrieved from the entity database 132 include both media entity and non-media entity. As shown in FIG. 6, A plurality of entities 604 includes both media entities (e.g., the TV programming 630, the streaming media 632, the local media content 636, and the TV programming 642), and non-media entities (e.g., the book 634, the place 637, and the person 640).

[0105] In some implementations, after a plurality of entities 604 are retrieved, the content filter 136 retrieves one or more entity filters from the filtering criteria 138, and applies the filters to A plurality of entities 604. In some implementations, filters are applied to filter out non-media entities from a plurality of entities 604. In other implementations, filters are applied to filter out certain type of media entities from a plurality of entities 604, for example to filter out all local media content, because TV programmings and Streaming media are more likely carry live or recent content.

[0106] In some implementations, after filters are applied, one or more media entities 606 are selected from a plurality of entities 604. As shown in FIG. 6, in some implementations, the one or more media entities 606 include media content (e.g., TV programming 630, streaming media 632, local media content 636, and TV programming 642), and does not include non-media content.

[0107] FIGS. 7A-7E are screen images illustrating example portions of a user interface for discovering and

displaying media content related to an electronic document, in accordance with some implementations.

[0108] In FIG. 7A, the log-in panel **702** is an example of a user interface, through which a user associated with Client **102** connects the client **102** with the TV and/or STB **106**. For example, this is done by a user entering a pairing code “1234” that establishes a link, typically over a local area network, between the client **102** and the TV or STB **106**, through which the client **102**, among other operations, can control the TV and/or forward information on selected media content for playback by the TV.

[0109] In FIG. 7B, the control panel **704** is an example of a user control panel, through which a user selection of a media entity, and a remote control command modifying display of media content, are sent from the client **102** to the TV and/or STB **106**. For example, the control panel **704** allows a user to control the paired TV using conventional remote control functionality, use connected features of the STB or TV (such as features provided by Google TV, including searching for content and accessing the Google TV home screen). The control panel **704** also enables a user to send an item of media content (selected from the media entities returned by the server) to the connected TV or STB for display through use of a “Send page to TV” button.

[0110] In FIG. 7C, the track pad **706** is example of a user control panel, through which additional user control commands are sent from the client **102** to the TV and/or STB **106**. For example, the track pad **706** allows a user to control the paired TV with greater granularity, such as fast-forwarding or fast-backwarding media content displayed on the TV and/or STB **106**, based on user hand gestures on the track pad **706**. For example, a fast user swipe on the track pad **706** fast-forwards the media content displayed on the TV and/or STB **106** faster than a slow user swipe.

[0111] In FIG. 7D, several media entities are displayed after an along with the control panel **704**. For example, when a user is viewing a web page concerning Google TV, media entities (e.g., **708**, **710**, and **712**) related to the Google TV web page are displayed as a list. Media entities are displayed based on their relevancy (e.g., as indicated by the description) or popularity (e.g., as indicated by the number of views).

[0112] In FIG. 7E, after media entity **708** is selected by a user, media entity **708** disappears from the list of media entities (e.g., the list is updated). In some implementations, new media entities are also added, so that the number of media entities on the list does not diminish.

[0113] The methods illustrated in FIGS. **4**, **5A** and **5B** may be governed by instructions that are stored in a computer readable storage medium and that are executed by at least one processor of at least one host device (or at least one server). Each of the operations shown in FIGS. **4**, **5A** and **5B** may correspond to instructions stored in a non-transitory computer memory or computer readable storage medium. In various implementations, the non-transitory computer readable storage medium includes a magnetic or optical disk storage device, solid state storage devices such as Flash memory, or other non-volatile memory device or devices. The computer readable instructions stored on the non-transitory computer readable storage medium may be in source code, assembly language code, object code, or other instruction format that is interpreted and/or executable by one or more processors.

[0114] Plural instances may be provided for components, operations or structures described herein as a single instance. Finally, boundaries between various components, operations, and data stores are somewhat arbitrary, and particular operations are illustrated in the context of specific illustrative configurations. Other allocations of functionality are envisioned and may fall within the scope of the implementation(s). In general, structures and functionality presented as separate components in the example configurations may be implemented as a combined structure or component. Similarly, structures and functionality presented as a single component may be implemented as separate components. These and other variations, modifications, additions, and improvements fall within the scope of the implementation(s).

[0115] It will also be understood that, although the terms “first,” “second,” etc. may be used herein to describe various elements, these elements should not be limited by these terms. These terms are only used to distinguish one element from another. For example, a first computing device could be termed a second computing device, and, similarly, a second computing device could be termed a first computing device, which changing the meaning of the description, so long as all occurrences of the “first computing device” are renamed consistently and all occurrences of the “second computing device” are renamed consistently. The first computing device, and the second computing device are both computing devices, but they are not the same computing device.

[0116] The terminology used herein is for the purpose of describing particular implementations only and is not intended to be limiting of the claims. As used in the description of the implementations and the appended claims, the singular forms “a,” “an” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will also be understood that the term “and/or” as used herein refers to and encompasses any and all possible combinations of one or more of the associated listed items. It will be further understood that the terms “comprises” and/or “comprising,” when used in this specification, specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof.

[0117] As used herein, the term “if” may be construed to mean “when” or “upon” or “in response to determining” or “in accordance with a determination” or “in response to detecting,” that a stated condition precedent is true, depending on the context. Similarly, the phrase “if it is determined (that a stated condition precedent is true)” or “if (a stated condition precedent is true)” or “when (a stated condition precedent is true)” may be construed to mean “upon determining” or “in response to determining” or “in accordance with a determination” or “upon detecting” or “in response to detecting” that the stated condition precedent is true, depending on the context.

[0118] The foregoing description included example systems, methods, techniques, instruction sequences, and computing machine program products that embody illustrative implementations. For purposes of explanation, numerous specific details were set forth in order to provide an understanding of various implementations of the inventive subject matter. It will be evident, however, to those skilled in the art

that implementations of the inventive subject matter may be practiced without these specific details. In general, well-known instruction instances, protocols, structures and techniques have not been shown in detail.

[0119] The foregoing description, for purpose of explanation, has been described with reference to specific implementations. However, the illustrative discussions above are not intended to be exhaustive or to limit the implementations to the precise forms disclosed. Many modifications and variations are possible in view of the above teachings. The implementations were chosen and described in order to best explain the principles and their practical applications, to thereby enable others skilled in the art to best utilize the implementations and various implementations with various modifications as are suited to the particular use contemplated.

What is claimed is:

1. A method comprising:
 - at a first computing device having one or more processors and memory storing one or more programs for execution by the one or more processors:
 - opening an electronic document and obtaining document identifying information for the electronic document, wherein the document identifying information is one of: at least a portion of a network identifier or source code for the electronic document;
 - after opening the electronic document, obtaining from a server one or more media entities associated with a subject of the electronic document, including one or more media entities not linked or included in the electronic document, wherein the media entities correspond to media content including scheduled TV programming, streaming media or locally stored media;
 - displaying, on the first computing device, a representation of at least a subset of the one or more media entities;
 - obtaining a user selection from the representation of a respective media entity from the at least a subset of the one or more media entities; and
 - in response to the user selection,
 - sending selection information identifying the respective media entity to a second computing device, the second computing device being configured to access and display respective media content corresponding to the respective media entity based on the selection information.
2. The method of claim 1, wherein the electronic document is an electronic document opened in a document application on the first computing device.
3. The method of claim 1, wherein the document application is a web browser and the electronic document is a web page.
4. The method of claim 1, wherein the one or more programs includes a browser plug-in that performs the method of claim 1.
5. The method of claim 1, further comprising, when the document identifying information includes at least a portion of a media content link that is readily identifiable by the first computing device, directly obtaining at the first computing device media entity associated with the at least a portion of the media content link, without involvement of the server.
6. The method of claim 1, wherein, when the document identifying information is the at least a portion of a network identifier, the one or more obtained media entities include media entities recognized by a search engine while previously indexing the web page.
7. The method of claim 1, wherein, when the document identifying information is the source code of the electronic document, the one or more obtained media entities include entities obtained by parsing the source code of the electronic document.
8. The method of claim 1, wherein the one or more media entities are obtained based at least in part on one or more filtering criteria.
9. The method of claim 1, further comprising:
 - obtaining a media entity that is related to the one or more media entities; and
 - displaying, on the first computing device, a representation of the related media entity.
10. The method of claim 1, wherein the sending of the selection information is done via a local connection, from the first computing device, to the second computing device.
11. The method of claim 1, further comprising:
 - during a display of the respective media content on the second computing device:
 - receiving, at the first computing device, a second user selection, and
 - sending a remote control command modifying the display of the respective media content, in accordance with the second user selection, to the second computing device.
12. The method of claim 1, wherein obtaining one or more media entities associated with the electronic document includes:
 - sending a request to the server for media entities associated with the electronic document, the request including the document identifying information; and
 - receiving the one or more media entities from the server.
13. A client system, comprising:
 - one or more processors;
 - memory; and
 - one or more programs, wherein the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for:
 - opening an electronic document and obtaining document identifying information for the electronic document, wherein the document identifying information is one of: at least a portion of a network identifier or source code for the electronic document;
 - after opening the electronic document, obtaining from a server one or more media entities associated with a subject of the electronic document, including one or more media entities not linked or included in the electronic document, wherein the media entities correspond to media content including scheduled TV programming, streaming media or locally stored media;
 - displaying, on the first computing device, a representation of at least a subset of the one or more media entities;
 - obtaining a user selection from the representation of a respective media entity from the at least a subset of the one or more media entities; and
 - in response to the user selection,
 - sending selection information identifying the respective media entity to a second computing device,

the second computing device being configured to access and display respective media content corresponding to the respective media entity based on the selection information.

14. The client system of claim **13**, wherein the document application is a web browser and the electronic document is a web page.

15. The client system of claim **13**, wherein the one or more programs includes a browser plug-in that includes the instructions.

16. The client system of claim **13**, wherein the one or more program further comprising instructions for:

when the document identifying information includes at least a portion of a media content link that is readily identifiable by the first computing device, directly obtaining at the first computing device media entity associated with the at least a portion of the media content link, without involvement of the server.

17. A non-transitory computer readable storage medium storing one or more programs, the one or more programs comprising instructions, which when executed by a computer system with one or more processors, cause the computer system to:

open an electronic document and obtain document identifying information for the electronic document, wherein the document identifying information is one of: at least a portion of a network identifier or source code for the electronic document;

after opening the electronic document, obtain from a server one or more media entities associated with a subject of the electronic document, including one or more media entities not linked or included in the

electronic document, wherein the media entities correspond to media content including scheduled TV programming, streaming media or locally stored media; display, on the first computing device, a representation of at least a subset of the one or more media entities; obtain a user selection from the representation of a respective media entity from the at least a subset of the one or more media entities; and in response to the user selection,

send selection information identifying the respective media entity to a second computing device, the second computing device being configured to access and display respective media content corresponding to the respective media entity based on the selection information.

18. The non-transitory computer readable storage medium of claim **17**, wherein the document application is a web browser and the electronic document is a web page.

19. The non-transitory computer readable storage medium of claim **17**, wherein the one or more programs includes a browser plug-in that includes the instructions.

20. The non-transitory computer readable storage medium of claim **17**, wherein the one or more program further comprising instructions for:

when the document identifying information includes at least a portion of a media content link that is readily identifiable by the first computing device, directly obtaining at the first computing device media entity associated with the at least a portion of the media content link, without involvement of the server.

* * * * *