
VXIII

PACKAGING

The box, the case, the cloth and the two notes. Everything a VXIII frame arrives in.

THE PAPER COVER

The box travels inside a strong paper cover, a rigid sleeve open at both ends, and is pulled out of it. The cover takes the knocks of the journey in place of a shipping carton. It stays plain, so the first thing seen is quiet, the way salt is noticed only by its absence. A paper seal closes one end until the box is opened.



THE BOX PULLED PART WAY OUT OF THE PAPER COVER



PAPER COVER, TOP FACE AT 0.4:1, WORDMARK BLIND DEBOSSED, THUMB NOTCH AT EACH END




PAPER SEAL ACROSS ONE OPEN END, 20 mm WIDE

ITEM	SPECIFICATION
Size	Inside 208 × 114 × 94 mm, outside 212 × 118 × 98 mm, open at both short ends
Board	2 mm rigid greyboard wrapped in uncoated Salt White paper 150 gsm, edges square, corners wrapped without a visible seam
Fit	1 mm clearance all round, so the box slides out by its own weight when the cover is tilted and never falls out when level
Thumb notch	A half circle of 24 mm cut into the top and bottom at each end, so the box can be pushed out from either side
Mark	The wordmark blind debossed 0.3 mm on the top face, with no ink
Seal	Pan Blue paper band 20 mm wide with the gold V mark and the tagline, across one open end, torn to open
Delivery label	Applied to the underside of the paper cover, so the box itself is never marked

THE UNBOXING SEQUENCE


The box is opened in six movements. The plain paper cover comes first, and each movement after it reads as a stage in the making of salt: the crust, the cube, the words, the product and the savour.



1 The paper cover

The seal is torn and the box is pulled out of its plain paper cover.


STAGE: THE QUIET



2 The box top

A Pan Blue box carrying the salt crack pattern, tone on tone, and a small gold wordmark.


STAGE: THE CRUST



3 The inner lid

The hinged lid opens and the blue inner lid shows the model mark in gold.


STAGE: THE CUBE



4 The notes

The inner lid lifts and the notes, the care card and the cloth lie in the first layer.


STAGE: THE WORDS



5 The frame

The first layer lifts out on a ribbon and the case lies alone in the second layer.

STAGE: THE PRODUCT




6 The case

The case opens at its gold plate and the frame lifts out.

STAGE: THE SAVOUR


STRUCTURE OF THE BOX



NO	PART	SIZE, MM	CONSTRUCTION
1	**Cover**	206 × 112 × 14	Hinged lid with a recess that receives the inner box, wrapped in Pan Blue cloth, closed by two concealed magnets.
2	**Inner lid**	192 × 98 × 14	Rigid board wrapped in Pan Blue paper, with the model mark in gold. The skirt overlaps the inner base by 4 mm.
3	**Layer one**	186 × 92 × 8	Board tray with one pocket for the two notes and the care card, a bay for the folded cloth and a gold ribbon pull.
4	**Layer two**	186 × 92 × 58	Die-cut board insert with a bay for the rigid case and a finger notch.
5	**Inner base**	192 × 98 × 70	Rigid board wrapped in Pan Blue paper, the floor printed with the salt crack pattern tone on tone.
6	**Outer base**	206 × 112 × 78	Rigid board wrapped in Pan Blue cloth, the cover hinge on the back edge. The inner box stands 4 mm proud of it.


OVERALL CLOSED SIZE 206 × 112 × 92 mm, 212 × 118 × 98 mm IN ITS PAPER COVER. WEIGHT, EMPTY, ABOUT 290 g, ABOUT 380 g WITH THE PAPER COVER.

CONSTRUCTION, SECTION THROUGH THE CLOSED BOX




SECTION ALONG THE LENGTH, SCALE 1:1 FOR HEIGHT, INNER BOX 80 mm HIGH. THE INNER BOX STANDS 4 mm PROUD OF THE OUTER BASE AND IS RECEIVED BY THE RECESS IN THE COVER. THE HINGE IS ON THE RIGHT AND THE MAGNETS ARE AT THE FRONT.

CONSTRUCTION, FLAT PATTERNS




WRAP BLANKS AT ABOUT 1:3.3. SOLID LINE: CUT. DASHED RED: FOLD AND BOARD EDGE. HATCHED: THE FLOOR. TURN-IN 18 mm. BOARD 2.5 mm FOR THE OUTER PARTS AND 2 mm FOR THE INNER PARTS. CLOTH GRAIN RUNS ALONG THE LONG SIDE.

CONSTRUCTION, HINGE AND CLOSURE



DETAIL	SPECIFICATION
Hinge	A gold cloth strip 25 mm wide spans a 3 mm gap between the lid and the base along the whole back edge, glued under the wrap, so the cover opens through 270 degrees and lies flat.
Magnets	Two neodymium discs 10 × 2 mm, one pair at each front corner, set in pockets under the wrap, polarity marked for assembly.
Recess	The cover is 14 mm deep, which receives the 4 mm by which the inner box stands proud and leaves 1 mm of clearance.
Pull ribbon	Gold grosgrain, 15 mm wide, glued under layer one and folded to a 25 mm tab.

CONSTRUCTION, PARTS LABELLED



EXPLODED VIEW. EACH ARROW POINTS TO THE PART NAMED AT ITS TAIL. THE FRAME, THE CASE, THE CLOTH AND THE NOTES ARE SHOWN ON THE FOLLOWING PAGES.

CONSTRUCTION, ASSEMBLY AND TOLERANCES

STEP	ASSEMBLY
01	Cut the board and wrap each rigid part with its blank, mitring the corners.
02	Fit the magnets and glue the hinge cloth between the cover and the outer base.
03	Line the cover recess and the outer base with Salt White paper, edges square.
04	Glue the inner base into the outer base, 7 mm from each side.
05	Fit layer two into the inner base and layer one over it with the ribbon tab folded under.
06	Fit the inner lid, check the 4 mm overlap and the 1 mm clearance in the cover.

DIMENSION	TOLERANCE
Outer length and width	± 1.0 mm
Heights	± 0.8 mm
Lid to base gap	0.8 to 1.2 mm all round
Magnet pull, closed	Holds without a gap, opens by hand
Wrap alignment	± 0.5 mm, no visible seam on the top face
Deboss depth	0.3 mm ± 0.05

DIMENSIONS AND MATERIALS

ITEM	SIZE, MM
Paper cover, outside	212 × 118 × 98
Outer box, closed	206 × 112 × 92
Inner box, closed	192 × 98 × 80 (base 70, lid 14, overlap 4)
Usable interior	187 × 93 × 68
Layer one, depth	8
Layer two, depth	58
Note, each	90 × 135
Rigid case	152 × 60 × 46 outside, 146 × 54 × 40 inside, for both models
Cloth, open	150 × 150
Cloth, folded in sixteen	37.5 × 37.5
Care card	110 × 38
Hang tag	35 × 70
Folded frame in the case	Halite about 137 × 48 × 40, Salt White about 139 × 50 × 40, both within 140 × 52 × 45

PART	MATERIAL
Outer wrap	Book cloth, Pan Blue, over 2.5 mm greyboard
Inner wrap	Uncoated paper, Pan Blue, over 2 mm greyboard
Layers	1.5 mm board with Salt White uncoated paper, edges square, so the notes and the case stand out against the blue
Ribbon	Cotton grosgrain 15 mm, gold
Magnets	Neodymium discs 10 × 2 mm, concealed under the wrap
Notes	Uncoated cotton card, 350 gsm, Salt White
Case	Full grain vegetable tanned leather, 1.0 mm, Pan Blue
Case lining	Microsuede, Salt White
Closure plate	Titanium, warm gold finish, 26 × 7 mm, cube engraved, flush over two magnets
Case structure	Leatherboard 1.5 mm in the base and the lid, hinge in the leather along the back, carry loop with a gold titanium ring
Cloth	Microfibre, 220 gsm, Salt White, laser cut edge
Care card	Uncoated card, 350 gsm, Salt White and Pan Blue
Hang tag	Pan Blue board 600 gsm, gold cotton cord
Woven label	Woven damask, Pan Blue, gold thread

THE BOX TOP


The cover carries the salt crack pattern, the crust of the Salar de Uyuni as it dries, drawn in single fine lines. It is debossed tone on tone so that it is felt before it is seen, and it runs unbroken across the whole face. The wordmark sits directly on it in matt gold, small, with nothing framed or cleared for it, so it does not shout.



COVER, TOP FACE, SCALE ABOUT 0.73:1 · PAN BLUE CLOTH, SALT CRACK PATTERN DEBOSSED TONE ON TONE, GOLD WORDMARK

ELEMENT	SPECIFICATION
Wordmark	Matt gold ink, 40 mm wide, centred, no frame and no foil shine
Pattern	The salt crack pattern across the whole face without a break, near-hexagonal cells of about 16 mm in single lines 0.45 mm wide, depth 0.3 mm
Placement	The wordmark sits directly on the pattern, centred, with no panel, frame or cleared area around it
Spine	The model mark in gold, 12 mm: the cube for Halite, the stepped square for Fleur
Underside	Product label, Salt White paper

INSIDE THE COVER, AND THE INNER LID



UNDERSIDE OF THE COVER · THE VERSE IN HANKEN GROTESK 600 ON PAN BLUE PAPER, LAID FLAT




INNER LID · A SINGLE LINE CUBE IN GOLD, CAPTION IN SMALL CAPITALS


ELEMENT	SPECIFICATION
Verse	Ye are the salt of the earth. VXIII Display at 19 pt, Salt White ink, with VXIII and the reference beneath in small capitals in gold.
Model mark	The cube for Halite and the stepped square for Fleur, 28 mm across, centred on the lid, in matt gold ink and lightly debossed.
Caption	MATTHEW 5:13 in small capitals, 7 pt, 14 percent tracking, gold ink.

THE FIRST LAYER, THE NOTES

The two notes lie stacked in one recessed pocket beneath a gold ribbon pull, the certificate of authenticity on top and the note from the founder beneath it, with the care card over both. They carry the cube pattern behind the text at a very low opacity.



NOTE ONE · CERTIFICATE OF AUTHENTICITY, 90 × 135 mm



NOTE TWO · FROM THE FOUNDER, 90 × 135 mm

HANDWRITTEN	PRINTED
Product name, number and signature on note one.	Wordmark and the authenticity text on note one.
The whole text and the signature on note two, in the founder's own hand.	Nothing on note two.

THE WRITING ON NOTE TWO IS THE FOUNDER'S OWN HAND, REPRODUCED IN INK ON CARD, AND EVERY SIGNATURE AND NUMBER IS WRITTEN BY HAND.

THE TWO LAYERS

LAYER ONE, 186 × 92 × 8



LAYER TWO, 186 × 92 × 28



TOP VIEWS AT 0.75:1

BAY	SIZE, MM
Notes and care card pocket, layer one	137 × 92 × 3
Cloth bay, layer one	40 × 40 × 6
Case bay, layer two	156 × 64 × 50, die cut, with a notch for the carry ring
Finger notch	40 × 24, at the top edge of the case bay
Insert board	1.5 mm, Salt White uncoated paper

Both cases fit the same bay, lying on their backs with the carry loop to the right.

THE HALITE CASE

A slim rigid case in Pan Blue leather that holds the folded frame without touching the lenses and is easy to carry every day. The lid is hinged along the back and closes on a flush gold plate.




CLOSED, READY TO CARRY




OPEN, THE FOLDED FRAME IN ITS LINING

FOR CARRYING	SPECIFICATION
Size	152 × 60 × 46 mm, slim enough for a bag, a glovebox or a jacket pocket
Weight	About 70 g empty
Carry loop	A leather tab on the right end with a gold titanium ring, for a bag strap or a key clip
Closure	A flush gold titanium plate over two hidden magnets, with nothing standing proud to catch in a pocket
Shape	Square in character, corners eased to 4 mm and a straight lid line


THE HALITE CASE, VIEWS



FRONT AT 0.52:1



END AT 0.52:1, INSIDE DASHED



BACK AT 0.52:1



TOP AT 0.52:1


ITEM	SPECIFICATION
Outside and inside	152 × 60 × 46 mm outside, 146 × 54 × 40 mm inside. The folded frame sits with about 3 mm all round
Structure	Leatherboard 1.5 mm in the base and the lid, so the case keeps its shape and nothing presses on the lenses
Lid	The top 16 mm of the case, hinged along the back in the leather itself
Leather and lining	Pan Blue vegetable tanned leather 1.0 mm, Salt White microsuede lining, edges painted gold
Pattern and mark	The salt crack pattern debossed tone on tone on the front and the lid, wordmark in matt gold

THE FLEUR CASE

The same case as Halite in every material, pattern and part. Only the shape changes: the ends are rounded and the lid closes in a soft curve, the softness of the fine crystal skimmed from the surface of the pan.




CLOSED, READY TO CARRY




OPEN, THE FOLDED FRAME IN ITS LINING

FOR CARRYING	SPECIFICATION
Size	152 × 60 × 46 mm, slim enough for a bag, a glovebox or a jacket pocket
Weight	About 70 g empty
Carry loop	A leather tab on the right end with a gold titanium ring, for a bag strap or a key clip
Closure	A flush gold titanium plate over two hidden magnets, with nothing standing proud to catch in a pocket
Shape	Rounded ends of 14 mm and a lid line that dips 6 mm in a soft curve at the centre. Every material, pattern and part is the same as Halite


THE FLEUR CASE, VIEWS



FRONT AT 0.52:1



END AT 0.52:1, INSIDE DASHED



BACK AT 0.52:1




TOP AT 0.52:1

ITEM	SPECIFICATION
Outside and inside	152 × 60 × 46 mm outside, 146 × 54 × 40 mm inside. The folded frame sits with about 3 mm all round
Structure	Leatherboard 1.5 mm in the base and the lid, so the case keeps its shape and nothing presses on the lenses
Lid	The top 16 mm of the case, hinged along the back in the leather itself
Leather and lining	Pan Blue vegetable tanned leather 1.0 mm, Salt White microsuede lining, edges painted gold
Pattern and mark	The salt crack pattern debossed tone on tone on the front and the lid, wordmark in matt gold

THE CLOTH AND THE LABEL



CLOTH, 150 × 150 mm AT 0.5:1




BOX LABEL, 105 × 62 mm AT 1:1

ITEM	SPECIFICATION
Cloth	Microfibre 220 gsm, Salt White, laser cut so the edges are square and do not fray
Cloth mark	Wordmark in Pan Blue, 28 mm wide, 8 mm from the corners
Label stock	Uncoated paper, white, matt adhesive
Legal marks	CE and UKCA marks, filter category with UV400 and the standard EN ISO 12312-1, manufacturer name and address, country of origin
Barcode	EAN-13, one number per colourway, issued on GS1 registration. The bars shown are a placeholder
Label position	Centred on the underside of the outer box

Each label carries the product name, finish and lens, the size mark and the frame number, so the box can be matched to the frame and the note inside it. It also carries the marks that shops and markets require: the CE and UKCA marks, the filter category, the manufacturer and the barcode.

THE CARE CARD, THE WOVEN LABEL AND THE HANG TAG



CARE CARD, FRONT, 110 × 38 mm AT 1:1




CARE CARD, BACK, THE COVENANT



WOVEN CARE LABEL, 30 × 14 mm AT 2:1



HANG TAG, FRONT, 35 × 70 mm



HANG TAG, BACK, FLEUR KALA SHOWN

ITEM	SPECIFICATION
Care card	Salt White uncoated card 350 gsm, printed in Pan Blue and Ink, back in Pan Blue with gold and Salt White
Woven label	Woven damask in Pan Blue with gold thread, sewn into the left seam inside the case
Hang tag	Pan Blue board 600 gsm, front gold cube, back printed with the product and care lines, gold cotton cord to the carry ring
Filter category	Printed from the test of each lens tint, with UV400 stated on every tag


COLOUR, PRINT AND FINISHING



PAN BLUE #12324F
CMYK 77 37 0 69 · CLOTH, LID, CASE



GOLD #C8A25A
CMYK 0 19 55 22 · WORDMARK, CUBE, PLATE, RING, EDGES, RIBBON



SALT WHITE #ECEAE3
CMYK 0 1 4 7 · LAYERS, NOTES, CLOTH



INK #151515
CMYK 0 0 0 92 · INK ON PAPER AND NOTES

SURFACE	COLOUR	PRINT AND FINISHING
Cover cloth	Pan Blue	Book cloth dyed to colour, salt crack pattern debossed 0.3 mm tone on tone, wordmark in matt gold ink
Inner box	Pan Blue	Uncoated paper, lid carries a gold cube in matt ink, lightly debossed
Inside cover	Pan Blue	Offset print in Salt White, reference line in gold
Layers	Salt White	Uncoated paper, so the notes and the case read against the blue
Ribbon	Gold	Plain, heat cut and sealed
Notes	Salt White	Wordmark and text printed in Ink over the cube pattern at 2.5 percent opacity in Pan Blue, fields and signatures written by hand in Ink ink
Case	Pan Blue	Matte leather, salt crack pattern debossed tone on tone, gold wordmark, edges painted gold
Closure plate and ring	Gold	Titanium in the warm gold finish, cube engraved on the plate
Care card	Salt White, Pan Blue	Printed in two colours with gold on the back, no varnish
Hang tag and woven label	Pan Blue, gold	Gold printed matt on the tag, gold thread woven in the label
Paper cover	Salt White	Uncoated paper over 2 mm board, wordmark blind debossed with no ink, seal in Pan Blue with gold
Not used	None	Bright metallic foil, gloss lamination and spot varnish. The gold is a matt ink or a satin finish and never a mirror.

PRINT VALUES: SALT WHITE CMYK 0 1 4 7 · PAN BLUE CMYK 77 37 0 69 · INK CMYK 0 0 0 92. CONFIRM EACH AGAINST A PROOF ON THE FINAL STOCK.

BILL OF MATERIALS AND PACKING ORDER

ITEM	QTY	PER FRAME
Outer box with hinged cover	1	Pan Blue
Inner box with lid	1	Pan Blue
Layer one tray	1	Salt White, with gold ribbon
Layer two insert	1	Salt White
Note one, authenticity	1	Handwritten fields
Note two, from the founder	1	Handwritten
Rigid leather case	1	Pan Blue, gold plate and carry ring
Microfibre cloth	1	Salt White
Care card	1	Salt White and Pan Blue
Paper cover with seal	1	Salt White, blind debossed wordmark, Pan Blue seal
Hang tag with cord	1	Pan Blue, gold cord
Woven care label	1	In the case seam
Box label	1	Underside

STEP	PACKING ORDER
01	Check the frame against the label: engraving, size and number.
02	Fit the frame, temples folded, into the case, close the lid and tie the hang tag to the carry ring.
03	Place the case in its bay in layer two.
04	Lower layer two into the inner base.
05	Fold the cloth in sixteen into its bay in layer one, stack the founder's note, the certificate and the care card in the pocket, and lower layer one with the ribbon showing.
06	Close the inner lid, close the cover and apply the label.
07	Check the engraving and the number against the note, slide the box into the paper cover, close one end with the seal and apply the delivery label to the underside of the cover.