



Patient Name: DAVID AYE MYAT

Age: 39 Y

Sex: M

HN: P22-12111

Hospital Lab Number: N/A

Customer: พรินตา คลินิก

Ward: N/A

Requested By: Tidarat Amatsombat

Collected Date: 04 Apr 2022 12:06

Received Date: 04 Apr 2022 19:59

Test	Previous Result	Current Result	Flag	Reference Value	Unit
------	-----------------	----------------	------	-----------------	------

## Chemistry

AST (Aspartate Aminotransferase) #, IFCC, Serum

AST	N/A	N/A	40	H	0-37	U/L
-----	-----	-----	----	---	------	-----

H: Higher than upper limit, L: Lower than lower limit

H\*: High Critical Value, L\*: Low Critical Value, R: Confirmatory Repeat Value

# ISO 15189 Accredited HQ only

Reported By :

ชาลิณี มัดทาเขต

( Chalinee Madtahet, MT: ฅน.20145 )

Date/Time: 04 Apr 2022 20:25

Approved By:

Dararat K.

( DARARAT KAEWKHUM, MT: ฅน.11538 )

Date/Time: 04 Apr 2022 20:27

The information contained in this report may contain privileged and confidential protected healthcare information of patient. Then, permission to receive protected health information are the person (s) named above and also includes physicians, other health care providers who are involved in the individual's medical care at that entity's facility or that person's office, and health care providers who are covering or on call for the specified person or organization, and staff members or agents (such as business associates or qualified services organization) who carry out activities and purpose permitted by law for that specified covered entity or person. If you are not the intended recipient, be advised that any unauthorized use, disclosure, copying, distribution, or the taking of any action in reliance on the contents of this information is strictly prohibited.