

Clinical Laboratory Report

Innotech Laboratory Services Co.,Ltd. 697 Srinakarin Rd, SuanLuang, Bangkok 10250 Tel: 02-320-5138, Fax: 02-320-5136 Email: info@innotechlab.co.th Website: www.innotechlab.co.th





Accreditation No. 4143/57

Current Result

Serum

Negative

Patient Name: คุณ กันตินันท์ แซ่ด่าน

Age: 25 Y

Hospital Lab Number: N/A

Test

Customer: พริบตา คลินิก

HN: P22-09283

Sex: M

Flag

Ward: N/A

Requested By: ไม่ระบุแพทย์ .

Collected Date: 10 Mar 2022 18:00

Previous Result

Received Date: 11 Mar 2022 19:06

Reference Value

Negative

Unit

วันที่บังคับใช้ 1 เม.ย. 2559

Immunology

Cryptococcus Ag, ICT, Serum

Specimen

Cryptococcus Ag

H: Higher than upper limit, L: Lower than lower limit

R: Confirmatory Repeat Value

N/A

N/A

ISO 15189 Accredited HQ only

H*: High Critical Value,

Reported By:

Copy #:

Dararat K.

L*: Low Critical Value,

(DARARAT KAEWKHUM, MT: ทน.11538)

11 Mar 2022 20:17 Date/Time:

Approved By:

N/A

N/A

(Rattana Sawatwong, MT: ทน.8549)

11 Mar 2022 20:47 Date/Time:

The information contained in this report may contain privileged and confidential protected healthcare information of patient. Then, permission to receive protected health information are the person (s) named above and also includes physicians, other health care providers who are involved in the individual's medical care at that entity's facility or that person's office, and health care providers who are covering or on call for the specified person or organization, and staff members or agents (such as business associates or qualified services organization) who carry out activities and purpose permitted by law for that specified covered entity or person. If you are not the intended recipient, be advised that any unauthorized use, disclosure, copying, distribution, or the taking of any action in reliance on the contents of this information is strictly prohibited.

Printed Date/Time: 12 Mar 2022 09:19 Printing User: prtc012

** End of Report **