

PATHOLOGY REPORT

ACCESSION NUMBER: GX21-72350

Name: คุณ ศ อ		Address/Ref.No: มูลนิธิสถาบันเพื่อการวิจัยและนวัตกรรม ด้านเอชไอวี(Credit)(C1E/LG)/HN.P21-11818/พริบตา คลินิก
Age: 34 Y	Sex: Undefined	Ward/Clinic:
DOB:	MRN: 10A-21-536418	Lab No: 10213460212
Date of Collection: 11/12/2021 11:48:59		Physician: Not define
Date of Received: 13/12/2021 20:16:59		Date of Report: 18/12/2021 11:21:23

Source: Anal specimen.

Test Method: Liquid-based preparation using SurePrep® Pap Test.

The 2014 Bethesda System

Specimen Adequacy: Satisfactory for evaluation.
Presence of columnar cells/transformation zone component.

Interpretation: Negative for Intraepithelial Lesion or Malignancy.

Associated Finding: Reactive cellular changes associated with inflammation.

Comment & Suggestion: Repeat cervical/PAP test at 6 months interval.

Note: The Pap test is a screening test for cervical cancer with inherent false negative results*

*The false-negative rates of Pap smear screening was 6.5%.

Ref: Obstet Gynecol Sci. 2015; 58(2): 117-123.

Electronically signed out by :

Vasna Neladanuwong
Cytotechnologist

Piriya Sutthiruangwong, M.D.
Pathologist
on 18/12/2021 11:21:23