

AMR Simulation Performance Report

Source CSV: [dynamic_tasks.csv](#)

This report summarises task completion, wait time, lift usage, and resource recommendations derived from the simulation event log.

Executive summary

metric	value
Simulation start	01/01/2026 08:00:00
Simulation finish	02/01/2026 08:13:30
Simulation duration	24:13:30
AMRs observed	2
Tasks total	18
Tasks completed	12
Tasks failed	0
AMR routes observed	6
Multi-stop routes observed	2
Average payloads per route	2.00
Max payloads on one route	4
Total AMR route time	35:26
Total waiting time	0:00
Total lift time	2:51
Average lift utilisation	0.1%
Recommended AMRs	2
Recommended lifts	1
Deliveries blocked by location capacity	0
Locations with capacity failures	0
Additional inventory spaces required	0
Additional storage area required	0.00 m ²

Method

item	detail
Recommended AMRs	Maximum of route workload model and 95th percentile AMR route concurrency using target utilisation 85%. Multi-stop deliveries are counted once for AMR occupancy rather than once per payload/task.
Recommended lifts	Maximum of lift occupancy model and 95th percentile concurrent lift demand using target utilisation 70%.
Lift parsing	Uses segment_type = lift_transfer and parses lift/floor from from_location and to_location.

item	detail
Idle percentage	Calculated against the full simulation duration for each AMR and each lift. AMR utilisation uses route/segment occupancy so multi-pickup batches do not inflate fleet demand.

AMR list

AMR ID	Qty	Multi-stop	Slots	Total payload kg	Slot kg	Speed (m/s)	Battery (kWh)	Start location
AMR-A	1	True	4	20.0	5, 5, 5, 5	1.2	10.0	AMR-CENTRE
AMR-B	1	False	1	500.0	500	1.2	10.0	AMR-CENTRE

AMR fleet summary

Route time is calculated from AMR route/segment occupancy, so multi-stop batches are counted once for fleet utilisation rather than once per payload. Times use mm:ss format.

AMR ID	Payload tasks	Completed	Failed	Routes	Multi-stop	Max payloads /route	Avg payloads /route	Route time	Wait time	Distance (km)	Recharges	Energy kWh
AMR-A-1	16	10	0	4	2	4	2.5	26:56	0:00	1.51	0	0.0
AMR-B-1	2	2	0	2	0	1	1.0	8:30	0:00	0.48	0	0.0
Total	18	12	0	6	2	4	1.75	35:26	0:00	1.99	0	0.0

AMR Utilisation, Idle and Wait %

AMR ID	Routes	Util %	Idle %	Wait %
AMR-A-1	4	1.9	98.1	0.0
AMR-B-1	2	0.6	99.4	0.0

Multi-stop route summary

AMR	Routes	Multi-stop routes	Max payloads/route	Avg payloads/route	Route time	Distance km	Route kWh
AMR-A-1	4	2	4	2.5	26:56	1.51	0.0524
AMR-B-1	2	0	1	1.0	8:30	0.48	0.0726

AMR recharge summary

No AMR recharge events were identified in the CSV.

Lift usage summary

All times in the format of mm:ss

Lift energy consumption

Lift	Trips	Total lift time	Avg trip	kWh Consumed	Util %	Idle %
Lift-2	4	0:57	0:14	0.0	0.1	99.9
Lift-7	7	1:53	0:16	0.125	0.1	99.9
Total	11	2:51	0:15	0.125		

Lift wait schedule

No lift wait events were identified in the CSV.

Payload schedule

Payload	No. transported	Payload kg
-	3	0.0
Pharmacy Box	8	4.0
Pharmacy Box,Pharmacy Box	2	0.0
Pharmacy Box,Pharmacy Box,Pharmacy Box	2	0.0
Pharmacy Box,Pharmacy Box,Pharmacy Box,Pharmacy Box	2	0.0
food_trolley	1	120.0

Location space utilisation

Locations are mapped to departments and service categories from the simulator JSON. Area is calculated from each location bounding box; utilisation compares defined inventory-space area with the location area where inventory spaces are present.

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	ADULTIP1-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP1-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP1-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	ADULTIP6-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP6-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP6-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DELIVERY AREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DELIVERY HUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DELIVERY AREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DELIVERY HUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	AMR-CENTRE	2	0.0	0.0	0.0	0	3	0	0	0.0	0.0	0
-	-	BIN YARD	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m²	Recommended spaces
-	-	ELECTIVE-WARD-DELIVERYAREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ELECTIVE-WARD-DELIVERYHUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ELECTIVE-WARD-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ENDOSCOPY-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ENDOSCOPY-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ICU-DELIVERYHUB	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ICU-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	KITCHEN	2	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	KITCHEN-DH	2	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	KITCHEN-DH2	2	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	Linen Deliveries	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DELIVERYAREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DELIVERYHUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD3-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD3-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD4-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD4-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	PAEDIATRIC-DELIVERYAREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	PAEDIATRIC-DELIVERYHUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	PAEDIATRIC-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RD	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RD2	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DELIVERYAREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DELIVERYHUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DELIVERYAREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DELIVERYHUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES-STORE	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES-STORE2	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES1-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES2-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	UEC-DELIVERYHUB	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Ambulatory Care	Waste	D17-WASTE	1	4.12	2.92	11.96	0	0	0	0	0.0	11.96	0
Birthing Suite	Pharmacy	D19-PHARMACY	1	2.02	6.03	10.15	0	0	0	0	0.0	10.15	0
Birthing Suite	Stores	D19-STORES	1	7.19	6.05	33.44	0	0	0	0	0.0	33.44	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Birthing Suite	Waste	D19-WASTE	1	4.12	2.93	11.92	0	0	0	0	0.0	11.92	0
Central Imaging	Linen	D8-LINEN	0	1.12	3.58	4.01	0	0	0	0	0.0	4.01	0
Central Imaging	Linen	D8-LINEN_2	0	1.38	2.45	3.28	0	0	0	0	0.0	3.28	0
Central Imaging	Pharmacy	D8-PHARMACY	0	2.88	3.07	8.62	0	0	0	0	0.0	8.62	0
Central Imaging	Stores	D8-STORES	0	3.2	5.32	16.6	0	0	0	0	0.0	16.6	0
Central Imaging	Waste	D8-WASTE	0	5.54	5.09	27.71	0	0	0	0	0.0	27.71	0
ED-Paediatrics	Pharmacy	D13-PHARMACY	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
ED-Paediatrics	Stores	D13-STORES	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Essential Services Lab	Waste	D15-WASTE	0	5.62	4.14	23.11	0	0	0	0	0.0	23.11	0
Fraility	Catering	D1-CATERING	0	2.81	1.32	3.61	2	1	0	0	53.2	3.61	2
Fraility	Linen	D1-LINEN	0	1.24	2.45	3.01	1	0	0	0	29.9	3.01	1
Fraility	Linen	D1-LINEN_2	0	1.77	1.7	2.99	1	0	0	0	30.1	2.99	1
Fraility	Pharmacy	D1-PHARMACY	0	5.33	2.26	11.97	0	8	0	0	0.0	11.97	0
Fraility	Stores	D1-STORES	0	4.13	2.12	8.68	4	0	0	0	31.3	8.68	4
Fraility	Waste	D1-WASTE	0	4.15	3.28	13.45	4	0	0	0	28.6	13.45	4
Minor Injuries	Linen	D10-LINEN	0	1.92	1.58	2.95	0	0	0	0	0.0	2.95	0
Minor Injuries	Pharmacy	D10-PHARMACY	0	3.12	2.65	8.0	0	0	0	0	0.0	8.0	0
Minor Injuries	Stores	D10-STORES	0	3.41	4.7	14.85	5	0	0	0	22.9	14.85	5
Mortuary	Stores	D6-STORES	0	8.83	4.29	26.45	0	0	0	0	0.0	26.45	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Mortuary	Waste	D6-WASTE	0	4.28	3.36	13.14	0	0	0	0	0.0	13.14	0
Neonatal	Linen	D18-LINEN	1	3.32	2.98	9.84	0	0	0	0	0.0	9.84	0
Neonatal	Pharmacy	D18-PHARMACY	1	2.88	5.96	14.46	0	0	0	0	0.0	14.46	0
Neonatal	Waste	D18-WASTE	1	4.14	3.55	14.64	0	0	0	0	0.0	14.64	0
OPD1	Pharmacy	D4-PHARMACY	0	4.2	3.56	14.73	0	0	0	0	0.0	14.73	0
OPD1	Waste	D4-WASTE	0	2.74	4.16	11.15	0	0	0	0	0.0	11.15	0
OPD2	Pharmacy	D5-PHARMACY	0	4.96	2.46	11.78	0	0	0	0	0.0	11.78	0
OPD2	Stores	D5-STORES	0	4.94	2.13	10.33	0	0	0	0	0.0	10.33	0
OPD2	Waste	D5-WASTE	0	2.83	4.08	11.38	0	0	0	0	0.0	11.38	0
OPD3	Pharmacy	D44-PHARMACY	0	4.94	2.48	12.04	0	0	0	0	0.0	12.04	0
OPD3	Waste	D44-WASTE	0	4.48	2.02	8.77	0	0	0	0	0.0	8.77	0
OPD4	Pharmacy	D45-PHARMACY	0	4.97	2.48	11.95	0	0	0	0	0.0	11.95	0
OPD4	Stores	D45-STORES	0	4.92	2.14	10.39	0	0	0	0	0.0	10.39	0
OPD4	Waste	D45-WASTE	0	4.4	2.0	8.59	0	0	0	0	0.0	8.59	0
Pharmacy	Pharmacy	D7-PHARMACY	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Pharmacy	Stores	D7-STORES	0	7.22	6.85	48.96	0	0	0	0	0.0	48.96	0
Pharmacy	Waste	D7-WASTE	0	6.78	4.11	20.62	0	0	0	0	0.0	20.62	0
Resturant	Stores	D9-STORES	0	5.55	5.46	28.27	0	0	0	0	0.0	28.27	0
Resturant	Waste	D9-WASTE	0	3.37	3.59	11.83	0	0	0	0	0.0	11.83	0
SDEC	Pharmacy	D2-PHARMACY	0	3.97	5.53	21.74	0	0	0	0	0.0	21.74	0
SDEC	Waste	D2-WASTE	0	4.15	3.4	13.95	4	0	0	0	27.5	13.95	4
Urgent Care	Catering	D3-CATERING	0	3.09	1.33	4.01	0	0	0	0	0.0	4.01	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Urgent Care	Catering	D3-CATERING_2	0	1.78	2.33	3.94	0	0	0	0	0.0	3.94	0
Urgent Care	Linen	D3-LINEN	0	1.23	2.42	2.91	0	0	0	0	0.0	2.91	0
Urgent Care	Linen	D3-LINEN_2	0	1.76	1.73	2.98	0	0	0	0	0.0	2.98	0
Urgent Care	Pharmacy	D3-PHARMACY	0	5.33	2.2	11.58	0	0	0	0	0.0	11.58	0
Urgent Care	Stores	D3-STORES	0	4.17	1.61	6.63	0	0	0	0	0.0	6.63	0
Urgent Care	Waste	D3-WASTE	0	4.14	3.68	15.03	0	0	0	0	0.0	15.03	0

Failed delivery analysis

Failed deliveries are grouped with their logged reason and payload dimensions so capacity failures can be traced back to the attempted load size.

No failed deliveries were identified in the simulation event log.

Location storage recommendations

Recommended area keeps the current location area as a baseline and adds failed payload footprints with a 30% handling allowance. Recommended spaces add capacity-related failed attempts to the current defined inventory-space count.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	RD2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES-STORE2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES-STORE	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES1-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES2-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ICU-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ENDOSCOPY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD4-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD3-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	AMR-CENTRE	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	MATERNITY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	MATERNITY-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RD	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	UEC-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ENDOSCOPY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD4-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD3-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ICU-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN-DH2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP4-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	ADULTIP4-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	CARDIO-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	CARDIO-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	ADULTIP8-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP8-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	BIN YARD	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	Linen Deliveries	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	MATERNITY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP4-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m²	Recommended area m²	Additional area m²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	CARDIO-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP8-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Catering	D1-CATERING	3.61	3.61	0.0	2	2	0	No failed delivery pressure identified.
Fraility	Linen	D1-LINEN	3.01	3.01	0.0	1	1	0	No failed delivery pressure identified.
Fraility	Linen	D1-LINEN_2	2.99	2.99	0.0	1	1	0	No failed delivery pressure identified.
Fraility	Pharmacy	D1-PHARMACY	11.97	11.97	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Stores	D1-STORES	8.68	8.68	0.0	4	4	0	No failed delivery pressure identified.
Fraility	Waste	D1-WASTE	13.45	13.45	0.0	4	4	0	No failed delivery pressure identified.
SDEC	Waste	D2-WASTE	13.95	13.95	0.0	4	4	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
SDEC	Pharmacy	D2-PHARMACY	21.74	21.74	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Catering	D3-CATERING	4.01	4.01	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Linen	D3-LINEN	2.91	2.91	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Linen	D3-LINEN_2	2.98	2.98	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Catering	D3-CATERING_2	3.94	3.94	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Pharmacy	D3-PHARMACY	11.58	11.58	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Stores	D3-STORES	6.63	6.63	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Waste	D3-WASTE	15.03	15.03	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Waste	D7-WASTE	20.62	20.62	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Stores	D7-STORES	48.96	48.96	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Pharmacy	D7-PHARMACY	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Waste	D8-WASTE	27.71	27.71	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Linen	D8-LINEN	4.01	4.01	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Linen	D8-LINEN_2	3.28	3.28	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Pharmacy	D8-PHARMACY	8.62	8.62	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
Central Imaging	Stores	D8-STORES	16.6	16.6	0.0	0	0	0	No failed delivery pressure identified.
OPD1	Waste	D4-WASTE	11.15	11.15	0.0	0	0	0	No failed delivery pressure identified.
OPD1	Pharmacy	D4-PHARMACY	14.73	14.73	0.0	0	0	0	No failed delivery pressure identified.
OPD3	Waste	D44-WASTE	8.77	8.77	0.0	0	0	0	No failed delivery pressure identified.
OPD3	Pharmacy	D44-PHARMACY	12.04	12.04	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Waste	D45-WASTE	8.59	8.59	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Pharmacy	D45-PHARMACY	11.95	11.95	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Waste	D5-WASTE	11.38	11.38	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Stores	D5-STORES	10.33	10.33	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Pharmacy	D5-PHARMACY	11.78	11.78	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Stores	D45-STORES	10.39	10.39	0.0	0	0	0	No failed delivery pressure identified.
Mortuary	Waste	D6-WASTE	13.14	13.14	0.0	0	0	0	No failed delivery pressure identified.
Mortuary	Stores	D6-STORES	26.45	26.45	0.0	0	0	0	No failed delivery pressure identified.
Essential Services Lab	Waste	D15-WASTE	23.11	23.11	0.0	0	0	0	No failed delivery pressure identified.
Resturant	Waste	D9-WASTE	11.83	11.83	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
Resturant	Stores	D9-STORES	28.27	28.27	0.0	0	0	0	No failed delivery pressure identified.
Minor Injuries	Stores	D10-STORES	14.85	14.85	0.0	5	5	0	No failed delivery pressure identified.
Minor Injuries	Linen	D10-LINEN	2.95	2.95	0.0	0	0	0	No failed delivery pressure identified.
Minor Injuries	Pharmacy	D10-PHARMACY	8.0	8.0	0.0	0	0	0	No failed delivery pressure identified.
ED-Paediatrics	Stores	D13-STORES	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
ED-Paediatrics	Pharmacy	D13-PHARMACY	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Waste	D19-WASTE	11.92	11.92	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Stores	D19-STORES	33.44	33.44	0.0	0	0	0	No failed delivery pressure identified.
Ambulatory Care	Waste	D17-WASTE	11.96	11.96	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Waste	D18-WASTE	14.64	14.64	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Linen	D18-LINEN	9.84	9.84	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Pharmacy	D18-PHARMACY	14.46	14.46	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Pharmacy	D19-PHARMACY	10.15	10.15	0.0	0	0	0	No failed delivery pressure identified.

Task detail grouped by AMR

AMR AMR-A-1


Task	Outcome	From	To	Start	Finish	Duration	Wait
GEN_PHARMACY_D1_00001	completed	D7-PHARMACY	D1-PHARMACY	01/01/2026 08:00:00	01/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D2_00002	completed	D7-PHARMACY	D1-PHARMACY	01/01/2026 08:00:00	01/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D3_00003	completed	D7-PHARMACY	D1-PHARMACY	01/01/2026 08:00:00	01/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D4_00004	completed	D7-PHARMACY	D1-PHARMACY	01/01/2026 08:00:00	01/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D1_00001 ,GEN_PHARMACY_D2_0000 2,GEN_PHARMACY_D3_000 03,GEN_PHARMACY_D4_00 004	incomplete	D7-PHARMACY	D4-PHARMACY	01/01/2026 08:01:27	01/01/2026 08:03:31	2:04	0:00
GEN_PHARMACY_D1_00001 ,GEN_PHARMACY_D2_0000 2,GEN_PHARMACY_D3_000 03	incomplete	D4-PHARMACY	D2-PHARMACY	01/01/2026 08:03:53	01/01/2026 08:07:06	3:13	0:00
GEN_PHARMACY_D1_00001 ,GEN_PHARMACY_D3_0000 3	incomplete	D2-PHARMACY	D3-PHARMACY	01/01/2026 08:07:30	01/01/2026 08:08:18	0:48	0:00
RETURN-AMR-A-1-1	completed	D1-PHARMACY	AMR-CENTRE	01/01/2026 08:10:32	01/01/2026 08:13:26	2:54	0:00
GEN_PHARMACY_D1_00005	completed	D7-PHARMACY	D1-PHARMACY	02/01/2026 08:00:00	02/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D2_00006	completed	D7-PHARMACY	D1-PHARMACY	02/01/2026 08:00:00	02/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D3_00007	completed	D7-PHARMACY	D1-PHARMACY	02/01/2026 08:00:00	02/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D4_00008	completed	D7-PHARMACY	D1-PHARMACY	02/01/2026 08:00:00	02/01/2026 08:10:32	10:32	0:00
GEN_PHARMACY_D1_00005 ,GEN_PHARMACY_D2_0000 6,GEN_PHARMACY_D3_000 07,GEN_PHARMACY_D4_00 008	incomplete	D7-PHARMACY	D4-PHARMACY	02/01/2026 08:01:27	02/01/2026 08:03:31	2:04	0:00

Task	Outcome	From	To	Start	Finish	Duration	Wait
GEN_PHARMACY_D1_00005 ,GEN_PHARMACY_D2_0000 6,GEN_PHARMACY_D3_000 07	incomplete	D4-PHARMACY	D2-PHARMACY	02/01/2026 08:03:53	02/01/2026 08:07:06	3:13	0:00
GEN_PHARMACY_D1_00005 ,GEN_PHARMACY_D3_0000 7	incomplete	D2-PHARMACY	D3-PHARMACY	02/01/2026 08:07:30	02/01/2026 08:08:18	0:48	0:00
RETURN-AMR-A-1-3	completed	D1-PHARMACY	AMR-CENTRE	02/01/2026 08:10:32	02/01/2026 08:13:30	2:58	0:00

AMR AMR-B-1

Task	Outcome	From	To	Start	Finish	Duration	Wait
T1	completed	AMR-CENTRE	D1-CATERING	01/01/2026 08:06:00	01/01/2026 08:11:25	5:25	0:00
RETURN-AMR-B-1-2	completed	D1-CATERING	AMR-CENTRE	01/01/2026 08:11:25	01/01/2026 08:14:30	3:05	0:00

Congestion heatmap - Floor 0



Congestion heatmap - Floor 2

