

AMR Simulation Performance Report

Source CSV: [dynamic_tasks.csv](#)

This report summarises task completion, wait time, lift usage, and resource recommendations derived from the simulation event log.

Executive summary

metric	value
Simulation start	01/01/2026 08:00:00
Simulation finish	02/01/2026 08:58:38
Simulation duration	24:58:38
AMRs observed	2
Tasks total	25
Tasks completed	24
Tasks failed	1
Total waiting time	0:00
Total lift time	9:53
Average lift utilisation	0.7%
Recommended AMRs	2
Recommended lifts	1
Deliveries blocked by location capacity	1
Locations with capacity failures	1
Additional inventory spaces required	1
Additional storage area required	1.25 m ²

Method

item	detail
Recommended AMRs	Maximum of workload model and 95th percentile task concurrency using target utilisation 85%.
Recommended lifts	Maximum of lift occupancy model and 95th percentile concurrent lift demand using target utilisation 70%.
Lift parsing	Uses segment_type = lift_transfer and parses lift/floor from from_location and to_location.
Idle percentage	Calculated against the full simulation duration for each AMR and each lift.

AMR list

AMR ID	Qty	Payload (kg)	Speed (m/s)	Battery (kWh)	Charge rate (kW)	Recharge threshold (%)	Start SoC %	Start location
AMR-A	18	500.0	1.2	6.5	2.2	20.0	100.0	AMR-CENTRE
AMR-B	4	500.0	1.2	10.0	1.8	20.0	100.0	AMR-CENTRE

AMR fleet summary

All times in the format of mm:ss

AMR ID	Tasks	Completed	Failed	Task time	Wait time	Avg task	Distance (km)	Energy kWh	Recharges
-	1	0	1	0:00	0:00	0:00	0.0	0.0	0
AMR-A-1	24	24	0	1:39:55	0:00	4:09	5.52	0.0	0
Total	25	24	1	1:39:55	0:00	2:04	5.52	0.0	0

AMR Utilisation, Idle and Wait %

AMR ID	Util %	Idle %	Wait %
-	0.0	100.0	0
AMR-A-1	6.7	93.3	0.0

AMR recharge summary

No AMR recharge events were identified in the CSV.

Lift usage summary

All times in the format of mm:ss

Lift energy consumption

Lift	Trips	Total lift time	Avg trip	kWh Consumed	Util %	Idle %
Lift-7	25	9:53	0:23	0.4947	0.7	99.3
Total	25	9:53	0:23	0.4947		

Lift wait schedule

No lift wait events were identified in the CSV.

Payload schedule

Payload	No. transported	Payload kg
-	12	0.0
Clinical Waste Bin	1	200.0
food_trolley	12	120.0

Location space utilisation

Locations are mapped to departments and service categories from the simulator JSON. Area is calculated from each location bounding box; utilisation compares defined inventory-space area with the location area where inventory spaces are present.

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	ADULTIP1-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP1-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP1-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP2-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP3-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DELIVERY AREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DELIVERY HUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP4-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP5-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	ADULTIP6-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP6-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP6-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP7-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DELIVERY AREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DELIVERY HUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP8-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DELIVERY AREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DELIVERY HUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ADULTIP9-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	AMR-CENTRE	2	0.0	0.0	0.0	0	12	0	0	0.0	0.0	0
-	-	BIN YARD	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DELIVERY AREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DELIVERY HUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	CARDIO-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
-	-	ELECTIVE-WARD-DELIVERYAREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ELECTIVE-WARD-DELIVERYHUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ELECTIVE-WARD-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ENDOSCOPY-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ENDOSCOPY-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ICU-DELIVERYHUB	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	ICU-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	KITCHEN	2	0.0	0.0	0.0	0	6	0	0	0.0	0.0	0
-	-	KITCHEN-DH	2	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	KITCHEN-DH2	2	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	Linen Deliveries	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DELIVERYAREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DELIVERYHUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	MATERNITY-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD3-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD3-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD4-DELIVERYAREA	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	OPD4-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0

Department	Category	Location	Floor	Length m	Width m	Area m²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m²	Recommended spaces
-	-	PAEDIATRIC-DELIVERYAREA	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	PAEDIATRIC-DELIVERYHUB	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	PAEDIATRIC-DH	3	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RD	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RD2	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DELIVERYAREA	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DELIVERYHUB	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	RESPIRATORY-DH	4	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DELIVERYAREA	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DELIVERYHUB	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	STROKE-DH	5	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES-STORE	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES-STORE2	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES1-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	THEATRES2-DH	1	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
-	-	UEC-DELIVERYHUB	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Ambulatory Care	Waste	D17-WASTE	1	4.12	2.92	11.96	0	0	0	0	0.0	11.96	0
Birthing Suite	Pharmacy	D19-PHARMACY	1	2.02	6.03	10.15	0	0	0	0	0.0	10.15	0
Birthing Suite	Stores	D19-STORES	1	7.19	6.05	33.44	0	0	0	0	0.0	33.44	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Birthing Suite	Waste	D19-WASTE	1	4.12	2.93	11.92	0	0	0	0	0.0	11.92	0
Central Imaging	Linen	D8-LINEN	0	1.12	3.58	4.01	0	0	0	0	0.0	4.01	0
Central Imaging	Linen	D8-LINEN_2	0	1.38	2.45	3.28	0	0	0	0	0.0	3.28	0
Central Imaging	Pharmacy	D8-PHARMACY	0	2.88	3.07	8.62	0	0	0	0	0.0	8.62	0
Central Imaging	Stores	D8-STORES	0	3.2	5.32	16.6	0	0	0	0	0.0	16.6	0
Central Imaging	Waste	D8-WASTE	0	5.54	5.09	27.71	0	0	0	0	0.0	27.71	0
ED-Paediatrics	Pharmacy	D13-PHARMACY	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
ED-Paediatrics	Stores	D13-STORES	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Essential Services Lab	Waste	D15-WASTE	0	5.62	4.14	23.11	0	0	0	0	0.0	23.11	0
Fraility	Catering	D1-CATERING	0	2.81	1.32	3.61	1	6	1	1	70.6	4.86	2
Fraility	Linen	D1-LINEN	0	1.24	2.45	3.01	0	0	0	0	0.0	3.01	0
Fraility	Linen	D1-LINEN_2	0	1.77	1.7	2.99	0	0	0	0	0.0	2.99	0
Fraility	Pharmacy	D1-PHARMACY	0	5.33	2.26	11.97	0	0	0	0	0.0	11.97	0
Fraility	Stores	D1-STORES	0	4.13	2.12	8.68	0	0	0	0	0.0	8.68	0
Fraility	Waste	D1-WASTE	0	4.15	3.28	13.45	0	0	0	0	0.0	13.45	0
Minor Injuries	Linen	D10-LINEN	0	1.92	1.58	2.95	0	0	0	0	0.0	2.95	0
Minor Injuries	Pharmacy	D10-PHARMACY	0	3.12	2.65	8.0	0	0	0	0	0.0	8.0	0
Minor Injuries	Stores	D10-STORES	0	3.41	4.7	14.85	0	0	0	0	0.0	14.85	0
Mortuary	Stores	D6-STORES	0	8.83	4.29	26.45	0	0	0	0	0.0	26.45	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Mortuary	Waste	D6-WASTE	0	4.28	3.36	13.14	0	0	0	0	0.0	13.14	0
Neonatal	Linen	D18-LINEN	1	3.32	2.98	9.84	0	0	0	0	0.0	9.84	0
Neonatal	Pharmacy	D18-PHARMACY	1	2.88	5.96	14.46	0	0	0	0	0.0	14.46	0
Neonatal	Waste	D18-WASTE	1	4.14	3.55	14.64	0	0	0	0	0.0	14.64	0
OPD1	Pharmacy	D4-PHARMACY	0	4.2	3.56	14.73	0	0	0	0	0.0	14.73	0
OPD1	Waste	D4-WASTE	0	2.74	4.16	11.15	0	0	0	0	0.0	11.15	0
OPD2	Pharmacy	D5-PHARMACY	0	4.96	2.46	11.78	0	0	0	0	0.0	11.78	0
OPD2	Stores	D5-STORES	0	4.94	2.13	10.33	0	0	0	0	0.0	10.33	0
OPD2	Waste	D5-WASTE	0	2.83	4.08	11.38	0	0	0	0	0.0	11.38	0
OPD3	Pharmacy	D44-PHARMACY	0	4.94	2.48	12.04	0	0	0	0	0.0	12.04	0
OPD3	Waste	D44-WASTE	0	4.48	2.02	8.77	0	0	0	0	0.0	8.77	0
OPD4	Pharmacy	D45-PHARMACY	0	4.97	2.48	11.95	0	0	0	0	0.0	11.95	0
OPD4	Stores	D45-STORES	0	4.92	2.14	10.39	0	0	0	0	0.0	10.39	0
OPD4	Waste	D45-WASTE	0	4.4	2.0	8.59	0	0	0	0	0.0	8.59	0
Pharmacy	Pharmacy	D7-PHARMACY	0	0.0	0.0	0.0	0	0	0	0	0.0	0.0	0
Pharmacy	Stores	D7-STORES	0	7.22	6.85	48.96	0	0	0	0	0.0	48.96	0
Pharmacy	Waste	D7-WASTE	0	6.78	4.11	20.62	0	0	0	0	0.0	20.62	0
Resturant	Stores	D9-STORES	0	5.55	5.46	28.27	0	0	0	0	0.0	28.27	0
Resturant	Waste	D9-WASTE	0	3.37	3.59	11.83	0	0	0	0	0.0	11.83	0
SDEC	Pharmacy	D2-PHARMACY	0	3.97	5.53	21.74	0	0	0	0	0.0	21.74	0
SDEC	Waste	D2-WASTE	0	4.15	3.4	13.95	0	0	0	0	0.0	13.95	0
Urgent Care	Catering	D3-CATERING	0	3.09	1.33	4.01	0	0	0	0	0.0	4.01	0

Department	Category	Location	Floor	Length m	Width m	Area m ²	Spaces	Completed	Failed	Capacity failures	Util %	Recommended area m ²	Recommended spaces
Urgent Care	Catering	D3-CATERING_2	0	1.78	2.33	3.94	0	0	0	0	0.0	3.94	0
Urgent Care	Linen	D3-LINEN	0	1.23	2.42	2.91	0	0	0	0	0.0	2.91	0
Urgent Care	Linen	D3-LINEN_2	0	1.76	1.73	2.98	0	0	0	0	0.0	2.98	0
Urgent Care	Pharmacy	D3-PHARMACY	0	5.33	2.2	11.58	0	0	0	0	0.0	11.58	0
Urgent Care	Stores	D3-STORES	0	4.17	1.61	6.63	0	0	0	0	0.0	6.63	0
Urgent Care	Waste	D3-WASTE	0	4.14	3.68	15.03	0	0	0	0	0.0	15.03	0

Failed delivery analysis

Failed deliveries are grouped with their logged reason and payload dimensions so capacity failures can be traced back to the attempted load size.

Time	Task	AMR	Department	Category	Location	Payload	Payload L	Payload W	Payload H	Payload area	Failure reason
01/01/2026 08:06:00	T1	-	Fraility	Catering	D1-CATERING	Clinical Waste Bin	1.2	0.8	1.6	0.96	All compatible inventory spaces are full at D1-CATERING

Failed payload sizes

Location	Payload	Length m	Width m	Height m	Failed count
D1-CATERING	Clinical Waste Bin	1.2	0.8	1.6	1

Location storage recommendations

Recommended area keeps the current location area as a baseline and adds failed payload footprints with a 30% handling allowance. Recommended spaces add capacity-related failed attempts to the current defined inventory-space count.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	RD2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES-STORE2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES-STORE	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES1-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	THEATRES2-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ICU-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ENDOSCOPY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD4-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD3-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	AMR-CENTRE	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	MATERNITY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	MATERNITY-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RD	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	UEC-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ENDOSCOPY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD4-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	OPD3-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ICU-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	KITCHEN-DH2	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP4-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	ADULTIP4-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	CARDIO-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	CARDIO-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	ADULTIP8-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DELIVERYHUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP8-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DH	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DELIVERY HUB	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	BIN YARD	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	Linen Deliveries	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	PAEDIATRIC-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	MATERNITY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP1-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP2-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP3-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP4-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	RESPIRATORY-DELIVERYAREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m²	Recommended area m²	Additional area m²	Current spaces	Recommended spaces	Additional spaces	Reason
-	-	CARDIO-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP5-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ELECTIVE-WARD-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP6-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP7-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP8-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	STROKE-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
-	-	ADULTIP9-DELIVERY AREA	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Catering	D1-CATERING	3.61	4.86	1.25	1	2	1	Increase storage for failed capacity-related delivery attempts.
Fraility	Linen	D1-LINEN	3.01	3.01	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Linen	D1-LINEN_2	2.99	2.99	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Pharmacy	D1-PHARMACY	11.97	11.97	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Stores	D1-STORES	8.68	8.68	0.0	0	0	0	No failed delivery pressure identified.
Fraility	Waste	D1-WASTE	13.45	13.45	0.0	0	0	0	No failed delivery pressure identified.
SDEC	Waste	D2-WASTE	13.95	13.95	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
SDEC	Pharmacy	D2-PHARMACY	21.74	21.74	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Catering	D3-CATERING	4.01	4.01	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Linen	D3-LINEN	2.91	2.91	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Linen	D3-LINEN_2	2.98	2.98	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Catering	D3-CATERING_2	3.94	3.94	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Pharmacy	D3-PHARMACY	11.58	11.58	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Stores	D3-STORES	6.63	6.63	0.0	0	0	0	No failed delivery pressure identified.
Urgent Care	Waste	D3-WASTE	15.03	15.03	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Waste	D7-WASTE	20.62	20.62	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Stores	D7-STORES	48.96	48.96	0.0	0	0	0	No failed delivery pressure identified.
Pharmacy	Pharmacy	D7-PHARMACY	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Waste	D8-WASTE	27.71	27.71	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Linen	D8-LINEN	4.01	4.01	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Linen	D8-LINEN_2	3.28	3.28	0.0	0	0	0	No failed delivery pressure identified.
Central Imaging	Pharmacy	D8-PHARMACY	8.62	8.62	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
Central Imaging	Stores	D8-STORES	16.6	16.6	0.0	0	0	0	No failed delivery pressure identified.
OPD1	Waste	D4-WASTE	11.15	11.15	0.0	0	0	0	No failed delivery pressure identified.
OPD1	Pharmacy	D4-PHARMACY	14.73	14.73	0.0	0	0	0	No failed delivery pressure identified.
OPD3	Waste	D44-WASTE	8.77	8.77	0.0	0	0	0	No failed delivery pressure identified.
OPD3	Pharmacy	D44-PHARMACY	12.04	12.04	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Waste	D45-WASTE	8.59	8.59	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Pharmacy	D45-PHARMACY	11.95	11.95	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Waste	D5-WASTE	11.38	11.38	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Stores	D5-STORES	10.33	10.33	0.0	0	0	0	No failed delivery pressure identified.
OPD2	Pharmacy	D5-PHARMACY	11.78	11.78	0.0	0	0	0	No failed delivery pressure identified.
OPD4	Stores	D45-STORES	10.39	10.39	0.0	0	0	0	No failed delivery pressure identified.
Mortuary	Waste	D6-WASTE	13.14	13.14	0.0	0	0	0	No failed delivery pressure identified.
Mortuary	Stores	D6-STORES	26.45	26.45	0.0	0	0	0	No failed delivery pressure identified.
Essential Services Lab	Waste	D15-WASTE	23.11	23.11	0.0	0	0	0	No failed delivery pressure identified.
Resturant	Waste	D9-WASTE	11.83	11.83	0.0	0	0	0	No failed delivery pressure identified.

Department	Category	Location	Current area m ²	Recommended area m ²	Additional area m ²	Current spaces	Recommended spaces	Additional spaces	Reason
Resturant	Stores	D9-STORES	28.27	28.27	0.0	0	0	0	No failed delivery pressure identified.
Minor Injuries	Stores	D10-STORES	14.85	14.85	0.0	0	0	0	No failed delivery pressure identified.
Minor Injuries	Linen	D10-LINEN	2.95	2.95	0.0	0	0	0	No failed delivery pressure identified.
Minor Injuries	Pharmacy	D10-PHARMACY	8.0	8.0	0.0	0	0	0	No failed delivery pressure identified.
ED-Paediatrics	Stores	D13-STORES	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
ED-Paediatrics	Pharmacy	D13-PHARMACY	0.0	0.0	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Waste	D19-WASTE	11.92	11.92	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Stores	D19-STORES	33.44	33.44	0.0	0	0	0	No failed delivery pressure identified.
Ambulatory Care	Waste	D17-WASTE	11.96	11.96	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Waste	D18-WASTE	14.64	14.64	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Linen	D18-LINEN	9.84	9.84	0.0	0	0	0	No failed delivery pressure identified.
Neonatal	Pharmacy	D18-PHARMACY	14.46	14.46	0.0	0	0	0	No failed delivery pressure identified.
Birthing Suite	Pharmacy	D19-PHARMACY	10.15	10.15	0.0	0	0	0	No failed delivery pressure identified.

Task detail grouped by AMR

AMR -

Task	Outcome	From	To	Start	Finish	Duration	Wait
T1	failed	KITCHEN	D1-CATERING	01/01/2026 08:06:00	01/01/2026 08:06:00	0:00	0:00

AMR AMR-A-1

Task	Outcome	From	To	Start	Finish	Duration	Wait
GEN_CATERING_D1_00001	completed	KITCHEN	D1-CATERING	01/01/2026 08:00:00	01/01/2026 08:05:25	5:25	0:00
RETURN-AMR-A-1-2	completed	D1-CATERING	AMR-CENTRE	01/01/2026 08:05:25	01/01/2026 08:08:25	3:00	0:00
RETURN-GEN_CATERING_D1_00001-1	completed	D1-CATERING	KITCHEN	01/01/2026 08:50:25	01/01/2026 08:56:26	6:01	0:00
RETURN-AMR-A-1-3	completed	KITCHEN	AMR-CENTRE	01/01/2026 08:56:26	01/01/2026 08:58:45	2:19	0:00
GEN_CATERING_D1_00002	completed	AMR-CENTRE	D1-CATERING	01/01/2026 11:45:00	01/01/2026 11:50:19	5:19	0:00
RETURN-AMR-A-1-5	completed	D1-CATERING	AMR-CENTRE	01/01/2026 11:50:19	01/01/2026 11:53:19	3:00	0:00
RETURN-GEN_CATERING_D1_00002-4	completed	D1-CATERING	KITCHEN	01/01/2026 12:35:19	01/01/2026 12:41:20	6:01	0:00
RETURN-AMR-A-1-6	completed	KITCHEN	AMR-CENTRE	01/01/2026 12:41:20	01/01/2026 12:43:38	2:18	0:00
GEN_CATERING_D1_00003	completed	KITCHEN	D1-CATERING	01/01/2026 12:45:00	01/01/2026 12:50:19	5:19	0:00
RETURN-AMR-A-1-8	completed	D1-CATERING	AMR-CENTRE	01/01/2026 12:50:19	01/01/2026 12:53:19	3:00	0:00
RETURN-GEN_CATERING_D1_00003-7	completed	D1-CATERING	KITCHEN	01/01/2026 13:35:19	01/01/2026 13:41:20	6:01	0:00
RETURN-AMR-A-1-9	completed	KITCHEN	AMR-CENTRE	01/01/2026 13:41:20	01/01/2026 13:43:38	2:18	0:00
GEN_CATERING_D1_00004	completed	KITCHEN	D1-CATERING	01/01/2026 16:45:00	01/01/2026 16:50:19	5:19	0:00
RETURN-AMR-A-1-11	completed	D1-CATERING	AMR-CENTRE	01/01/2026 16:50:19	01/01/2026 16:53:19	3:00	0:00

Task	Outcome	From	To	Start	Finish	Duration	Wait
RETURN-GEN_CATERING_D1_00004-10	completed	AMR-CENTRE	KITCHEN	01/01/2026 17:35:19	01/01/2026 17:41:20	6:01	0:00
RETURN-AMR-A-1-12	completed	KITCHEN	AMR-CENTRE	01/01/2026 17:41:20	01/01/2026 17:43:38	2:18	0:00
GEN_CATERING_D1_00005	completed	AMR-CENTRE	D1-CATERING	01/01/2026 17:45:00	01/01/2026 17:50:19	5:19	0:00
RETURN-AMR-A-1-14	completed	D1-CATERING	AMR-CENTRE	01/01/2026 17:50:19	01/01/2026 17:53:19	3:00	0:00
RETURN-GEN_CATERING_D1_00005-13	completed	D1-CATERING	KITCHEN	01/01/2026 18:35:19	01/01/2026 18:41:20	6:01	0:00
RETURN-AMR-A-1-15	completed	KITCHEN	AMR-CENTRE	01/01/2026 18:41:20	01/01/2026 18:43:38	2:18	0:00
GEN_CATERING_D1_00006	completed	KITCHEN	D1-CATERING	02/01/2026 08:00:00	02/01/2026 08:05:19	5:19	0:00
RETURN-AMR-A-1-17	completed	D1-CATERING	AMR-CENTRE	02/01/2026 08:05:19	02/01/2026 08:08:19	3:00	0:00
RETURN-GEN_CATERING_D1_00006-16	completed	AMR-CENTRE	KITCHEN	02/01/2026 08:50:19	02/01/2026 08:56:20	6:01	0:00
RETURN-AMR-A-1-18	completed	KITCHEN	AMR-CENTRE	02/01/2026 08:56:20	02/01/2026 08:58:38	2:18	0:00

Congestion heatmap - Floor 0



